

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

DEC 21 1988

MICROFILMED

Q

T-29N 22

R-8E

MICROFILMED

DEC 21 1988

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Debra G. Hutzman
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 82-07174

1. Owner: TIMOTHY A. / DEBRA J. HEITZMAN

Phone No. 842-2441

Current Address: Box 254 / 450 HIDDEN SPRINGS RD. ELK CITY, ID.

2. Accompanied by: Timothy A Heitzman

EXAM. DATE: 6/8/90

Address: Same

Phone No. Same

Relationship to Permit Holder: -

3. Source: Spring tributary to Sinks

B. OVERLAP REVIEW

1. Other water rights with same place of use: none

☐ Copies Attached


2. Other water rights with same point of diversion: none

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).


☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.


☐ Aerial Photo Attached

(required for irrigation of 10 acres or more).

MICROFILMED
JUN 29 1992



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT II
P H O T O G R A P H S



P/D



P/W

MICROFILMED

JUN 29 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 82-07174

Priority: July 28, 1988

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

0.6 AF

This is to certify, that TIMOTHY A HEITZMAN
DEBRA J HEITZMAN

PO BOX 254

ELK CITY ID 83525

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated July 28, 1988; and has submitted Proof of Beneficial Use on September 18, 1989. An examination indicates that the works have a diversion capacity of .020 cfs of water from:

SPRING

tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF

LOCATION OF POINT(S) OF DIVERSION:

SESENW , Sec. 22, Township 29N, Range 08E
IDAHO County

PLACE OF USE: DOMESTIC
TWN RGE SEC

29N 08E 22

SENW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 16TH day of MAY, 1992.

MICROFILMED

JUN 29 1992

Acting for

R. Keith Higginson, Director

State of Idaho
Department of Water Resources

RECEIVED
MAY 05 1992

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 82-07174

Department of Water Resources

Date of Priority: July 28, 1988

Maximum Diversion Rate:
Maximum Diversion Volume:

0.02 CFS
0.6 AF

Comes now

TIMOTHY A HEITZMAN
DEBRA J HEITZMAN

APPROVED

PO BOX 254
ELK CITY ID 83525

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 82-07174, and requests that the permit be changed as follows:

Source: **SPRING**

tributary to **SINKS**

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF

LOCATION OF POINT(S) OF DIVERSION:

SESENW, Sec. 22, Township 29N, Range 08E
IDAHO County

PLACE OF USE: DOMESTIC
TWN RGE SEC

29N 08E 22 SENW

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Elk City, this 1 day of May, 19 92.

MICROFILMED

JUN 29 1992

Debra J Heitzman
(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 82-07174

FOR DEPARTMENT USE ONLY

C024036

Preliminary check by SC Fee ☒ \$20.00 Received by blb Date 5/5/92


ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 82-07174 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Domestic use is for 1 home.

Witness my hand this 16TH day of MAY, 1992.


Acting for R. Keith Higginson, Director

JUN 29 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 82-07174

MICROFILMED
APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant TIMOTHY A. OR DEBRAJ. HEITZMAN Phone _____
Post office address Box 25, ELK CITY, ID 83525

2. Source of water supply SPRING which is a tributary of SINKS

3. Location of point of diversion is SE* ¼ of NW ¼ of NW ¼, Govt. Lot _____
Sec. 22 Township 29N Range 8E B.M. IDAHO County; additional

points of diversion if any: _____

*per map - tw 11/28/88

4. Water will be used for the following purposes:

Amount 0.02 for DOMESTIC purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.02 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 4' CULVERT 15' DEEP.
1" PIPELINE (GRAVITY) TO STORAGE TANK

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

d. Is ground water with a temperature of greater than 90°F being sought? _____

7. Time required for the completion of the works and application of _____ proposed beneficial use is
_____ years (minimum 1 year).

MICROFILMED

DEC 21 1988

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. 639
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. 1 HOUSEHOLD
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
29N	8E	22					D												

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. NONE

11. a. Who owns the property at the point of diversion? APPLICANT

b. Who owns the land to be irrigated or place of use? "

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

MICROFILMED

DEC 21 1988

point of diversion, place of use,

SECRET

MICROFILMED
DEC 21 1988

by makes application for permit to

Debra G. Hutzman
(Applicant)

Proposed Priority 7/28/88

Received by JK Date 7/28/88 Time 1:00 P Preliminary check by JK
Fee \$ 30.00 Receipted by JK # N-814 Date 7/28/88
Publication prepared by JK Date 8/10/88 Published in Idaho Free Press
Publication approved JK Date 9/26/88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 82-7174, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 19 89.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

Witness my hand this 30th day of November, 1988.

J. Glen Saylor

MICROFILMED

DEC 21 1988

NOTICE OF CORRECTION

NOTICE IS HEREBY GIVEN that the following water rights were advertised incorrectly on August 17 & 24, 1988.

84-7206 - ISAAC &/OR BETTY GOODWIN

The amount of water advertised for Domestic Use was incorrectly advertised as 0.10 CFS; whereas correctly it should be 0.11 CFS.

82-7178 - WALTER M. &/OR SHIRLEY A. BREWER

The place of use was incorrectly advertised as T32N R04E S21 SWNW SWNW NWSW; whereas, correctly it should be T32N R04E S21 SWNW SWNW NWNW.

82-7176 - STEPHEN WAYNE HACKNEY

The Diversion Pt. was incorrectly advertised as the NESESE Sec. 11 T29N R03E; whereas, correctly it should be the NESESE and SESESE Sec 11 T29N R03E.

82-7174 - TIMOTHY A. &/OR DEBRA J. HEITZMAN

The advertisement failed to include the amount of water for domestic use which is 0.02 CFS.

81-7141 - VERLA J. &/OR DENNIS YATES; LLOYD W. &/OR CAROLYN ZUMWALT

The Diversion Pt. was incorrectly advertised as LOT 4 (NWSW) Sec 32 T33N R04E; whereas correctly it should be LOT 4 (NESW) Sec 32 T33N R04E. Also, the Dated Filed was incorrectly advertised as 8/02/1988; whereas, correctly it should be 7/28/1988.

81-7136 - W. L. KIDD

The place of use was incorrectly advertised as T32N R05E S341 NENE NENE SWNE SWNE SWNW SWNW SWSW NESE NESE for 17.0 Acres; whereas, correctly it should be T32N R05E S31 NENE NENE SWNE SWNE SWNW SWNW SWSW SWSW NESE NESE for 19.0 Acres.

Protests to the above-referenced corrections must be filed with the Director, Dept. of Water Resources, 4055 Gov't. Way, Suite 9, Coeur d'Alene, Id. 83814 on or before September 26, 1988.

R. KEITH HIGGINSON, Dir.
Published in the Idaho County Free Press on 9/7 & 14/1988.

SZ-14

AFFIDAVIT OF PUBLICATION

Charlotte Sotin

being first duly

sworn, says he is the Bookkeeper
of the IDAHO COUNTY FREE PRESS, a weekly newspaper which is published and issued weekly at Grangeville, Idaho County, State of Idaho, and which is of general circulation in said county and state; that the said notice, of which the one hereto attached is a true copy, was published in said paper for two weeks, being published two times, the first publication being on the 7th day of September, 19 88, and the last publication on the 14th day of September, 1988; and that the said notice was published in the newspaper proper and not a supplement; that said newspaper has been continuously and uninterruptedly published in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of said notice or advertisement.

Charlotte Sotin

Subscribed and sworn to before me this 14th day of September, 19 88.

[Signature]

Notary Public

for State of Idaho, residing at Grangeville, Idaho.

RECEIVED

SEP 21 1988

Department of Water Resources
Northern District Office

MICROFILMED

DEC 21 1988

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been
filed to appropriate the public waters of
the State of Idaho:

81-07135

SCHIRLE, VICTOR G.; SCHIRLE,
PATRICIA J.; RT. 1 BOX 69 A;
KOOSKIA, ID 83539
Source: SPRINGS Tributary: SINKS
Diversion Pt: NESWSW Sec 14 T 32N
R 05E NWSWSW Sec 14 T 32N R 05E
Use: STOCKWATER (.020 CFS)
DOMESTIC (.040 CFS)
Date Filed: 7/25/1988
In: T32N R05E S15 SESE.

81-07136

KIDD, W.L.; 619 BURRELL AVE;
LEWISTON, ID 83501
Source: CLEAR CREEK Tributary:
CLEARWATER RIVER
Diversion Pt: SWNW Sec 31 T 32N R
05E
Use: IRRIGATION (.1000 CFS)
STOCKWATER (.020 CFS) WILDLIFE
(.020 CFS) DOMESTIC (.040 CFS)
Date Filed: 7/28/1988
In: T32N R05E S341 NENE NENE
SWNE SWNE SWNW SWNW SWSW
NESE NESE
17.0 ACRES TOTAL.

81-07137

SMITH, KATHLEEN M.; STAR RT. BOX
80; KAMIAH, ID 83536
Source: SPRING Tributary: GLOVER
CREEK
Diversion Pt: NWSENE Sec 1 T33N R
04E
Use: STOCKWATER (.020 CFS)
STOCKWATER STORAGE (.02 AF)
Date Filed: 8/01/1988
In: T33N R04E S01 SENE.

81-07138

WELCH, ABIE; WELCH, MARY; BOX
382; KOOSKIA, ID 83539
Source: CLEAR CREEK Tributary:
CLEARWATER RIVER, MIDDLE F
Diversion Pt: SESE Sec 22 T 32N R
04E
Use: IRRIGATION (.990 CFS)
STOCKWATER (.020 CFS)
Date Filed: 7/19/1988
In: T32N R04E S22 SWNE SWNE
SENE SENE NESE NESE SESE SESE
S23 SWSW
50.0 ACRES TOTAL.

81-07139

WELCH, ABIE; WELCH, MARY; BOX
382; KOOSKIA, ID 83539
Source: SPRING Tributary: SINKS
Diversion Pt: NWSESE Sec 22 T32N R
04E
Use: DOMESTIC (.040 CFS)
Date Filed: 7/19/1988
In: T32N R04E S22 SESE.

81-07140

TUDDER, LEE A.; BOX 1;
CLARKSTON, WA 99403
Source: SWIFTWATER CREEK
Tributary: SELWAY RIVER
Diversion Pt: SENE Sec 16 T 32N R
07E
Use: DOMESTIC (.020 CFS)
Date Filed: 7/21/1988
In: T32N R07E S16 SENE.

81-07141

YATES, VERLA J.; YATES, DENNIS;
ZUMWALT, LLOYD W.; ZUMWALT,
CAROLYN; RT. 1 BOX 44; KAMIAH, ID
83536
Source: GROUNDWATER
Diversion Pt: LOT 4 (NWSW) Sec 32 T
33N R 04E
Use: IRRIGATION (.120 CFS)
STOCKWATER (.020 CFS) DOMESTIC
(.040 CFS)
Date Filed: 8/03/1988
In: T33N R04E S32 NESW Lot 4
(NWSE)
6.0 ACRES TOTAL.

AFFIDAVIT OF PUBLICATION

Charlotte Sotin being first duly

sworn, says he is the Bookkeeper
of the IDAHO COUNTY FREE PRESS, a weekly newspaper which
is published and issued weekly at Grangeville, Idaho County,
State of Idaho, and which is of general circulation in said county
and state; that the said notice, of which the one hereto attached
is a true copy, was published in said paper for two weeks,
being published two times, the first publication being
on the 17th day of August, 1988,
and the last publication on the 24th day of
August, 1988; and that the said notice
was published in the newspaper proper and not a supplement;
that said newspaper has been continuously and uninterruptedly
published in said county during a period of more than seventy-
eight consecutive weeks prior to the first publication of said
notice or advertisement.

Charlotte Sotin

Subscribed and sworn to before me this 24th day
of August, 1988.

[Signature]

Notary Public

for State of Idaho, residing at Grangeville, Idaho.

81-07142

PFEFFERKORN, DORRENCE;
PFEFFERKORN, VERLE; HC 75, BOX 11
140; KOOSKIA, ID 83539
Source: CLEARWATER RIVER
Tributary: SNAKE RIVER
Diversion Pt: SWNE Sec 10 T 32N R
04E
Use: IRRIGATION (.060 CFS)
Date Filed: 8/04/1988
In: T32N R04E S10 SWNE
2.0 ACRES TOTAL.

82-07173

EMERALD MINING CO.; 529 S.
WENATCHEE AVE.; WENATCHEE, WA
98801
Source: ALLISON CREEK Tributary:
CLEARWATER RIVER, SOUTH FO
Diversion Pt: NESE Sec 20 T 29N R
07E SESE Sec 20 T 29N R 07E
Use: MINING (1.000 CFS) MINING
STORAGE (1.50 AF) MINING FROM
STORAGE (1.50 AF) DIVERSION TO
STORAGE (1.000 CFS)
Date Filed: 7/26/1988
In: T29N R07E S29 NESE SESE.

82-07174

HEITZMAN, DEBRA J.; HEITZMAN,
TIMOTHY A.; BOX 25; ELK CITY, ID
83525
Source: SPRING Tributary: SINKS
Diversion Pt: NWNW Sec 22 T 29N R
08E
Use: DOMESTIC (.020 CFS)
Date Filed: 7/28/1988
In: T29N R08E S22 NWNW.

RECEIVED

Department of Water Resources
Northern District Office

The permit(s) will be subject to all prior
water rights. Protests must be filed with
the Director, Dept. of Water Resources,
Northern Region, Government Way
Suite 9, Coeur d'Alene, Idaho 83814 on
or before SEPTEMBER 6, 1988.
R. KEITH HIGGINSON, Director
Published 8/17/1988 & 8/24/1988

A17-24

MICROFILMED

DEC 21 1988

May 26, 1992

TIMOTHY A HEITZMAN
DEBRA J HEITZMAN
PO BOX 254
ELK CITY ID 83525

RE: WATER RIGHT NO. 82-07174

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

JUN 29 1992

April 16, 1992

TIMOTHY A HEITZMAN
DEBRA J HEITZMAN
PO BOX 254
ELK CITY ID 83525

RE: WATER RIGHT NO. 82-07174

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 15 days.

If you do not concur with these findings or if you have any questions, please contact us within the 15-day period.

Sincerely,

SHARLA CURTIS
Water Resource Agent

SC:clh

Enclosure

RECEIVED
JUN 29 1992

LICENSE REVIEW CHECKLIST

Date 04-13-92

Permit # 82-7174
28

	<u>Yes</u>	<u>No</u>	
NAME	<u> </u>	<u>✓</u>	Address Change? <u>Edit</u>
PRIORITY DATE	<u> </u>	<u>✓</u>	Advance? <u> </u>
	<u> </u>	<u>✓</u>	Memo to Advance
	<u> </u>	<u>✓</u>	Order to Reinstate Needed?
TOTAL CFS	<u> </u>	<u>✓</u>	Incorrect Fee for rate recommended?
	<u>NA</u>	<u> </u>	Disagree with Actual Measurement?
	<u>NA</u>	<u> </u>	Disagree with Theoretical? <u>Dom/.02 (Permit)</u>
	<u> </u>	<u>✓</u>	Limited by Capacity? <u>.02 cfs</u>
TOTAL VOLUME			Rate/ac <u> </u> AFA Irr. Season <u> </u>
			<u> </u> Standard Irr. Season
			<u> </u> Season Recommended
	<u>NA</u>	<u> </u>	Disagree with Examiner's Calculations?
	<u> </u>	<u>✓</u>	<u>1 Dom/.6 AFA</u>
	<u> </u>	<u>✓</u>	Limited by Flow?
SOURCE	<u> </u>	<u>✓</u>	Changes? Clarification of <u>Originally</u>
	<u> </u>	<u>✓</u>	<u>Intended</u> source
	<u> </u>	<u>✓</u>	Notice of Intent to Void.
P/D	<u>✓</u>	<u> </u>	Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed? <u>SENWNW to SESENW</u>
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
P/U	<u>✓</u>	<u> </u>	Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed? <u>NWNW to SENW</u>
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
USES	<u> </u>	<u>✓</u>	Changes required to be compatible with
	<u> </u>	<u>✓</u>	Maps, Data Entry Standards, etc? <u> </u>
	<u> </u>	<u>✓</u>	Change(s) in Nature of Use? <u> </u>
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
REMARKS	<u> </u>	<u>✓</u>	Multiple P/Ds in 1/4 1/4? <u> </u>
	<u>✓</u>	<u> </u>	Non-Irrigation Uses <u>Dom/1 Home</u>
	<u> </u>	<u>✓</u>	Special Overlap Condition <u> </u>
	<u> </u>	<u>✓</u>	Other <u> </u>
CONDITIONS	<u> </u>	<u>✓</u>	Measuring Device
	<u> </u>	<u>✓</u>	W/Master Control
	<u> </u>	<u>✓</u>	Overlap
	<u> </u>	<u>✓</u>	Water Quality
			DATES/MISC
			<u> </u> <u>✓</u> Water Dist.
			<u> </u> App Rec'd
			<u> </u> Exam Made

COMMENTS/MEMOS NEEDED:

License 10-Day 15-Day ✓ Special Correspondence

ok 

WR0749NP
No. L82-07174

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 04/13/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	TIMOTHY A HEITZMAN	07/28/1988	DOMESTIC	01-01 12-31	0.02 CFS	0.6 AFA
C	DEBRA J HEITZMAN PO BOX 254 ELK CITY ID 83525					
TOTAL DIVERSION:					0.02 CFS	0.6 AFA

Water Source: SPRING

Tributary to: SINKS

Stage: LICENSE

Point(s) of Diversion Capacity: 0.02 CFS

Point(s) of Diversion: T29N R08E S22 SE SE NW

Place of use Legal Description for: DOMESTIC

				NE				NW				SW				SE											
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac
29N 08E 22 :																											
:																											
:																											
:																											

Pou County: IDAHO

Other Water Rights Listing Overlapping Place(s) of use:
82-04015

Remarks: Domestic use is for 1 home.

Dates:	App. Received:	07/28/1988	Priority Date:	07/28/1988
	Proof Due Date:	12/01/1989	Proof Made Date:	09/18/1989
	Exam Made Date:	06/07/1990	Exam Sent to S.O.:	
	Licensed Date:			

Misc: Water District Number: Field Exam Fee: N (Not Required)

Audit: 04/13/92 SKAGGS

SENIOR AGENT REVIEW

Check List
for
Beneficial Use Field Report

Permit 82-07174

A. GENERAL INFORMATION

- ✓ 1. Name and address are most current available. (Check BU statement)
✓ 2. Exam Date
✓ 3. Source (Check Permit)

B. OVERLAP REVIEW

- ✓ 1. & 2. (Rule 5,1,4)

C. SYSTEM DESCRIPTION

- ✓ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
✓ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
Photo of pd and/or pu or explanation
✓ 3. Word Picture (Rule 5,1,3 / 5,1,4)
✓ 4. Diversion (Rule 5,1,3)
TDS ✓ 5. Compare with USGS Map/Land Survey Maps/Aerial Photos/Permit.
Method of determination
IDK ✓ 6. Irrigation (Rule 5,1,8), Method of determination,
Compare USGS/Land Survey?Aerial Photos/Permit.

D. FLOW MEASUREMENTS Check math (Rule 5,1,13 / 5,1,14)

E. FLOW CALCULATIONS Check math (Rule 5,1,13 / 5,1,14)

F. OPTIONAL

G. VOLUME CALCULATIONS

- ✓ Three significant figures/not less than 0.10 (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

H. REMARKS AND OVERLAP ANALYSES

- ✓ All actual uses listed (Rule 5,1,2):
✓ All unused, permitted uses listed (Rule 5,1,2):
✓ Overlaps (Rule 5,1,4):
✓ Return flows (Rule 5,1,5):
✓ Conditions (Rule 5,1,6).

I. RECOMMENDATIONS

- ✓ 1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
✓ 2. Compare permit to exam for amendments (Rule 5,1,16)

J. AUTHENTICATION

✓ Name, Signature, Certification Date, Exam Date.

WELL INSPECTION REPORT

✓ Check with permit and well log for discrepancies

RECEIVED
JUN 19 1991
Department of Water Resources

Signature

W. King

Date

8/16/90

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 92-07174


1. Owner: TIMOTHY A. / DEBRA J. HEITZMAN Phone No. 842-2441
Current Address: Box 254 / 450 HIDDEN SPRINGS RD. ELK CITY, ID.
2. Accompanied by: Timothy A Heitzman EXAM. DATE: 6/8/90
Address: Same Phone No. Same
Relationship to Permit Holder: -
3. Source: Spring tributary to Sinks

B. OVERLAP REVIEW

1. Other water rights with same place of use: none ☐ Copies Attached
2. Other water rights with same point of diversion: none ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

RECORDED
JUN 29 1992

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

The spring was gravity fed to the delivery system which consisted of a storage tank, a 1hp Jacuzzi pump and a ~~gallon~~ pressure tank. The water was then delivered to the house and to 4 horses.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
submersible	-	1 hp	-	Jacuzzi	-

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
-	-	SE	SE	NW	22	29N	8E	Idaho	Map

6. **Place(s) of Use:**


Indicate Method of Determination Map

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
29N	8E	22								0									4
"	"	"								~~SE~~ 5									4

Do not use this space

MICHAEL

JUN 29 1993



Do not use this space

D. FLOW MEASUREMENTS

None

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

4 horses
1 Domestic

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ None

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ None

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ -

2. Volume Calculations for Other Uses:

4 horses = .20 AF
1 Domestic = .6 AF

.8 AF - SDK

JUN 29 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

In my investigation, I found the location to be in SE SE NW, and I recommend an amendment to the P/O, P/U.

I. RECOMMENDATIONS

1. Recommended Amounts


Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume AFV (afa)
	From	To		
Domestic	1/1	12/31	.04 cfs	.8 AFV
~~Stock (P)~~	~~1/1~~	~~12/31~~	~~.07 cfs~~	~~1.4 afa~~ TDK
Totals:			.04 cfs	.8 afa

2. Recommended Amendments

- ☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name Robert Knoblock
 Signature Robert Knoblock
 Certification Date 4/16/90
 Field Report Preparation Date 6/8/90



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

JUN 29 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT II

PHOTOGRAPHS



P/D

P/W

MICROFILMED

JUN 29 1992

December 7, 1989

TIMOTHY A. HEITZMAN
DEBRA J. HEITZMAN
P.O. BOX 25
ELK CITY, ID 83525

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 82-07174

Dear Permit Holder:


The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region



HEITMAN

1/80

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 82-7174

Date: 12/4/89

General Considerations:

- ☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change 6/83 If yes, prepare a data entry
☒ Proof received timely
☐ Reinstated

Source of Water:

- ☒ Surface water
☐ Groundwater
☒ 1. well log in file
☒ 2. drilling permit
☒ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

- ☒ Rate of diversion appropriate for uses
☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

- ☒ Is a measuring device or access port required?
☒ Has one been installed?
☒ Waiver or modification of measuring device requested

Remarks:

Prof acceptable

Priority Calculation:

Date proof received

Date proof due

No. of days late

Priority date

NEW PRIORITY DATE

<u>NA</u>	
	-
	=
	+
	=

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

Address Change

RECEIVED
SEP 18 1989

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only

Fee Received _____

Date _____

Receipt # _____

Receipt by _____

Reviewed by AS-14/6/89

Sent to region _____

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 82-07174

Name(s) of Permit Holder: Timothy A. or Debra J. Heitzman

Post Office Address: P.O. Box 254 Elk City Id. 83525

Telephone No. (208) 842-2441

Source of Water: Spring

Extent of Use:

Domestic 1 (number of households) Stockwater 2 mules (number and type of stock)

Irrigation _____ (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted .02 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: 11-85

Measuring Device: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☐ No

Fee enclosed \$ 0
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

Debra J. Heitzman (208) 842-2441
(Name) (Telephone Number)

P.O. Box 254 Elk City Id. 83525 / 450 Hiddensprings Road
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho. **MAR 26 1990**

8-13-89
Date

Debra J. Heitzman
Signature of Permit Holder (and title, if appropriate)

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
December 5, 1988

TIMOTHY A. HEITZMAN
DEBRA J. HEITZMAN
P.O. BOX 25
ELK CITY, ID 83525

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 82-07174

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed.

Sincerely,

GARY SPACKMAN, Supervisor
Water Rights Permits Section

GS: SC
Enclosures

Microfilmed

DEC 21 1988

Form No. 202a.
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: JK DATE: 7/29/88 APPLICATION: 82-07174

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names must be provided for the director, officers, and other partners.)
- ☒ Address:
- ☒ Source: (See USGS Quad for names of water sources)
- ☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
- ☒ County:
- ☒ Quantity: (flow and/or volume)
- ☒ Period of use:
- ☒ Nature of proposed use: (Include description of use)
- ☒ Description of diverting works:
- ☒ Time required for beneficial use of water:
- ☒ Place of use or acres irrigated:
- ☒ Map:
- ☒ Signature: (If applicant is corp., partnership, or municipality title of signator is required)
- ☒ Fee:
- ☒ yes ☐ No* In form to receipt:

ADDITIONAL INFORMATION

- | YES | NO |
|--|--------------------------|
| ☒ | ☐ |
| Overlapping place of use: (Describe source & relationship to present application on the back.) | |
| ☒ | ☐ |
| Overlapping point of diversion: | |
| ☒ | ☐ |
| Field check required: | |
| ☐ | ☐ |
| Field check by: _____ | |
| ☒ | ☐ |
| Field report attached: | |
| ☒ | ☐ |
| Critical groundwater area: | |
| ☒ | ☐ |
| Groundwater management area: | |
| ☒ | ☐ |
| Send dam safety information: | |
| ☒ | ☐ |
| Send power requirement letter: | |
| ☒ | ☐ |
| Send fish farm requirement letter: | |
| ☒ | ☐ |
| Power residency affidavit: | |
| ☒ | ☐ |
| Power efficiency form: | |
| ☒ | ☐ |
| Within trust water boundry: (If yes, attach Trust Water Supplementary Analysis Sheet.) | |
| ☒ | ☐ |
| Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.) | |
| ☒ | ☐ |
| Additional information on reverse side: | |

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

RECEIVED
OCT 24 1988

Department of Water Resources

PROCESSING

YES NO

- ☒ ☐ In form for advertising:
☒ ☐ Statewide advertising:
☒ ☐ Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

- ☐ ☐ I.D. Health and Welfare
☐ ☐ I.D. Fish and Game
☐ ☐ I.D. Lands
☐ ☐ Adjudication Bureau

YES NO

- ☐ ☐ U.S. BLM
☐ ☐ U.S. Forest Svc.
☐ ☐ Water District # _____
☐ ☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

YES NO

- ☒ ☐ Affidavit of publication received:
☒ ☐ Application published correctly: If not, record action taken.

- ☒ ☐ Publication dates and paper recorded on application:
☒ ☐ Protests received, Final date for protest 9/26/88
☒ ☐ Protests, dates, resolution of protest recorded on application:
☒ ☐ Recommendations attached:
☒ ☐ Measuring device required:
☒ ☐ Measuring port required:
☒ ☐ Water delivered by water master? District # _____
☒ ☐ Special conditions of approval or cover letter: (see additional info. below)
☒ ☐ See Below For Additional Information

Recommended Date of Priority 7/22/88 ✓
Recommended by: PJA

Date 10/19/88

STATE OFFICE REVIEW

P/16

See below for additional information. By KW Date 11/28/88

ADDITIONAL INFORMATION

82-07125 - 102



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

September 29, 1988

Mrs. Debra J. Heitzman
Box 25
Elk City, Id. 83525

Re: 82-7174

Dear Mr. Heitzman:

Thank you for your letter expressing concern about the denial of your above-referenced water right application for failure to include the amount of water.

Please be advised that the advertisement you referred to did not mean that your water right application was being denied. The first time your application was advertised, the newspaper failed to include the amount of water to be used for domestic purposes. As a result, we had to publish a notice of correction to include the amount of water in order to continue with the processing of your water right application.

There have been no protests filed against your application and it will be sent to our State Office in Boise shortly for their further handling. You should be receiving the permit for this application in about 60 days.

If you have any further questions, please feel free to contact us.

Sincerely,

PATRICIA M. STYPA
Secretary/Office Coordinator

MICROFILMED

DEC 21 1988



RECEIVED Higginson :

SEP 29 1988

Department of Water Resources
Northern District Office

This is to protest denial
of our water rights.

The ad in the newspaper
states Failure to include
Amount of WATER used.

To my knowledge the amount
was included on the
application form. I sent
the wrong form the first
time and was sent another
form already filled out
ready for signature. I
signed it as directed and
returned it.

Debra S. Heitzman

AD # 82-7174 DEC 21 1988

Timothy A or Debra S. Heitzman

NOTICE OF CORRECTION

NOTICE IS HEREBY GIVEN that the following water rights were advertised incorrectly on August 17 & 24, 1988.

84-7206 - ISAAC &/OR BETTY GOODWIN

The amount of water advertised for Domestic Use was incorrectly advertised as 0.10 CFS; whereas correctly it should be 0.11 CFS.

82-7178 - WALTER M. &/OR SHIRLEY A. BREWER

The place of use was incorrectly advertised as T32N R04E S21 SWNW SWNW NWSW; whereas, correctly it should be T32N R04E S21 SWNW SWNW NWNW.

82-7176 - STEPHEN WAYNE HACKNEY

The Diversion Pt. was incorrectly advertised as the NESESE Sec 11 T29N R03E; whereas, correctly it should be the NESESE and SESESE Sec 11 T29N R03E.

82-7174 - TIMOTHY A. &/OR DEBRA J. HEITZMAN

The advertisement failed to include the amount of water for domestic use which is 0.02 CFS.

81-7141 - VERLA J. &/OR DENNIS YATES; LLOYD W. &/OR CAROLYN ZUMWALT

The Diversion Pt. was incorrectly advertised as LOT 4 (NWSW) Sec 32 T33N R04E; whereas correctly it should be LOT 4 (NESW) Sec 32 T33N R04E. Also, the Dated Filed was incorrectly advertised as 8/03/1988; whereas, correctly it should be 7/28/1988.

81-7136 - W. L. KIDD

The place of use was incorrectly advertised as T32N R05E S341 NENE NENE SWNE SWNE SWNW SWNW SWSW NESE NESE for 17.0 Acres; whereas, correctly it should be T32N R05E S31 NENE NENE SWNE SWNE SWNW SWNW SWSW SWSW NESE NESE for 19.0 Acres.

Protests to the above-referenced corrections must be filed with the Director, Dept. of Water Resources, 4055 Gov't. Way, Suite 9, Coeur d'Alene, Id. 83814 on or before September 26, 1988.

R. KEITH HIGGINSON, Dir.

Published in the Idaho County Free Press on 9/7 & 14/1988.

MICROFILMED

DEC 21 1988



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

Dear Claimant:

The Department of Water Resources acknowledges receipt of your water right application for permit.

This office is currently in the process of advertising the application in the local county newspaper. The advertisement will be published for two weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to the final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Enclosed please find your receipt for the fee involved in filing this application.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Manager

RGH/pms
Enc. - Receipt

MICROFILMED

DEC 21 1988



82-07174

HEITZMAN, DEBERA J.
HEITZMAN, TIMOTHY_A.
BOX 25
ELK CITY, ID 83525

Source: SPRING

Tributary: SINKS

Diversion Pt: NWNW Sec 22 T 29N R 08E

Use: DOMESTIC (.020 CFS)

Date Filed: 7/28/1988

In: T29N R08E S22 NWNW

MICROFILMED

DEC 21 1988



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

July 12, 1988

Mr. Timothy Heitzman
POB 254
Elk City, Id. 83525

RE: Appropriation Application

Dear Sir:

This office is in receipt of your application to appropriate water from a Spring tributary to Sinks, and your check # 92-7011 in the amount of \$ 30.00 however since you neglected to sign the application, they are being returned to you.

If you have any questions regarding this matter please feel free to contact me at this department.

Sincerely,

Tom D. King
Sr. Water Resource Agent

RECEIVED
JUL 28 1988
Department of Water Resources
Northern District Office

Shall we try this again?!

Thanks,

Debra J. Neitzman
MICROFILMED

DEC 21 1988





State of Idaho
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

June 2, 1988

Mr. Timothy Heitzman
P. O. Box 254
Elk City, Id. 83525

Dear Mr. Heitzman:

We are returning your Snake River Adjudication claim and Check No. 92-7011 in the amount of \$25.00.

To develop a water right for surface water after May 20, 1971, you first must submit an Application for Permit to Appropriate the Public Waters. In your claim, you list the priority date as November 20, 1984, which is the date the water was first used. To develop a water right for the spring you do need to fill out the application form.

We have completed an application form for your use. Please review it, sign it on page three and return it to our office with a \$30.00 filing fee.

If you have any questions, please contact me at this office.

Sincerely,

KENNETH KNOBLOCK
Stream Channel Specialist

KK/pms

Enc. -- Check
Claim
Application

MICROFILMED

DEC 21 1988

Celebrate
IDAHO
1890 • CENTENNIAL • 1990