


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number. See Exhibit "A" attached hereto and incorporated herein.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

SHEARER LUMBER PRODUCTS, INC.

By

Frank R. Bennett

(Applicant)

Frank R. Bennett, President

MICROFILMED

NOTICE OF APPLICATION
FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho.

81-7079

HAUKEDAHL, DON &/or
RONNITA
RT. 1, BOX 70A, KOOSKIA,
ID 83539

Source: SPRING tributary
to BIG CEDAR CREEK

Date Filed: 04/03/1981

Amount: 0.18 CFS

Diversion Point: SWSE Sec
27 T 32N R 05E, IDAHO Co.

Use: IRRIGATION (0.10
CFS) from 04/01 to 10/31

DOMESTIC (0.08 CFS) from
01/01 to 12/31

Place of Use: SWSE Sec 27,
T 32N R 05E FOR 5 ACRES

Diversion Means:
DEVELOPED SPRING,
PUMP AND PIPELINE.

82-7081

SHEARER LUMBER
PRODUCTS INC.

P.O. BOX 389, ELK CITY, ID
83525

Source: GROUNDWATER

Date Filed: 04/02/1981

Amount: 0.05 CFS

Diversion Point: NESW Sec
33 T 29N R 08E, IDAHO Co.

Use: DOMESTIC (0.05 CFS)
from 01/01 to 12/31

FIRE PROTECTION (0.05
CFS) from 01/01 to 12/31

Place of Use: NESW Sec 33 T
29N R 08E

Diversion Means: WELL,
PUMP AND PIPELINE.

82-7082

SHEARER LUMBER
PRODUCTS, INC.

P.O. BOX 389, ELK CITY, ID
83525

Source: GROUNDWATER

Date Filed: 04/02/1981

Amount: 0.02 CFS

Diversion Point: SWNW Sec
33 T 29N R 08E, IDAHO Co.

Use: DOMESTIC (0.02 CFS)
from 01/01 to 12/31

Place of Use: NESW NWSW
SWNW Sec 33 T 29N R 08E

Diversion Means: WELL,
PUMP AND PIPELINE

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 4055 Gov't. Way, Coeur d'Alene, Id, 83814 on or before MAY 4, 1981.

C. STEPHEN ALLRED
Director

Published 4/15 & 4/22/81.

A15-22

AFFIDAVIT OF PUBLICATION

Nona C. Donaldson

being first duly

sworn, says he is the Office Manager

of the IDAHO COUNTY FREE PRESS, a weekly newspaper which

is published and issued weekly at Grangeville, Idaho County,

State of Idaho, and which is of general circulation in said county

and state; that the said notice, of which the one hereto attached

is a true copy, was published in said paper for two weeks,

being published two times, the first publication being

on the 15 day of April, 1981,

and the last publication on the 22 day of

April, 1981; and that the said notice

was published in the newspaper proper and not a supplement;

that said newspaper has been continuously and uninterruptedly

published in said county during a period of more than seventy-

eight consecutive weeks prior to the first publication of said

notice or advertisement.

Subscribed and sworn to before me this 23 day

of April, 1981.

Margaret J. Stelly, Notary Public
for State of Idaho, residing at Grangeville, Idaho.

RECEIVED

APR 23 1981

Revised 1981
Northwest District Office

82-7081

SHEARER LUMBER
PRODUCTS INC.

P.O. BOX 389, ELK CITY, ID
83525

Source: GROUNDWATER

Date Filed: 04/02/1981

Amount: 0.05 CFS

Diversion Point: NESW Sec
33 T 29N R 08E, IDAHO Co.


Use: DOMESTIC (0.05 CFS)
from 01/01 to 12/31

FIRE PROTECTION (0.05
CFS) from 01/01 to 12/31

Place of Use: NESW Sec 33 T
29N R 08E

Diversion Means: WELL,
PUMP AND PIPELINE.

MICROFILMED



897030

X 0
P14

MICROFILMED

WATER RIGHT LICENSE

MICROFILMED

MICROFILMED

CONDITIONS OF APPROVAL

a. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

b. The right to the use of the water hereby confirmed is restricted and appurtenant to lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

c. Any water right confirmed in this license for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this license and shall not give rise to any right or claim against any future rights to the use of water other than hydropower, within the State of Idaho initiated later in time than the priority of this license.

Domestic use for restrooms, vehicle washing & dust abatement.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 21st day of JANUARY, 19 86.

Acting for the

Director

[Signature]

158 ✓

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Shearer Lumber Products, Inc. Phone _____
Post office address P. O. Box 389, Elk City, Idaho 83525
2. Source of water supply well which is a tributary of _____
3. Location of point of diversion is NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 33 Township 29 North
Range 8 E B.M. Idaho County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .05 for domestic purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .05 for fire protection purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .05 cubic feet per second and/or b. ---- acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well pump and pipeline

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 6 inches; proposed depth of well is unknown feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year — maximum 5 years). Existing.

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 33 Township 29 North
Range 8 E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: Domestic for 2 restrooms and vehicle washing, dust abatement and fire protection water for repair shops.


MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

Total number of acres to be irrigated None

10. Remarks This application in no way constitutes an abandonment of
any claim or rights which may have previously been developed or
perfected in any manner.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number. See Exhibit "A" attached hereto and incorporated herein.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

SHEARER LUMBER PRODUCTS, INC.

By

Frank R. Bennett
(Applicant)

Frank R. Bennett, President

MICROFILMED

Proposed Priority

4/2/81

MICROFILMED

Received by pm Date 4/2/81 Time noon

Preliminary check by LB Fee \$ 30.00

Received by pm Date 4/2/81 (1805)

Publication prepared by pm Date 4/9/81

Published in Shale County Free Press

Publication dates 4/15-22/81

Publication approved pm Date 5/4/81

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by RC RC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 82-7081, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 82.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Witness my hand this 18 day of May, 19 81.

A. Glen Saxton
Chief, Operations Bureau

**NOTICE OF APPLICATION
FOR WATER RIGHT**

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho.

81-7079

HAUKEDAHL, DON &/or
RONNITA
RT. 1, BOX 70A, KOOSKIA,
ID 83539

Source: SPRING tributary
to BIG CEDAR CREEK

Date Filed: 04/03/1981

Amount: 0.18 CFS

Diversion Point: SWSE Sec
27 T 32N R 05E, IDAHO Co.

Use: IRRIGATION (0.10
CFS) from 04/01 to 10/31

DOMESTIC (0.08 CFS) from
01/01 to 12/31

Place of Use: SWSE Sec 27,
T 32N R 05E FOR 5 ACRES

Diversion Means:
DEVELOPED SPRING,
PUMP AND PIPELINE.

82-7081

SHEARER LUMBER
PRODUCTS INC.

P.O. BOX 389, ELK CITY, ID
83525

Source: GROUNDWATER

Date Filed: 04/02/1981

Amount: 0.05 CFS

Diversion Point: NESW Sec
33 T 29N R 08E, IDAHO Co.

Use: DOMESTIC (0.05 CFS)
from 01/01 to 12/31

FIRE PROTECTION (0.05
CFS) from 01/01 to 12/31

Place of Use: NESW Sec 33 T
29N R 08E

Diversion Means: WELL,
PUMP AND PIPELINE.

82-7082

SHEARER LUMBER
PRODUCTS, INC.

P.O. BOX 389, ELK CITY, ID
83525

Source: GROUNDWATER

Date Filed: 04/02/1981

Amount: 0.02 CFS

Diversion Point: SWNW Sec
33 T 29N R 08E, IDAHO Co.

Use: DOMESTIC (0.02 CFS)
from 01/01 to 12/31

Place of Use: NESW NWSW
SWNW Sec 33 T 29N R 08E

Diversion Means: WELL,
PUMP AND PIPELINE

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 4055 Gov't. Way, Coeur d'Alene, Id, 83814 on or before MAY 4, 1981.

C. STEPHEN ALLRED

Director

Published 4/15 & 4/22/81.

A15-22

AFFIDAVIT OF PUBLICATION

Nona C. Donaldson

being first duly

sworn, says he is the Office Manager

of the IDAHO COUNTY FREE PRESS, a weekly newspaper which

is published and issued weekly at Grangeville, Idaho County,

State of Idaho, and which is of general circulation in said county

and state; that the said notice, of which the one hereto attached

is a true copy, was published in said paper for two weeks,

being published two times, the first publication being

on the 15 day of April, 1981,

and the last publication on the 22 day of

April, 1981; and that the said notice

was published in the newspaper proper and not a supplement;

that said newspaper has been continuously and uninterruptedly

published in said county during a period of more than seventy-

eight consecutive weeks prior to the first publication of said

notice or advertisement.

Subscribed and sworn to before me this 23 day

of April, 1981

Marshall J. Stelly, Notary Public

for State of Idaho, residing at Grangeville, Idaho.

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

January 22, 1986

RE: Permit No. 82-7081

Shearer Lumber Products, Inc.
Box 389
Elk City, ID 83525

Gentlemen:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc

Enclosure

MICROFILMED

MICROFILMED

[illegible]

(Include distance from pump to measuring device, if applicable.)


Point(s) of diversion: NE SW, SEC 33, T29N, R8E

Place(s) of Use ✓

[illegible]☐ Other

ate 11-18-85

Signature Bob Holmes
Kay Walker



NICK NAMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources considers this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 82-7081

Name(s) of Permit Holder: SHEARER LUMBER PRODUCTS, INC.

Post Office Address: P.O. BOX 389

ELK CITY, IDAHO 83525 Tel. No. 208-842-2214

Source of Water: WELL

Extent of Use: ☐ Domestic _____ (number of households)
☐ Stockwater _____ (number and type of stock)
☐ Irrigation _____ (acres)
☒ Other Domestic, vehicle washing,
Dust abatement & Fire Protection


Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

6-24-81 Date **MICROFILMED** Frank R. Lambert Pres. Signature of Permit Holder

(BENNETT Lumber Co.
P.O. Box 49
PRINCETON, IDAHO, 83857



RECEIVED

JUN 26 1981

Department of Water Resources



POSTAGE DUE 2¢

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

MICROFILMED

S T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

SHEARER LUMBER PRODUCTS INC.
P.O. BOX 389
ELK CITY, ID 83525

JUNE 03, 1981

RE: PERMIT NO. 82-7081

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: LB

APPLICATION NUMBER: 82-7081

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☒ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☒ U.S. Bureau of Land Management. 4/14
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
☐ Yes ☒ No Final date for protests: 5/4/81 ✓
Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 4/27/81 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
4/27/81 Date of priority recommended.
Special conditions of approval or cover letter. _____

MICROFILMED

By: _____ Date: _____

STATE OFFICE REVIEW:

return receipt w/ cover letter
SLW/ocord 04

- ☐ See attached sheet for more information.

By: Date: 5/13/81

Department of Water Resources

3/79

IDENT. NO. 82-7081

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

[illegible]



United States Department of the Interior

BUREAU OF LAND MANAGEMENT
1808 N. 3rd St.
Coeur d'Alene, Idaho 83814

RECEIVED
IN REPLY REFER TO

MAY 14 1981

Department of Water Resources
Healey
82-7081

Robert Haynes, P.E.
Regional Supervisor
Idaho Department of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814

MAY 7 1981

Dear Mr. Haynes:

We have the following comments concerning water application permits 82-7081 and 82-7082. Both permits do apply to lands that are part of a lease application from Shearer Lumber Products.

The application 82-7082 is for an existing well which is acknowledged in the lease therefore of no concern. The well application 82-7081 is for a new well which is not authorized under the lease at this time. The lease requires that for any new development such as this well, a plan be submitted to the Bureau of Land Management and approved by the Bureau of Land Management, development of this well would be considered in trespass and would not be valid appropriation.

Although it is not expected, if the right-of-ways were abandoned the Bureau of Land Management would possibly desire to utilize the wells and water rights.

Sincerely,

Wayne Zinne

Wayne Zinne
Acting District Manager

cc: Kay Miller, Cottonwood



Save Energy and You Serve America!

MICROFILMED

82-2081

SHEARER LUMBER PRODUCTS INC.

P.O. BOX 389, ELK CITY, ID 83525

Source: GROUNDWATER

Date Filed: 04/02/1981

Amount: 0.05 CFS

Diversion Point: NESW Sec 33 T 29N R 08E. IDAHO Co.

Use: DOMESTIC	(0.05 CFS)	from 01/01 to 12/31
FIRE PROTECTION	(0.05 CFS)	from 01/01 to 12/31

Place of Use: NESW Sec 33 T 29N R 08E

Diversion Means: WELL, PUMP AND PIPELINE.

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
C. STEPHEN ALLRED
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

April 14, 1981

Bureau of Land Management
1808 N. 4th St.
Coeur d'Alene, Id. 83814

RE: 82-7081

Gentlemen:

Enclosed is information which may be of interest to your Agency relating to an application recently filed with the Department of Water Resources.

Very truly yours,

Robert G. Haynes, P.E.
Regional Supervisor

RGH/pms

Enclosure

MICROFILMED