

RECEIVED

DEC 20 1972

Department of Water Administration
Northern District Office

**NOTICE OF CLAIM
TO A WATER RIGHT**

NO. 82-4012

Notice is hereby given that Harvey E. Hartley, 8830 C Waha Road, Lewiston, Idaho has filed a claim to a water right established by diversion and application to beneficial use of 0.04 cubic feet per second of water from an Unnamed Spring with point of diversion in H.E.S. 776, Sec. 10, T. 29N, R. 7E, B.M., Idaho County.

The water is claimed to be used from Jan. 1 to Dec. 31 for domestic purposes with a priority of June 1, 1964; the place of use is within the H.E.S. 776, Sec. 10, T. 29N, R. 7E, B.M.

Any exception to this claim of water right may be filed with the Idaho Department of Water Administration, 401 Front Avenue, Coeur d'Alene, Idaho 83814.

R. KEITH HIGGINSON
Director

Published in the Idaho County Free Press, Grangeville, Idaho on Dec. 13 and Dec. 20, 1972. D13-20

AFFIDAVIT OF PUBLICATION

Gary D. Cash being first duly sworn, says he is the Office Manager of the IDAHO COUNTY FREE PRESS, a weekly newspaper which is published and issued weekly at Grangeville, Idaho County, State of Idaho, and which is of general circulation in said county and state; that the said notice, of which the one hereto attached is a true copy, was published in said paper for two weeks, being published two times, the first publication being on the 13th day of December, 1972, and the last publication on the 20th day of December, 1972; and that the said notice was published in the newspaper proper and not a supplement; that said newspaper has been continuously and uninterruptedly published in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of said notice or advertisement.

Gary D. Cash


Subscribed and sworn to before me this 20th day of December, 1972

Richard C. Hatch, Notary Public
for State of Idaho, residing at Grangeville, Idaho.

82 4012

INDEX DIAGRAM

Homestead Entry 776

Township 29 North, Range 7 East

Interior numbers are corners.
Exterior numbers are pages.

CHAINS

Homestead Entr
9 and 10, T. 2
surveyed). Th
Higgins in 192

The following :
of certain ide
The position of
monument, or de
in the original

The corners rem
U. S. Forest Se
boundaries of t
monumentation w
operation with,

The original co
remonumented ha
boundaries betw
lands. The For
is located, has
private owner an
the private owne
original corners

Remonumentation

Cor. No. 1 of Hor
cross on the top
firmly set in the
face, and from wh

The 2 ft. st
blaze showin
lks. dist.

The 4 ft. st
showing in t
dist.

At the cor.

Set an iron post,
in the ground, sur

Deposit the orig. :

Cor. No. 2 of Homes
cross on the top of
firmly set in the g
face, and from whic

A cross (X) on
the blaze over
dist.

MEs Vol. 19
pg. 145. per

MEs Vol. 19
pg. 145. per

4012

Identification No. 82-4012

Claim No. _____

Map No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

CLAIM TO A WATER RIGHT

Established by Diversion and Application to Beneficial Use

Under the provisions of Section 42-225a, Idaho Code, a person may file a claim to a right to use water which has been established by diversion and application to beneficial use. **The filing of this claim does not confirm the water right but will serve for information purposes only.** It may, however, become the basis for future adjudication of the water right by the Court.

(Please refer to the instructions on the back of this form)

1. Name of claimant HARVEY E. HARTLEY
post office address 8830 C Waha Road - Lemington

2. The point of diversion is in _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ Section 10 Township 29 N
Range 7 E B.M. located on (see remarks for specific location)
(name of source)
tributary to unnamed spring in Idaho County.

3. Dates of priority claimed: list the priority for each separate quantity that you claim. Priority dates should be based upon the earliest diversion of the water which has resulted in continued beneficial use since that time. If there has been an interval of five years or greater when the water was not beneficially used for the same purpose as originally appropriated, the priority that you claim should date from the time that the water was again beneficially applied following the period of non-use.

a. Date of priority claimed:

JUNE 1, 1964 amount: 0.04 c.f.s. or _____ acre feet
_____ amount: _____ c.f.s. or _____ acre feet
_____ amount: _____ c.f.s. or _____ acre feet
Total claimed _____ c.f.s. or _____ acre feet.

b. Explain the purpose for which the water has been used and the time during the year when you have used the right claimed:

use DOMESTIC period of use from 1/1 to 12/31 (both dates inclusive)
use _____ period of use from _____ to _____ (both dates inclusive)
use _____ period of use from _____ to _____ (both dates inclusive)
use _____ period of use from _____ to _____ (both dates inclusive).

4. Description of diverting works:

a. Surface water diversion dam and/or headgate: material is composed of _____
_____; length is _____ feet; height is _____ feet;
width at bottom is _____ feet; width at top is _____ feet; explain any increase in diversion capacity since structure was first built, giving dates and estimated capacities if known _____

b. Underground water diverting works: is well flowing or pumped _____; depth of well is _____ feet; diameter of well is _____ inches; type of pump is _____
capacity of pump is _____ g.p.m.; name and address of well driller is _____
_____;

_____, if so, give dates and explain _____

if feeder canal is used give maximum carrying capacity_____c.f.s.; if reservoir is off stream, describe location of reservoir by 40-acre subdivisions_____

[illegible]

b. Do you get water through a ditch owned by several users? _____ If yes, give the name of the ditch _____ The other users and their respective interests in the ditch are (if known) _____

6. Where water is used for stock watering, give number of each kind of stock watered _____

7. Where water is used for domestic or municipal purposes give number of families served # 2
name of town supplied _____

8. Where water is used for other purposes not above enumerated, give the nature of use, the extent of use, and any details regarding the initiation of the right or subsequent later expansion. Be as specific as possible, giving dates and quantities _____

9. Remarks: please explain any details of your claim which you feel need clarification or additional explanation

Place of use is in unsurveyed land within section
10, Township 29 North, Range 7 East, Boise Meridian.
The place of use is specifically is H.E.S. 776.
Place of diversion is on Forest Service land, and
right of way for conveyance system is by means
of special use permit
unnamed spring within location of
above description.

State of Idaho

County of Boise } ss.

Be it known that the undersigned, being duly sworn, deposes and says that he, she, they subscribed the foregoing claim to a water right, together with all attached information, and that the matters and facts therein are true to the best of the affiants knowledge.

Harvey E. Hattery
Claimant

Sworn to before me this _____ day of 11-27, 1972

Daniel R. McKay
Notary Public

Residing at Jewiston, Idaho

My commission expires 12-20-75

GR 12-5-72
CL 11-30-72 For Department Use Only

Received by ef Date 11-28-72 Exception filed by: _____ Forwarded to claimant by: _____ Date _____

Prelim. check by EB Date 12-7-72 # 8501 _____

Fee received by FR Date 12/7/72 Fee \$ 10.00 _____

Approved for publication by _____

Published in Ida. Civ. Free Press Dates 12-13-72 _____

12-20-72

82-4442

INSTRUCTIONS

Your claim should set forth all necessary information to describe your claimed right. Failure to give enough information may make your claim of little value. Some of the items in the form may not apply to your situation. Please use additional sheets if space provided is not sufficient to fully answer the questions.

Paragraph No.

1. Give full name and post office address of person or company making the claim.
2. Describe the point of diversion by 40-acre subdivision. Give the name of the source, the drainage to which it is tributary if surface water, and the county in which the point of diversion is located. If there is more than one point of diversion, list others in the remarks section.
3. Give the priority dates and the quantities of water that you claim. You should accurately list the dates that you initiated each new use of the water. List separately the dates and amounts of water involved in each enlargement of the diversion. (Example: if you diverted 0.8 c.f.s. of water for irrigation on May 18, 1871, for the first time for use on 40 acres of land, and then later you enlarged the diversion by diverting an additional 0.4 c.f.s. of water to irrigate an additional 20 acres of land on June 1, 1901, your right should be described as follows:

Date of priority claimed:	<u>May 18, 1871</u>	amount: <u>0.8</u> c.f.s. or _____	acre feet
	<u>June 1, 1901</u>	amount: <u>0.4</u> c.f.s. or _____	acre feet
	Total claimed: <u>1.2</u> c.f.s. or _____		acre feet

Since the water was used for irrigation between April 1 and October 31 on that particular farm, part b. would be completed as follows:

use irrigation period of use from April 1 to October 31 (both dates inclusive). If the water had been used for any other purpose, you would have described the priority date, amount, use, and period of use in a similar manner.

4. Describe the diversion works and explain any changes since the right was first initiated.
5. If the water is used for irrigation, give the total acreage and list the lands irrigated by 40-acre subdivisions and complete the other questions.
- 6, 7, & 8. Describe any other uses of water.
9. In the remarks section, give any information or details that you feel are not fully covered or that need clarifying. You might explain your operation, where the water is returned to if for an industrial or non-consumptive right, the condition and temperature of the returned water, and any other information to help explain your claim.

You may wish to include as a part of your claim, affidavits of witnesses who are familiar with your right and who have a personal knowledge of the circumstances which you have described in your claim. You may submit maps, drawings, certified copies of posted notices which may have been filed in the county courthouse, water measurement records, or any other document which you feel will support your claim.

Your claim will be advertised in a county newspaper for two weeks. Exceptions to your claim which dispute the water right that you have described may be received by the Department of Reclamation and you will be provided a copy of such exceptions.

The fee for filing this claim with the Department of Water Administration, Statehouse, Annex 2, Boise, Idaho, 83707, is \$10.00.

AFFIDAVIT OF PUBLICATION

Gary D. Cash being first duly sworn, says he is the Office Manager of the IDAHO COUNTY FREE PRESS, a weekly newspaper which is published and issued weekly at Grangeville, Idaho County, State of Idaho, and which is of general circulation in said county and state; that the said notice, of which the one hereto attached is a true copy, was published in said paper for two weeks, being published two times, the first publication being on the 13th day of December, 1972, and the last publication on the 20th day of December, 1972; and that the said notice was published in the newspaper proper and not a supplement; that said newspaper has been continuously and uninterruptedly published in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of said notice or advertisement.

Gary D. Cash

Subscribed and sworn to before me this 20th day of December, 1972

Richard C. Hatcher, Notary Public
for State of Idaho, residing at Grangeville, Idaho.

82 4012

ACTION

N OWNER LAST NAME - HARTLEY
N ADDRESS LINE 1 - 8830C WAHA RD.
N
N SOURCE - SPRING
N STAGE - STATRY CLM
N FROM - 01-01 TO - 12-31 USE - DOMESTIC
N REMARKS - H.E.S. 776..
N P/D & P/U S10, T29N, R7E.

FIRST NAME - HARVEY E.

CITY - LEWISTON

STATE - ID ZIP CODE - 83501

PRIORITY - 06-01-1964 COUNTY - EDMORE
USE DIV. RATE - .0400CFS

TOTAL DIV. RATE -

.0400CFS

IDENT. NO. 82-4012

WATER RIGHT
DATA ENTRY LOG

[illegible]

WATER RIGHT ANALYSIS FORM

- DATA ENTRY -

Identification No. 182-4012
Old No. New No.

Record

1. Original Owner: Harvey E. Hatley

Present Owner: _____

2. Address: 8830 E Wala Rd.3. City: Lewiston State: ID Zip: 835014. A. Source of Water: Spring

B. Tributary of: _____

5. A. Stage (A,P,L,D,S,J): S

B. Status (D,L,R,C,A,I,F - leave blank if valid): _____

C. Priority Date: 6-1-1964D. County: 39E. Total Diversion Rate: .04

F. Total Diversion Volume: _____

G. Transfer/Amendment (P,T of A or blank): _____

H. Water District: _____

I. DLE/Carey Act (D,C or blank): _____

J. Right Basis (for adjudication claims A,B,C only): _____

	Tract	Sec.	Twp.	Rge.	Gov't Lot	Rediv.
6. A. Point of Diversion	<u>see remarks.</u>					
	<u>10</u>	<u>29N</u>	<u>7E</u>			

7. Period of Use, Use, Diversion Rate/Volume:

from 1-1 to 12-31 for D purposes. Amount .04
(cfs or AG FT/yr)

from _____ to _____ for _____ purposes. Amount _____

from _____ to _____ for _____ purposes. Amount _____

from _____ to _____ for _____ purposes. Amount _____

from _____ to _____ for _____ purposes. Amount _____

from _____ to _____ for _____ purposes. Amount _____

from _____ to _____ for _____ purposes. Amount _____

CIA 9-24-79

8. Use Code: *see remarks*

[illegible]

9. A. Decree Name:

B. Decree Date:

10. Remarks: A. H. E. S. 776.
B. P/D & P/U S10, T29N, R9E.
C.
D.
E.

11. Other Uses (Non-irrigation explanatory information):

12. Other Rights for Same Use:

13. A. Proof Due Date:

B. Date Permit Approved or Denied:

C. Protested Date:

D. Hearing Date:

E. Old Number:

F. Proof Made (P or blank):

G. Field Exam Made (P,R,F or blank):

H. Conditions of Approval: _____

14. Diversion Means (brief narrative):

L ENGINEER

Form 4-679
(January 1963)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
ORIGINAL

FIELD NOTES

OF THE

REMONUMENTATION

82-4012-556
[RECEIVED]

OF A PORTION OF HOMESTEAD ENTRY SURVEY CORNERS

HOMESTEAD ENTRY SURVEY NO. 776

LOCATED IN

APPROX. SECS. 9 AND 10, T. 29 N., R. 7 E.

(UNSURVEYED)

HEREBY CERTIFY upon honor that
day of May
urvey corners, Mineral Survey

Idaho, which are
by me and under my direction; and in ac-
tions, the Manual of Instructions for
cific manner described in the foregoing;

Robert C. Yundt
Cadastral Surveyor

VAL

LAND MANAGEMENT,
N. D. C., NOV 24 1964
of a portion of mineral
Sec. 18, T. 30 N., R. 4 E.,

Of the BOISE Meridian,

In the State of IDAHO

EXECUTED BY

Robert C. Yundt, Cadastral Surveyor

proved.

E. L. Hamilton
Chief, Division of Engineering

RPT

above-described surveys in
notes.

Cadastral Engineering

Under special instructions dated May 26, 1960, which provided for the surveys
included under Group Number 355, approved June 1, 1960,
and assignment instructions dated October 5, 1962.


Survey commenced November 2, 1962

Survey completed November 8, 1962

82 4012

INDEX DIAGRAM

Homestead Entry 776

Township 29 North, Range 7 East

Interior numbers are corners.
Exterior numbers are pages.

CHAINS

Homestead Entry 9 and 10, T. 2 surveyed). Th Higgins in 192

The following :
of certain ider
The position of
monument, or de
in the original

The corners rem
U. S. Forest Se
boundaries of t
monumentation w
operation with,

The original co
remonumented ha
boundaries betw
lands. The For
is located, has
private owner an
the private owne
original corners

Remonumentation :

Cor. No. 1 of Hom
cross on the top
firmly set in the
face, and from wt

The 2 ft. st
blaze showin
lks. dist.

The 4 ft. st
showing in t
dist.

At the cor.

Set an iron post,
in the ground, sur

Deposit the orig. 1

Cor. No. 2 of Hom
cross on the top of
firmly set in the g
face, and from whic

A cross (X) on
the blaze over
dist.

Homestead Entry Survey No. 776

CHAINS

Homestead Entry No. 776 is located in approximately Secs. 9 and 10, T. 29 N., R. 7 E., Boise Meridian, Idaho (unsurveyed). The Homestead Entry Survey was made by Grant Higgins in 1920.

The following field notes are those of the remonumentation of certain identified original corners in H.E.S. 776. The position of each corner was marked by the original monument, or determined from corner accessories recorded in the original survey record.

The corners remonumented were selected and located by the U. S. Forest Service as being adjacent to, or controlling boundaries of the Nezperce National Forest. The remonumentation was requested by, and accomplished in co-operation with, the U. S. Forest Service.

The original corners of the homestead entry survey herein remonumented have been determined to mark only those boundaries between private lands and national forest lands. The Forest Supervisor, in whose area this survey is located, has identified the original corners with the private owner and has secured a letter of agreement from the private owner that the corners remonumented were the original corners.

Remonumentation of Corners, Part of Homestead Entry Survey No. 776

Cor. No. 1 of Homestead Entry Survey No. 776 is mkd. by a cross on the top of a mica schist boulder, 26x13x7 ins., firmly set in the ground and mkd. 1 HES 776 on the SE. face, and from which

The 2 ft. stump of a 30 in. grand fir, with the blaze showing in the cut, bears N. 36° 45' W., 38.0 lks. dist.

The 4 ft. stump of a 30 in. grand fir, with the blaze showing in the cut, bears S. 72° 45' W., 64.0 lks. dist.

At the cor.

Set an iron post, 30 ins. long, 2½ ins. in diam., 27 ins. in the ground, surrounded by concrete, with brass cap mkd.

1
HES 776

1962

Deposit the orig. rock alongside the iron post.




Cor. No. 2 of Homestead Entry Survey No. 776 is mkd. by a cross on the top of a mica schist boulder, 26x12x5 ins., firmly set in the ground and mkd. 2 HES 776 on the SW. face, and from which

A cross (X) on a grand fir, 17 ins. in diam., with the blaze overgrown, bears S. 7° 15' W., 21.0 lks. dist.

559

D NOTE PAPER

Homestead Entry Survey No. 776

CHAINS	
	The 30 in. stump of a 10 in. grand fir, mkd. 2 HES 776 BT, bears N. 9° 00' E., 18.0 lks. dist. At the cor. Set an iron post, 30 ins. long, 2½ ins. in diam., 29 ins. in the ground, surrounded by concrete, with brass cap mkd.  HES 776 1962 Deposit the orig. rock alongside the iron post.
	Cor. No. 3 of Homestead Entry Survey No. 776 is mkd. by a cross on the top of a granite boulder, 17x14x5 ins., firmly set in the ground and mkd. 3 HES 776 on the NW. face, and from which A cross (X) on a lodgepole pine, 10 ins. in diam., mkd. X 3 HES 776 BT, bears N. 24° 45' W., 7.0 lks. dist. There is no remaining evidence of the other bearing tree. At the cor. Set an iron post, 30 ins. long, 2½ ins. in diam., 27 ins. in the ground, surrounded by concrete, with brass cap mkd.  HES 776 1962 Deposit the orig. rock alongside the iron post.
	Cor. No. 4 of Homestead Entry Survey No. 776 is mkd. by a cross on the top of a granite boulder, 19x9x4 ins., firmly set in the ground and mkd. 4 HES 776 on the NW. face, and from which A cross (X) on a lodgepole pine snag, 5 ins. in diam., mkd. X 4 HES 776 BT, bears S. 88° 00' W., 50.0 lks. dist. The 2 ft. stump of a 20 in. Englemann spruce, with no marks remaining, bears N. 71° 30' E., 30.5 lks. dist. At the cor. Set an iron post, 30 ins. long, 2½ ins. in diam., 27 ins. in the ground, surrounded by concrete, with brass cap mkd.  HES 776 1962 Deposit the orig. rock alongside the iron post.

HES Vol. 11
Pg. 167

HES Vol. 11
Pg. 167

CHAINS	
	Cor. No. 5 of Homestead Entry Survey No. 776 is mkd. by a cross on the top of a granite boulder, 17x14x5 ins., firmly set in the ground and mkd. 5 HES 776 on the NW. face, and from which A cross (X) on a lodgepole pine, 10 ins. in diam., mkd. X 5 HES 776 BT, bears N. 24° 45' W., 7.0 lks. dist. A cross (X) on a lodgepole pine, 10 ins. in diam., mkd. X 6 HES 776 BT, bears N. 24° 45' W., 7.0 lks. dist. At the cor. Set an iron post, 30 ins. long, 2½ ins. in diam., 27 ins. in the ground, surrounded by concrete, with brass cap mkd. Deposit the orig. rock alongside the iron post.
	Cor. No. 6 of Homestead Entry Survey No. 776 is mkd. by a cross on the top of a granite boulder, 19x9x4 ins., firmly set in the ground and mkd. 6 HES 776 on the NW. face, and from which A cross (X) on a lodgepole pine snag, 5 ins. in diam., mkd. X 6 HES 776 BT, bears S. 88° 00' W., 50.0 lks. dist. The 2 ft. stump of a 20 in. Englemann spruce, with no marks remaining, bears N. 71° 30' E., 30.5 lks. dist. At the cor. Set an iron post, 30 ins. long, 2½ ins. in diam., 27 ins. in the ground, surrounded by concrete, with brass cap mkd. Deposit the orig. rock alongside the iron post.
	Cor. No. 7 of Homestead Entry Survey No. 776 is mkd. by a cross on the top of a granite boulder, 19x9x4 ins., firmly set in the ground and mkd. 7 HES 776 on the NW. face, and from which A cross (X) on a lodgepole pine snag, 5 ins. in diam., mkd. X 7 HES 776 BT, bears S. 88° 00' W., 50.0 lks. dist. The 2 ft. stump of a 20 in. Englemann spruce, with no marks remaining, bears N. 71° 30' E., 30.5 lks. dist. At the cor. Set an iron post, 30 ins. long, 2½ ins. in diam., 27 ins. in the ground, surrounded by concrete, with brass cap mkd. Deposit the orig. rock alongside the iron post.

HES Vol. 11
Pg. 167

HES Vol. 11
Pg. 167

HES Vol. 11
Pg. 167

32 4012

NOTE PAPEL

560

Key No. 776

Homestead Entry Survey No. 776

grand fir, mkd. 2 HES
8.0 lks. dist.

ins. in diam., 29 ins.
ste, with brass cap mkd.

e iron post.

y No. 776 is mkd. by
lder, 17x14x5 ins.,
HES 776 on the NW.

s, 10 ins. in diam.,
24° 45' W., 7.0 lks.

of the other bearing

ns. in diam., 27 ins.
e, with brass cap mkd.

iron post.

No. 776 is mkd. by
ier, 19x9x4 ins.,
HES 776 on the NW.

snag, 5 ins. in
s S. 88° 00' W.,

emann spruce, with
' 30' E., 30.5 lks.

s. in diam., 27 ins.
, with brass cap mkd.

Iron post.

CHAINS

Cor. No. 5 of Homestead Entry Survey No. 776 is mkd. by a cross on the top of a granite boulder, 18x10x4 ins., firmly set in the ground and mkd. 5 HES 776 on the NW. face, and from which

A cross (X) on a grand fir, 9 ins. in diam., with the blaze overgrown, bears N. 87° 30' E., 9.0 lks. dist.

A cross (X) on a tamarack, 8 ins. in diam., with the blaze overgrown, bears N. 72° 30' W., 26.0 lks. dist.

At the cor.

Set an iron post, 30 ins. long, 2½ ins. in diam., 29 ins. in the ground, surrounded by concrete, with brass cap mkd.

HES 776




Deposit the orig. rock alongside the iron post.

Cor. No. 6 of Homestead Entry Survey No. 776 is mkd. by a cross on the top of a gneiss boulder, 18x10x4 ins., firmly set in the ground and mkd. 6 HES 776 on the NW. face. There is no remaining evidence of the orig. bearing trees.

At the cor.

Set an iron post, 30 ins. long, 2½ ins. in diam., 29 ins. in the ground, surrounded by concrete, with brass cap mkd.

HES 776



Deposit the orig. rock alongside the iron post.

Cor. No. 7 of Homestead Entry Survey No. 776 is mkd. by a granite rock, 20x12x4 ins., firmly set in the ground and mkd. 7 HES 776 on the NW. face, and from which


A cross (X) on a lodgepole pine, 6 ins. in diam., mkd. X 7 HES 776 BT, bears S. 56° 00' E., 26.5 lks. dist.

A cross (X) on a grand fir, 7 ins. in diam., mkd. X 7 HES 776 BT, bears N. 22° 45' W., 9.0 lks. dist.

At the cor.

Set an iron post, 30 ins. long, 2½ ins. in diam., 28 ins. in the ground, surrounded by concrete, with brass cap mkd.

HES 776



Deposit the orig. rock alongside the iron post.

82 40

Homestead Entry Survey No. 776

CHAINS	
	Cor. No. 8 of Homestead Entry Survey No. 776 is mkd. by a cross on the top of a schist rock, 24x12x5 ins., firmly set in the ground and mkd. 8 HES 776 on the NE. face, and from which A cross (X) on a grand fir, 14 ins. in diam., mkd. 8 HES 776 BT, bears S. 27° 30' W., 23.25 lks. dist. A cross (X) on a grand fir, 18 ins. in diam., mkd. 8 HES 776 BT, bears S. 69° 15' E., 77.0 lks. dist. At the cor. Set an iron post, 30 ins. long, 2½ ins. in diam., 29 ins. in the ground, surrounded by concrete, with brass cap mkd. HES 776 8 1962 Deposit the orig. rock alongside the iron post.
	Cor. No. 9 of Homestead Entry Survey No. 776 is mkd. by a cross on the top of a granite boulder, 16x10x5 ins., firmly set in the ground and mkd. 9 HES 776 on the SE. face, and from which A cross (X) on a lodgepole pine, 13 ins. in diam., mkd. X 9 HES 776 BT, bears N. 3° 30' W., 12.5 lks. dist. A cross (X) on a Douglas fir, 16 ins. in diam., with the blaze overgrown, bears S. 73° 30' W., 38.0 lks. dist. At the cor. Set an iron post, 30 ins. long, 2½ ins. in diam., 29 ins. in the ground, surrounded by concrete, with brass cap mkd. 9 HES 776 1962 Deposit the orig. rock alongside the iron post.
	Cor. No. 10 of Homestead Entry Survey No. 776 is mkd. by a cross on the top of a granite boulder, 22x10x4 ins., firmly set in the ground and mkd. 10 HES 776 on the E. face, and from which A cross (X) on a grand fir, 17 ins. in diam., with the blaze overgrown, bears S. 30° 15' W., 35.5 lks. dist. A cross (X) on a Douglas fir, 13 ins. in diam., with the blaze overgrown, bears N. 20° 00' E., 35.5 lks. dist. At the cor.

82 4012

CHAINS	
	Set an iron post in the ground; Deposit the orig. Cor. No. 11 of Homestead Entry Survey No. 776 is mkd. by a cross on the top of a granite boulder, 16x10x5 ins., firmly set in the ground and mkd. 11 HES 776 on the SE. face, and from which A cross (X) on a grand fir, 14 ins. in diam., mkd. 11 HES 776 BT, bears S. 27° 30' W., 23.25 lks. dist. A cross (X) on a Douglas fir, 16 ins. in diam., with the blaze overgrown, bears S. 73° 30' W., 38.0 lks. dist. There is no tree. At the cor. Set an iron post, 30 ins. long, 2½ ins. in diam., 29 ins. in the ground, surrounded by concrete, with brass cap mkd. Deposit the orig. Cor. No. 12 of Homestead Entry Survey No. 776 is mkd. by a cross on the top of a granite boulder, 22x10x4 ins., firmly set in the ground and mkd. 12 HES 776 on the E. face, and from which A cross (X) on a grand fir, 17 ins. in diam., with the blaze overgrown, bears S. 30° 15' W., 35.5 lks. dist. A cross (X) on a Douglas fir, 13 ins. in diam., with the blaze overgrown, bears N. 20° 00' E., 35.5 lks. dist. There is no tree, the post is set in the ground. At the cor. Set an iron post, 30 ins. long, 2½ ins. in diam., 29 ins. in the ground, surrounded by concrete, with brass cap mkd. Deposit the orig. Cor. No. 13 of Homestead Entry Survey No. 776 is mkd. by a cross cut in a granite boulder, 22x8x6 ins., firmly set in the ground and mkd. 13 HES 776 on the E. face, and from which

ay No. 776

Homestead Entry Survey No. 776

ay No. 776 is mkd. by
k, 24x12x5 ins., firmly
76 on the NE. face, and

4 ins. in diam., mkd.
W., 23.25 lks. dist.

8 ins. in diam., mkd.
E., 77.0 lks. dist.

ins. in diam., 29 ins.
te, with brass cap

ie iron post.

ay No. 776 is mkd. by
lder, 16x10x5 ins.,
HES 776 on the SE.

13 ins. in diam.,
3° 30' W., 12.5 lks.

16 ins. in diam., with
73° 30' W., 38.0 lks.

ins. in diam., 29 ins.
te, with brass cap mkd.

a iron post.

ay No. 776 is mkd. by
lder, 22x10x4 ins.,
HES 776 on the E.

ins. in diam., with
10° 15' W., 35.5 lks.

13 ins. in diam., with
10° 00' E., 35.5 lks.

CHAINS

Set an iron post, 30 ins. long, 2½ ins. in diam., 29 ins.
in the ground, surrounded by concrete, with brass cap mkd.

HES 776

10

1962

Deposit the orig. rock alongside the iron post.

Cor. No. 11 of Homestead Entry Survey No. 776 is mkd. by
a cross on the top of a mica schist boulder, 22x12x5 ins.,
firmly set in the ground and mkd. 11 HES 776 on the NE.
face, and from which

A cross (X) on a lodgepole pine, 11 ins. in diam.,
with the blaze overgrown, bears N. 52° 30' W., 27.0
lks. dist.

There is no remaining evidence of the other bearing
tree.

At the cor.

Set an iron post, 30 ins. long, 2½ ins. in diam., 28 ins.
in the ground, surrounded by concrete, with brass cap
mkd.

HES 776

11

1962

Deposit the orig. rock alongside the iron post.

Cor. No. 12 of Homestead Entry Survey No. 776 is mkd. by
a cross on the top of a granite boulder, 27x12x6 ins.,
firmly set in the ground and mkd. 12 HES 776 on the NE.
face, and from which

A cross (X) on a Douglas fir, 18 ins. in diam.,
with the blaze overgrown, bears N. 9° 30' E., 9.0
lks. dist.

There is no remaining evidence of the other bearing
tree, the point falling in a road.

At the cor.

Set an iron post, 30 ins. long, 2½ ins. in diam., 29 ins.
in the ground, surrounded by concrete, with brass cap mkd.

HES 776

12

1962

Deposit the orig. rock alongside the iron post.

Cor. No. 13 of Homestead Entry Survey No. 776 is mkd.
by a cross cut into the top of a granite boulder,
22x8x6 ins., firmly set in the ground and mkd. 13 HES 776
on the E. face, and from which

82 4012

563

Homestead Entry Survey No. 776

4-680
Feb. 1960

DEPAI
BUR

CHAINS	A cross (X) on a grand fir, 12 ins. in diam., with the blaze overgrown, bears N. 26° 15' E., 74.0 lks. dist.
	There is no remaining evidence of the other bearing tree.
	At the cor.
	Set an iron post, 30 ins. long, 2½ ins. in diam., 29 ins. in the ground, surrounded by concrete, with brass cap mkd.
	13 HES 776
	1962
	from which
	A grand fir, 9 ins. in diam., mkd. 13 HES 776 BT, bears S. 45° 15' W., 13.0 lks. dist.
	Deposit the orig. rock alongside the iron post.
	Cor. No. 14 of Homestead Entry Survey No. 776 is mkd. by a cross cut in the top of a mica schist boulder, 26x14x4 ins., firmly set in the ground and mkd. 14 HES 776 on the S. face, and from which
	The 3 ft. stump of a 24 in. Englemann spruce, with the blaze showing in the cut, bears S. 18° 00' W., 23.5 lks. dist.
	The decayed stump of a 12 in. grand fir, with no marks remaining, bears N. 4° 00' W., 33.0 lks. dist.
	At the cor.
	Set an iron post, 30 ins. long, 2½ ins. in diam., 29 ins. in the ground, surrounded by concrete, with brass cap mkd.
	14 HES 776
	1962
	Deposit the orig. rock alongside the iron post.
	For General Description reference is made to notes of original Homestead Entry survey.

HES 776
13.12.1962

NAMES

Forest Service Personnel

82 1012

RECEIVED

U. S. DEPARTMENT OF AGRICULTURE
FOREST SERVICE

APR 20 1921

FIELD NOTES

Department of Water Administration HOMESTEAD ENTRY SURVEY NO. 776

SITUATED IN THE NEZPERCE NATIONAL FOREST

ADMINISTRATIVE DISTRICT NO. 1

In Section , un surveyed, Township 29 N., Range 7 E.
In Section , un surveyed, Township 29 N., R. 7 E.

The Field Notes of U.S.L.M. No. 776, are included in this book.

of the

Boise Meridian.

State of

Idaho.

Applicant for listing Carey York,

Residence Clearwater, Idaho.

Application No. 198 , dated September 1, , 19 11.

List No. 1-1785, , dated February 10, , 19 13.

Applicant for survey David Troyer,

Residence Newsome Station, Idaho.

H. R. No. 07219, , dated February 16, , 1918.

Land Office, Lewiston.

Survey executed by Grant Higgins, Surveyor.

Under special instructions dated June 7, , 19 20.

Survey commenced July 19, , 19 20.

Survey completed July 26, , 19 20

Under Acts of June 11, 1906 and July 1, 1920.

776
82-4012

82 4012

HOMESTEAD ENTRY SURVEY NO. 776

T. 29 N., R. 7 E.

STATE OF IDAHO

Higgins
saying all those

, in the State
ving field notes
and that said
ledge and
uments estab-
nited States

J. Smith
Smith

5th day of

Higgins
Higgins

special instruc-
who, dated
ates, I have
surveyed a tract

, 1913, for
ne 11, 1906,
6
National Forest, in
ge 7 E., and
ge 7 E.

who, and the
isions, which are
en surveyed by me;
said survey have
with the stated
cribed in the field
notes of such

Higgins
Higgins
Higgins

nd for the State of Montana.
in Missoula, Montana.
SIGN EXPIRES APRIL 5, 1922

Chains

enladO

U. S. L. M. No. 776.

T. 29 N., R. 7 E.

There being no corners of the public land sur-
veys within two miles, I establish U. S. L. M. No. 776,
to govern surveys in T. 29 N., R. 7 E. as follows:

I mark a granite rock in place, 1x3x4 ft. above
ground, U. S. L. M. 776 on the SE. face, and a cross (x)
on top for the exact monumental point, from which

A cross (x) on a fir tree, 15 ins. dia., bears
S.81°00'E., 154 links dist.

A cross (x) on a fir tree, 14 ins. dia., bears
N.13°41'W., 68 links dist.

A cross (x) on a larch tree, 12 ins. dia., bears
N.71°24'W., 261 links dist.

A cross (x) on a larch tree, 16 ins. dia., bears
S.70°04'W., 154 links dist., each blazed and scribed
U S L M 776 BT.

Raise a mound of earth and stone, 6 ft. base, 4
ft. high, North of monument, 6 ft. dist.

From U. S. L. M. No. 776, Cor. No. 1 of H.E.S. No.
776, hereinafter described, bears N.7°42'E., 7.25 chs.
dist.

U. S. L. M. No. 776 is located about 25 links SE.
of the Stites-Elk City road, approximately 11 miles from
Elk City. The monument is at the end of the first turn
of the road beyond the Mud Springs Station, going towards
Elk City.

Buffalo Hump, bears S.16°30'E.

Pilot Knob, bears N.63°45'W.

There are no other prominent peaks visible.

Latitude 45°50½'N.

Longitude 115°35'W.

July 19, 1920.

Grant Higgins
Surveyor, (Forest Service)

82 4012

HOMESTEAD ENTRY SURVEY NO. 476

TERRACE NATIONAL FOREST

STATE OF IDAHO

Chains	Place
At Cor. No. 1, hereinafter described, latitude $45^{\circ}50\frac{1}{2}'N.$, longitude $115^{\circ}35'W.$, as derived from solar observation and verified by an accurate and reliable map, I observe polaris for azimuth at an hour angle, on July 20, 1920, at $8^h37.1^m$ p.m. by my watch, which is adjusted to standard time of the 105th meridian west longitude and is therefore fast 42.3 m. of l.m.t. The angle to my reference mark is $6^{\circ}39.5'W.$ L.m.t. of U. C., July 21, 1920, $5^h36.6^m$ a.m. L.m.t. of Obsn., July 20, 1920, $7^h54.8^m$ p.m. Time argument and hour angle, $9^h41.8^m$ Azimuth of polaris, $N.0^{\circ}53.5'E.$ Therefore, the bearing of my reference mark is $N.5^{\circ}46'W.$	a mica schis marked 1 H E top for the A cro $S.6^{\circ}15'W.$; 2 A cro $N.9^{\circ}30'E.$; 1 776 BT Raise South of Cor The 1
At Cor. No. 1, hereinafter described, on July 25, 1920, I observe Polaris at eastern elongation at $11^h22.6^m$ p.m. l.m.t. Azimuth of Polaris $1^{\circ}36.9'E.$ The angle to my reference mark is $72^{\circ}22.5'W.$ and therefore the bearing of my reference mark is $N.5^{\circ}45.6'W.$ The mean bearing of which is $N.5^{\circ}45.8'W.$, and to the corresponding meridian, all of the courses of the survey stated in these field notes are referred, and	1-1785, is at the public l was run in a made, but no ship line to being about Therei after search following con connection wi From C 7.25 chs. dis hereto attach
At 8:00 a.m. l.m.t., the magnetic bearing of the stated meridian as observed from my station at Cor. No. 1 is $N.21^{\circ}09'W.$ Therefore the magnetic declination is $21^{\circ}09'E.$ The resulting mean declination corrected for diurnal variation is $21^{\circ}03'E.$	From C Thence Along brush Stites To list described by and in its pl
Beginning at list Cor. No. 2, marked and witnessed as described by the District Forester, which I now destroy and in its place establish Cor. No. 1 of this survey as follows:	40'2

cribed, latitude
rived from solar
te and reliable
an hour angle, on
watch, which is ad-
meridian west
m. of l.m.t. The
W. of 1.01
20.1 = 5^h36.6^m a.m.
20.1 = 7^h54.8^m p.m.
20.1 = 9^h41.8^m
20.1 = 0^h53.5^m E.
reference mark is

scribed, on July 25,
elongation at 11^h22.6^m
91.1 E. The angle
and therefore the
45.6' W. The mean
d to the correspond-
the survey stated in

metric bearing of the
station at Cor. No. 1

The declination is
action corrected for

2, marked and witnessed
ter, which I now des-
r. No. 1 of this survey

Chains
Place a small stone marked with a cross (x) under
a mica schist stone 26x11x4 ins., 16 ins. in the ground,
marked 1 H E S 776 on the S. face, and a cross (x) on
top for the exact corner point, from which
A cross (x) on a fir tree, 10 ins. dia., bears
S. 6°15' W., 21 lks. dist.
A cross (x) on a fir tree, 9 ins. dia., bears
N. 9°30' E., 18 lks. dist., each blazed and scribed 1 H E S
776 BT.
Raise a mound of earth, 4 ft. base, 2 ft. high,
South of Cor. No. 1, to show the location of this claim as given in List No.

1-1785, is shown to be within two miles of corners of
the public land surveys a random line of two miles length
was run in a northerly direction and a diligent search
made, but no public survey corners were found. The town-
ship line to the east lies beyond the required distance,
being about 5 miles distant by the road.

Therefore, having found no public survey corners
after search within the required distance I make the
following connection to U.S.L.M. No. 776, established in
connection with this survey, heretofore described.

From Cor. No. 1, U.S.L.M. No. 776, bears S. 7°42' W.
7.25 chs. dist. by traverse, computation of which is
hereto attached.

From Cor. No. 1, bears N. 58°39' E., 1.60 chs. dist.
Thence N. 58°39' E., 1.60 chs. dist.

Along south slope, thru heavy timber and under-
brush.

1.60

Stites-Lk City road, bears NE. and SW.

13.26

To listing Cor. No. 1, marked and witnessed as
described by the District Forester, which I now destroy
and in its place establish Cor. No. 2 of this survey as

Chains

follows: a small stone marked with a cross (x) under a granite stone 26x10x5 ins., 14 ins. in the ground, marked 2 H E S 776 on the SW. face, and a cross (x) on top for the exact corner point, from which

A cross (x) on a fir tree, 10 ins. dia., bears S.6°15'W., 21 lks. dist. to a cross (x) on a fir tree, 9 ins. dia., bears N.9°30'E., 18 lks. dist., each blazed and scribed 2 H E S 776 BT.

Raise a mound of earth, 4 ft. base, 2 ft. high, SW. of Cor. 14 as a mark to the corner of the section. Thence S.1°28'W.

Descend gradual south slope, thru lodgepole pine and underbrush.

To listing Cor. No. 14, marked and witnessed as described by the District Forester, which I now destroy and in its place establish Cor. No. 3 of this survey as follows:

Place a small stone marked with a cross (x) under a granite stone 24x9x5 ins., 14 ins. in the ground, marked 3 H E S 776 on the NW. face, and a cross (x) on top for the exact corner point, from which

A cross (x) on a pine tree, 5 ins. dia., bears N.22°05'W., 7 lks. dist.

A cross (x) on a pine tree, 4 ins. dia., bears S.0°30'W., 20 lks. dist., each blazed and scribed 3

H E S 776 BT.

Raise a mound of earth and stone, 4 ft. base, 2 ft. high, NW. of Cor. 14 as a mark to the corner of the section.

Thence N.84°36'W.

Thru lodgepole pine.

July 20, 1920.

Chains

6.70

9.00

Ravin
To 14

described by

and in its place
follows:

Place

a granite stone
marked 4 H E S 776 BT.

A cross

N.88°26'W.,

A cross

N.76°42'E.,

H E S 776 BT.

Raise

NW. of Cor.

Thence

Along

To 14

described by

and in its place

follows:

Place

a granite stone

marked 5 H E S 776 BT.

top for the corner

A cross

N.87°30'E., 9

A cross

N.66°32'W., 26

H E S 776 BT.

Raise a

STATE OF IDAHO STAT2

of bedrock
at the base

82 4012

Chains NW. of Cor. N. 00° 21' E. 21.8 chains, arrived July 21, 1920. 07.8
as, by a small stone marked with a cross (x) 00.8

Thence S. 85° 36' W.
Thru pine, fir, and larch, over rolling ground.

8.50 Small draw, course S. 8° 00' E.
12.36 To listing Cor. No. 11, marked and witnessed as described by the District Forester, which I now destroy and in its place establish Cor. No. 6 of this survey as follows:
Place a small stone marked with a cross (x) under a granite stone 24x7x6 ins., 14 ins. in the ground, marked 6 H E S 776 on the NW. face, and a cross (x) on top for the exact corner point, from which
A cross (x) on a pine tree, 5 ins. dia., bears N. 86° 00' E., 17 lks. dist.
A cross (x) on a pine tree, 4 ins. dia., bears N. 87° 10' W., 18 lks. dist., each blazed and scribed 6 H E S 776 BT.
Raise a mound of earth, 4 ft. base, 2 ft. high, NW. of Cor.
Thence S. 1° 20' E.
Thru lodgepole pine along E. slope.
10.74 To listing Cor. No. 10, marked and witnessed as described by the District Forester, which I now destroy and in its place establish Cor. No. 7 of this survey as follows:
Place a small stone marked with a cross (x) under a granite stone 24x10x4 ins., 14 ins. in the ground, marked 7 H E S 776 on the NW. face, and a cross (x) on top for the exact corner point, from which
A cross (x) on a pine tree, 5 ins. dia., bears S. 29° 25' E., 9 lks. dist.

Chains A cross
N. 53° 30' W., 21
H E S 776 BT.
Raise
NW. of Cor.
Thence
Along
8.65 Placer
8.73 To list
described by
and in its place
follows:
Place
a mica schist
marked 8 H E S
top for the exact
A cross
N. 63° 45' E., 76
A cross
S. 80° 20' W., 21
H E S 776 BT.
Raise
NE. of Cor.
Thence
Over road
Placer
To list
described by
and in its place
follows:
Place a

July 21, 1920.

and witnessed as
which I now destroy
5 of this survey as

th a cross (x) under
in the ground,
and a cross (x) on
which
ins. dia., bears

ins. dia., bears

ed and scribed 6
base, 2 ft. high,

and witnessed as
which I now destroy
7 of this survey as

th a cross (x) under
in the ground,
and a cross (x) on
which
ins. dia., bears

Chains

A cross (x) on a pine tree, 5 ins. dia., bears
N.53°30'W., 26 lks. dist., each blazed and scribed 7
H E S 776 BT.
Raise a mound of earth, 4 ft. base, 2 ft. high,
NW. of Cor.
July 22, 1920.

Thence N.88°55'W.
Along North slope, thru brush and scattering larch.
8.65 Placer ditch, 3 lks. wide, course SE.
8.73 To listing Cor. No. 9, marked and witnessed as

described by the District Forester, which I now destroy
and in its place establish Cor. No. 8 of this survey as
follows:

Place a small stone marked with a cross (x) under
a mica schist stone 24x5x5 ins., 14 ins. in the ground,
marked S H E S 776 on the NE. face, and a cross (x) on
top for the exact corner point, from which

A cross (x) on a fir tree, 6 ins. dia., bears
N.63°45'E., 78 lks. dist.

A cross (x) on a fir tree, 12 ins. dia., bears
S.80°20'W., 22 lks. dist., each blazed and scribed 8
H E S 776 BT.

Raise a mound of earth, 4 ft. base, 2 ft. high,
NE. of Cor.

Thence N.3°56'W.

Over rolling ground, thru fir and pine.
Placer ditch, 3 lks. wide, course SE.

To listing Cor. No. 8, marked and witnessed as
described by the District Forester, which I now destroy
and in its place establish Cor. No. 9 of this survey as
follows:

Place a small stone marked with a cross (x) under

NEZPERCE NATIONAL FOREST

STATE OF IDAHO

8.

Chains

a granite stone 24x6x5 ins., 14 ins. in the ground,
marked 9 H E S 776 on the SE. face, and a cross (x) on
top for the exact corner point, from which

A cross (x) on a pine tree, 6 ins. dia., bears
N.0°30'W., 14 lks. dist.

A cross (x) on a fir tree, 7 ins. dia., bears

S.78°48'W., 39 lks. dist., each blazed and scribed 9-

H E S 776 BT.

Raise a mound of earth, 4 ft. base, 2 ft. high,

SE. of Cor.

Thence N.40°55'E.,

Along NE. slope, thru lodgepole pine and under-

brush.

15.69

To listing Cor. No. 7, marked and witnessed as

described by the District Forester, which I now destroy

and in its place establish Cor. No. 10 of this survey as

follows:

Place a small stone marked with a cross (x) under

a granite stone 24x7x6 ins., 14 ins. in the ground,

marked 10 H E S 776 on the E. face, and a cross (x) on

top for the exact corner point, from which

A cross (x) on a fir tree, 10 ins. dia., bears

S.38°52'W., 38 lks. dist.

A cross (x) on a fir tree, 5 ins. dia., bears

N.17°30'E., 25 lks. dist., each blazed and scribed 10

H E S 776 BT.

Raise a mound of earth, 4 ft. base, 2 ft. high,

E. of Cor.

Thence N.10°00'W.,

Over rolling ground, thru dense underbrush.

(x) under Creek, 2 lks. wide, course W. still

Chains

7.44

To 1

described by
and in its
follows:

Place

a mica schi-

marked 11 H

top for the

A cr

S.35°00'E.,

A cr

N.52°05'W.,

H E S 776 BT

Raise

NE. of Cor.

Thence

Over

brush.

5.50

Cross

9.55

Stite

10.38

To 11

described by

and in its p

follows:

Place

a granite st

12 H E S 776

the exact cor

A cro

N.15°30'E.,

A cro

S.74°10'E.,

TENNESPERCE NATIONAL FOREST

9.

STATE OF IDAHO

in the ground,
 a cross (x) on
 which
 ins. dia., bears
 as. dia., bears
 and scribed 9
 base, 2 ft. high,
 of
 le pine and under-
 and witnessed as
 which I now destroy
 10 of this survey as
 with a cross (x) under
 in the ground,
 and a cross (x) on
 a which
 ins. dia., bears
 ins. dia., bears
 zed and scribed 10
 base, 2 ft. high,
 July 23, 1920.

Chains
 7.44

To listing Cor. No. 6, marked and witnessed as described by the District Forester, which I now destroy and in its place establish Cor. No. 11 of this survey as follows:

Place a small stone marked with a cross (x) under a mica schist stone 24x10x5 ins., 14 ins. in the ground, marked 11 H E S 776 on the NE. face, and a cross (x) on top for the exact corner point, from which

A cross (x) on a fir tree, 8 ins. dia., bears S.35°00'E., 41 lks. dist.

A cross (x) on a pine tree, 5 ins. dia., bears N.52°05'W., 27 lks. dist., each blazed and scribed 11 H E S 776 BT.

Raise a mound of earth, 4 ft. base, 2 ft. high, NE. of Cor.

Thence N.80°18'W.

Over rolling ground, thru heavy timber and underbrush.

5.50 Cross deep draw, course S.

9.55 Stites-Elk City road, bears NE. and SW.

10.38 To listing Cor. No. 5, marked and witnessed as

described by the District Forester, which I now destroy and in its place establish Cor. No. 12 of this survey as follows:

Place a small stone marked with a cross (x) under a granite stone 26x7x6 ins., 16 ins. in the ground, marked 12 H E S 776 on the NE. face, and a cross (x) on top for the exact corner point, from which

A cross (x) on a fir tree, 4 ins. dia., bears N.15°30'E., 9 lks. dist.

A cross (x) on a fir tree, 9 ins. dia., bears S.74°10'E., 115 lks. dist., each blazed and scribed 12

Chains

H E S 776 BT. 6.86

Raise a mound of earth, 4 ft. base, 2 ft. high,

NE. of Cor. No. 4, marked and witnessed as follows: July 24, 1920.

A cross (x) on a pine tree, 6 ins. dia., bears

Thence N. 11° 47' W.

Over rolling ground, thru dense undergrowth.

To listing Cor. No. 4, marked and witnessed as described by the District Forester, which I now destroy and in its place establish Cor. No. 13 of this survey as follows:

Place a small stone marked with a cross (x) under a granite stone 24x6x5 ins., 14 ins. in the ground, marked 13 H E S 776 on the E. face, and a cross (x) on top for the exact corner point, from which

A cross (x) on a fir tree, 6 ins. dia., bears S. 7° 10' W., 67 lks. dist.

A cross (x) on a fir tree, 5 ins. dia., bears N. 26° 10' E., 64 lks. dist., each blazed and scribed 13 H E S 776 BT.

Raise a mound of earth, 4 ft. base, 2 ft. high, E. of Cor. No. 4, marked and witnessed as follows:

A cross (x) on a fir tree, 6 ins. dia., bears

Thence N. 47° 06' E.

Descending gradual N. slope, along edge of heavy timber, along fence.

Creek, 1 lk. wide, course W.

To list Cor. No. 3, marked and witnessed as described by the District Forester, which I now destroy and in its place establish Cor. No. 14 of this survey as follows:

Place a small stone marked with a cross (x) under a mica schist stone 28x12x4 ins., 18 ins. in the ground, marked 14 H E S 776 on the SE. face, and a cross (x) on

Chains

top for the.

A cross

S. 19° 15' W.,

A cross

N. 4° 05' W., 2

H E S 776 BT

Raise

SE. of Cor. No. 4

Thence

Ascend

underbrush.

4.85 To Creek

14.52 To Cor. No. 4

described.

A cross

The t

67.75 acres.

The f

Residence, 30

N. and S., th

S. 53° 56' E., 3

Barn, 35x20 1

E. and S., th

S. 34° 38' E., 3

The f

The f

The f

The f

The f

The f

The f

The f

The f

The f

The f

TREMPER NATIONAL FOREST

STATE OF IDAHO

Chains

anisedO

se, 2 ft. high,

ly 24, 1920.

undergrowth.

d witnessed as

ch I now destroy

of this survey as

a cross (x) under

the ground,

1 a cross (x) on

high

s. dia., bears

s. dia., bears

and scribed 13

ase, 2 ft. high,

10 02 00.01

long edge of heavy

witnessed as des-

I now destroy and

this survey as

acres

h a cross (x) under

ins. in the ground,

and a cross (x) on

top for the exact corner point; from which

A cross (x) on a fir tree, 15 ins. dia., bears

S.19°15'W., 24 lks. dist. to

A cross (x) on a fir tree, 11 ins. dia., bears

N.4°05'W., 32 lks. dist., each blazed and scribed 14

H E S 776 B. used to be known as

Raise a mound of earth, 4 ft. base, 2 ft. high,

SE. of Cor. No. 1, the place of beginning, heretofore

Thence S.89°32'E. to

Ascend gradual slope, thru heavy timber and dense

underbrush.

4.85 To Creek, 1 link wide, course S. scribed 30

14.52 To Cor. No. 1, the place of beginning, heretofore

described. To north side 33.3 S.89°32'E.

July 26, 1920.

30.0001 Area to be surveyed

The tract of land embraced in this survey is

87.75 acres. Min. 1/4 sec. 34, T.2 S., R. 7 E.

Adjoining to the north, south, east and west

Improvements -

The following improvements are upon the claim:

Residence, 30x15 ft., course of long sides,

N. and S., the NW. Cor. of which bears

S.53°56'E., 3.85 chs. dist. from Cor. No. 14,

Value, \$300.00

Barn, 35x20 ft., course of long sides,

N. and S., the NW. Cor. of which bears

S.34°38'E., 3.09 chs. dist. from Cor. No. 14,

Value, \$250.00

Chains

Barn, 30x20 ft., course of long sides, set out
N. and S., the NW. Cor. of which bears S. 53°07'E., 2.30 chs. dist. from Cor. No. 14;
Value, \$150.00

Tool shed, 18x15 ft., course of long sides,
N. and S., the NW. Cor. of which bears S. 58°41'E., 2.54 chs. dist. from Cor. No. 14;
Value, \$150.00

Wood shed, 25x15 ft., course of long sides,
E. & W., the NW. Cor. of which bears S. 49°10'E.,
3.78 chs. dist. from Cor. No. 14;
Value, \$75.00

Log building (uncompleted) 26x22 ft., course of
long sides, N. and S., the NW. Cor. of which bears
S. 62°57'E., 2.95 chs. dist. from Cor. No. 14;
Value, \$75.00

Total value of buildings, \$1000.00

- Conflicts and adjoining claims -

There are no conflicting, adjoining or nearby
claims.

- Description -

This tract of land is located along the Stites-
Elk City road at what is locally known as Mud Springs.

In character the land is rolling bench and hillside.

The soil is composed of a sandy loam, suitable
for agriculture.

The claimant has about 10 acres under cultivation,
raising hay and garden truck.

There is about $\frac{1}{2}$ mile of fence upon the claim.

Chains

There
upon the claim
The claimant
approximated
The claimant
are no active

No of
available, to
before the S

July 26, 1924
(Survey completed)

Tie Line

U. S. L. M. N.

Course Distance

N. 68°38'E. 2

S. 32°03'W. 1

S. 36°30'W. 2

S. 5°31'E. 3

S. 37°07'W. 1

N. 7°42'E. 7

Chains

ended

There is a small quantity of commercial timber upon the claim.

The center of trade is located at Elk City, Idaho, approximately 11 miles distant.

The land is non-mineral in character and there are no active mines in the near vicinity.

No officer qualified to administer the oath being available, the final affidavits of assistants are made before the Surveyor in his official capacity.

Co-Land

Surveyor, (Forest Service)

July 26, 1920.
(Survey completed)

Tie Line from Cor. No. 1 of H.E.S. No. 776 to

U. S. L. M. No. 776.

Course	Dist.	N.	Lat.	S.	E.	Dep.	W.
N. 68°38'E.	2.41	.88			2.24		✓
S. 32°03'W.	1.99			1.69		1.06	✓
S. 36°30'W.	2.72			2.19		1.62	✓
S. 5°31'E.	3.09			3.08	.30		✓
S. 37°07'W.	1.38			1.10		.83	✓
N. 7°42'E.	7.25	7.18			.97		✓
		8.06		8.06	3.51	3.51	✓

January 9, 1973

Re: Claim to a Water Right No. 82-4012

Harvey E. Hartley
8830 C Waha Road
Lewiston, ID 83501

Dear Mr. Hartley:

The Department of Water Administration has completed the processing of your claim to a water right, and no further action is authorized under Section 42-225a and 42-225b, Idaho Code. Your claim will be retained in our files and will be available at any time for use by you or the court.

As you are aware, the filing of a claim does not, in itself, guarantee you a water right; it only records and preserves the information and the evidence which you included in your claim.

If, at a later date, you find that you have additional information or supporting evidence that you would like to have included in your claim file, you may have that information or evidence added at any time. Please refer to your claim number when corresponding with this office.

We are enclosing, for your records, a copy of your claim. If you have any questions, or if we can be of further assistance, please feel free to call upon us.

Very truly yours,

Fred Eisenbarth
Water Resource Supervisor
Northern District

FE:CR

Enc: copy of claim

82 4012

December 8, 1972

Re: Application No. 85-7049 - Orvil Chase
" " 85-7050 - Melvin R. Gribble
Claim No. 82-4012 - Harvey E. Hartley

Idaho County Free Press
Box 267
Grangeville, ID 83530

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

Very truly yours,

Fred Eisenbarth
Water Resource Supervisor
Northern District

Bill submitted 1-4-73 by CR

FE:CR

Enc: Legal Notices (2)

82 4012

ALL KINDS
OF
COMMERCIAL
PRINTING
LETTERPRESS AND OFFSET



USE FREE PRESS
CLASSIFIED ADS
"THEY GET RESULTS"



TELEPHONES:
983-1070 OR 983-1071
"PROMPT SERVICE"

STATEMEN

IDAHO COUNTY FREE PRESS

COUNTY SEAT NEWSPAPER OF IDAHO COUNTY — FOUNDED JUNE 18, 1886

PRINTERS AND PUBLISHERS

Grangeville, Idaho 83530 Dec. 20, 1972

State of Idaho
Dept. of Water Administration
401 Front Ave., Room 209
Coeur d'Alene, Id 83814

DATE	INVOICE NO. / ITEMS	AMOUNT
Dec. 13-20	31 lines, 2 times--Not. Claim. #82-4012	\$ 11.47

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

IDAHO COUNTY FREE PRESS

BY: Gary D. Cash
Gary D. Cash, Office Mgr.

82 4012

NOTICE OF CLAIM TO A WATER RIGHT

NO. 82-4012

Notice is hereby given that Harvey E. Hartley,

8830 C Waha Road, Lewiston, Idaho

has filed a claim to a water right established by diversion and application
to beneficial use of 0.04 cubic feet per second ~~xxxx feet per second~~

of water from an Unnamed Spring

with point of diversion in ~~the~~ H.E.S. 776, Sec. 10, T. 29N, R. 7E, B.M.,

Idaho County

The water is claimed to be used from Jan. 1 to Dec. 31 for domestic

purposes

with a priority of June 1, 1964;

the place of use is within the H.E.S. 776, Sec. 10, T. 29N, R. 7E, B.M.

Any exception to this claim of water right may be filed with the Idaho
Department of Water Administration, 401 Front Avenue, Coeur d'Alene, Idaho
83814.

R. KEITH HIGGINSON

Director

Published in the Idaho County Free Press, Grangeville, Idaho

on Dec. 13 and Dec. 20, 1972

82 4012

**PROOF to Coeur d'Alene
NOTICE OF CLAIM
TO A WATER RIGHT**

NO. 82-4012

Notice is hereby given that Harvey E. Hartley, 8830 C Waha Road, Lewiston, Idaho has filed a claim to a water right established by diversion and application to beneficial use of 0.04 cubic feet per second of water from an Unnamed Spring with point of diversion in H.E.S. 776, Sec. 10, T. 29N, R. 7E, B.M., Idaho County.

The water is claimed to be used from Jan. 1 to Dec. 31 for domestic purposes with a priority of June 1, 1964; the place of use is within the H.E.S. 776, Sec. 10, T. 29N, R. 7E, B.M.

Any exception to this claim of water right may be filed with the Idaho Department of Water Administration, 401 Front Avenue, Coeur d'Alene, Idaho 83814.

R. KEITH HIGGINSON
Director

Published in the Idaho County Free Press, Grangeville, Idaho on Dec. 13 and Dec. 20, 1972.

D13-20

82 4012

December 8, 1972

Re: Claim to a Water Right No. 82-4012

C
Harvey E. Hartley
8830 C Waha Road
Lewiston, ID 83501

Dear Mr. Hartley:

Attached herewith is your receipt No. 8501 in the amount of \$10 for the filing fee on the above referenced claim, which was received in this office.

Very truly yours,

D
Fred Eisenbarth
Water Resource Supervisor
Northern District

FE:CR

Y
Enc: Receipt

82 4012

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
NORTHERN DISTRICT OFFICE



Cecil D. Andrus
Governor
R. Keith Higginson
Director

401 Front Ave., Rm. 209
Coeur D'Alene, Idaho 83814
(208) 667-6484

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection
Geothermal Resources

December 1, 1972

Harvey E. Hartley
8830 C Waha Road
Lewiston, ID 83501

Dear Mr. Hartley:

We are returning your claim to a water right and Check No. 98-141 in the amount of \$10. Before we can accept the claim, a source of water supply must be listed under Item #2. We understand the source to be an Unnamed Spring.

Please complete this item and return the claim along with the \$10 filing fee, and we shall begin its processing. Your assistance in this matter is appreciated.

Very truly yours,

Ervin E. Ballou
Water Resource Examiner
Northern District

EEB:cr

Enc: Claim to a Water Right
Check No. 98-141(\$10.00)

82 4012

October 19, 1972

Harvey Hartley
8830-C Waha Road
Lewiston, ID 83501

Dear Mr. Hartley:

We are writing you pursuant to Paul Castelin's request concerning the Claim to a Water Right which he assisted you in completing.

We have searched our files, both in the State Office in Boise, and also in our Northern District Office in Coeur d'Alene, and have failed to find any record of receiving your claim. Mr. Castelin stated that you may have submitted the required \$10 filing fee for the claim. Please check your records, and if your check has been cancelled, it would obviously mean that we did receive it. If this is the case, please notify our office, and we will search our files further for receipt of the claim.

Enclosed you will find a Claim to a Water Right form. If your records indicate that your check did not reach our office, please complete this form and return it to our Northern District Office, along with the filing fee, and we shall begin its processing.

We apologize for any inconvenience this may have caused, and if you should have any questions, please feel free to contact us.

Very truly yours,

Fred Eisenbarth
Water Resource Supervisor
Northern District

FE:CR

Enc: Claim to a Water Right form

cc: State Office

82 4012