




TS

CLASSIFICATION
Light-duty road
improved surface
Unimproved
weather

RIBE

and published by the Geological Survey
and USC&GS
in part compiled from
taken 1946
table methods 1949

JUL 21 1994

MICROFILMED
JAN 21 1993

02-07460

ACKNOWLEDGMENT

STATE OF IDAHO

County of Gooding

On this _____ day of _____, 1968, before me, the undersigned, a Notary Public in and for said State, personally appeared _____ and _____, known to me to be the persons whose names are subscribed to the foregoing Declaration, and acknowledged to me that they executed the same.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal the day and year in this certificate first above written.

Notary Public

My Comm. expires _____

STATE OF IDAHO
County of Jerome

On this _____ day of January, 1968, before me, a Notary Public in and for said State, personally appeared _____, known to me to be the person whose name is subscribed to the foregoing Surveyor's Certificate, and acknowledged to me that he executed the same.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal the day and year in this certificate first above written.

Notary Public

My Comm. expires _____

COUNTY COMMISSIONER'S ACCEPTANCE

The foregoing plat was duly accepted and approved by the Board of Commissioners of Gooding County, Idaho, on the _____ day of _____, 1968.

Clerk

Chairman

COUNTY RECORDER'S CERTIFICATE

This is to certify that the foregoing plat was filed for record in the office of the County Recorder, Idaho, this _____ day of _____, 1968, at the _____ page.

Deputy

Ex-Officio


LOT SIZE:

300' x 130' = 39,000

÷ 43560 = 0.89

≈ 0.90 A.

(within Tol.)




GRIDLEY ISLAND SUBDIVISION

IN LOT H, SEC. 1, T. 8 S., R. 13 E., B.M.

GOODING COUNTY, IDAHO

A02-07382 + A02-10002

JR SIMPLOT



ROAD CLASSIFICATION

highway, face ——— Light-duty road, hard or improved surface ———

major highway, face ——— Unimproved road ———

Interstate Route U. S. Route State Route

HAGERMAN, IDAHC
42114-G8-TF-024

Produced by the United States Geological Survey in cooperation with the Army Corps of Engineers
Control by USGS and NOS/NOAA


Compiled from aerial photographs taken 1946. Information shown in purple has been updated from aerial photographs taken 1987-88 and field checked. Map edited 1992. Conflicts may exist between some updated features and previously mapped contours
North American Datum of 1927 (NAD 27). Projection and 10,000-foot grid ticks: Idaho Coordinate System, central zone (Transverse Mercator). 1000-meter Universal Transverse Mercator grid, zone 11

The difference between NAD 27 and North American Datum of 1983 (NAD 83) for 7.5 minute intersections is given in USGS Bulletin 1875. The NAD 83 is shown by dashed corner ticks
There may be private inholdings within the boundaries of the National or State reservations shown on this map


MAR 25 1998

PID is NE NW SE
Section 01 T 08 S R 13 E

02-07460




UTM GRID AND 1992 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET





MICROFILMED
MAR 25 1998

THIS IS PICTURE OF THE FRONT OF THE
HOUSE. THE FRONT YARD CONSISTS OF CINDERS
AND TREES. THE SPRINKLER SYSTEM USES
BUBBLERS TO IRRIGATE THE TREES & SHRUBS



This is a picture of the PID.
 It consists of $\frac{1}{2}$ HP pump out of
 the Snake River.

Below is a picture of the Boat Dock
 the pump sits on.



MICROFILMED
 MAR 25 1998



THIS is a view of the side
of the House.

MICROFILMED
MAR 25 1998

This is a
view of the
Back of the
House



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 02-07460

Priority: April 19, 1994

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

0.6 AF

This is to certify, that SONDR L CLAIBORN

2377 TWIN OAKS

TWIN FALLS ID 83301

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 19, 1994; and has submitted Proof of Beneficial Use on May 16, 1997. An examination indicates that the works have a diversion capacity of 0.050 cfs of water from:

SNAKE RIVER

tributary to COLUMBIA RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	04/01 to 10/31	0.02 CFS	0.6 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 11(NWSE), Sec. 1, Township 08S, Range 13E
GOODING County

PLACE OF USE: DOMESTIC

TWN RGE SEC

08S 13E 1 Lot 11(NWSE)

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for watering of yard.
6. Point of diversion and place of use known as Lot 20, Gridley Island Subdivision.

MAILED

MAY 17 1998

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 02-07460

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 23rd
day of February, 1998.


Acting for KARL J. DREHER, Director

MAILED
MAY 1998

FOR OFFICE USE ONLY
Amt. of Fee \$: 50.00
Receipt No. C038912
Receipt By: GW
Date Received: 5-16-97
RECEIVED

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

MAY 16 1997

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 02-07460 Telephone No. 208 734-4614
2. Name(s) of Permit Holder(s): Sandra S. Claiborn
3. Mailing Address: 2377 Twin Oaks Twin Falls Id 83301
4489
4. Source of Water: Snake River If **GROUNDWATER** (well), Date Drilled: mo. _____ / yr. _____
 - a. Well Driller: _____ Drilling Permit Number: _____ - _____ - _____
 - b. **OPTIONAL:**
Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): 1 Stockwater (No. and type of stock): _____
Irrigation (No. of acres): _____ Other: lot 1020 Bradley Dr - Hagerman
6. Total rate of diversion and/or volume for which proof is submitted: _____ cfs OR _____ acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes _____	or	No <u>✓</u>
	Has the measuring device been installed?	Yes _____	or	No <u>✓</u>
Flow Measurement Port:	Is a flow measurement port required?	Yes _____	or	No <u>✓</u>
	Has the measurement port been installed?	Yes _____	or	No <u>✓</u>
8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: Bill or Sandra Claiborn Telephone Number: 208 734-4614
Address: 2377 Twin Oaks Twin Falls, Id 83301-4489
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

MICROFILMED

Signature of permit holder: Sandra S. Claiborn Date: 5-13-97
(include your title, if on behalf of company or organization)

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 02-07460

Proposed Priority: April 19, 1994 Maximum Diversion Rate: 0.03 CFS

This is to certify, that **SONDRA L CLAIBORN**
2377 TWIN OAKS
TWIN FALLS ID 83301
has applied for a permit to appropriate water from:

SNAKE RIVER tributary of **COLUMBIA RIVER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	03/15 to 11/15	0.03 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 11(NENWSE), Sec. 1, Township 08S, Range 13E
GOODING County

PLACE OF USE: DOMESTIC

TWN RGE SEC


08S 13E 1 Lot 11(NWSE)

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **July 1, 1997**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Water shall not be diverted under this right unless the flow of the Snake River exceeds prior rights and established downstream minimum stream flows.
5. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

8th day of July, 1994.


for
R. Keith Higginson, Director

JUL 21 1994

RECEIVED
JUN 28 1994

Form 202
10/92

Department of Water Resources
STATE OF IDAHO

Ident. No. 02-07460

RECEIVED

DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APR 19 1994

To appropriate the public waters of the State of Idaho

Department of Water Resources

Southern Region Office

1. Name of applicant SONDRA L. CLAIBORN Phone 208 734-4614

Post office address 2377 TWIN OAKS TWIN FALLS ID 83301

2. Source of water supply SNAKE RIVER which is a tributary of COLUMBIA

3. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot 11

Sec. 1 Township 8S Range 13E B.M. GOODING County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .03 for DOMESTIC purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .03 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. _____

PUMP - DRIP IRRIGATION

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

d. Is ground water with a temperature of greater than 85°F being sought? _____

e. If well is already drilled, when? _____; Drilling firm _____

Well was drilled for (well owner) _____

JUL 21 1994

7. Time required for the completion of the works and application of the water to be proposed beneficial use is

3 years (minimum 1 year).

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. ONE HOUSEHOLD WITH LAWN
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
83	13E	1														D			
																LH			


Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. NONE

- Who owns the property at the point of diversion? APPLICANT
- Who owns the land to be irrigated or place of use? SAME
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: TO BE USED FOR IRRIGATION OF LESS THAN 1/3 ACRE
AND HOUSEHOLD

JUL 21 1994



T 8 S

AL SURVEY WESTON VIRGINIA-1978
6730000 M E

CLASSIFICATION
Light-duty for
improved sur
Unimproved
weather

R13E

and published by the Geological Survey
of USCGS
in part compiled from
taken 1946
table methods 1949

JUL 21 1994

JAN 21 1993

02-07460

See attached map

JUL 21 1962

Londra L. Clairborn
(Applicant)

Received by SCC Date 4-19-94 Time 11 AM Preliminary check by J.F. Martin
Fee \$ 30.00 Receipted by SCC # 5016778 Date 4-19-94
Publication prepared by MB Date 5/9/94 Published in Headline Co. Leader
Publication approved MBaldwin Date 6/21/94

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

_____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

RECORDED

JUL 21 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

February 23, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

SONDRA L. CLAIBORN
2377 TWIN OAKS
TWIN FALLS ID 83301

RE: WATER RIGHT NO. 02-07460

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

UNRECORDED

MAR 25 1998

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT


Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED

MAR 25 1998 3

CERTIFICATE OF MAILING

I hereby certify that on the 23rd day of February, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 02-07460

SONDRA L CLAIBORN
2377 TWIN OAKS
TWIN FALLS ID 83301



Kari Lynn Townsend
Secretary

REC-17-11111

MAR 25 1998

MEMORANDUM

TO: File 02-07460

FROM: Sharla

DATE: November 28, 1997

RE: Recommendation Adjustment(s)

The final license recommendations for Permit No. 02-07460 are based on the following:

H. RECOMMENDATIONS

Domestic	1/1 - 12/31	0.02 cfs	0.6 afa
----------	-------------	----------	---------

The application was filed for in-house and outside use. The actual use occurs outside only. The rate and volume are based on the normal figures used for either in-house use only or outside use only.

Examiner: Dan Nelson
Exam Date: July 9, 1997

MICROFILMED

MAR 25 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

AUG 13 1997

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 02-07460

1. Owner: Claiborn, Sondra L. Phone No. (208) 734-4614

Current Address: 2377 Twin Oaks, Twin Falls, Idaho 83301-4489

2. Accompanied by: Sondra L. Claiborn EXAM DATE : 7-9-97

Address: SAME AS OWNER Phone No. SAME AS OWNER

Relationship to Permit Holder: OWNER

3. Source: SNAKE RIVER tributary to COLUMBIA RIVER

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 36-08588

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Govt. Lot	¼	¼	¼	Sec.	Twp.	Rge	County	Method of Determination/Remarks
P/D	11	N E	~~N~~ W	S E	01	08S	13E	GOODING	Visual inspection and use of USGS quadrangle map and subdivision plat map.

2. Place(s) of Use:

Indicate Method of Determination Same as P/D

TWP	RGE	SEC	NE				NW				SW				SE				Totals
08S	13E	01	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
																D 411			

MICROFILMED
MAR 25 1998

PLEASE NOTE: The use for this permit is irrigation for a domestic house. There is no in house-use.

3. **Delivery System Diagram:** Include all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.

SEE ATTACHED SHEET.

YES Copy of USGS Quadrange Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

NO Aerial Photo Attached (required for irrigation of 10+ acres).

YES Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
P/D	A. O. SMITH	.5 Hp	8J95	SAME AS MOTOR	2 INCH PVC

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
N/A	N/A	N/A	N/A	N/A	N/A	N/A

2. **Measurements:** A theoretical calculation was performed on the pump and I calculated the capacity of the irrigation system. There are three types of sprinkler nozzles, Toro 511 30, Toro 516 30, and Hunter 10' A 1335. The two Toro nozzles average .42 gpm and the Hunter nozzles average 1.6 gpm. The total system capacity is 56.44 gpm, but this system is divided into 5 settings which is approximately 11 gpm diversion rate per set. Therefore the diversion rate for this system will be limited to 11.288 gpm or .025 cfs. See attached sheets for calculations and figures.

MICROFILMED
MAR 25 1979

E. NARRATIVE/REMARKS/COMMENTS

The water for this permit is pumped from a .5 Hp pump located in the NE 1/4 - NW 1/4 - SE 1/4 in Lot 1 of section 01, township 08S, range 13E. The point of diversion and place of use for this permit is also known as lot 20 of the Gridley Subdivision. The pump is located on a boat dock located directly north of the house. The water is pumped from the Snake river and run through 2 inch PVC pipe to the yard. There are 62 sprinklers with Toro 511-30 or 516-30 bubbler heads and 19 Hunter 10-A Adj. arc. 1-335 sprinkler heads and one water spigot connected to a common garden hose. A psi reading was done using a IDWR pressure gage on the water spigot.

The irrigation performed on this place of use at the present time is done through bubblers to irrigate shrubs located in a cinder stone yard. I included the entire yard under the place of use in case a change in the design of the yard may replace the cinder stone with grass.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
MAR 25 1998

F. FLOW CALCULATIONSYES Additional Computation Sheets Attached

Measured Method:

THEORETICAL = .05 CFS (SEE ATTACHED SHEET)

SYSTEM CALCULATION = .025 CFS (SEE ATTACHED SHEET)

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = .42 \times 4.0 = 1.68 \text{ AFA}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .025 \text{ CFS} \times 214 \times 1.9835 = 10.6 \text{ AFA}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 1.68 \text{ AFA}$$

B

2. Volume Calculations for Other Uses:

NONE

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion	Annual Volume
	From	To	Q (cfs)	V (afa)
<u>DOMESTIC IRRIGATION</u>	<u>APRIL 01</u>	<u>OCT. 31</u>	<u>.025 CFS</u>	<u>1.68 AFA</u>

Totals: .025 CFS 1.68 AFA

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name Daniel A. Nelson Date 7-23-97

Reviewer _____ Date _____

SEAL

MICROFILMED
MAR 25 1998

RECOMMENDATIONS:

I recommend that this permit be licensed under the following conditions.

- 1. That this permit be licensed for .025 cfs diversion rate and 1.68 afa annual volume.**
- 2. That Lot 20 of Gridley Island Subdivision should not be licensed under permit number 36-08588. The owners of lot 20 in the Gridley Island Subdivision have chosen to acquire there own water right and should not be included in the Gridley Island Water Assn. for the irrigation of lot 20 in the Gridley Island Subdivision.**

RECORDED

MAR 25 1938

FLOW RATES USING IRRIGATION SYSTEM:

FLOW RATES PER HEAD (SEE ATTACHED SHEET FOR RATINGS):

Toro 511-30 @ 25 psi = .42 gpm

~~Toro 516-30 @ 25 psi = .42 gpm~~

Hunter model 10-A Adj. Arc. 1 - 335 @ 25 psi = 1.6 gpm

SYSTEM CAPACITY CALCULATIONS:

62 Toro Heads @ .42 gpm = 26.04 gpm total

19 Hunter Heads @ 1.6 gpm = 30.40 gpm total

Total system capacity

26.04 gpm Toro's + 30.40 gpm Hunter's = 56.44 gpm total system capacity

56.44 gpm / 5 settings = 11.288 gpm

11.288 gpm / 448.8 = .025 cfs

APPROVED
MAY 25 1938

Toro 570 Series Brass Pressure Compensating Nozzles

Applications:

- For Use in Lawn, Shrub and Ground Cover Areas
- Wherever Improved Precipitation Uniformity is Required

Features:

- Brass Construction
- Pressure Compensation Eliminates Nozzle Fogging and Conserves Water
- Brass Adjustment Screw for Radius Control
- Matched Precipitation Rates for Even Water Distribution



Brass Fog-Less™ Spray Nozzles

Brass 15 Standard Gallage Pressure Compensating						Brass 12 Low Gallage Pressure Compensating					
Pattern	Order No.	PSI	GPM	Radius	Precip. □ Δ	Pattern	Order No.	PSI	GPM	Radius	Precip. □ Δ
90° 	B15-Q-PC	40	1.0	14'	1.97 2.27	90° 	B12-Q-PC	40	.5	11'	1.59 1.84
		50	1.0	14'	1.97 2.27			50	.5	11'	1.59 1.84
		60	1.1	14'	2.16 2.50			60	.5	11'	1.59 1.84
120° 	B15-120-PC	40	1.3	14'	1.92 2.21	120° 	B12-120-PC	40	.6	11'	1.43 1.65
		50	1.4	14'	2.06 2.38			50	.7	11'	1.67 1.93
		60	1.4	14'	2.06 2.38			60	.7	11'	1.67 1.93
180° 	B15-H-PC	40	1.9	14'	1.87 2.16	180° 	B12-H-PC	40	.9	11'	1.43 1.65
		50	2.0	14'	1.97 2.27			50	1.0	11'	1.59 1.84
		60	2.1	14'	2.06 2.38			60	1.0	11'	1.59 1.84
270° 	B15-PC	40	2.9	14'	1.90 2.19	270° 	B12-270-PC	40	1.3	11'	1.38 1.59
		50	3.0	14'	1.96 2.26			50	1.4	11'	1.48 1.71
		60	3.1	14'	2.03 2.34			60	1.4	11'	1.48 1.71
360° 	B15-F-PC	40	3.0	14'	1.92 2.21	360° 	B12-F-PC	40	1.8	11'	1.43 1.65
		50	4.0	14'	1.97 2.27			50	1.9	11'	1.51 1.76
		60	4.1	14'	2.01 2.33			60	2.0	11'	1.59 1.84

Brass Special Patterns Pressure Compensating

Pattern	Order No.	PSI	GPM	Area	Precip. □ Δ
End Strip 	B4'-EST-PC	40	.70	4' x 15'	2.25 —
		50	.70	4' x 15'	2.25 —
		60	.70	4' x 15'	2.25 —
		70	.70	4' x 15'	2.25 —
Center Strip 	B4'-CST-PC	40	1.30	4' x 30'	2.09 —
		50	1.40	4' x 30'	2.25 —
		60	1.40	4' x 30'	2.25 —
		70	1.40	4' x 30'	2.25 —
Side Strip 	B9'-SST-PC	40	1.30	9' x 18'	2.32 —
		50	1.40	9' x 18'	2.50 —
		60	1.40	9' x 18'	2.50 —
		70	1.40	9' x 18'	2.50 —

Toro 500 Series Stream and Flood Bubblers

Applications:

- For Small Shrub and Ground Cover Areas

Features:

- Cyclac and Stainless Steel Construction
- Adjustable Flow
- Serviceable Filter Screen

Specifications:


- Recommended Operating Pressure—10–40 PSI
- Maximum Pressure—75 PSI

500 Series Adjustable Stream Bubbler

Model Number	Stream Patterns	10 PSI		20 PSI		30 PSI		40 PSI	
		Radius	GPM	Radius	GPM	Radius	GPM	Radius	GPM
511-30	2/60° 	2 1/2'	.29	3'	.31	3 1/2'	.42	4 1/2'	.50
512-30	4/60° 	2 1/2'	.58	3'	.62	3 1/2'	.84	4 1/2'	1.00
514-30	6/60° 	2 1/2'	.37	3'	.93	3 1/2'	1.26	4 1/2'	1.50
516-30	2/180° 	2 1/2'	.29	3'	.31	3 1/2'	.42	4 1/2'	.50

500 Series Adjustable Flood Bubbler

Model Number	Pattern	PSI	GPM
514-20 	(360°) Flood	15	1.70
		20	2.00
		25	2.20
		30	2.40
		35	2.50
		40	2.70



2 5 1938

PS Performance Charts

Models	PSI	45°		90°		120°		180°		240°		270°		360°	
		RAD.	GPM	RAD.	GPM	RAD.	GPM	RAD.	GPM	RAD.	GPM	RAD.	GPM	RAD.	GPM
Model 10-A 10° Trajectory Adj. Arc 1° - 335° Model 10-F 10° Trajectory Fixed Full Circle 360°	20	10'	0.2	10'	0.4	10'	0.5	10'	0.7	10'	1.0	10'	1.1	10'	1.4
	25	10'	0.2	10'	0.4	10'	0.6	10'	0.8	10'	1.2	10'	1.3	10'	1.6
	30	11'	0.3	11'	0.5	11'	0.6	11'	1.0	11'	1.3	11'	1.5	11'	2.0
	35	11'	0.3	11'	0.5	11'	0.7	11'	1.0	11'	1.4	11'	1.6	11'	2.1
	40	12'	0.3	12'	0.5	12'	0.7	12'	1.2	12'	1.6	12'	1.7	12'	2.4
Model 12-A 28° Trajectory Adj. Arc 1° - 335° Model 12-F 28° Trajectory Fixed Full Circle 360°	20	12'	0.4	12'	0.6	12'	0.8	12'	1.2	12'	1.5	12'	1.7	12'	2.1
	25	12'	0.5	12'	0.8	12'	0.9	12'	1.3	12'	1.7	12'	1.9	12'	2.2
	30	14'	0.5	14'	0.9	14'	1.0	14'	1.5	14'	1.9	14'	2.1	14'	2.8
	35	14'	0.6	14'	0.9	14'	1.1	14'	1.6	14'	2.1	14'	2.3	14'	3.0
	40	15'	0.7	15'	1.0	15'	1.2	15'	1.7	15'	2.2	15'	2.4	15'	3.3
Model 15-A 28° Trajectory Adj. Arc 1° - 335° Model 15-F 28° Trajectory Fixed Full Circle 360°	20	14'	0.4	14'	0.7	14'	0.9	14'	1.4	14'	1.7	14'	2.0	14'	3.0
	25	15'	0.5	15'	0.9	15'	1.1	15'	1.6	15'	1.9	15'	2.2	15'	3.4
	30	16'	0.6	16'	1.0	16'	1.2	16'	1.8	16'	2.1	16'	2.4	16'	3.6
	35	16'	0.7	16'	1.1	16'	1.3	16'	2.0	16'	2.3	16'	2.6	16'	4.0
	40	17'	0.7	17'	1.2	17'	1.5	17'	2.1	17'	2.5	17'	2.8	17'	4.4
Model 17-A 28° Trajectory Adj. Arc 1° - 360°	20	16'	0.9	16'	1.6	16'	1.6	16'	2.4	16'	2.6	16'	2.8	16'	3.7
	25	17'	1.0	17'	1.8	17'	1.9	17'	2.7	17'	2.9	17'	3.1	17'	4.3
	30	18'	1.1	18'	1.9	18'	2.1	18'	2.9	18'	3.2	18'	3.3	18'	4.6
	35	18'	1.3	18'	2.1	18'	2.3	18'	3.1	18'	3.5	18'	3.9	18'	4.8
	40	19'	1.4	19'	2.2	19'	2.4	19'	3.3	19'	3.7	19'	4.0	19'	5.3
Data represents test results in zero wind. Adjust for local conditions. Optimum performance at 25 PSI.															

Side Strip

	PSI	GPM	Width X Length
Model 5S-S Side Strip	20	1.1	4' x 28'
	25	1.2	5' x 30'
	30	1.3	5' x 30'
	35	1.4	5' x 32'
	40	1.5	5' x 33'
Optimum performance is at 25 PSI. Triangular, head-to-head spacing is recommended.			

PS Models

PS BODY/NOZZLE NUMBER EXPLANATION

PS-XX-XXX-X

- V = Optional Factory-Installed Drain-Check Valve (not available on shrub version)
- R = Reclaimed-Water Identifier with Drain-Check Valve
- Arc: A = Adjustable, F = Full circle, S = Side strip
- Radius: 10, 12, 15, 17 feet, or 5S (side strip)
- Model: 00 = Shrub, 02 = 2 inches, 04 = 4 inches
- S = Integral Nozzle Spray Sprinkler
- Professional Series

EXAMPLE: PS-04-15-A-V
 Professional Series, PS spray sprinkler, 04-in. pop-up, 15-ft. radius with Adjustable arc, and drain-check Valve factory-installed.

GROUNDWATER MEASUREMENT REQUIREMENT ANALYSIS

FILE: 92-07460
DATE: 7-9-97
BY: Donal A. Nelson

THEORETICAL RATE OF FLOW: $Q = \frac{(8.8) \times (\text{H.P.}) \times (\text{EFF.})}{\text{TDH}}$

Q = CFS
H.P. = Total Brake Horsepower of pumping plant (including booster)
EFF. = Pumping plant efficiency (ASSUME 70% OR 0.70)
TDH = total dynamic head = [(LIFT) + (PSI X 2.31)]
LIFT = depth to water in FEET from land surface to pumping water level
PSI = pumping pressure measured in psi near pump (if open discharge assume zero [0])

$$Q = \frac{(8.8) \times (5.40) \times (0.70)}{[(2 \text{ FT.}) + (2.5 \text{ PSI} \times 2.31)]} = \frac{3.08}{59.75} = 0.05 \text{ CFS}$$

22.44 gpm

LIFT FROM:	PSI FROM:	NOTES ON PUMP:
measurement (X)	measurement (X)	Motor Make, Serial or ID
owner ()	owner ()	
area estimate ()	estimate ()	Pump Make, Serial or ID, rating
well logs ()	owner gage ()	
Booster (Y) (N)		
REMARKS		

ANNUAL VOLUME ANALYSIS

POTENTIAL Acre Feet/Acre/Annum = $\frac{(\text{DAYS IN SEASON}) \times (1.98) \times (Q)}{(\text{RECOMMENDED ACRES IRRIGATED})}$

(season)	(days)	
3/15 - 11/15	246	POTENTIAL = $\frac{(\dots) \times (1.98) \times (\dots)}{(\dots)}$
4/1 - 11/1	215	
4/15 - 10/15	184	
3/1 - 12/1	276	

POTENTIAL = _____

REQUIRED Acre Feet/Acre/Annum = _____
(AF/Ann/Ac irrigation requirement from chart for area)
NOTE that this is NOT Consumptive use

IF POTENTIAL IS GREATER THAN REQUIRED THEN NO MEASUREMENT NECESSARY ()
IF POTENTIAL IS LESS THAN REQUIRED THEN MEASUREMENT IS NECESSARY ()

1000-112
MAR 23 1998

Snake River



Pump P/D

101.65 ft.

House
APPROXIMATELY
2,000 SQ FT.

210 FT

Drive way

192 FT

100 FT

G Riddle Drive.

AREA CALCULATIONS:

AVERAGE WIDTH = 101.65 FT. + 100 FT. / 2 = 100.825 FT AVE. WIDTH


AVERAGE LENGTH = 210 FT. + 192 FT. / 2 = 201 FT. AVE LENGTH

LOTS AREA = 101 AVE FT. WIDTH X 201 AVE FT. LENGTH = 20301 SQ FEET

20301 SQ FT. - 2,000 SQUARE FT. HOUSE = 18301 TOTAL SQUARE FEET

18301 SQ FT / 43560 = .42 ACRES

Snake River



MAR 25 1998

County of (Sealing) ss

Report of the

My Comm. expires

State of New York
County of Albany

On the _____ day of December, 1944, before me, a Notary Public in and for said State, personally appeared _____ & demand, known to me to be the person whose name is subscribed to the foregoing Surveyor's Certificate, and acknowledged to me that he executed the same.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal the day and year in this certificate first above written.

Notary Public

May Comm. papers 60

The foregoing plan was duly accepted and approved by the Board of Community
County of Goodhue, Iowa on the _____ day of _____, 1960

End

Case 1

This is to certify that the foregoing was filed by record in the office of the
 _____ County, _____, and _____ day of _____, 1968, at the _____
 _____ and duly recorded in Plat Book no _____ page _____

Debut

10-000000

LOT SIZE:

$$300' \times 130' = 39,000$$


$$\div 43560 = 0.87$$

≈ 0.90 d.

(within Toler.)

A02-07382 + ~~A02-10002~~

JR SIMPLOT



INTERIOR-GEOLOGICAL SURVEY, RESTON, VIRGINIA-1992
6730000E

ROAD CLASSIFICATION

highway, face _____ Light-duty road, hard or improved surface _____

irry highway, face _____ Unimproved road - - - - -

Interstate Route U. S. Route State Route

HAGERMAN, IDAHO
42114-G8-TF-024


Produced by the United States Geological Survey in cooperation with the Army Corps of Engineers
Control by USGS and NOS/NOAA

Compiled from aerial photographs taken 1946. Information shown in purple has been updated from aerial photographs taken 1987-88 and field checked. Map edited 1992. Conflicts may exist between some updated features and previously mapped contours

North American Datum of 1927 (NAD 27). Projection and 10,000-foot grid ticks: Idaho Coordinate System, central zone (Transverse Mercator). 1000-meter Universal Transverse Mercator grid, zone 11


The difference between NAD 27 and North American Datum of 1983 (NAD 83) for 7.5 minute intersections is given in USGS Bulletin 1875. The NAD 83 is shown by dashed corner ticks

There may be private inholdings within the boundaries of the National or State reservations shown on this map




PID is NE NW SE
Section 01 T 08S R 13E


02-07460



MICROFILMED
MAR 25 1987




THIS IS PICTURE OF THE FRONT OF THE
HOUSE. THE FRONT YARD CONSISTS OF CINDERS
AND TREES. THE SPRINKLER SYSTEM USES
BUBBLERS TO IRRIGATE THE TREES & SHRUBS



THIS IS A PICTURE OF THE P.D.
IT CONSISTS OF $\frac{1}{2}$ HP PUMP OUT OF
THE SNAKE RIVER.

BELOW IS A PICTURE OF THE BOAT DOCK
THE PUMP SITS ON.



1000-12-1
MAR 23 1946



THIS is a view OF the side
OF the House.

MICROFILMED
MAR 25 1966


This is a
view of the
Back of the
House



Placed

RANGE 13 EAST OF THE BOISE MERIDIAN, DEPENDENT RESURVEY

Resurveyed by E.D. Calvin - 1942



Y=402 707
X=756 766

A photo
in the
This is
the south
tion of
the sub
the corn
accordin

Except a
are as
February
26, 1945.

This depo
photogra
vertical
vey was o
USGS tria
supplemen
tional co

MAR 25 1948



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR
June 17, 1997

SONDRA L. CLAIBORN
2377 TWIN OAKS
TWIN FALLS ID 83301-4489

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 02-07460

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Please be advised that Section 42-248, Idaho Code, which became effective on July 1, 1996, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Please contact any office of the department for the proper form to file a change of ownership of a water right and/or a change in the address of the owner. Failure to maintain current records with the department could result in the assessment of a monetary penalty.

If you have questions concerning the field examination, contact the **SOUTHERN** Regional Office in Twin Falls, at (208)736-3033.

Sincerely,


JULIE L. YARBROUGH
Senior Secretary

C: IDWR - Region

MICROFILMED
JUN 23 1997

April 30, 1997

SONDRA L CLAIBORN
2377 TWIN OAKS
TWIN FALLS ID 83301

PROOF DUE NOTICE

RE: PERMIT NO. 02-07460

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1997.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MICROFILMED
JUN 23 1997





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

July 11, 1994

SONDRA L CLAIBORN
2377 TWIN OAKS
TWIN FALLS ID 83301

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 02-07460

Dear Permit Holder(s):

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.

The Department will send you a "Proof Due Notice" approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.


Note also that water shall not be diverted under this permit unless the flow of the Snake River exceeds established downstream minimum stream flows. In addition, there are many applications for permit for the use of Snake River water that are prior to your permit. These applications have been filed for the irrigation of lands that the applicants are attempting to obtain under the Federal Land laws, such as Desert Entry and Carey Act. If these lands are developed, and if the established minimum stream flows are maintained, then no water would be available for

RECEIVED

JUL 21 1994

this permit. Therefore, you should carefully consider these facts before making any expenditures for the construction of your system.

Sincerely,

A handwritten signature in dark ink, appearing to be 'J. Johnson', with a long horizontal flourish extending to the right.

JIM JOHNSON, Section Manager
Water Right Permits Section

JJ:dc

Enclosure

JUL 21 1994

AFFIDAVIT of PUBLICATION

State of Idaho }
County of Gooding } ss.

Patty Nance, being first duly sworn, deposes and says that she is the printer (publisher) of the Gooding County Leader a newspaper published every week in Gooding County, Sate of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once each week for

2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 18 day of May, 1994 and the date of the last publication was on the 25 day of May, 1994

Subscribed and sworn to before me this 20th day of June, 1994
(SEAL)

Norma DeVoe
NOTARY PUBLIC

GOODING COUNTY LEADER

Gooding, Idaho

COST OF PUBLICATION

Number of Picas per Line _____
Number of Lines in Notice _____
Number of Insertions 2X

Lines tabular at 275 6¢/Pica
Lines straight at #13.75 5¢/Pica
Subsequent lines at 11.00 4¢/Pica
TOTAL COST \$24.75

RECEIVED

JUN 21 1994

Department of Water Resources
Southern Region Office

COPY OF NOTICE

(Paste Here)

Notice of Application
for water right

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Department of
Water Resources
BILL TO
Notice of Application
for water right

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

02-07460

Claiborn, Sondra L.

2377 Twin Oaks

Twin Falls, ID 83301

Source: Snake River Tributary:

Columbia River

Diversion Pt: Lot 11 (NENWSE) Sec

1 T 08S R 13E in Gooding County.

Use: Domestic (.030 CFS)

Total Diversion: (.030 CFS)

Date Filed: 4/19/1994

In: Gooding County

T08S R13E S01 Lot 11 (NWSE)

The permit(s) will be subject to all

prior water rights. Protests must be

filed with the applicant and the

Director, Dept. of Water Resources,

Southern Region, 222 Shoshone

Street East, Twin Falls, ID 83301 on

or before June 6, 1994.

R. Keith Higginson, Director

Pub: 5-18-94: 5-25-94

G473

(Idaho Code, Rev. Statutes 1984)

7-8 pt. per line tabular 6¢/Pica

7-8 pt. per line straight.....5¢/Pica

7-8 pt. per line successive

insertions.....4¢/Pica

JUL 21 1994

Nº

5000

6-473

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

02-07460

CLAIBORN, SONDRAL
2377 TWIN OAKS
TWIN FALLS, ID 83301

Source: SNAKE RIVER

Tributary: COLUMBIA RIVER

Diversion Pt: LOT 11 (NENWSE) Sec 1 T 08S R 13E in GOODING County.

Use: DOMESTIC (.030 CFS)
Total Diversion: (.030 CFS)

Date Filed: 4/19/1994

In: GOODING County
T08S R13E S01 Lot 11(NWSE)

The permit(s) will be subject to all prior water rights. Protests must be filed with the applicant and the Director, Dept. of Water Resources, Southern Region, 222 Shoshone Street East, Twin Falls, ID 83301 on or before JUNE 6, 1994.

R. KEITH HIGGINSON, Director

Published: 5/18/1994 & 5/25/1994

JUL 21 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region
222 Shoshone Street East
Twin Falls, ID 83301
(208)736-3033

MAY 9, 1994

GOODING COUNTY LEADER
200 N MAIN
GOODING, ID 83330

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JUNE 6, 1994.

Yours truly,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

11334



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 222 Shoshone St. East, Twin Falls, Idaho 83301 (208) 736-3033

CECIL D. ANDRUS
Governor

09-May-1994

R. KEITH HIGGINSON
Director

SONDRA L CLAIBORN
2377 TWIN OAKS
TWIN FALLS ID 83301

Re: Application for Permit No. 02-07460

Dear Ms. Claiborn:

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

This office has scheduled advertising the application in the Gooding County Leader for 5/18 & 5/25/94. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

James E. Stanton
Sr. Water Resource Agent

JS:MB

11 1994