





rd Tracts  
19N 19E  
No. 1  
30N 20E


Vanal Heights Sub. 20N 16E  
Vista Dr.  
Elizabeth Ave.  
Alveta Ave.  
Deyon Dr.  
Vanita Ct.  
Ellis Ave.  
Alveta Ave.  
Vaughn Estates 20N 20E  
Verde Hills Sub. 17N 20E

15N 23E


**MICROFILMED**  
**FEB 06 1992**

















3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = NTS

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Aerial Photo Attached (required for irrigation of 10+ acres)

Photo of Diversion and System Attached

4.

| Well or Diversion Identification No.* | Motor Make | Hp | Motor Serial No. | Pump Make | Pump Serial No. or Discharge Size |
|---------------------------------------|------------|----|------------------|-----------|-----------------------------------|
| 1                                     | GE         | 75 | HNJ817392        | Layne     | 12"                               |
|                                       |            |    |                  |           |                                   |
|                                       |            |    |                  |           |                                   |

\*Code to correspond with No. on map and aerial photo


#### D. FLOW MEASUREMENTS

1.


| Measurement Equipment | Type | Make | Model No. | Serial No. | Size | Calib. Date |
|-----------------------|------|------|-----------|------------|------|-------------|
| Polysonic             |      |      |           |            |      | OCT 26 1995 |
|                       |      |      |           |            |      |             |

2. Measurements:

Poly- wall thickness .423 (PVC)  
 Circumference  $3' 4.5" = 40.5" = 3.375'$   
 Spacing = 9.950 in.




SCALE 1:24,000



43° 22' 30" N  
T. 1 N.  
402  
2 MI. TO IDAHO  
T. 1 S.  
620 000  
FEET  
4801

02-7442



P/D (other pumps seen  
operated separately)

Discharge Main  
Point of Polysonic  
measure



MINUTEMEN

OCT 26 1995

02-7442

P/u:

Sec 35, NE<sup>1</sup>/<sub>4</sub>



NW Sec ~~35~~ 26,  
looking toward  
NW



Sec 26, SW<sup>1</sup>/<sub>4</sub>

OCT 26 1995

02-7442

P/u:



Sec 25, SW 1/4  
Sec 26, SE 1/4  
(Above road)



RECORDED

OCT 26 1995

# The Idaho Statesman

P.O. BOX 40, BOISE, IDAHO 83707

## LEGAL ADVERTISING INVOICE

Amount Due

107.76

|                                                                                             |             |                                                         |                                 |
|---------------------------------------------------------------------------------------------|-------------|---------------------------------------------------------|---------------------------------|
| Account Number<br>47628                                                                     |             | Identification<br>Notice of Application for Water Right |                                 |
| Ordered By<br>Gail Garrett                                                                  | P.O. Number | Rate<br>nt                                              | Run Dates<br>April 18, 25, 1991 |
| Idaho Department of Water Resources<br>Western Region<br>2735 Airport Way<br>Boise ID 83705 |             | Estimated Inches                                        | Real Inches                     |
|                                                                                             |             | # Affidavits<br>1                                       | Legal Number<br>8192            |

### NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

02-07442

NICHOLSON, THOMAS T.  
P.O. BOX 703  
MERIDIAN, ID 83642

Source: SNAKE RIVER  
Tributary: COLUMBIA RIVER  
Diversion Pt: LOT 7 (SWNE) Sec 36

T 01N R 03W  
LOT 2 (NESE) Sec 6 T 01S R 02W  
Use: IRRIGATION (12.820 CFS)  
STOCKWATER (.120 CFS)

Total Diversion: (12.820 CFS)  
Date Filed: 4/9/1991

In: T01N R03W S22 Lot 8 (SWSE Lot 9 (SESE)  
S25 NWSW SWSW SESW  
S26 SWNE NWNW Lot 2 (SWNW) SENW  
NESW Lot 3 (NWSW) Lot 4 (SWSW) Lot 4 (SESW)  
NESE NWSE SWSE SESE  
S27 Lot 4 (NENE)  
S35 Lot 6 (NENE) Lot 5 (NWNE)  
S36 NENW Lot 5 (NWNW) Lot 6 (SENW)

443.0 ACRES TOTAL

63-11513

BOB RHEAD FARMS  
c/o DARYL RHEAD AGENT  
HC 85 BOX 20  
MOUNTAIN HOME, ID 83647  
Source: GROUNDWATER  
Diversion Pt: SESE Sec 32 T 01N R 09E  
Use: IRRIGATION ((12.000 CFS)

### IRRIGATION STORAGE

(380.00 AF)

### IRRIGATION FROM STORAGE

(380.00 AF)

### DIVERSION TO STORAGE

(12.000 CFS)

Total Diversion: (12.000 CFS)  
Date Filed: 3/14/1991

In: T01N R09E S03 Lot 1 (NENE) Lot 2 (NWNE) SWNE SENE  
Lot 3 (NENW) Lot 4 (NWNW) SWNW SENW  
NESW NWSW NESE NWSE  
S04 Lot 1 (NENE) Lot 2 (NWNE) SWNE SENE  
Lot 3 (NENW) Lot 4 (NWNW) SWNW SENW  
NESW SESW NESE NWSE  
SWSE SESE  
S05 Lot 3 (NENW) Lot 4 (NWNW) S09 NWNW  
S32 SWSW SESW SWSE SESE  
S33 SWSW

1178.0 ACRES TOTAL

63-11514

BOB RHEAD FARMS  
c/o DARYL RHEAD AGENT  
HC 85 BOX 20  
MOUNTAIN HOME, ID 83647  
Source: GROUNDWATER  
Diversion Pt: SWNE Sec 33 T 01N R 09E

Use: IRRIGATION (12.00 CFS)  
Total Diversion: (12.000 CFS)  
Date Filed: 3/15/1991

In: T01N R09E S27 NESW NWSW SWSW SESW  
NESE NWSE SWSE SESE  
S28 SWSW SESW SWSE SESE  
S33 NESW SESW NESE NWSE SWSE SESE  
S34 NENE NWNE SWNE SENE  
NENW SENW NESW NWSW SWSW SESW NESE NWSE SWSE SESE

1111.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before MAY 6, 1991.

R. KEITH HIGGINSON,  
Director

Pub. Apr. 18, 25, 1991

8192

Richardson, being duly

That she is the Principal Clerk of The newspaper printed and published at Boise, Idaho, and having a general circulation therein has been continuously and uninterruptedly during a period of twelve consecutive publication of the notice, a copy of which is notice was published in The Idaho with Section 60-108, Idaho Code as two

consecutive daily ☐ single ☐ odd skip

on the issue of Apr. 18, 1991

of Apr. 25, 1991

Janise Richardson

ss.

day of April in the year of 1991, a Notary Public, personally appeared Janise Richardson, known or identified to me as the name subscribed to the within instrument, sworn, declared that the statements therein made to me that she executed the same.

Janise Madie  
Public for Idaho  
at Boise, ID

Commission expires: 5/97

RECEIVED  
FEB 06 1992

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

02-07442 ✓  
NICHOLSON, THOMAS T.  
P.O. BOX 703  
MERIDIAN, ID 83642  
Source: SNAKE RIVER  
Tributary: COLUMBIA RIVER  
Diversion Pt: LOT 7 (SWNE) Sec 36T 01N R 03W  
LOT 2 (NESE) Sec 6 T 01S R 02W  
Use: IRRIGATION (12.820 CFS)  
STOCKWATER (.120 CFS)  
Total Diversion: (12.820 CFS)  
Date Filed: 4/9/1991  
In: T01N R03W S22 Lot 8 (SWSE) Lot 9 (SESE)  
S25 NWSW SWSW SESE  
S26 SWNE NWNW Lot 2 (SWNW) SENW  
NESW Lot 3 (NWSW) Lot 4 (SWSW) Lot 4 (SESW)  
NESE NWSE SWSE SESE  
S27 Lot 4 (NENE)  
S35 Lot 6 (NENE) Lot 5 (NWNE)  
S36 NENW Lot 5 (NWNW) Lot 6 (SENW)  
443.0 ACRES TOTAL  
63-11513  
BOB RHEAD FARMS  
C/O DARYL RHEAD  
AGENT  
HC 85 BOX 20  
MOUNTAIN HOME, ID 83647  
Source: GROUNDWATER  
Diversion Pt: SESE Sec 32 T 01N R 09E  
Use: IRRIGATION (12.000 CFS)  
IRRIGATION STORAGE (380.00 AF)  
IRRIGATION FROM STORAGE (380.00 AF)  
DIVERSION TO STORAGE (12.000 CFS)  
Total Diversion: (12.000 CFS)  
Date Filed: 3/14/1991  
In: T01N R09E S03 Lot 1 (NENE) Lot 2 (NWNE) SWNE SENE  
Lot 3 (NENW) Lot 4 (NWNW) SWNW SENW  
NESW NWSW NESE NWSE  
S04 Lot 1 (NENE) Lot 2 (NWNE) SWNE SENE  
Lot 3 (NENW) Lot 4 (NWNW) SWNW SENW  
NESW SESW NESE NWSE  
SWSE SESE  
S05 Lot 3 (NENW) Lot 4 (NWNW)  
S09 NWNW  
S32 SWSW SESW SWSE SESE  
S33 SWSW  
1178.0 ACRES TOTAL  
63-11514  
BOB RHEAD FARMS  
C/O DARYL RHEAD  
AGENT  
HC 85 BOX 20  
MOUNTAIN HOME, ID 83647  
Source: GROUNDWATER  
Diversion Pt: SWNE Sec 33 T 01N R 09E  
Use: IRRIGATION (12.000 CFS)  
Total Diversion: (12.000 CFS)  
Date Filed: 3/15/1991  
In: T01N R09E S27 NESW NWSW SWSW SESE  
NESE NWSE SWSE SESE  
S28 SWSW SESW SWSE SESE  
S33 NESW SESW NESE NWSE  
SWSE SESE  
S34 NENE NWNE SWNE SENE  
NENW SENW NESW NWSW SWSW SESE  
NESE NWSE SWSE SESE  
1111.0 ACRES TOTAL  
The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before MAY 6, 1991.  
R. KEITH HIGGINSON,  
Director  
PUBLISH: Thursday, April 18 and 25, 1991.

Affidavit of Publication

STATE OF IDAHO }  
COUNTY OF TWIN FALLS } SS.

No 22228

I, Linda Capps McGuire being first duly sworn upon oath, depose and say that I am Prime Clerk of the TIMES-NEWS, published daily, at Twin Falls, Idaho, and do solemnly swear that a copy of the notice of advertisement, as per clipping attached, was published in the regular and entire issue of said newspaper, and not in any supplement thereof, for Two consecutive Weeks, commencing with the issue dated April 18, 19 91, and ending with the issue dated April 25, 19 91.

And I do further certify that said newspaper is a consolidation, effective February 16, 1942, of the Idaho Evening Times, published theretofore daily except Sunday, and the Twin Falls News, published theretofore daily except Monday, both of which newspapers prior to consolidation had been published under said names in said city and county continuously and uninterruptedly during a period of more than twelve consecutive months, and said TIMES-NEWS, since such consolidation, has been published as a daily newspaper except Saturday, until July 31, 1978, at which time said newspaper began daily publication under said name in said city and county continuously and uninterruptedly.

And I further certify that pursuant to Section 60-108 Idaho Code, Thursday of each week has been designated as the day on which legal notice by law or by order of any court of competent jurisdiction within the state of Idaho, to be published weekly, will be published; and that at the head of the editorial column of said combined newspapers, and in each issue thereof, Thursday is announced as the day on which said legal notices will be published.

STATE OF IDAHO  
COUNTY OF TWIN FALLS

On this 26 day of April in the year of 1991, before me, a Notary Public, personally appeared Linda Capps McGuire, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

FEB 06 1992

Notary Public for Idaho

Residing at

My commission expires:

Martha J. Drell  
Twin Falls Idaho  
8-8-96

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

NICHOLSON, THOMAS T.  
P.O. BOX 703  
MERIDIAN, ID 83642  
Source: SNAKE RIVER  
Diversion Pt:

02-07442

Tributary: COLUMBIA RIVER  
LOT 7 (SWNE) Sec 36 T 01N R 03W  
LOT 2 (NESE) Sec 6 T 01S R 02W  
(12.820 CFS)  
(.120 CFS)  
Total Diversion: (12.820 CFS)

Use: IRRIGATION  
STOCKWATER

Date Filed: 4/9/1991  
In: T01N R03W S22

S25  
S26

SWNE  
NESW  
NESE

Lot 8 (SWSE) Lot 9 (SESE)  
NWSW SWSW SESW  
NWNW Lot 2 (SWNW) SENW  
Lot 3 (NWSW) Lot 4 (SWSW) Lot 4 (SESW)  
NWSE SWSE SESE  
Lot 4 (NENE)  
Lot 6 (NENE) Lot 5 (NWNW)  
NENW Lot 5 (NWNW) Lot 6 (SESW)

443.0 ACRES TOTAL

63-11476

ENOCHS, SCHUYLER  
ENOCHS, LOU ANN  
P.O. BOX 1212  
CALDWELL, ID 83606  
Source: GROUNDWATER  
Diversion Pt:  
Use: IRRIGATION

SENEW Sec 36 T 04N R 04W  
(1.800 CFS)  
Total Diversion: (1.800 CFS)

Date Filed: 3/6/1991  
In: T04N R04W S36

NWNE

SWNE

NENW

SENEW

90.0 ACRES TOTAL

63-11510

ROBINSON, DENNIS PAUL  
24732 RODEO LANE  
PARMA, ID 83660  
Source: WASTE WATER  
Diversion Pt:  
Use: IRRIGATION

Tributary: SNAKE RIVER  
SENE Sec 33 T 05N R 05W  
(2.300 CFS)  
Total Diversion: (2.300 CFS)

Date Filed: 4/1/1991  
In: T05N R05W S33

NENE

NWNE

SWNE

SENE

115.0 ACRES TOTAL

63-11511

CITY OF NAMPA  
411 3RD ST. SO.  
NAMPA, ID 83651  
Source: GROUNDWATER  
Diversion Pt:  
Use: MUNICIPAL

SWNW Sec 17 T 03N R 02W  
(1.500 CFS)  
Total Diversion: (1.500 CFS)

Date Filed: 3/28/1990  
Place of Use within the City limits of Nampa

63-11512

SORRELL, ELIZABETH, A.  
SORRELL, WILLIAM R.  
29249 W. HOWE  
WILDER, ID 83676  
Source: UNNAMED DRAIN  
Diversion Pt:  
Use: IRRIGATION

Tributary: EAST ARENA DRAIN  
NWNENW Sec 7 T 04N R 05W  
(1.200 CFS)  
Total Diversion: (1.200 CFS)

Date Filed: 3/22/1991  
In: T04N R05W S07

NENE

NWNE

SWNE

SENE

NENW

SESE

S06  
240.0 ACRES TOTAL

63-11515

HAENSLI, RICHARD A.  
HAENSLI, LYNNE  
16191 FROST RD.  
CALDWELL, ID 83605  
Source: GROUNDWATER  
Diversion Pt:  
Use: IRRIGATION

NENE Sec 10 T 03N R 04W  
(2.200 CFS)  
Total Diversion: (2.200 CFS)

Date Filed: 4/9/1991  
In: T03N R04W S03

S10

NENE

SWSE

NWNE

110.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before MAY 6, 1991.  
R. KEITH HIGGINSON, Dir.  
April 17, 24, 1991

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO )  
) ss.  
County of Canyon )

Sharla O'Krakel

of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily, (except Saturday) newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper  
two times  
—in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:  
April 17, 24, 1991

Sharla O'Krakel

STATE OF IDAHO )  
)  
COUNTY OF CANYON )

On this 24th day of April in the year of 1991, before me, a Notary Public, personally appeared Sharla O'Krakel, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he/she executed the same.

Notary Public for Idaho  
Residing at Nampa

MY COMMISSION EXPIRES  
JULY 12th, 1991

State of Idaho  
Department of Water Resources

# WATER RIGHT LICENSE

WATER RIGHT NO. 02-07442

Priority: April 9, 1991

Maximum Diversion Rate: 5.51 CFS

Maximum Diversion Volume: 1930.5 AF

This is to certify, that THOMAS T NICHOLSON

PO BOX 690

MERIDIAN ID 83642

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 9, 1991; and has submitted Proof of Beneficial Use on July 11, 1994. An examination indicates that the works have a diversion capacity of 5.510 cfs of water from:

SNAKE RIVER

tributary to COLUMBIA RIVER

source, and a water right has been established as follows:

| <u>BENEFICIAL USE</u> | <u>PERIOD OF USE</u> | <u>RATE OF DIVERSION</u> | <u>ANNUAL VOLUME</u> |
|-----------------------|----------------------|--------------------------|----------------------|
| IRRIGATION            | 03/15 to 11/15       | 5.51 CFS                 | 1930.5 AF            |

LOCATION OF POINT(S) OF DIVERSION: Lot 7 (SWNE), Sec. 36, Township 01N, Range 03W  
CANYON County

PLACE OF USE: IRRIGATION

| <u>TWN</u> | <u>RGE</u> | <u>SEC</u> | <u>ACRES</u>    | <u>ACRES</u>    | <u>ACRES</u>    | <u>TOTAL</u> |
|------------|------------|------------|-----------------|-----------------|-----------------|--------------|
| 01N        | 03W        | 22         | Lot 5 (SENW) 3  | Lot 6 (NESW) 4  | Lot 7 (NWSE) 8  |              |
|            |            |            | Lot 8 (SWSE) 4  | Lot 9 (SESE) 10 |                 | 29           |
|            |            | 25         | NWSW 3          | SWSW 35         | SESW 10         | 48           |
|            |            | 26         | SWNE 1          | NENW 1          | NWNW 17         |              |
|            |            |            | Lot 2 (SWNW) 25 | SENW 25         | NESW 36         |              |
|            |            |            | Lot 3 (NWSW) 18 | Lot 4 (SWSW) 3  | Lot 4 (SESW) 28 |              |
|            |            |            | NESE 8          | NWSE 28         | SWSE 36         |              |
|            |            |            | SESE 35         |                 |                 | 261          |
|            |            | 27         | Lot 4 (NENE) 15 | Lot 4 (SENE) 1  |                 | 16           |
|            |            | 35         | Lot 6 (NENE) 20 | Lot 5 (NWNE) 10 | Lot 5 (NENW) 1  | 31           |
|            |            | 36         | NENW 12         | Lot 5 (NWNW) 19 | Lot 8 (SWNW) 3  |              |
|            |            |            | Lot 8 (SENW) 10 |                 |                 |              |

Total number of acres irrigated: 429

## CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.

State of Idaho  
Department of Water Resources

## WATER RIGHT LICENSE


WATER RIGHT NO. 02-07442

### CONDITIONS OF APPROVAL AND REMARKS

2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Water shall not be diverted under this right unless the flow of the Snake River exceeds established downstream minimum stream flows.
6. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 5<sup>TH</sup> day of OCTOBER, 1995.

Acting for

  
KARL J. DREHER, Director

State of Idaho  
Department of Water Resources

**APPLICATION FOR AMENDMENT**  
(For Licensing Purposes)  
**WATER RIGHT NO. 02-07442**

RECEIVED  
OCT 02 1995  
Department of Water Resources

Date of Priority: April 9, 1991

Maximum Diversion Rate: 5.51 CFS  
Maximum Diversion Volume: 1930.5 AF

Comes now  
PO BOX 690  
MERIDIAN ID 83642

THOMAS T NICHOLSON

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 02-07442, and requests that the permit be changed as follows:

Source: SNAKE RIVER

tributary to COLUMBIA RIVER

| <u>BENEFICIAL USE</u> | <u>PERIOD OF USE</u> | <u>RATE OF DIVERSION</u> | <u>ANNUAL VOLUME</u> |
|-----------------------|----------------------|--------------------------|----------------------|
| IRRIGATION            | 03/15 to 11/15       | 5.51 CFS                 | 1930.5 AF            |

LOCATION OF POINT(S) OF DIVERSION: Lot 7( SWNE), Sec. 36, Township 01N, Range 03W  
CANYON County

PLACE OF USE: IRRIGATION

| <u>TWN</u> | <u>RGE</u> | <u>SEC</u> | <u>ACRES</u>    | <u>ACRES</u>    | <u>ACRES</u>    | <u>TOTAL</u> |
|------------|------------|------------|-----------------|-----------------|-----------------|--------------|
| 01N        | 03W        | 22         | Lot 5 (SENW) 3  | Lot 6 (NESW) 4  | Lot 7 (NWSE) 8  |              |
|            |            |            | Lot 8 (SWSE) 4  | Lot 9 (SESE) 10 |                 | 29           |
|            |            | 25         | NWSW 3          | SWSW 35         | SESW 10         | 48           |
|            |            | 26         | SWNE 1          | NENW 1          | NWNW 17         |              |
|            |            |            | Lot 2 (SWNW) 25 | SENW 25         | NESW 36         |              |
|            |            |            | Lot 3 (NWSW) 18 | Lot 4 (SWSW) 3  | Lot 4 (SESW) 28 |              |
|            |            |            | NESE 8          | NWSE 28         | SWSE 36         |              |
|            |            |            | SESE 35         |                 |                 | 261          |
|            |            | 27         | Lot 4 (NENE) 15 | Lot 4 (SENE) 1  |                 | 16           |
|            |            | 35         | Lot 6 (NENE) 20 | Lot 5 (NWNW) 10 | Lot 5 (NENW) 1  | 31           |
|            |            | 36         | NENW 12         | Lot 5 (NWNW) 19 | Lot 8 (SWNW) 3  |              |
|            |            |            | Lot 8 (SENW) 10 |                 |                 | 44           |

Total number of acres irrigated: 429

RECORDED

OCT 26 1995

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Meridian ID, this 29 day of September, 1991.

Thomas T. Nicholson  
(Signature)

State of Idaho  
Department of Water Resources

**APPLICATION FOR AMENDMENT**  
(For Licensing Purposes)  
**WATER RIGHT NO. 02-07442**

\*\*\*\*\*

**FOR DEPARTMENT USE ONLY**

Preliminary check by SWK Fee = 50.00 Received by RT # C033646 Date 10-3-95


**ACTION OF THE DEPARTMENT OF WATER RESOURCES**

I, Karl J. Dreher, of the Department of Water Resources hereby approve the  
above Application for Amendment for Permit No. 02-07442 with the following;

**CONDITIONS OF APPROVAL AND REMARKS**

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Water shall not be diverted under this right unless the flow of the Snake River exceeds established downstream minimum stream flows.
6. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

Witness my hand this 5<sup>TH</sup> day of OCTOBER, 1995.

  
Acting for KARL J. DREHER, Director

OCT 26 1995

RECEIVED

STATE OF IDAHO

JUL 11 1994

WATER RESOURCES  
WESTERN REGION

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

RECEIVED

JUL 13 1994

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 02-7442 Telephone No. 888 1593

2. Name(s) of Permit Holder(s): THOMAS T NICHOLSON

3. Post Office Address: PO BOX 690 MERIDIAN ID 83642

4. Source of Water: SNAKE RIVER

a. If ground water, well driller's name: \_\_\_\_\_ Date drilled: \_\_\_\_\_

b. Pump horsepower: 75 Pressure (psi): \_\_\_\_\_ Dynamic pumping level (ft.): \_\_\_\_\_

← (if known) → (lift)

5. Extent of Use:

Domestic \_\_\_\_\_ (No. of households) Irrigation 443 (No. of acres)

Stockwater \_\_\_\_\_ (No. and type of stock) Other \_\_\_\_\_

6. Total rate and/or volume for which proof is submitted 12 cfs \_\_\_\_\_ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ☒ Yes ☐ No Installed? ☐ Yes ☐ No

OR  
Flow Measurement Port: Required? ☒ Yes ☐ No Installed? ☐ Yes ☐ No

8. Fee Enclosed: \$ 375 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

See above  
Name

Telephone No.

Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

7/11/94  
Date

X Tom Nicholson  
Signature (and title if on behalf of a company or organization)

AUG 09 1994

# Permit To Appropriate Water

FEB 06 1992

State of Idaho  
Department of Water Resources**Permit To Appropriate Water**


NO. 02-07442

CONDITIONS/REMARKS:

4. The right holder shall either install a measuring device or a flow measurement port or provide a certified measurement or computation of flow based upon system design to be prepared by a professional engineer.
5. The issuance of this permit in no way grants any right-of-way or easement across the land of another.
6. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
7. The volume of water for irrigation under this permit shall not exceed more than 5 Acre Feet per acre per year.
8. The permit holder is not authorized to divert water under this permit at any time when the flow of the Snake River is below the established minimum stream flow of 4,750 cubic feet per second at the Weiser gauge.
9. Stockwater use is for 500 range cattle.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.  
Witness the seal and signature of the Director, affixed at Boise, this

30<sup>th</sup> day of January, 1992

*for*   
R. Keith Higginson, Director

RECEIVED  
JAN 16 1992

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: THOMAS T. NICHOLSON  
Address: P.O. BOX 703  
MERIDIAN, ID 83642  
208-888-1593
2. Source: SNAKE RIVER Trib. to: COLUMBIA RIVER
3. Location of Point of Diversion: LOT 2( NESE), Sec. 6, Township 01S, Range 02W  
LOT 7( SWNE), Sec. 36, Township 01N, Range 03W  
CANYON County
4. Water will be used for the following purposes:
 

| Purpose    | From  | To    | CFS    | (or) | AF |
|------------|-------|-------|--------|------|----|
| IRRIGATION | 03/15 | 11/15 | 12.820 |      |    |
| STOCKWATER | 01/01 | 12/31 | 0.120  |      |    |
5. Total quantity to be appropriated is:  
12.820 CFS (and/or) AF
6. Proposed diverting works:
  - a. Description of ditches, flumes, pumps, headgates, etc.  
PUMP IN SNAKE RIVER, PENSTOCK TO EXISTING CANAL, GRAVITY FLOW.
  - b. Height of storage dam feet; active reservoir capacity  
acre-feet; total reservoir capacity acre-feet; period of  
year when water will be diverted to storage: to inclusive.
  - c. Proposed well diameter is inches; proposed depth of well is  
feet.
  - d. Is groundwater with a temperature greater than 90F being sought? NO
7. Time required for the completion of the works and application of  
the water to the proposed beneficial use is 3 years
8. Description of proposed uses:  
STOCKWATER FOR 500 HEAD RANGE CATTLE.
9. Place of Use: IRRIGATION

| TWN | RGE | SEC |             | ACRES |             | ACRES |      | ACRES | TOTAL |
|-----|-----|-----|-------------|-------|-------------|-------|------|-------|-------|
| 01N | 03W | 22  | LOT 8(SWSE) | 8     | LOT 9(SESE) | 10    |      |       | 18    |
|     |     | 25  | NWSW        | 6     | SWSW        | 35    | SESW | 16    | 57    |
|     |     | 26  | NWNW        | 16    | LOT 2(SWNW) | 25    | SENW | 20    |       |

JUNE 5th

RECEIVED  
FEB 06 1992

\* adjusted per applicants map, no change in # acres per section.  
Database updated 4-9-91. 82

5.26 6.4 = 35 acres  
5.2 sswsw, 30.2 ssw

Ident. No. 02-07442  
Page 2

Place of Use: IRRIGATION

| TWN | RGE | SEC      |      | ACRES |              | ACRES |              | ACRES | TOTAL |
|-----|-----|----------|------|-------|--------------|-------|--------------|-------|-------|
|     |     |          | NESW | 35    | LOT 3 (NWSW) | 20    | LOT 4 (SESW) | 35.30 |       |
|     |     |          | NESE | 30.25 | NWSE         | 35    | SWSE         | 35    |       |
|     |     |          | SESE | 35    |              |       |              |       | 286   |
| 27  | LOT | 4 (NENE) |      | 14    |              |       |              |       | 14    |
| 35  | LOT | 6 (NENE) |      | 10    | LOT 5 (NWNE) | 3     | SENE         |       | 13    |
| 36  |     | NENW     |      | 20    | LOT 5 (NWNW) | 20    | LOT 6 (SENE) | 15    | 55    |

Total number of acres irrigated: 443

Place of Use: STOCKWATER, same as IRRIGATION use

10. Describe any other water rights used for the same purposes.  
Water rights with sources of wastewater, ground water, etc.
11. a. Who owns the property at the point of diversion?  
MARK McDONOUGH, APPLICANT
- b. Who owns the land to be irrigated or place of use?  
APPLICANT
- c. If the property is owned by a person other than the applicant,  
describe the arrangement enabling the applicant to make this filing.  
RIGHT OF WAY ARRANGEMENTS ARE PENDING WITH MARK McDONOUGH.
12. Remarks:
13. Map of proposed point of diversion and place of use attached? [X]

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Thomas T. Nicholson  
Applicant

Received by SL Date 4/9/91 Time 10:40 AM Preliminary check by SL

Fee \$ 285.00 Receipted by SL # W013191 Date 4.9.91

Publication prepared by GG Date 4-10-91 Published in Press-Tribune  
4/17 & 4/24/91


Publication approved MICROFILMED AT Date 5-7-91


FEB 06 1992

\* Adjusted per applicant's map i gort lot plat. no change in # acres  
per section. Database updated 4.9.91, SL.









04/08/91 D. R. Tuthill

\*\*\*\*\*  
\* MACALLISTER'S MODIFICATION OF MORITZ \*  
\* LOSS CALCULATION FOR \*  
\* THE Snake River Ditch \*  
\* WATER RIGHT NO. 02-07442 \*  
\*\*\*\*\*

Q DIVERTED: 12.82  
Q DELIVERED: 8.86  
PERCENTAGE LOSS: 44.74

TYPE OF SOIL: SANDY LOAM  
SOIL CONSTANT= 1.50 (FEET/DAY)  
LENGTH OF HEAD OF DITCH: 2.50  
LENGTH OF DELIVERY SECTION: 2.50

LOSS TABLE FOR HEAD OF DITCH

| MILE | Q<br>(CFS) | LOSS<br>(CFS) |
|------|------------|---------------|
| 1.00 | 11.89      | 0.93          |
| 2.00 | 10.99      | 0.90          |
| 2.50 | 10.56      | 0.43          |

LOSS TABLE FOR DELIVERY

| MILE | Q<br>(CFS) | LOSS<br>(CFS) | Q DELIVERED<br>(CFS) |
|------|------------|---------------|----------------------|
| 1.00 | 6.17       | 0.85          | 3.54                 |
| 2.00 | 1.96       | 0.66          | 3.54                 |
| 2.50 | 0.00       | 0.19          | 1.77                 |

MICROFILMED  
FEB 06 1992

Ident. No. 02-07442

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: THOMAS T. NICHOLSON 208-888-1593  
Address: P.O. BOX 703  
MERIDIAN, ID 83642
2. Source: SNAKE RIVER Trib. to: COLUMBIA RIVER
3. Location of Point of Diversion: LOT 2( NESE), Sec. 6, Township 01S, Range 02W  
LOT 7( SWNE), Sec. 36, Township 01N, Range 03W  
CANYON County
4. Water will be used for the following purposes:
- | Purpose    | From  | To    | CFS    | (or) | AF |
|------------|-------|-------|--------|------|----|
| IRRIGATION | 03/15 | 11/15 | 12.820 |      |    |
| STOCKWATER | 01/01 | 12/31 | 0.120  |      |    |
5. Total quantity to be appropriated is:  
12.820 CFS (and/or) AF
6. Proposed diverting works:
- Description of ditches, flumes, pumps, headgates, etc.  
PUMP IN SNAKE RIVER, PENSTOCK TO EXISTING CANAL, GRAVITY FLOW.
  - Height of storage dam feet; active reservoir capacity  
acre-feet; total reservoir capacity acre-feet; period of  
year when water will be diverted to storage: to inclusive.
  - Proposed well diameter is inches; proposed depth of well is  
feet.
  - Is groundwater with a temperature greater than 90F being sought? NO
7. Time required for the completion of the works and application of  
the water to the proposed beneficial use is 3 years.
8. Description of proposed uses:  
STOCKWATER FOR 500 HEAD RANGE CATTLE.
9. Place of Use: IRRIGATION

| TWN | RGE | SEC |             | ACRES |             | ACRES |      | ACRES | TOTAL |
|-----|-----|-----|-------------|-------|-------------|-------|------|-------|-------|
| 01N | 03W | 22  | LOT 8(SWSE) | 8     | LOT 9(SESE) | 10    |      |       | 18    |
|     |     | 25  | NWSW        | 6     | SWSW        | 35    | SESW | 16    | 57    |
|     |     | 26  | NWNW        | 16    | LOT 2(SWNW) | 25    | SENW | 20    |       |

ORIGINAL APPLICATION

Place of Use: IRRIGATION

| TWN | RGE | SEC      | ACRES | LOT          | ACRES | LOT          | ACRES | TOTAL |
|-----|-----|----------|-------|--------------|-------|--------------|-------|-------|
|     |     | NESW     | 35    | LOT 3 (NWSW) | 20    | LOT 4 (SESW) | 35    |       |
|     |     | NESE     | 30    |              | NWSE  | 35           | SWSE  | 35    |
|     |     | SESE     | 35    |              |       |              |       | 286   |
| 27  | LOT | 4 (NENE) | 14    |              |       |              |       | 14    |
| 35  | LOT | 6 (NENE) | 10    | LOT 5 (NWNW) | 3     |              |       | 13    |
| 36  |     | NENW     | 20    | LOT 5 (NWNW) | 20    | LOT 6 (SWNW) | 15    | 55    |

Total number of acres irrigated: 443

Place of Use: STOCKWATER, same as IRRIGATION use

10. Describe any other water rights used for the same purposes.  
Water rights with sources of wastewater, ground water, etc.
11. a. Who owns the property at the point of diversion?  
MARK MCDONOUGH, APPLICANT
- b. Who owns the land to be irrigated or place of use?  
APPLICANT
- c. If the property is owned by a person other than the applicant,  
describe the arrangement enabling the applicant to make this filing.  
RIGHT OF WAY ARRANGEMENTS ARE PENDING WITH MARK MCDONOUGH.

12. Remarks:

13. Map of proposed point of diversion and place of use attached? [X]

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Thomas T. Nicholson  
Applicant


Received by DW Date 4/9/91 Time 1:00 Preliminary check by \_\_\_\_\_

Fee \$ 285.00 Receipted by DW/LS # W013191 Date 4/9/91

Publication prepared by \_\_\_\_\_ Date \_\_\_\_\_ Published in \_\_\_\_\_

Publication approved \_\_\_\_\_ Date \_\_\_\_\_

FEB 06 1992



**RECORDED**  
**FEB 06 1992**

|           |                    |         |
|-----------|--------------------|---------|
| rd Tracts | Vanal Heights Sub. | 20N 16E |
| 19N 19E   | Vista Dr.          |         |
| No. 1     | Elizabeth Ave.     |         |
| 30N 20E   | Alveta Ave.        |         |
|           | Deyon Dr.          |         |
|           | Vanita Ct.         |         |
|           | Ellis Ave.         |         |
|           | Alveta Ave.        |         |
| 15N 23E   | Vaughn Estates     | 20N 20E |
|           | Verde Hills Sub.   | 17N 20E |

04/08/91 D. R. Tuthill

\*\*\*\*\*  
\* MACALLISTER'S MODIFICATION OF MORITZ \*  
\* LOSS CALCULATION FOR \*  
\* THE Snake River Ditch \*  
\* WATER RIGHT NO. 02-07442 \*  
\*\*\*\*\*

Q DIVERTED: 12.82  
Q DELIVERED: 8.86  
PERCENTAGE LOSS: 44.74

TYPE OF SOIL: SANDY LOAM  
SOIL CONSTANT= 1.50 (FEET/DAY)  
LENGTH OF HEAD OF DITCH: 2.50  
LENGTH OF DELIVERY SECTION: 2.50

LOSS TABLE FOR HEAD OF DITCH


| MILE | Q<br>(CFS) | LOSS<br>(CFS) |
|------|------------|---------------|
| 1.00 | 11.89      | 0.93          |
| 2.00 | 10.99      | 0.90          |
| 2.50 | 10.56      | 0.43          |

LOSS TABLE FOR DELIVERY

| MILE | Q<br>(CFS) | LOSS<br>(CFS) | Q DELIVERED<br>(CFS) |
|------|------------|---------------|----------------------|
| 1.00 | 6.17       | 0.85          | 3.54                 |
| 2.00 | 1.96       | 0.66          | 3.54                 |
| 2.50 | 0.00       | 0.19          | 1.77                 |

RECEIVED

FEB 06 1992





**State of Idaho**

**DEPARTMENT OF WATER RESOURCES**

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT  
GOVERNOR

KARL J. DREHER  
DIRECTOR

October 5, 1995

THOMAS T NICHOLSON  
PO BOX 690  
MERIDIAN ID 83642

RE: WATER RIGHT NO. 02-07442

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved Application for Amendment.

Should you have any questions regarding these documents, please contact me.

Sincerely,

Shelley W. Keen  
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED  
OCT 26 1995



**State of Idaho**

**DEPARTMENT OF WATER RESOURCES**

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT  
GOVERNOR

KARL J. DREHER  
DIRECTOR

September 20, 1995

THOMAS T NICHOLSON  
PO BOX 690  
MERIDIAN ID 83642

RE: WATER RIGHT NO. 02-07442

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to depict your water right as it has actually been developed.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the place(s) of use description. Please review carefully and if you concur, sign the amendment and return with the \$50.00 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of CONDITIONS/REMARKS proposed for the license when it is issued. These conditions/remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7946.


Sincerely,


Shelley W. Keen  
Water Rights Supervisor

SK:rl

Enclosure

OCT 26 1995





STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
**BENEFICIAL USE FIELD REPORT**

RECEIVED  
AUG 29 1995  
Department of Water Resources

**A. GENERAL INFORMATION**

Permit No. 02-7442

1. Owner: THOMAS T NICHOLSON

Phone No. 888 1593

Current Address: PO Box 690 MERIDIAN ID 83642

2. Accompanied by: TOM

EXAM DATE: 7/14/94

Address: \_\_\_\_\_

Phone No. \_\_\_\_\_

Relationship to Permit Holder: \_\_\_\_\_

3. Source: Snake River tributary to Columbia River

**B. OVERLAP REVIEW**

1. Other water rights with the same place of use: 63-356, 357, 358, 362, 363, 2311, 2378, 2380, 2663, 2699 - 11323, -2592

2. Other water rights with the same point of diversion: see attached

**C. DIVERSION AND DELIVERY SYSTEM**

1. Point(s) of Diversion:

| Ident No. | Gov't Lot | 1/4 | 1/4 | 1/4 | Sec. | Twp. | Rge. | County | Method of Determination/Remarks |
|-----------|-----------|-----|-----|-----|------|------|------|--------|---------------------------------|
|           | 7         | SW  | SW  | NE  | 36   | 1N   | 3W   | Canyon |                                 |
|           |           |     |     |     |      |      |      |        |                                 |
|           |           |     |     |     |      |      |      |        |                                 |
|           |           |     |     |     |      |      |      |        |                                 |

2. Place(s) of Use:


Indicate Method of Determination ASCS plot, USGS map

| TWP | RGE | SEC | NE  |     |    |      | NW |    |    |     | SW  |    |    |    | SE |     |     |     | Totals |
|-----|-----|-----|-----|-----|----|------|----|----|----|-----|-----|----|----|----|----|-----|-----|-----|--------|
|     |     |     | NE  | NW  | SW | SE   | NE | NW | SW | SE  | NE  | NW | SW | SE | NE | NW  | SW  | SE  |        |
| 1N  | 3W  | 22  |     |     |    |      |    |    |    | 3   | 4   |    |    |    |    | 8   | 4   | 10  | 29     |
|     |     |     |     |     |    |      |    |    |    | L.5 | L.6 |    |    |    |    | L.7 | L.8 | L.9 |        |
|     |     | 25  |     |     |    |      |    |    |    |     |     | 3  | 35 | 10 |    |     |     |     | 48     |
|     |     | 26  |     |     | 1  |      | 1  | 17 | 25 | 25  | 36  | 18 | 3  | 28 | 8  | 28  | 36  | 35  | 261    |
|     |     | 27  | 15  |     |    | L.11 |    |    |    |     |     |    |    |    |    |     |     |     | 16     |
|     |     | 35  | 20  | 10  |    | L.15 |    |    |    |     |     |    |    |    |    |     |     |     | 31     |
|     |     | 36  | L.6 | L.5 |    |      | 12 | 19 | 3  | 10  |     |    |    |    |    |     |     |     | 44     |

OCT 26 1995

(429)

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable.



Scale: 1" = NTS

☐ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☐ Photo of Diversion and System Attached

4.

| Well or Diversion Identification No.* | Motor Make | Hp | Motor Serial No. | Pump Make | Pump Serial No. or Discharge Size |
|---------------------------------------|------------|----|------------------|-----------|-----------------------------------|
| 1                                     | GE         | 75 | HLJ817392        | Layne     | 12"                               |
|                                       |            |    |                  |           |                                   |
|                                       |            |    |                  |           |                                   |

\*Code to correspond with No. on map and aerial photo

#### D. FLOW MEASUREMENTS

1.

| Measurement Equipment | Type | Make | Model No. | Serial No. | Size | Calib. Date |
|-----------------------|------|------|-----------|------------|------|-------------|
| Polysonic             |      |      |           |            |      | OCT 26 1995 |
|                       |      |      |           |            |      |             |

2. Measurements:

Poly- wall thickness .423 (PVC)

Circumference  $3' 4.5" = 40.5" = 3.375'$

Spacing = 9.950 in.

# E. NARRATIVE/REMARKS/COMMENTS

Snake River pumping plant diverts to an open canal for irrigation via gravity flow and relift to pressurized systems.

Only one pumping plant used. P/O in Section 6 was not developed. Canal also carries waste water & flows licensed from ground water. (see also ~~63-11323~~ - ~~11323~~)  
(see below)

Acreage determination = 409 ASCS acres + 20 acres developed @ NW end, not shown on tabulated acreage maps.

Overlaps: P/O All rights (Basin 02) listed in overlap review pumped by Harvest Farms ~~from~~ from a separate pumping system at the same platform location.

This system is a unique pump.

Other right (Basin 63) different source

P/O All overlapping rights shown used on some of or all same acres, from waste water or groundwater sources,

through common canal system w/relifts

(exam for 63-11323 conducted same time - not completed) will complete during B63 SEBA verification of other rights

\* Condition #4 - meas. device/port or certified measurement:

No device or port, but there is a suitable location for polysonic measurement, which was accomplished.

Have conditions of permit approval been met? \* yes \_\_\_ no

OUTER DIAMETER  
12.8913 IN

PIPE MATERIAL  
? PUC

WALL THICKNESS  
0.4230 IN

INNER LINING  
? NO LING.

KIND OF FLUID  
? WATER

SENSOR MOUNTING  
? U

TYPE OF SENSOR  
? SMALL

DATA CHANGE  
? NO

SPACING  
9.950 IN U

ZERO MODE  
CLEAR

ZERO MODE  
AUT ZERO

ZERO MODE  
ZERO OPR

00-00 00:1300 \*R  
+ 2.473E 36PM \* 5.51  
cfs

00-00 00:1400 \*R  
+ 2.415E 36PM

MM-DD HH:MM  
07-14 11:33

OCT 26 1995

## F. FLOW CALCULATIONS

Measured Method:

5.51 cfs

\_\_\_\_ Additional Computation Sheets Attached

Check: HP equation

$$\frac{75 \times 8.8 \times 7}{75 + 10} = 5.44 \text{ cfs}$$

lift, from  
topo map

head pressure,  
open discharge

## G. VOLUME CALCULATIONS

### 1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 429 \times 4.5 = 1930.5$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 5.51 \times 240 \times 1.9835 = 2688.6$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 1930.5$$

### 2. Volume Calculations for Other Uses:

## H. RECOMMENDATIONS

### 1. Recommended Amounts

| Beneficial Use | Period of Use |       | Rate of Diversion<br>Q (cfs) | Annual Volume<br>V (afa) |
|----------------|---------------|-------|------------------------------|--------------------------|
|                | From          | To    |                              |                          |
| IRR            | 3/15          | 11/15 | 5.51                         | 1930.5                   |
|                |               |       |                              |                          |
|                |               |       |                              |                          |
|                |               |       |                              |                          |
|                |               |       |                              |                          |
| Totals:        |               |       | 5.51                         | 1930.5                   |

### 2. Recommended Amendments

☐ Change P.D. as reflected above    ☐ Add P.D. as reflected above    ☐ None  
☒ Change P.U. as reflected above    ☐ Add P.U. as reflected above    ☐ Other

## I. AUTHENTICATION

Field Examiner's Name Cindy J. Hodges Date 12/28/94

Reviewer \_\_\_\_\_ Date \_\_\_\_\_

SEAL

261995

2-69

Well

M. 20  
2046

BM  
2256

23

42 30' 24

25

SCALE 1:24,000

T. 1 N.

402

401

400

399

398

397

396

395

394

393

392

391

390

389

388

387

386

385

384

383

382

381

43° 22' 30"

T. 1 N.

402

401

400

399

398

397

396

395

394

393

392

391

390

389

388

387

386

385

384

383

382

381

43° 22' 30"

T. 1 N.

402

401

400

399

398

397

396

395

394

393

392

391

390

389

388

387

386

385

384

383

382

381

43° 22' 30"

T. 1 N.

402

401

400

399

398

397

396

395

394

393

392

391

390

389

388

387

386

385

384

383

382

381

43° 22' 30"

T. 1 N.

402

401

400

399

398

397

396

395

394

393

392

391

390

389

388

387

386

385

384

383

382

381

43° 22' 30"

T. 1 N.

402

401

400

399

398

397

396

395

394

393

392

391

390

389

388

387

386

385

384

383

382

381

43° 22' 30"

T. 1 N.

402

401

400

399

398

397

396

395

394

393

392

391

390

389

388

387

386

385

384

383

382

381

43° 22' 30"

T. 1 N.

402

401

400

399

398

397

396

395

394

393

392

391

390

389

388

387

386

385

384

383

382

381

43° 22' 30"

T. 1 N.

402

401

400

399

398

397

396

395

394

393

392

391

390

389

388

387

386

385

384

383

382

381

43° 22' 30"

T. 1 N.

402

401

400

399

398

397

396

395

394

393

392

391

390

389

388

387

386

385

384

383

382

381

43° 22' 30"

T. 1 N.

402

401

400

399

398

397

396

395

394

393

392

391

390

389

388

387

386

385

384

383

382

381

43° 22' 30"

T. 1 N.

402

401

400

399

398

397

396

395

394

393

392

391

390

389

388

387

386

385

384

383

382

381

43° 22' 30"

T. 1 N.

402

401

400

399

398

397

396

395

394

393

392

391

390

389

388

387

386

385

384

383

382

381

43° 22' 30"

T. 1 N.

402

401

400

399

398

397

396

395

394

393

392

391

390

389

388

387

386

385

384

383

382

381

43° 22' 30"

T. 1 N.

402

401

400

399

398

397

396

395

394

393

392

391

390

389

02-7442



P/D (other pumps seen  
operated separately)



Discharge Main  
Point of Polysonic  
measure

RECEIVED

OCT 26 1995

02-7442

P/u :

Sec 35, NE<sup>1</sup>/<sub>4</sub>

NW Sec ~~35~~ 26,  
looking toward  
NW

Sec 26, SW<sup>1</sup>/<sub>4</sub>

OCT 26 1935


02-7442

P/u:



Sec 25, SW 1/4  
Sec ~~26~~, SE 1/4

(Above road)



2011-11-11 14:11:11

OCT 26 1995

**M E M O R A N D U M**

**DATE:** August 25, 1995

**TO:** File 02-07442

**FROM:** Shelley W. Keen *SWK*

**RE:** Statement of Financial Resources

=====

In response to Steve Lester's request, dated 4/9/91, the applicant submitted a statement of financial resources that was reviewed and found to be satisfactory. The statement has been removed from the file because of the sensitive nature of the information it contained.

**PROCESSED**

OCT 26 1995

August 2, 1994

THOMAS T NICHOLSON  
P O BOX 690  
MERIDIAN ID 83642

**PROOF ACKNOWLEDGEMENT LETTER**

**RE: PERMIT NO. 02-07442**

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Please be advised that one of the conditions of approval of your water right permit was that prior to diversion of water, a flow measurement port would need to be installed. You have not indicated whether the condition has been complied with. If you have not complied with this condition or you feel water can be measured without the port, you can request a waiver of the condition.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise, at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH  
Senior Secretary

c: IDWR - Region

243  
AUG 9 1994

June 8, 1992

THOMAS T NICHOLSON  
PO BOX 703  
MERIDIAN ID 83642

RE: Water Right No. 02-07442

Dear Water Right Holder(s):

On May 19, 1992, the department sent you a letter advising that you might be required to temporarily cease diverting water from the Snake River or its tributaries if the established minimum stream flow of the Snake River in the amount of 4,750 cubic feet per second measured near Weiser is not satisfied or likely will not be satisfied.

The flow of the Snake River at Weiser is now less than 4,750 cfs. You are, therefore, directed to immediately cease diverting water under the above referenced water right and to not resume use until authorized by the department.

Past flow records show that the duration of seasonal low flow periods typically last several days to a week. Since your use of water is extremely important to you and since mail notification includes a delay associated with mail delivery time, feel free to call the toll-free telephone number 1-800-451-4129 to determine when you are again authorized to divert and use water under your water right. Please use this phone number only in connection with resumption of use.

You need to be aware that Section 42-351, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversion.

Thank you for your cooperation in this matter. Please feel free to contact L. Glen Saxton (phone: 208-327-7955) or Gary Spackman (phone: 208-327-7946) of my staff if you have questions.

Sincerely,

R. KEITH HIGGINSON  
Director

100 09 1994

June 12, 1992

THOMAS T NICHOLSON  
PO BOX 703  
MERIDIAN ID 83642

RE: Water Right No. 02-07442

Dear Water Right Holder(s):

On June 8, 1992, the department sent you a letter which directed you to immediately cease diverting water under the above referenced water right, since the minimum stream flow of the Snake River in the amount of 4,750 cubic feet per second (cfs) measured near Weiser was not being satisfied.

The flow of the Snake River at Weiser is now above 4,750 cfs. You are, therefore, authorized to again divert water under your water right. If the minimum stream flow is not met later this year, however, the department will again notify you to temporarily cease diversion.

Thank you for your cooperation in this matter. Please feel free to contact L. Glen Saxton (phone: 208-327-7955) or Gary Spackman (phone: 208-327-7946) of my staff if you have questions.

Sincerely,

R. KEITH HIGGINSON  
Director

60 1234

May 19, 1992

THOMAS T NICHOLSON  
PO BOX 703  
MERIDIAN ID 83642

RE: Water Right No. 02-07442

Dear Water Right Holder(s):

Department water right records show that you divert water from the Snake River or its tributaries under a water right that has a priority date later than December 29, 1976. This is the priority of the established minimum stream flow of the Snake River at the Weiser Gage (Weiser) in the amount of 4,750 cubic feet per second.

Because of the continuing drought conditions in the Snake River Basin, department hydrologists project that during 1992, there could be periods when the required minimum flow will not be satisfied due to low flows of the Snake River. The department urges you to not divert at a higher rate than authorized by your water right and to not use your right in any manner different than authorized. In addition, when the minimum flow will not be satisfied or is not being satisfied, you are required to cease diverting water under your water right, because your right is of later priority than the minimum stream flow at Weiser.

If the department determines the minimum flow will not be satisfied, the department will advise you and will provide as much lead time as possible in requiring that you temporarily cease your diversion of water. The greatest likelihood for this to occur is during a period from mid-June to late June.

While the department expects good cooperation from junior water right holders, water users should be aware that Section 42-352, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversions of water.

The department has contacted both the Idaho Power Company and the U.S. Bureau of Reclamation with respect to the timing of storage releases from upstream reservoirs for flow enhancement purposes. This type of coordination could minimize the impact on

MICROFILMED

AUG 09 1994

existing water users and reduce the need to curtail diversions.

The department has scheduled public information meetings relative to this potential regulation as follows:

Mountain Home - June 4, 1992 - 10:00 a.m. - gymnasium at  
North Elementary School, 290 E. 12th N.

Caldwell - June 4, 1992 - 7:00 p.m. - Ballroom in the  
Student Union Building, Albertson College of Idaho,  
2112 Cleveland

If you have questions concerning this letter or wish to provide the name of a different contact person or address to receive department correspondence, please contact the department.

Sincerely,

L. GLEN SAXTON  
Chief, Water Allocation Bureau

LGS:klg

RECEIVED  
AUG 09 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS  
GOVERNOR

R. KEITH HIGGINSON  
DIRECTOR

January 31, 1992

THOMAS T NICHOLSON  
PO BOX 703  
MERIDIAN ID 83642

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 02-07442

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Sincerely,

PAMELA SKAGGS  
Technical Records Specialist

PS:blm

Enclosures

**MICROFILMED**

FEB 06 1992

GARY  
Give opportunity  
to submit  
information.  
N J

MEMORANDUM

TO: Norm Young, Glen Saxton  
FROM: Gary Spackman  
DATE: September 9, 1991

RE: Approval of Application for Permit No. 02-7442 and 03-7041

Applications for permit no. 02-7442 and 03-7041 in the names of Thomas T. Nicholson and the Weiser Irrigation District propose large diversions of water from the Snake River. I object strenuously to the approval of these applications.

The Department of Water Resources has typically mailed notices of applications similar to these to the Idaho Department of Fish and Game and the Division of Environmental Quality at the time the application is being advertised. Notice at the time of publication allowed the agency an opportunity to protest. In this case, notices were not sent at the time of publication, but comments were sought long after the legal notice was published. Fish & Game objected to the applications. DEQ expressed concern about the Weiser Irrigation application.

In addition, we also received a petition to intervene in the Weiser Irrigation matter from Idaho Rivers United. We have not yet responded to the petition, and need to rule prior to processing the application. I think we should break with tradition, and grant the petition to intervene. This application raises significant issues of public interest.

Even if we do not hold a hearing, I believe the burden of proof rests upon the applicant to address issues of public interest raised. I do not view the letter from Weiser Irrigation District, the sketchy letter from Thomas Nicholson, as documents that addresses environmental questions raised. The best the letters possibly do is raise other issues of public interests which might be weighed against the environmental concerns. In this case, I don't believe the mere fact that a crop of onions will be guaranteed to the members of the district and their posterity forever is adequate proof to satisfy the applicant's burden. Furthermore, I don't believe Thomas Nicholson's balance sheet will turn red if we don't approve his application. The only guarantee we may be giving is that BPA or some other entity may have to purchase these rights in the future for millions of million dollars.

NOT RECORDED

FEB 06 1992

MEMORANDUM

02-7442

September 9, 1991

I cannot think that Department approval of these applications, without a full opportunity for public participation, is in the Department's best interest or the general public interest. The Department will be viewed as an agency that granted a special concession, perhaps even covertly, to agricultural interests at a time when serious questions are pending regarding further diversion of water from the Snake River.

FILED  
FEB 06 1992

**RECEIVED**  
JUL 31 1991STANLEY F. HAMILTON  
DIRECTORDepartment of Water Resources  
Western Regional Office

July 30, 1991

BOARD OF LAND  
COMMISSIONERSCECIL D. ANDRUS  
GovernorPETE T. CENARRUSA  
Secretary of StateLARRY ECHOHAWK  
Attorney GeneralJ.D. WILLIAMS  
State AuditorJERRY L. EVANS  
Sup't of Public  
Instruction

Mr. Thomas T. Nicholson  
CCT Land & Cattle  
P.O. Box 703  
Meridian, ID 83642

SUBJECT: Water Pump in the Snake River  
(Government Lot 7, Section 36, Township 1 North,  
Range 3 West, B.M.)

Dear Mr. Nicholson:

In talking to you on the telephone and after reviewing the letter and aerial photo you sent, it appears that an easement will not be required from our department. Therefore, you may disregard the instructions outlined in my letter dated July 8, 1991.

Please let me know if, at a future date, your facility must be expanded so that a portion of it extends out into the river.

Thank you for your prompt attention to this matter.

Sincerely yours,

*Donald F. McNarie*

Donald F. McNarie  
Real Estate Specialist  
Bureau of Real Estate

DFM:dg

c: AS-SWI  
David Tuthill, Jr., P.E., IDWR

**MICROFILMED**

FEB 06 1992

RECEIVED

JUN 26 1991

IDAHO DEPARTMENT OF LANDS

1215 W. State Boise Idaho 83720-7000  
Department of Water Resources  
Western Regional Office

STANLEY F. HAMILTON  
DIRECTOR

BOARD OF LAND  
COMMISSIONERS

CECIL D. ANDRUS  
Governor

PETE T. CENARRUSA  
Secretary of State

LARRY ECHOHAWK  
Attorney General

J.D. WILLIAMS  
State Auditor

JERRY L. EVANS  
Supt of Public  
Instruction

June 24, 1991

Mr. David R. Tuthill, Jr., P.E.  
Manager, Western Regional Office  
Idaho Department of Water Resources  
2735 Airport Way  
Boise, ID 83705

SUBJECT: Proposed Diversion from the Snake River  
by Thomas T. Nicholson

Dear Mr. Tuthill:

The subject application from Thomas T. Nicholson to divert water from the Snake River at 12.820 cubic feet per second will require an easement from our department. Please forward Mr. Nicholson's address to me so that I may notify him of that fact and inform him of the easement requirements.

Please include a statement in your permit that an easement will be required from the Idaho Department of Lands.

Thank you for the opportunity to comment. I can be reached at 334-0259.

Sincerely yours,

*Donald F. McNarie*

Donald F. McNarie  
Real Estate Specialist  
Bureau of Real Estate

DFM:dg

FEB 06 1992

KEEP IDAHO GREEN  
PREVENT WILDFIRE

RECEIVED

JUL 3 1991

CCT LAND & CATTLE  
P. O. BOX 703  
MERIDIAN, ID 83642

Department of Water Resources  
Western Regional Office

July 1, 1991

  
Mr. David Tuthill, Jr., P.E.  
Manager, Western Regional Office  
Idaho Department of Water Resources  
2735 Airport Way  
Boise, ID 83705


RE: Application for Permit No. 02-07442

Dear Mr. Tuthill:

My family has owned our Snake River Ranch since the early 40's. We have two sources of water for the farm. One consists of several artesian wells, and the other is all the water out of the Melba Wasteway (which usually produces a large quantity of water). We've never experienced a lack of water to irrigate our farm. However, due to the continued drought, our artesian wells are less than half of their normal flow and many farms are putting in relifts to catch their waste water, thus less water coming down the Melba Wasteway.


Because of these two factors, we do not have enough water to irrigate our productive farm that lies along Map Rock Road. This is why we have applied for supplemental water from the Snake River. Without this supplemental water, there is no way we can irrigate 100% of our farm.

Sincerely,



Thomas T. Nicholson

TTN:lb

  
FEB 06 1992

CONVERSATION MEMORANDUM

DATE June 25, 1991

FILE 02-07442

NAME OF PARTY Bill Ondrechen

EMPLOYEE D. Tuthill

RE: Flows in Snake R.

This Morn 5620 at Murphy

8150 at Weiser

anticipates gradual decline over next two weeks

Palisades & Jackson filled this year - likely to be bought  
by IPCO and released by Milner.

Releases began July 4<sup>th</sup> last year 300-600 cfs.

Flows should not drop below 5000 at Murphy and 7000 at Weiser.

**MICROFILMED**

**FEB 06 1992**



State of Idaho  
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

June 25, 1991

Thomas T. Nicholson  
P.O. Box 703  
Meridian, ID 83642

RE: Application for Permit No. 02-07442

Dear Mr. Nicholson:

Enclosed please find a copy of a letter received by this office from the Idaho Department of Fish and Game in connection with the above-referenced application for permit.

Before we proceed with review of your application, we invite you to respond relative to the comments and concerns addressed in the Fish and Game letter.

Sincerely,

A handwritten signature in cursive script, reading "David R. Tuthill, Jr.", is written over the typed name.

David R. Tuthill, Jr., P.E.  
Manager, Western Regional Office

Enclosure

RECEIVED  
FEB 06 1992



**IDAHO FISH & GAME**

REGION 3  
109 West 44th Street  
Boise, ID 83714  
(208) 327-7025

File \_\_\_\_\_

**RECEIVED**

JUN 13 1991

Department of Water Resources  
Western Regional Office

June 10, 1991

  
David R. Tuthill, Supervisor  
Department of Water Resources  
Western Region  
2735 Airport Way  
Boise, Idaho 83705

RE: Proposed Diversion of 12.820 cfs of Water From Snake River by Thomas T. Nicholson


Dear Dave:

The Department of Fish and Game is opposed to any further diversion of water from the Snake River for any purpose. In view of what occurred last July in the Snake River at the upper end of Brownlee Reservoir, we feel this is completely justified. Due to low flows, depressed dissolved oxygen levels, and a high biological oxygen demand, approximately 30 white sturgeon and numerous game fish were found dead. The status of white sturgeon in Idaho, a designated species of special concern, is extremely tenuous. Other game fish species are also at risk due to poor water quality in the Snake River during the irrigation season.

Until such time that the water quality of the Snake River is improved and game fish populations are not at risk (particularly sensitive species like white sturgeon), we urge a moratorium be placed on additional water diversions from the Snake River. We again urge the formation of a special committee aimed at improving water quality and quantity in the Middle Snake River.

Thank you for the opportunity to comment.

Sincerely,

  
For Stacy Gebhards  
Regional Supervisor

SG/SG:sm

cc: Program Coordination  
Fisheries Bureau  
Division of Environmental Quality

R0R3014SM

Cecil D. Andrus / Governor  
Jerry M. Conley / Director



Working for wildlife since 1938

**MICROFILMED**  
FEB 06 1992



State of Idaho  
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

June 12, 1991

Thomas T. Nicholson  
P.O. Box 703  
Meridian, ID 83642

RE: Temporary Permit for Water Withdrawal

Dear Mr. Nicholson:

We are in receipt of your telephonic request for temporary diversion from the Snake River at an existing diversion site located within Lot 2, Section 6, T1S R2W, B.M., at a rate of 12.82 cubic feet per second for irrigation purposes.

The Department hereby approves the proposed withdrawal, subject to the following conditions of approval:

a. Withdrawal under this permit is limited to the period from now until June 30, 1991.

b. The maximum rate of flow diverted from the Snake River under this temporary approval is limited to 12.82 cfs.

c. This temporary approval may be revoked at any time the Department determines that the withdrawal is detrimental to other water users.

d. Approval of this temporary permit in no way implies any approval of pending application for permit no. 02-07442, for which agency input is presently being solicited.

Sincerely,

David R. Tuthill, Jr., P.E.  
Manager, Western Regional Office

RECEIVED  
FEB 06 1991

CONVERSATION MEMORANDUM

DATE 6/11/91

FILE 02-07442

NAME OF PARTY Tom Nicholson

EMPLOYEE D. Torhill

RE: Temporary Approval for Withdrawal

Mr. Nicholson requested temp approval of withdrawal while the app for permit is being reviewed, through a neighbor's unused system.

Bill Ondrocten - states that Murphy flow is now 6500-7800 cfs & Weiser flow is 11,000 cfs +, and these flows will likely stay up through June

Gary Spackman & Keith Higginson agree that "temporary permit can be issued, if it is clear that this does not imply issuance of the long-term water rt.

Over

RECEIVED  
JUN 11 1991  
FERRIS



State of Idaho  
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

May 30, 1991

RE: Proposed Diversion From the Snake River by Thomas T. Nicholson

Dear Interested Party:

Thomas T. Nicholson has filed with this agency an application for a permit to divert 12.820 cubic feet per second of water from the Snake River to be used for supplemental irrigation and stockwater purposes. This application was advertised statewide as required by law, and no protests were filed.

The Rules and Regulations of Water Appropriation require that for unprotested applications, certain additional information is required. This information includes comments from the recipients of this letter, regarding effects of the construction and operation of the proposed project.

Accordingly, the purpose of this letter is to solicit comments from your organization, to be submitted to this office no later than June 23, 1991. Any organization not responding by that date will be assumed to have no comment on the project. In aid of describing the project, a copy of the application has been enclosed.

Your assistance in this matter is appreciated.

Sincerely,

David R. Tuthill, Jr., P.E.  
Manager, Western Regional Office

Enclosure

cf: IDFG (Will Reid), IDOL, IDHW - DEQ, Nicholson

**MICROFILMED**

FEB 06 1992

THOMAS T. NICHOLSON  
P.O. BOX 703  
MERIDIAN, ID 83642  
208-888-1593

RECEIVED  
APR 18 1991

April 16, 1991 Department of Water Resources  
Western Regional Office

Steve Lester  
Sr. Water Resource Agent  
Idaho Dept of Water Resources  
2735 Airport Way  
Boise, ID 83705

Dear Mr. Lester:

In response to your letter dated April 9, 1991, I submit the following:

a) Effect on existing water rights:

Irrigation pump will be located in the Snake River where water permits can still be filed. There will be no impact on other water rights.

b) Sufficiency of water supply:

This is a supplemental water request mainly for irrigation. In normal conditions, usage will be very limited or not at all. However, during the last three years, due to the drought, artesian well water flow has dropped to less than 50% and waste water through Melba waste ditch is practically non-existent. Therefore, this year (and future years if the drought continues) we will use the maximum amount of water we have filed upon.

The estimated diversion rate during the peak use period will be 12.82 cfs, and approximately 3.21 cfs during the average use periods. The volume to be diverted per year is estimated to be 271 million cfs. The water will be used during March 15 through November 15 for irrigation purposes and all year for stockwater purposes. The volume of water consumptively used will be 1,550.5 acre feet per annum.

The water will be obtained from the Snake River. The other permits that will be applied to this land are permits 63-00357, 63-00358, 63-02699, 63-02663.

RECEIVED  
FEB 06 1992

LARGE Diversion Information  
Response No. 02-07442

Steve Lester  
Sr. Water Resource Agent  
Idaho Dept of Water Resources  
April 16, 1991  
Page 2

c) Good faith, delay, or speculative purposes:

The water will be used on my own land, the point of diversion will be on property owned by Mark McDonough. We will be leasing his pumps and motors. A copy of the lease is attached. Mr. McDonough has been out of town and has not yet been able to return a signed copy of the lease to us.

No other water application for this land is now in process.

d) Financial resources:


The cost of this usage is \$2,000 for the 1991 irrigation season. I am sufficiently funded to pay this cost. A copy of my personal financial statement is enclosed. I request that this information be kept completely confidential.

e) Local public interest:

It is my understanding that your office will advertise this in the local papers. As far as any irrigation or canal company within the project location, there are none.

I hope this information provides you with the information needed to process Application # 02-07442. If not, please let me or my secretary, Linda Boots, know.

Very truly yours,



Thomas T. Nicholson

TTN/lb

Enclosures

**MICROFILMED**

FEB 06 1992

CONTRACT

I, Tom Nicholson, agree to lease Mark McDonough's irrigation pumps and motors for \$2,000. I also agree to the following:

1. I will hold Mark McDonough harmless from any injury or other liability connected with the maintenance or operation of the pumps and motors by any individual working for me or at my instruction or for the company, CCT Land & Cattle.
2. the pumps will be in the same or better condition as when first leased by me. The pumps and motors will be inspected by Hooper Electric before and after use.
3. the lease will run for the 1991 irrigation season.

\_\_\_\_\_  
Mark McDonough

Tom Nicholson  
Tom Nicholson

\_\_\_\_\_  
Date

3-20-91  
Date

**MICROFILMED**  
FEB 06 1992



State of Idaho  
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

April 9, 1991

Thomas T. Nicholson  
P.O. Box 703  
Meridian, ID. 83642

RE: Application for Permit No. 02-07442 and Large Diversion Information Requirement

Dear Mr. Nicholson:

The application for 12.82 cfs of Snake River water to irrigate 443 acres will be advertised but cannot be approved until additional information is submitted.

Based on Idaho Code 42-203A(5)(a-e), additional information is needed for applications for permit involving irrigation of more than 200 acres and/or diversions exceeding 5.00 cfs or 500 acre-feet of storage. Please provide information relating to the proposed water rights as outlined in the attached copy of Water Appropriation Rules 4,5,3,1 through 4,5,3,5,1. This covers the following items:

- a) effect on existing water rights,
- b) sufficiency of water supply,
- c) good faith, delay, or speculative purposes,
- d) financial resources,
- e) local public interest.

You may summarize the answers where appropriate since the application is for supplemental water. Please respond by May 13, 1991.

Sincerely,

Steve Lester  
Sr. Water Resource Agent

Enclosure: Large Diversion Information Requirement

RECEIVED

FEB 06 1992

# The Idaho Statesman

P.O. BOX 40, BOISE, IDAHO 83707

## LEGAL ADVERTISING INVOICE

Amount Due

107.76

|                                                                                             |             |                                                         |                                 |
|---------------------------------------------------------------------------------------------|-------------|---------------------------------------------------------|---------------------------------|
| Account Number<br>47628                                                                     |             | Identification<br>Notice of Application for Water Right |                                 |
| Ordered By<br>Gail Garrett                                                                  | P.O. Number | Rate<br>nt                                              | Run Dates<br>April 18, 25, 1991 |
| Idaho Department of Water Resources<br>Western Region<br>2735 Airport Way<br>Boise ID 83705 |             | Estimated Inches                                        | Real Inches                     |
|                                                                                             |             | # Affidavits<br>1                                       | Legal Number<br>8192            |

MICHAELSON, THOMAS T.  
 1000 N. 10TH ST.  
 BOISE, IDAHO 83702  
 Source: BOISE RIVER  
 Tributary: COLUMBIA RIVER  
 Diversion Pt. LOT 7, TOWNSHIP 36N, R. 1E, S. 2E  
 IT BEING THE  
 LOT 7, TOWNSHIP 36N, R. 1E, S. 2E  
 THE DIVERSION  
 Date Filed: 4/7/91  
 At Testimony of L. J. O'NEAL  
 9 (SEEN)  
 S25 NW1/4, T36N, R1E, S2E  
 S26 NW1/4, T36N, R1E, S2E  
 S27 NW1/4, T36N, R1E, S2E  
 S28 NW1/4, T36N, R1E, S2E  
 S29 NW1/4, T36N, R1E, S2E  
 S30 NW1/4, T36N, R1E, S2E  
 S31 NW1/4, T36N, R1E, S2E  
 S32 NW1/4, T36N, R1E, S2E  
 S33 NW1/4, T36N, R1E, S2E  
 S34 NW1/4, T36N, R1E, S2E  
 S35 NW1/4, T36N, R1E, S2E  
 S36 NW1/4, T36N, R1E, S2E  
 S37 NW1/4, T36N, R1E, S2E  
 S38 NW1/4, T36N, R1E, S2E  
 S39 NW1/4, T36N, R1E, S2E  
 S40 NW1/4, T36N, R1E, S2E  
 S41 NW1/4, T36N, R1E, S2E  
 S42 NW1/4, T36N, R1E, S2E  
 S43 NW1/4, T36N, R1E, S2E  
 S44 NW1/4, T36N, R1E, S2E  
 S45 NW1/4, T36N, R1E, S2E  
 S46 NW1/4, T36N, R1E, S2E  
 S47 NW1/4, T36N, R1E, S2E  
 S48 NW1/4, T36N, R1E, S2E  
 S49 NW1/4, T36N, R1E, S2E  
 S50 NW1/4, T36N, R1E, S2E  
 S51 NW1/4, T36N, R1E, S2E  
 S52 NW1/4, T36N, R1E, S2E  
 S53 NW1/4, T36N, R1E, S2E  
 S54 NW1/4, T36N, R1E, S2E  
 S55 NW1/4, T36N, R1E, S2E  
 S56 NW1/4, T36N, R1E, S2E  
 S57 NW1/4, T36N, R1E, S2E  
 S58 NW1/4, T36N, R1E, S2E  
 S59 NW1/4, T36N, R1E, S2E  
 S60 NW1/4, T36N, R1E, S2E  
 S61 NW1/4, T36N, R1E, S2E  
 S62 NW1/4, T36N, R1E, S2E  
 S63 NW1/4, T36N, R1E, S2E  
 S64 NW1/4, T36N, R1E, S2E  
 S65 NW1/4, T36N, R1E, S2E  
 S66 NW1/4, T36N, R1E, S2E  
 S67 NW1/4, T36N, R1E, S2E  
 S68 NW1/4, T36N, R1E, S2E  
 S69 NW1/4, T36N, R1E, S2E  
 S70 NW1/4, T36N, R1E, S2E  
 S71 NW1/4, T36N, R1E, S2E  
 S72 NW1/4, T36N, R1E, S2E  
 S73 NW1/4, T36N, R1E, S2E  
 S74 NW1/4, T36N, R1E, S2E  
 S75 NW1/4, T36N, R1E, S2E  
 S76 NW1/4, T36N, R1E, S2E  
 S77 NW1/4, T36N, R1E, S2E  
 S78 NW1/4, T36N, R1E, S2E  
 S79 NW1/4, T36N, R1E, S2E  
 S80 NW1/4, T36N, R1E, S2E  
 S81 NW1/4, T36N, R1E, S2E  
 S82 NW1/4, T36N, R1E, S2E  
 S83 NW1/4, T36N, R1E, S2E  
 S84 NW1/4, T36N, R1E, S2E  
 S85 NW1/4, T36N, R1E, S2E  
 S86 NW1/4, T36N, R1E, S2E  
 S87 NW1/4, T36N, R1E, S2E  
 S88 NW1/4, T36N, R1E, S2E  
 S89 NW1/4, T36N, R1E, S2E  
 S90 NW1/4, T36N, R1E, S2E  
 S91 NW1/4, T36N, R1E, S2E  
 S92 NW1/4, T36N, R1E, S2E  
 S93 NW1/4, T36N, R1E, S2E  
 S94 NW1/4, T36N, R1E, S2E  
 S95 NW1/4, T36N, R1E, S2E  
 S96 NW1/4, T36N, R1E, S2E  
 S97 NW1/4, T36N, R1E, S2E  
 S98 NW1/4, T36N, R1E, S2E  
 S99 NW1/4, T36N, R1E, S2E  
 S100 NW1/4, T36N, R1E, S2E

BOB REED FARM  
 1000 N. 10TH ST.  
 BOISE, IDAHO 83702  
 Source: BOISE RIVER  
 Tributary: COLUMBIA RIVER  
 Diversion Pt. LOT 7, TOWNSHIP 36N, R. 1E, S. 2E  
 IT BEING THE  
 LOT 7, TOWNSHIP 36N, R. 1E, S. 2E  
 THE DIVERSION  
 Date Filed: 4/7/91  
 At Testimony of L. J. O'NEAL  
 9 (SEEN)  
 S25 NW1/4, T36N, R1E, S2E  
 S26 NW1/4, T36N, R1E, S2E  
 S27 NW1/4, T36N, R1E, S2E  
 S28 NW1/4, T36N, R1E, S2E  
 S29 NW1/4, T36N, R1E, S2E  
 S30 NW1/4, T36N, R1E, S2E  
 S31 NW1/4, T36N, R1E, S2E  
 S32 NW1/4, T36N, R1E, S2E  
 S33 NW1/4, T36N, R1E, S2E  
 S34 NW1/4, T36N, R1E, S2E  
 S35 NW1/4, T36N, R1E, S2E  
 S36 NW1/4, T36N, R1E, S2E  
 S37 NW1/4, T36N, R1E, S2E  
 S38 NW1/4, T36N, R1E, S2E  
 S39 NW1/4, T36N, R1E, S2E  
 S40 NW1/4, T36N, R1E, S2E  
 S41 NW1/4, T36N, R1E, S2E  
 S42 NW1/4, T36N, R1E, S2E  
 S43 NW1/4, T36N, R1E, S2E  
 S44 NW1/4, T36N, R1E, S2E  
 S45 NW1/4, T36N, R1E, S2E  
 S46 NW1/4, T36N, R1E, S2E  
 S47 NW1/4, T36N, R1E, S2E  
 S48 NW1/4, T36N, R1E, S2E  
 S49 NW1/4, T36N, R1E, S2E  
 S50 NW1/4, T36N, R1E, S2E  
 S51 NW1/4, T36N, R1E, S2E  
 S52 NW1/4, T36N, R1E, S2E  
 S53 NW1/4, T36N, R1E, S2E  
 S54 NW1/4, T36N, R1E, S2E  
 S55 NW1/4, T36N, R1E, S2E  
 S56 NW1/4, T36N, R1E, S2E  
 S57 NW1/4, T36N, R1E, S2E  
 S58 NW1/4, T36N, R1E, S2E  
 S59 NW1/4, T36N, R1E, S2E  
 S60 NW1/4, T36N, R1E, S2E  
 S61 NW1/4, T36N, R1E, S2E  
 S62 NW1/4, T36N, R1E, S2E  
 S63 NW1/4, T36N, R1E, S2E  
 S64 NW1/4, T36N, R1E, S2E  
 S65 NW1/4, T36N, R1E, S2E  
 S66 NW1/4, T36N, R1E, S2E  
 S67 NW1/4, T36N, R1E, S2E  
 S68 NW1/4, T36N, R1E, S2E  
 S69 NW1/4, T36N, R1E, S2E  
 S70 NW1/4, T36N, R1E, S2E  
 S71 NW1/4, T36N, R1E, S2E  
 S72 NW1/4, T36N, R1E, S2E  
 S73 NW1/4, T36N, R1E, S2E  
 S74 NW1/4, T36N, R1E, S2E  
 S75 NW1/4, T36N, R1E, S2E  
 S76 NW1/4, T36N, R1E, S2E  
 S77 NW1/4, T36N, R1E, S2E  
 S78 NW1/4, T36N, R1E, S2E  
 S79 NW1/4, T36N, R1E, S2E  
 S80 NW1/4, T36N, R1E, S2E  
 S81 NW1/4, T36N, R1E, S2E  
 S82 NW1/4, T36N, R1E, S2E  
 S83 NW1/4, T36N, R1E, S2E  
 S84 NW1/4, T36N, R1E, S2E  
 S85 NW1/4, T36N, R1E, S2E  
 S86 NW1/4, T36N, R1E, S2E  
 S87 NW1/4, T36N, R1E, S2E  
 S88 NW1/4, T36N, R1E, S2E  
 S89 NW1/4, T36N, R1E, S2E  
 S90 NW1/4, T36N, R1E, S2E  
 S91 NW1/4, T36N, R1E, S2E  
 S92 NW1/4, T36N, R1E, S2E  
 S93 NW1/4, T36N, R1E, S2E  
 S94 NW1/4, T36N, R1E, S2E  
 S95 NW1/4, T36N, R1E, S2E  
 S96 NW1/4, T36N, R1E, S2E  
 S97 NW1/4, T36N, R1E, S2E  
 S98 NW1/4, T36N, R1E, S2E  
 S99 NW1/4, T36N, R1E, S2E  
 S100 NW1/4, T36N, R1E, S2E

Richardson, being duly

: That she is the Principal Clerk of The  
 newspaper printed and published at Boise,  
 ID, and having a general circulation therein  
 it has been continuously and uninterruptedly  
 during a period of twelve consecutive  
 publication of the notice, a copy of which is  
 notice was published in The Idaho  
 with Section 60-108, Idaho Code as  
 two

consecutive daily ☐ single ☐ odd skip

the issue of Apr. 18, 1991

of Apr. 25, 1991

Janice Richardson

SS.

day of April in the year of  
 1991, a Notary Public, personally appeared  
 Richardson, known or identified to  
 me as the name subscribed to the within instrument,  
 sworn, declared that the statements therein  
 made to me that she executed the same.

Janice Madie  
 Notary Public for Idaho  
 at Boise, ID

Commission expires: 5/97

FEB 06 1992

83707

## 3 INVOICE

**Amount Due**

107.76

### ation for Water Right in Dates

pril 18, 25, 1991

|                       |                          |
|-----------------------|--------------------------|
| Estimated Inches      | Real Inches              |
| # Affidavits<br><br>1 | Legal Number<br><br>8192 |

Denise Richardson

, being duly

sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended, for two

☒ consecutive weekly    ☐ consecutive daily    ☐ single    ☐ odd skip

insertion(s) beginning with the issue of Apr. 18, 1991

and ending with the issue of Apr. 25, 1991

Fernise Richardson

STATE OF IDAHO )

**\$\$.**

COUNTY OF ADA )

On this 25th day of April in the year of  
1991, before me, a Notary Public, personally appeared  
Denise Richardson, known or identified to  
me to be the person whose name subscribed to the within instrument,  
and being by me first duly sworn, declared that the statements therein  
are true, and acknowledged to me that she executed the same.

Janice Madie

Notary Public for Idaho  
Residing at Boise, ID

My commission expires: 5/97

NE 1/4 Sec 10, T12N, R10E, S12E  
 Thomas T. Thomas T.  
 P.O. Box 221  
 Meridian, ID 83442  
 Source: Snake River  
 Tributary: Columbia River  
 Division Pt. Lot 7 (SW1/4) Sec 36  
 T12N, R10E, S12E  
 Lot 7 (SW1/4) Sec 36 T12N, R10E, S12E  
 Use: Irrigation (12,000 CFS)  
 Stockwater (1,120 CFS)  
 Total Diversion: (13,120 CFS)  
 Date Filed: 10/10/71  
 In: T12N, R10E, S12E Lot 7 (SW1/4) Sec 36  
 9 (SE1/4)  
 S1/4 NW1/4 T12N, R10E, S12E  
 S1/4 SW1/4 NW1/4 Lot 2 (SW1/4) Sec 36  
 NE1/4 Lot 3 (NWSW) Lot 4  
 SW1/4 Lot 4 (SE1/4)  
 NE1/4 NW1/4 S1/4 SE1/4  
 S1/4 Lot 4 (SE1/4)  
 S1/4 Lot 4 (NE1/4) Lot 5 (NW1/4)  
 S1/4 NW1/4 Lot 5 (SW1/4) Lot 6  
 (SE1/4)  
 40.0 Acres Total  
 03 0341930  
 808 Reed Farm  
 Co. David Reed Agent  
 HC 85 Box 25  
 Mountain Home, ID 83447  
 Source: Groundwater  
 Diversion: T12N, R10E, S12E  
 Lot 7 (SW1/4) Sec 36  
 Total Diversion: (13,120 CFS)

**RECEIVED MED**  
**FEB 06 1992**

Affidavit of Publication

STATE OF IDAHO

COUNTY OF TWIN FALLS

SS.

No 22228

I, Linda Capps McGuire being first duly sworn upon oath, depose and say that I am Business Clerk of the TIMES-NEWS, published daily, at Twin Falls, Idaho, and do solemnly swear that a copy of the notice of advertisement, as per clipping attached, was published in the regular and entire issue of said newspaper, and not in any supplement thereof, for Two consecutive Weeks, commencing with the issue dated April 18, 1991, and ending with the issue dated April 25, 1991.

And I do further certify that said newspaper is a consolidation, effective February 16, 1942, of the Idaho Evening Times, published theretofore daily except Sunday, and the Twin Falls News, published theretofore daily except Monday, both of which newspapers prior to consolidation had been published under said names in said city and county continuously and uninterruptedly during a period of more than twelve consecutive months, and said TIMES-NEWS, since such consolidation, has been published as a daily newspaper except Saturday, until July 31, 1978, at which time said newspaper began daily publication under said name in said city and county continuously and uninterruptedly.

And I further certify that pursuant to Section 60-108 Idaho Code, Thursday of each week has been designated as the day on which legal notice by law or by order of any court of competent jurisdiction within the state of Idaho, to be published weekly, will be published; and that at the head of the editorial column of said combined newspapers, and in each issue thereof, Thursday is announced as the day on which said legal notices will be published.

STATE OF IDAHO

COUNTY OF TWIN FALLS

On this 25 day of April in the year of 1991, before me,

a Notary Public, personally appeared Linda Capps McGuire, known to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

FEB 06 1992

Notary Public for Idaho

Residing at

My commission expires:

8-8-96

WICHAM, THOMAS H.  
P.O. BOX 788  
WEEDING, ID 83842  
Source: SNAKE RIVER  
Diversion Pt:

Use: IRRIGATION  
STOCKWATER

Date Filed: 4/9/1991  
In: T01N R00W S22  
S25  
S26

S27  
S35  
S36  
49.0 ACRES TOTAL

Tributary: COLUMBIA RIVER  
LOT 7 (SWNE) Sec 36 T 01 N R 00 W  
LOT 2 (NESE) Sec 6 T 01 N R 00 W  
(12.500 CFS)  
Total Diversion: (12.500 CFS)

Lot 6 (SWSE) Lot 9 (SESE)  
NWSW SWSW  
NWNW Lot 2 (SWNW) SWSW  
Lot 3 (NWSW) Lot 4 (SWNW) Lot 4 (SESE)  
NWSE SWSE SESE  
Lot 6 (NENE) Lot 5 (NENE)  
NENW Lot 5 (NWNW) Lot 6 (SESE)

63-11476

WICHAM, SCHUYLER  
WICHAM, LOU ANN  
P.O. BOX 1212  
COLDWELL, ID 83808  
Source: GROUNDWATER  
Diversion Pt:  
Use: IRRIGATION

Date Filed: 3/6/1991  
In: T04N R04W S36  
90.0 ACRES TOTAL

NWNE SWNE NENW SENW

SENEW Sec 36 T 04 N R 04 W  
(1.800 CFS)  
Total Diversion: (1.800 CFS)

63-11510

ROBINSON, DENNIS PAUL  
3400 REDBOLL LANE  
POMONA, ID 83850  
Source: SNAKE RIVER  
Diversion Pt:  
Use: IRRIGATION

Date Filed: 4/1/1991  
In: T01N R00W S33  
19.0 ACRES TOTAL

NENE NWNE SWNE SESE

Tributary: SNAKE RIVER  
SENE Sec 33 T 01 N R 00 W  
(2.300 CFS)  
Total Diversion: (2.300 CFS)

CITY OF NAMPA  
401 3RD ST. SO.  
NAMPA, ID 83851  
Source: GROUNDWATER  
Diversion Pt:  
Use: MUNICIPAL

Date Filed: 3/28/1990  
Place of Use: within the City Limits of Nampa

63-11511

SWNW Sec 17 T 03 N R 00 W  
(1.500 CFS)  
Total Diversion: (1.500 CFS)

SCHMIDT, ELIZABETH A.  
SCHMIDT, WILLIAM R.  
28240 W. HOWE  
WILDER, ID 83878  
Source: LITTLEPOPPA CREEK  
Diversion Pt:  
Use: IRRIGATION

Date Filed: 3/22/1991  
In: T04N R00W S07  
S08  
240.0 ACRES TOTAL

NENE NWNE SWNE SESE

Tributary: EAST ARENA DRAIN  
NWNENW Sec 7 T 04 N R 00 W  
(1.200 CFS)  
Total Diversion: (1.200 CFS)

HAEMILL, RICHARD A.  
HAEMILL, LYNN  
16101 FROST RD.  
COLDWELL, ID 83805  
Source: GROUNDWATER  
Diversion Pt:  
Use: IRRIGATION

Date Filed: 4/9/1991  
In: T02N R04W S08  
S10  
70.0 ACRES TOTAL

63-11515

NENE Sec 10 T 03 N R 04 W  
(2.200 CFS)  
Total Diversion: (2.200 CFS)

SWSE  
NENE NWNE

## AFFIDAVIT OF PUBLICATION

STATE OF IDAHO )  
) ss.  
County of Canyon )

Sharla O'Krakel

of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily, (except Saturday) newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper  
two times  
—in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:  
April 17, 24, 1991

Sharla O'Krakel

STATE OF IDAHO )  
)  
COUNTY OF CANYON )

On this 24th day of April in the year of 1991, before me, a Notary Public, personally appeared Sharla O'Krakel, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he/she executed the same.

Sharon Lusk  
Notary Public for Idaho  
Residing at Nampa  
MY COMMISSION EXPIRES  
JULY 12th, 1991

RECEIVED

MAY - 1 1991

Department of Water Resources  
Western Regional Office

# Proof of Publication The Post-Register

State of Idaho, }  
County of Bonneville } ss

I, ..... Ted Delezene ....., first being duly sworn, depose and say: That I am the ..... Foreman ..... of The Post Company, a corporation of Idaho Falls, Bonneville County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931, and each of said newspapers have been published continuously and uninterruptedly, prior to consolidation, for more than seventy-eight (78) weeks and said Post-Register having been published continuously and uninterruptedly from the date of such consolidation, up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in said Post-Register for ..... Two Issues .... consecutive weeks, first publication having been made on the ..... 18th ... day of .... April ....., 1991, last publication having been made on the ..... 25th ..... day of ..... April ....., 1991, and that the said notice was published in the regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 26th day of

April, 1991.

Notary Public

My commission expires

March 5, 1996

B10

MICROFILMED  
FEB 06 1992

**NOTICE OF APPLICATION  
FOR WATER RIGHT**  
The Following application(s) have been

filed to appropriate the public waters of the  
State of Idaho:

02-07442

NICHOLSON, THOMAS T.  
P.O. BOX 703  
MERIDIAN, ID 83642  
Source: SNAKE RIVER  
Tributary: COLUMBIA RIVER  
Diversion Pt: LOT 7 (SWNE) Sec 36 T  
01N R 03W  
LOT 2 (NESE) Sec 6 T 01S R 02W  
Use: IRRIGATION ( 12.820 CFS)  
STOCKWATER ( .120 CFS)  
Total Diversion: ( 12.820 CFS)  
Date Filed: 4/ 9/ 1991  
In: T01N R03W S22 Lot 8 (SWSE) Lot 9  
(SESE)  
S25 NWSW SWSW SESW  
S26 SWNE NWNW Lot 2 (SWNW) SENW  
NESW Lot 3 (NWSW) Lot 4 (SWSW) Lot  
4 (SESW) NESE NWSE SWSE SESE  
S27 Lot 4 (NENE)  
S35 Lot 6 (NENE) Lot 5 (NWNE)  
S36 NENW Lot 5 (NWNW) Lot 6 (SENW)  
443.0 ACRES TOTAL

63-11513

BOB RHEAD FARMS  
C/O DARYL RHEAD AGENT  
HC 85 BOX 20  
MOUNTAIN HOME, ID 83647  
Source: GROUNDWATER  
Diversion Pt: SESE Sec 32 T 01N R 09E  
Use: IRRIGATION ( 12.000 CFS)  
IRRIGATION STORAGE ( 380.00 AF)  
IRRIGATION FROM STORAGE  
( 380.00 AF)  
DIVERSION TO STORAGE  
( 12.000 CFS)  
Total Diversion: ( 12.000 CFS)  
Date Filed: 3/14/ 1991  
In: T01N R09E S03 Lot 1 (NENE) Lot 2  
(NWNE) SWNE SENE Lot 3 (NENW) Lot  
4 (NWNW) SWNW SENW NESW NWSW  
NESE NWSE  
S04 Lot 1 (NENE) Lot 2 (NWNE) SWNE  
SENE Lot 3 (NENW) Lot 4 (NWNW)  
SWNW SENW NESW SESW NESE  
NWSE SWSE SESE  
S05 Lot 3 (NENW) Lot 4 (NWNW)  
S09 NWNW  
S32 SWSW SESW SWSE SESE  
S33 SWSW  
1178.0 ACRES TOTAL

63-11514

BOB RHEAD FARMS  
C/O DARYL RHEAD AGENT  
HC 85 BOX 20  
MOUNTAIN HOME, ID 83647  
Source: GROUNDWATER  
Diversion Pt: SWNE Sec 33 T 01N R 09E  
Use: IRRIGATION ( 12.000 CFS)  
Total Diversion: ( 12.000 CFS)  
Date Filed: 3/15/ 1991  
In: T01N R09E S27 NESW NWSW SWSW  
SESW NESE NWSE SWSE SESE  
S28 SWSW SESW SWSE SESE  
S33 NESW SESW NESE NWSE SWSE  
SESE  
S34 NENE NWNE SWNE SENE NENW  
SENW NESW NWSW SWSW SESW  
NESE NWSE SWSE SESE  
1111.0 ACRES TOTAL

The permit(s) will be subject to all prior  
water rights. Protests must be filed with  
the Director, Dept. of Water Resources,  
Western Region, 2735 Airport Way, Boise,  
Idaho 83705 on or before MAY 6, 1991.

R. KEITH HIGGINSON, Director  
Published: April 18, 25, 1991

FEB 06 1992

TRIBUNE PUBLISHING COMPANY, INC.  
The Lewiston Morning Tribune  
505 C St., P.O. Box 957  
Lewiston, Idaho 83501  
(208) 743-9411

Date 041891 INVOICE No. L002073.11  
Account No. 964760 07442  
Description 27311NOTIC  
Times 2 Lines 77  
Tab Lines 154

**LEGAL ADVERTISING  
INVOICE**

SOLD TO:

DEPT. OF WATER RESOURCES  
2735 AIRPORT WAY  
BOISE  
ID 83705

**RECEIVED**

MAY - 2 1991

Department of Water Resources  
Western Regional Office

\$ 192.50

NOTICE: This is an invoice of Purchase made by you. Statement will be rendered the first of the month.  
Please Retain This Invoice as Your Statement Will Refer To Invoice by No. Only.

**AFFIDAVIT OF PUBLICATION**

STATE OF IDAHO, ss.  
County of Nez Perce

Sue Baumeister, being duly sworn,  
deposes and says, I am the Legal Clerk  
of the Tribune Publishing Company, a corporation organized and existing  
under and by virtue of the laws of the State of Idaho, publishers of the  
LEWISTON MORNING TRIBUNE, a newspaper of general circulation  
published at Lewiston, Nez Perce County, Idaho; That the said Lewiston  
Morning Tribune is an established paper and has been published regular-  
ly and issued regularly at least once a day for more than 21 consecutive  
years next immediately preceding the first publication of this notice, and  
has been so published uninterrupted for said period; that the

NOTICE OF APPLICATION  
attached hereto and which is made a part of this affidavit was published in  
the said Lewiston Morning Tribune, 2 time(s). Publication be-  
ing on 041891 WEEK for 2 consecutive WEEKS, or once a  
publication thereof being on the 041891, and the last pub-  
lication thereof being on the 042591, and said

NOTICE OF APPLICATION  
was so published in the regular and entire issue of said newspaper and  
not in a supplement thereof and was so published in every issue and  
number of the said paper, during the period and times of publication as  
set forth above.

Sue Baumeister

SUBSCRIBED AND SWORN BEFORE ME THIS THE 30  
day of April 1991

Michael M. Ritz  
Notary Public in and for the State of Idaho,  
residing at Lewiston, therein.

TRIBUNE PUBLISHING COMPANY, INC.  
The Lewiston Morning Tribune  
505 C St., P.O. Box 957  
Lewiston, Idaho 83501  
(208) 743-9411

Date \_\_\_\_\_ INVOICE No. \_\_\_\_\_

Account No. \_\_\_\_\_

Description \_\_\_\_\_

Times \_\_\_\_\_ Lines \_\_\_\_\_

Tab Lines 154

**LEGAL ADVERTISING  
INVOICE**

SOLD TO:

RECEIVED  
MAY - 2 1991

\$ \_\_\_\_\_

Department of Water Resources  
Western Regional Office

NOTICE: This is an invoice of Purchase made by you. Statement will be rendered the first of the month.  
Please Retain This Invoice as Your Statement Will Refer To Invoice by No. Only.

**AFFIDAVIT OF PUBLICATION**

27311

**NOTICE OF APPLICATION FOR WATER RIGHT**

The Following application(s) have been filed to appropriate the public water of the State of Idaho:

02-07442

NICHOLSON, THOMAS T.  
P.O. BOX 703  
MERIDIAN, ID 83602  
Source: SNAKE RIVER  
Diversion Pt: LOT 7 (SWNE) Sec 36 T 01N R 03W  
LOT 2 (NESE) Sec 6 T 01S R 02W  
Use: IRRIGATION  
STOCKWATER

Tributary: COLUMBIA RIVER

Dated Filed: 4/9/1991  
In: T01N R03W Lot 8 (SWSE) Lot 9 (SESE)  
S22 NWSW Lot 2 (SWNW) Lot 4 (SESW)  
S25 NWSW Lot 3 (NWSW) Lot 4 (SESW)  
S26 NESE Lot 4 (SESW)  
S27 Lot 4 (NENE) Lot 5 (NWNE)  
S35 Lot 6 (NENE) Lot 5 (NWNW) Lot 6 (SENW)  
S36 NENW Lot 5 (NWNW) Lot 6 (SENW)  
443.0 ACRES TOTAL

(12.820 CFS)  
(.120 CFS)  
(12.820 CFS)

\_\_\_\_\_, being duly sworn,  
I says, I am the \_\_\_\_\_  
e Publishing Company, a corporation organized and existing  
y virtue of the laws of the State of Idaho, publishers of the  
MORNING TRIBUNE, a newspaper of general circulation  
Lewiston, Nez Perce County, Idaho; That the said Lewiston  
une is an established paper and has been published regular-  
d regularly at least once a day for more than 21 consecutive  
mmediately preceding the first publication of this notice, and  
published uninterrupted for said period; that the

63-11513

BOB RHEAD FARMS  
C/O DARYL RHEAD AGENT  
HC 85 BOX 20  
MOUNTAIN HOME, ID 83647  
Source: GROUNDWATER  
Diversion Pt: SESE Sec 32 T 01N R 09E  
Use: IRRIGATION  
IRRIGATION STORAGE  
IRRIGATION FROM STORAGE  
DIVERSION TO STORAGE

Date Filed: 3/14/1991  
In: T01N R09E S03 Lot1 (NENE) Lot 2 (NWNE) SWNE SENE  
Lot 3 (NENW) Lot 4 (NWNW) SWNW SENW  
S04 Lot 1 (NENE) Lot 2 (NWNE) SWNE SENE  
Lot 3 (NENW) Lot 4 (NWNW) SWNW SENW  
S05 Lot 3 (NENW) Lot 4 (NWNW) SWNE SENE  
S09 NWNW Lot 4 (NWNW) SWNW SENW  
S32 SWSW SESE  
S33 SWSW SESE  
1178.0 ACRES TOTAL

(12.00 CFS)  
(380.00 AF)  
(380.00 AF)  
(12.00 CFS)  
(12.00 CFS)

eto and which is made a part of this affidavit was published in  
riston Morning Tribune, \_\_\_\_\_ time(s). Publication be-  
\_\_\_\_\_, or once a  
\_\_\_\_\_ for \_\_\_\_\_ consecutive \_\_\_\_\_, the first  
hereof being on the \_\_\_\_\_, and the last pub  
of being on the \_\_\_\_\_, and said \_\_\_\_\_  
ished in the regular and entire issue of said newspaper and  
plement thereof and was so published in every issue and  
he said paper, during the period and times of publication as  
ve.

*Sue Baumeister*

ED AND SWORN BEFORE ME THIS THE 30

MICROFILMED  
FEB 06 1992

Notary Public in and for the State of Idaho,  
residing at Lewiston, therein.

BOB RHEAD FARMS  
C/O DARYL RHEAD AGENT  
HC 85 BOX 20  
MOUNTAIN HOME, ID 83647  
Source: GROUNDWATER  
Diversion Pt:  
Use: IRRIGATION  
Total Diversion:  
Date Filed: 3/15/1991

SWNE Sec 33 T01N R 09E  
(12.000 CFS)  
(12.000 CFS)

In: T01N R09E S27 NESW NWSW SWSW SESW  
S28 NESW NWSW SWSW SESW  
S33 NESW NWSW SWSW SESW  
S34 NENW NENW NENW NENW  
SESE SESE SESE SESE  
SESE SESE SESE SESE

1111.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filled with the Director, Dept.  
of Water Resources, Western Regional, 2735 Airport Way, Boise, Idaho 83705 on or before MAY 6, 1991.  
R. KEITH HIGGINSON, Director

02-07442

NICHOLSON, THOMAS T.  
P.O. BOX 703  
MERIDIAN, ID 83642

Source: SNAKE RIVER

Tributary: COLUMBIA RIVER

Diversion Pt: LOT 7 (SWNE) Sec 36 T 01N R 03W  
LOT 2 (NESE) Sec 6 T 01S R 02W

Use: IRRIGATION ( 12.820 CFS)  
STOCKWATER ( .120 CFS)  
Total Diversion: ( 12.820 CFS)

Date Filed: 4/ 9/ 1991

In: T01N R03W S22 Lot 8 (SWSE) Lot 9 (SESE)  
S25 NWSW SWSW  
S26 SWNE NWNW Lot 2 (SNNW) SENW  
NESW Lot 3 (NWSW) Lot 4 (SWSW) Lot 4 (SESW)  
NESE NWSE SWSE SESE  
S27 Lot 4 (NENE)  
S35 Lot 6 (NENE) Lot 5 (NWNW)  
S36 NENW Lot 5 (NWNW) Lot 6 (SENN)

443.0 ACRES TOTAL

RECORDED

FEB 06 1992