




STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 17 1992

A. GENERAL INFORMATION

Department of Water Resources
Permit No. 02-7430

1. Owner: William Ensley
Current Address: P.O. Box 534 Marsing Idaho 83639
2. Accompanied by: William Ensley
Address: Same
Relationship to Permit Holder: owner
3. Source: Snake River tributary to _____

Phone No. 459-6538
EXAM. DATE: 7-17-91
Phone No. same


02-7430

B. OVERLAP REVIEW

1. Other water rights with same place of use: Same as below (all are out of the Snake River) ☐ Copies Attached
2. Other water rights with same point of diversion: 02-7339 Ensley 02-7346 Ensley, 02-7429 Ensley (son) 02-7429 (son) ☒ Copies Attached ☒ Copies of Field Exam's Attached
for 02-7339

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

Scale: 1" = _____


2. ☐ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
- ☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

SEP 09 1992

RANGE N° 4 WEST, OF THE BOISE MERID

T 02 North

WEST 46.50 20.27 13.75



Plu on Permit

02-7430

9

License

02-7339

owned by Ensign
National Permit

7429

PERMIT 02-7430 INIT

T. R. S. Q/Q

2N 4W 3

Duo
revere

Sec 3

2N 4W

revere

MICROFILMED

SEP 09 1992

02-07430



Pump on River. Located
on the West of property.
note the long line
to the River & the
line under the screen
to the spigots.



Field area for Buffalos.
Note house to the left
& River to the Right.

MICROFILMED
SEP 09 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 02-07430

Priority: September 26, 1988 Maximum Diversion Rate: 0.09 CFS
Maximum Diversion Volume: 13.5 AF

This is to certify, that WILLIAM ENSLEY
KATHLEEN ENSLEY

PO BOX 934
MARSING ID 83639

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 26, 1988; and has submitted Proof of Beneficial Use on June 30, 1989. An examination indicates that the works have a diversion capacity of .150 cfs of water from:

Snake River tributary to Columbia River

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.09 CFS	13.5 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 6(NENE), Sec. 3, Township 02N, Range 04W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	04W	3	Lot 6(NENE)	3		3

Total number of acres irrigated: 3

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Water shall not be diverted under this right unless the flow of the Snake River exceeds established downstream minimum stream flows.

MICROFILMED

SEP 09 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 02-07430

CONDITIONS/REMARKS:

6. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 10TH day of AUGUST, 1992.

Acting for R. Keith Higginson, Director

SEP 09 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 02-07430

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant William & Kathleen Ensley Phone 459-6538
Post office address P.O. Box 534, Marsing, ID 83639
2. Source of water supply Snake River which is a tributary of Columbia River
3. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of NE $\frac{1}{4}$; Govt. Lot 6
Sec. 3 Township 2N Range 4W B.M. Canyon County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .15 for Irrigation purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .15 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. 5 HP pump, sprinkler
Lines
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

MICROFILMED

JAN 05 1989

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2N	4W	3	4.6 5																5

Total number of acres to be irrigated 5


10. Describe any other water rights used for the same purposes as described above. 02-07339 (see Remarks)

- Who owns the property at the point of diversion? Applicant
- Who owns the land to be irrigated or place of use? Applicant
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____


12. Remarks: Supplements and expands 02-07339

MICROFILMED

JAN 05 1989



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

JAN 05 1989

William H. Linsley
(Applicant)

Received by RL Date 9-26-88 Time 2:00 PM Proposed Priority 9/26/88
Fee \$ 30 Receipted by RL # 0002691 Date 9-26-88
Publication prepared by GG Date 10/12/88 Published in Press-Tribune
Publication approved DK Date 11-3-88 10-19 & 10-26-88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 02-7430, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 1991.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

Water shall not be diverted under this permit unless the flow of the Snake River exceeds established downstream minimum stream flows.

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 16th day of December, 1988.

A. Glen Saylor

MICROFILMED

JAN 05 1989

RECEIVED
NOV 1 1988

Department of Water Resources
Western Regional Office

**NOTICE OF APPLICATION
FOR WATER RIGHT**
The following applications have
been filed to appropriate the public
waters of the State of Idaho:

02-07429
ENSLEY, JOAN
ENSLEY, WAYNE
RT. 4 BOX 474
CALDWELL, ID 83605
Source: SNAKE RIVER
Tributary: COLUMBIA RIVER
Diversion Pt: LOT 6 (SENENE)
Sec 3 T 02N R 04W
Use: IRRIGATION (.160 CFS)
Date Filed: 9/30/1988
In: T02N R04W S03 Lot 6 (NENE)
8.0 ACRES TOTAL
02-07430

ENSLEY, WILLIAM
ENSLEY, KATHLEEN
P.O. BOX 534
MARSING, ID 83639
Source: SNAKE RIVER
Tributary: COLUMBIA RIVER
Diversion Pt: Lot 6 (NENENE)
Sec 3 T 02N R 04W
Use: IRRIGATION (.150 CFS)
Date Filed: 9/26/1988
In: T02N R04W S03 Lot 6 (NENE)
5.0 ACRES TOTAL
63-10714

U.S. DEPT. OF DEFENSE
DEPT. OF ARMY
CORP OF ENGINEERS
WALLA WALLA, WASH 99362
Source: GROUNDWATER
Diversion Pt: LOT 1 (SWNW) Sec
20 T 04N R 05W
Use: IRRIGATION (.030 CFS)
DOMESTIC (.040 CFS)
Date Filed: 10/03/1988
In: T04N R05W S20 NWNW Lot 1
(SWNW)
1.1 ACRES TOTAL
63-10715

SCHUTT, LOUIS
SCHUTT, DIANNE
22362 TUCKER ROAD
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt: NENW Sec 17 T 04N
R 04W
Use: DOMESTIC (.040 CFS)
STOCKWATER (.020 CFS)
Date Filed: 10/07/1988
In: T04N R04W S17 NENW

The permits will be subject to all
prior water rights. Protests must
be filed with the Director, Dept. of
Water Resources, Western Region,
2735 Airport Way, Boise, Idaho
83705 on or before NOVEMBER 7,
1988.

R. KEITH HIGGINSON
Director
October 20, 27, 1988

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) ss.
County of Canyon)

Debra Martin del Campo
of Nampa, Canyon County, Idaho, being first duly sworn, deposes
and says:

1. That I am a citizen of the United States of America, and at all
times hereinafter mentioned was over the age of eighteen years,
and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a
daily, (except Saturday) newspaper published in the City of Nampa
and Caldwell, in the County of Canyon, State of Idaho; that the said
newspaper is in general circulation in the said County of Canyon,
and in the vicinity of Nampa and Caldwell, and has been uninter-
ruptedly published in said County during a period of seventy-eight
consecutive weeks prior to the first publication of the notice, a copy
of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was
published in said newspaper

Two times
in the regular and entire issue of said paper, and was printed in
the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:
October 20, 27, 1988

Debra Martin del Campo
Subscribed and sworn to before me this
27th day of October
19 88

Janet Lusk
Notary Public, Residing at Nampa, Idaho
MY COMMISSION EXPIRES
JULY 12th, 1991

RECORDED

JAN 05 1989

August 13, 1992

WILLIAM ENSLEY
KATHLEEN ENSLEY
PO BOX 934
MARSING ID 83639

RE: WATER RIGHT NO. 02-07430

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

MICROFILMED

SEP 09 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

July 20, 1992

KATHLEEN ENSLEY
WILLIAM ENSLEY
PO BOX 534
MARSING ID 83659

934
83639

RECEIVED

JUL 30 1992

Department of Water Resources

RE: WATER RIGHT NO. 02-07430

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

Pamela Skaggs

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

Dear Sir:

Please change Box # to 934

*On Permit form you have zip code
83659 It should be 83639*

MICROFILMED

SEP 09 1992

*Thank
W H Ensley*

Database updated 7-31-92 es

July 20, 1992

KATHLEEN ENSLEY
WILLIAM ENSLEY
PO BOX 534
MARSING ID 83659

RE: WATER RIGHT NO. 02-07430

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECORDED

SEP 09 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 17 1992

A. GENERAL INFORMATION

1. Owner: William Ensley
Current Address: P.O. Box 534 Marsing Idaho 83639
2. Accompanied by: William Ensley
Address: Same
Relationship to Permit Holder: owner
3. Source: Snake River tributary to _____

Permit No. 02-7430
Phone No. 459-16538
EXAM. DATE: 7-17-91
Phone No. same

02-7430


B. OVERLAP REVIEW

1. Other water rights with same place of use: same as below (all are out of the Snake River) ☐ Copies Attached
2. Other water rights with same point of diversion: 02-7339 Ensley 02-7366 Ensley, 02-7429 Ensley (son) 02-7429 (son) ☒ Copies Attached ☒ Copies of Field Exam's Attached
for 02-7339

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

1 acre already licensed (02-7339)
(9 acres total use irrigation from this P/D)



RECEIVED

SEP 09 1992

Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached (required for irrigation of 10 acres or more).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

This system makes use of the Snake River. The owner uses a 5 hp motor to push water up a 2" line from 0 to 60 feet. The line is then converted to a 1½ line to irrigate a 3 acre pasture & 1½ acre lawn. The owner also uses it to water 3 head of Buffalo. There are several spigots in various locations that serve as risers for irrigation. The 1½ acres of lawn is already under licence.

☐ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	NA	5hp	NA	NA	2"

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	¼	¼	¼	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	6	NE	NE	NE	3	2n	4w	Canyon	Quads / Verification
		NN	NE	NE					

6. **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE¼				NW¼				SW¼				SE¼				Totals
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2n	4w	3	3																53
			L-4																

MICROFILMED

Do not use this space

SEP 09 1992

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE						

2. Measurements:

Theoretical: $5 \text{ hp} \times 8.8 \times .7 \text{ eff} = \frac{30.8}{60 + (2.3 \times 40 \text{ psi}) = 152} = .2 \text{ cfs}$

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

Theoretical: .2 cfs Sprinkler head 40psi, $\frac{5}{32}$ heads, 15 sprinklers/setting
 $4.61 \times 15 / 448.8 = .154 \text{ cfs}$

2. Alternate Method for Checking Purposes:

$3 \text{ acres} \times .03 = .09$
allow .09

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

: Flow rate: _____ cfs (4)

- NA -

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: $3.6 \times \text{_____} \text{ KH} \times \text{_____} \text{ CTR or } \text{_____} \text{ MULT} \times \text{_____} \text{ PTR} \times \text{_____} \text{ N/ } \text{_____} \text{ T} = \text{_____} \text{ (6)}$

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$

$3 \times 4.5 = 13.5 \text{ af}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$

$.015 \times 245 \times 1.9835 = 72.943.9$
 $\sim 13.5 \text{ af}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$

2. Volume Calculations for Other Uses:

MICROFILMED

SEP 09 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

This permits for a system covering a 5 acre parcel. 1 acre of this parcel is already licensed and 1 acre is non-irrigated and 3 acres are being licensed. To the south east is the song place. There are no overlaps between the two Enskys'. domestic use is covered by a well while his front pasture is covered by a well ^(or separately licensed) source. The licence for the 1 acre piece is 029339.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3-15	11-15	09.18 cfs	or 13.50 fad

Totals: 09.18 cfs or 13.50 fad

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

☒ None

☐ Other

J. AUTHENTICATION

Field Examiner's Name

DAVID GRAY

Signature


David Gray

Certification Date

7-23-91

Field Report Preparation Date

8-07-91



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.


MICROFILMED

SEP 09 1992

ANGE N° 4 WEST, OF THE BOISE MERID

T 02 North

WEST 46.50 20.27 13.75



Plu on Permit

02-7430

9

License

02-7339

PERMIT 7430 INIT *Joe*
T. R. S. Q/Q *rene*
3

Sec 3
2N

MICHAEL MED
SEP 08 1992

16

Gravel

2320

2714

2256

2238

BM

Pumping Station

MITCHELL

PENNINGTON

2240

10

SOUTH

LINE

250


CANAL

2421

2339

2799

12-67430



Pump on River. Looked
on the west side of
note the pump is
to the pump is
line under the water
to the pump.



Field area
plate now
a Red

MICROFILMED

SEP 09 1992

June 8, 1992

WILLIAM ENSLEY
P.O. BOX 534
MARSING ID 83639

RE: Water Right No. 02-07430

Dear Water Right Holder(s):

On May 19, 1992, the department sent you a letter advising that you might be required to temporarily cease diverting water from the Snake River or its tributaries if the established minimum stream flow of the Snake River in the amount of 4,750 cubic feet per second measured near Weiser is not satisfied or likely will not be satisfied.

The flow of the Snake River at Weiser is now less than 4,750 cfs. You are, therefore, directed to immediately cease diverting water under the above referenced water right and to not resume use until authorized by the department.

Past flow records show that the duration of seasonal low flow periods typically last several days to a week. Since your use of water is extremely important to you and since mail notification includes a delay associated with mail delivery time, feel free to call the toll-free telephone number 1-800-451-4129 to determine when you are again authorized to divert and use water under your water right. Please use this phone number only in connection with resumption of use.

You need to be aware that Section 42-351, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversion.

Thank you for your cooperation in this matter. Please feel free to contact L. Glen Saxton (phone: 208-327-7955) or Gary Spackman (phone: 208-327-7946) of my staff if you have questions.

Sincerely,

R. KEITH HIGGINSON
Director

RECEIVED

SEP 09 1992

June 12, 1992

WILLIAM ENSLEY
P.O. BOX 534
MARSING ID 83639

RE: Water Right No. 02-07430

Dear Water Right Holder(s):

On June 8, 1992, the department sent you a letter which directed you to immediately cease diverting water under the above referenced water right, since the minimum stream flow of the Snake River in the amount of 4,750 cubic feet per second (cfs) measured near Weiser was not being satisfied.

The flow of the Snake River at Weiser is now above 4,750 cfs. You are, therefore, authorized to again divert water under your water right. If the minimum stream flow is not met later this year, however, the department will again notify you to temporarily cease diversion.

Thank you for your cooperation in this matter. Please feel free to contact L. Glen Saxton (phone: 208-327-7955) or Gary Spackman (phone: 208-327-7946) of my staff if you have questions.

Sincerely,

R. KEITH HIGGINSON
Director

SEP 09 1992

June 8, 1992

KATHLEEN ENSLEY
P.O. BOX 534
MARSING ID 83659

RE: Water Right No. 02-07430

Dear Water Right Holder(s):

On May 19, 1992, the department sent you a letter advising that you might be required to temporarily cease diverting water from the Snake River or its tributaries if the established minimum stream flow of the Snake River in the amount of 4,750 cubic feet per second measured near Weiser is not satisfied or likely will not be satisfied.

The flow of the Snake River at Weiser is now less than 4,750 cfs. You are, therefore, directed to immediately cease diverting water under the above referenced water right and to not resume use until authorized by the department.

Past flow records show that the duration of seasonal low flow periods typically last several days to a week. Since your use of water is extremely important to you and since mail notification includes a delay associated with mail delivery time, feel free to call the toll-free telephone number 1-800-451-4129 to determine when you are again authorized to divert and use water under your water right. Please use this phone number only in connection with resumption of use.

You need to be aware that Section 42-351, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversion.

Thank you for your cooperation in this matter. Please feel free to contact L. Glen Saxton (phone: 208-327-7955) or Gary Spackman (phone: 208-327-7946) of my staff if you have questions.

Sincerely,

R. KEITH HIGGINSON
Director

MICROFILMED

SEP 09 1992

June 12, 1992

KATHLEEN ENSLEY
P.O. BOX 534
MARSING ID 83659

RE: Water Right No. 02-07430

Dear Water Right Holder(s):

On June 8, 1992, the department sent you a letter which directed you to immediately cease diverting water under the above referenced water right, since the minimum stream flow of the Snake River in the amount of 4,750 cubic feet per second (cfs) measured near Weiser was not being satisfied.

The flow of the Snake River at Weiser is now above 4,750 cfs. You are, therefore, authorized to again divert water under your water right. If the minimum stream flow is not met later this year, however, the department will again notify you to temporarily cease diversion.

Thank you for your cooperation in this matter. Please feel free to contact L. Glen Saxton (phone: 208-327-7955) or Gary Spackman (phone: 208-327-7946) of my staff if you have questions.

Sincerely,

R. KEITH HIGGINSON
Director

MICROFILMED

SEP 09 1992

May 19, 1992

WILLIAM ENSLEY
P.O. BOX 534
MARSING ID 83639

RE: Water Right No. 02-07430

Dear Water Right Holder(s):

Department water right records show that you divert water from the Snake River or its tributaries under a water right that has a priority date later than December 29, 1976. This is the priority of the established minimum stream flow of the Snake River at the Weiser Gage (Weiser) in the amount of 4,750 cubic feet per second.

Because of the continuing drought conditions in the Snake River Basin, department hydrologists project that during 1992, there could be periods when the required minimum flow will not be satisfied due to low flows of the Snake River. The department urges you to not divert at a higher rate than authorized by your water right and to not use your right in any manner different than authorized. In addition, when the minimum flow will not be satisfied or is not being satisfied, you are required to cease diverting water under your water right, because your right is of later priority than the minimum stream flow at Weiser.

If the department determines the minimum flow will not be satisfied, the department will advise you and will provide as much lead time as possible in requiring that you temporarily cease your diversion of water. The greatest likelihood for this to occur is during a period from mid-June to late June.

While the department expects good cooperation from junior water right holders, water users should be aware that Section 42-352, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversions of water.

The department has contacted both the Idaho Power Company and the U.S. Bureau of Reclamation with respect to the timing of storage releases from upstream reservoirs for flow enhancement purposes. This type of coordination could minimize the impact on

MICROFILMED

SEP 09 1992

existing water users and reduce the need to curtail diversions.

The department has scheduled public information meetings relative to this potential regulation as follows:

Mountain Home - June 4, 1992 - 10:00 a.m. - gymnasium at
North Elementary School, 290 E. 12th N.

Caldwell - June 4, 1992 - 7:00 p.m. - Ballroom in the
Student Union Building, Albertson College of Idaho,
2112 Cleveland

If you have questions concerning this letter or wish to provide the name of a different contact person or address to receive department correspondence, please contact the department.


Sincerely,

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:klg

RECEIVED

SEP 09 1992



STATE OF IDAHO

Department of Water Resources

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only

Fee Received 50.00

Date 6/30/89

Receipt # C007959

Receipt by R. Young

Reviewed by J. Young

Sent to region 7-89

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 02-07430

Name(s) of Permit Holder: William Enley

Post Office Address: Box 534, Marring Id. 83639

Telephone No. (268) 459-6538

Source of Water: Snake River

Extent of Use:

Domestic _____ (number of households) Stockwater _____ (number and type of stock)

Irrigation 5A (acres) Other/Remark 5 HP Pump

Total rate and/or volume for which proof is submitted .15 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: 4-89

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Fee enclosed \$ 50.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☐ No

don't have measuring device on Pump

Person to contact to accompany the Department representative during the field examination:

William Enley (Name) 208 459 6538 (Telephone Number)

Marring Id. farm
Box 534 Marring Id. (Address) (20115 Marring Id.)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Microfilm

AUG 01 1989

6-26-89
Date

William Enley
Signature of Permit Holder (and title, if appropriate)

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
December 21, 1988

WILLIAM ENSLEY
KATHLEEN ENSLEY
P.O. BOX 534
MARSING, ID 83639

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 02-07430

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

The information available to us at this time does not warrant refusing to issue you a permit but does merit cautioning you that any permit issued by the Department cannot deprive water users, with earlier rights, of their water supply.

&SKIP

The reason for conditioning the permit and explaining the potential interference problem is to make you aware that future tests may definitely show that diversion of water from your well should be administered together with the older surface water priorities of the river and it's tributaries. If this were to occur, it would essentially mean that there would not be water available for a diversion from your well since the surface water system is fully appropriated. By locating your well as far from the river as possible and by casing out upper water producing zones as the well is constructed, you may be able to reduce the amount of interference with the river.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of

RECORDED

JAN 05 1989

Sincerely,

GS: SC
Enclosures

1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 2679, 2680, 26

July 1989

plus - Tribune

02-07430

ENSLEY, WILLIAM
ENSLEY, KATHLEEN
P.O. BOX 534
MARSING, ID 83639

Source: SNAKE RIVER

Tributary: COLUMBIA RIVER

Diversion Pt: LOT 6 (NENENE) Sec 3 T 02N R 04W

Use: IRRIGATION (.150 CFS)

Date Filed: 9/26/1988

In: T02N R04W S03 Lot 6 (NENE)

5.0 ACRES TOTAL

RECORDED

JAN 05 1989