




13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

7/11/88 1000

MICROFILMED

4 W

2 N

3

6.6

P/D

use 8 acres

MICROFILMED

JAN 05 1989

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Wayne Enley  
(Applicant)

RECEIVED  
NOV 1 1988

Department of Water Resources  
Western Regional Office

**NOTICE OF APPLICATION  
FOR WATER RIGHT**

The following applications have  
been filed to appropriate the public  
waters of the State of Idaho:

02-07429

ENSLEY, JOAN  
ENSLEY, WAYNE  
RT. 4 BOX 474  
CALDWELL, ID 83605  
Source: SNAKE RIVER  
Tributary: COLUMBIA RIVER  
Diversion Pt: LOT 6 (SENE) )  
Sec 3 T 02N R 04W  
Use: IRRIGATION (.160 CFS)  
Date Filed: 9/30/1988  
In: T02N R04W S03 Lot 6 (NENE)  
8.0 ACRES TOTAL

02-07430  
ENSLEY, WILLIAM  
ENSLEY, KATHLEEN  
P.O. BOX 534  
MARSING, ID 83639

Source: SNAKE RIVER  
Tributary: COLUMBIA RIVER  
Diversion Pt: Lot 6 (NENENE)  
Sec 3 T 02N R 04W  
Use: IRRIGATION (.150 CFS)  
Date Filed: 9/26/1988  
In: T02N R04W S03 Lot 6 (NENE)  
5.0 ACRES TOTAL

63-10714  
U.S. DEPT. OF DEFENSE  
DEPT. OF ARMY  
CORP OF ENGINEERS  
WALLA WALLA, WASH 99362  
Source: GROUNDWATER  
Diversion Pt: LOT 1 (SWNW) Sec  
20 T 04N R 05W  
Use: IRRIGATION (.030 CFS)  
DOMESTIC (.040 CFS)  
Date Filed: 10/03/1988  
In: T04N R05W S20 NWNW Lot 1  
(SWNW)  
1.1 ACRES TOTAL

63-10715  
SCHUTT, LOUIS  
SCHUTT, DIANNE  
22362 TUCKER ROAD  
CALDWELL, ID 83605  
Source: GROUNDWATER  
Diversion Pt: NENW Sec 17 T 04N  
R 04W  
Use: DOMESTIC (.040 CFS)  
STOCKWATER (.020 CFS)  
Date Filed: 10/07/1988  
In: T04N R04W S17 NENW

The permits will be subject to all  
prior water rights. Protests must  
be filed with the Director, Dept. of  
Water Resources, Western Region,  
2735 Airport Way, Boise, Idaho  
83705 on or before NOVEMBER 7,  
1988.

R. KEITH HIGGINSON  
Director  
October 20, 27, 1988

**AFFIDAVIT OF PUBLICATION**

STATE OF IDAHO )

) ss.

County of Canyon )

Debra Martin del Campo

of Nampa, Canyon County, Idaho, being first duly sworn, deposes  
and says:

1. That I am a citizen of the United States of America, and at all  
times hereinafter mentioned was over the age of eighteen years,  
and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a  
daily, (except Saturday) newspaper published in the City of Nampa  
and Caldwell, in the County of Canyon, State of Idaho; that the said  
newspaper is in general circulation in the said County of Canyon,  
and in the vicinity of Nampa and Caldwell, and has been uninter-  
ruptedly published in said County during a period of seventy-eight  
consecutive weeks prior to the first publication of the notice, a copy  
of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was  
published in said newspaper

Two times

in the regular and entire issue of said paper, and was printed in  
the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

October 20, 27, 1988

Debra Martin del Campo  
Subscribed and sworn to before me this

27th day of October

19 88

Joanne Lusk  
Notary Public, Residing at Nampa, Idaho

MY COMMISSION EXPIRES  
JULY 12th, 1991

MICROFILMED

JAN 05 1989

T 02 North

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
**BENEFICIAL USE FIELD REPORT**

**A. GENERAL INFORMATION**


1. Owner: Wayne & Joan Enley Permit No. 02-07429  
Current Address: Rt. 4, Box 474 Caldwell, ID 83605 Phone No. 454-0035  
2. Accompanied by: Wayne EXAM. DATE: 7-15-91  
Address: same Phone No. same  
Relationship to Permit Holder: owner  
3. Source: Snake River tributary to \_\_\_\_\_

**B. OVERLAP REVIEW**

1. Other water rights with same place of use: Other water rights are within father or his. 63-10717, 02-07430, 02-07339 ☐ Copies Attached  
2. Other water rights with same point of diversion: same ☐ Copies Attached ☐ Copies of Field Exam's Attached

**C. SYSTEM DESCRIPTION**


1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = \_\_\_\_\_

2. ☐ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).  
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

**MICROFILMED**  
**JUL 29 1992**



02-07429



view from the north/east side of the property. Note the sprinklers (Plu) and the river is to the west of the property.



view of the pump in the Snake River. Note the line extending out into the river & the line running back up the hill.

MICROFILMED

AUG 29 1992

State of Idaho  
Department of Water Resources

# WATER RIGHT LICENSE

WATER RIGHT NO. 02-07429

Priority: September 30, 1988

Maximum Diversion Rate:

0.16 CFS

Maximum Diversion Volume:

36.0 AF

This is to certify, that JOAN ENSLEY  
WAYNE ENSLEY

20109 MARSING RD  
CALDWELL ID 83605

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 30, 1988; and has submitted Proof of Beneficial Use on November 5, 1990. An examination indicates that the works have a diversion capacity of .240 cfs of water from:

SNAKE RIVER

tributary to COLUMBIA RIVER

source, and a water right has been established as follows:

| <u>BENEFICIAL USE</u> | <u>PERIOD OF USE</u> | <u>RATE OF DIVERSION</u> | <u>ANNUAL VOLUME</u> |
|-----------------------|----------------------|--------------------------|----------------------|
| IRRIGATION            | 03/15 to 11/15       | 0.16 CFS                 | 36.0 AF              |

LOCATION OF POINT(S) OF DIVERSION: Lot 6( NENE), Sec. 3, Township 02N, Range 04W  
CANYON County

PLACE OF USE: IRRIGATION

| <u>TWN</u> | <u>RGE</u> | <u>SEC</u> | <u>ACRES</u> | <u>ACRES</u> | <u>ACRES</u> | <u>TOTAL</u> |
|------------|------------|------------|--------------|--------------|--------------|--------------|
| 02N        | 04W        | 3          | Lot 6(NENE)  | 8            |              | 8            |

Total number of acres irrigated: 8

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Water shall not be diverted under this right unless the flow of the Snake River exceeds established downstream minimum stream flows.

RECEIVED  
JUL 29 1992

State of Idaho  
Department of Water Resources


**WATER RIGHT LICENSE**

WATER RIGHT NO. 02-07429

CONDITIONS/REMARKS:

6. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 21<sup>st</sup> day of July, 1992.

Acting for  R. Keith Higginson, Director

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Wayne & Joan Ensley Phone 454-0035  
Post office address Rt. 4, Box 474, Hooten Caldwell, ID 83605
2. Source of water supply Snake River which is a tributary of Columbia River
3. Location of point of diversion is SE  $\frac{1}{4}$  of NE  $\frac{1}{4}$  of NE  $\frac{1}{4}$ , Govt. Lot 6  
Sec. 3 Township 2N Range 4W B.M. Canyon County; additional  
points of diversion if any: \_\_\_\_\_
4. Water will be used for the following purposes:  
Amount .16 for Irrigation purposes from 3-15 to 11-15 (both dates inclusive)  
(cfs or acre-feet per annum)  
Amount \_\_\_\_\_ for \_\_\_\_\_ purposes from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
(cfs or acre-feet per annum)  
Amount \_\_\_\_\_ for \_\_\_\_\_ purposes from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
(cfs or acre-feet per annum)  
Amount \_\_\_\_\_ for \_\_\_\_\_ purposes from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .16 and/or (b) \_\_\_\_\_  
cubic feet per second acre feet per annum
6. Proposed diverting works:
  - a. Description of ditches, flumes, pumps, headgates, etc. 5 HP motor, pump & sprinklers
  - b. Height of storage dam \_\_\_\_\_ feet; active reservoir capacity \_\_\_\_\_ acre-feet; total  
reservoir capacity \_\_\_\_\_ acre-feet; period of year when water will be diverted to storage:  
\_\_\_\_\_ to \_\_\_\_\_ inclusive.
  - c. Proposed well diameter is \_\_\_\_\_ inches; proposed depth of well is \_\_\_\_\_ feet.
  - d. Is ground water with a temperature of greater than 90°F being sought? \_\_\_\_\_
7. Time required for the completion of the works and application of the water to the proposed beneficial use is  
5 years (minimum 1 year).

MICROFILMED

JAN 05 1989

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. 4-57 (15.1)
- b. Stockwatering; list number and kind of livestock. \_\_\_\_\_
- c. Municipal; show name of municipality. \_\_\_\_\_
- d. Domestic; show number of households. \_\_\_\_\_
- e. Other; describe fully. \_\_\_\_\_

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

| TWP | RANGE | SEC. | NE¼      |     |     |     | NW¼ |     |     |     | SW¼ |     |     |     | SE¼ |     |     |     | TOTALS |
|-----|-------|------|----------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--------|
|     |       |      | NE¼      | NW¼ | SW¼ | SE¼ | NE¼ | NW¼ | SW¼ | SE¼ | NE¼ | NW¼ | SW¼ | SE¼ | NE¼ | NW¼ | SW¼ | SE¼ |        |
| 2N  | 4W    | 3    | 6.6<br>8 |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     | 8      |
|     |       |      |          |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |        |
|     |       |      |          |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |        |
|     |       |      |          |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |        |
|     |       |      |          |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |        |
|     |       |      |          |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |        |
|     |       |      |          |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |        |
|     |       |      |          |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |        |
|     |       |      |          |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |        |


Total number of acres to be irrigated 8

10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? Applicant
- b. Who owns the land to be irrigated or place of use? Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. \_\_\_\_\_

12. Remarks: \_\_\_\_\_

JAN 95 1989



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

2N

3

4W

6.6

P/D

use @ acres

**MICROFILMED**

JAN 05 1989

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Wayne Ensey  
(Applicant)

Proposed Priority 9/30/88

Received by nl Date 9-30-88 Time 12:00 Preliminary check by SL

Fee \$ 30<sup>00</sup> Received by SL # W001030 Date 10/4/88 but check submitted with appl. 9/30/88.

Publication prepared by GG Date 10-12-88 Published in Press-Tribune

Publication approved RK Date 11-3-88 10/19 & 10/26/88

### ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 02-7429, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 19 91.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

Water shall not be diverted under this permit unless the flow of the Snake River exceeds established downstream minimum stream flows.

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 16<sup>th</sup> day of December, 1988.

J. Glen Saxton

**MICROFILMED**

JAN 05 1989

Department of Water Resources  
Western Regional Office

**STATE OF IDAHO            )**  
**County of Canyon         ) ss.**

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily, (except Saturday) newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper  
Two times  
in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:  
October 20, 27, 1988

Rebra Martin del Campo

Subscribed and sworn to before me this 27th day of October 19 88

James Lusk  
Notary Public, Residing at Nampa, Idaho

MY COMMISSION EXPIRES  
JULY 12th, 1991

WFO  
The following applications have been filed for permits to the public waters of the State of Idaho:  
05-2225  
JMC  
ENSLEY, JOAN  
ENSLEY, WAYNE  
RT. 4 BOX 474  
SALEWA, ID-83405  
Source: SHAKE RIVER  
Tributary: COOKS RIVER  
Diversion: 81 LOT 6 (SENEE)  
Sec 17 T 6 N  
Use: IRRIGATION (1.0 CFS)  
Date Filed: 05/22/1968  
In: T10N 24N S4E Lot 6 (SENEE)  
0.8 ACRE TOTAL  
05-1973  
ENSLEY, WILLIAM  
ENSLEY, PATIENCE  
05-1974  
05-1975  
05-1976  
05-1977  
05-1978  
05-1979  
05-1980  
05-1981  
05-1982  
05-1983  
05-1984  
05-1985  
05-1986  
05-1987  
05-1988  
05-1989  
05-1990  
05-1991  
05-1992  
05-1993  
05-1994  
05-1995  
05-1996  
05-1997  
05-1998  
05-1999  
05-2000  
05-2001  
05-2002  
05-2003  
05-2004  
05-2005  
05-2006  
05-2007  
05-2008  
05-2009  
05-2010  
05-2011  
05-2012  
05-2013  
05-2014  
05-2015  
05-2016  
05-2017  
05-2018  
05-2019  
05-2020  
05-2021  
05-2022  
05-2023  
05-2024  
05-2025  
05-2026  
05-2027  
05-2028  
05-2029  
05-2030  
05-2031  
05-2032  
05-2033  
05-2034  
05-2035  
05-2036  
05-2037  
05-2038  
05-2039  
05-2040  
05-2041  
05-2042  
05-2043  
05-2044  
05-2045  
05-2046  
05-2047  
05-2048  
05-2049  
05-2050  
05-2051  
05-2052  
05-2053  
05-2054  
05-2055  
05-2056  
05-2057  
05-2058  
05-2059  
05-2060  
05-2061  
05-2062  
05-2063  
05-2064  
05-2065  
05-2066  
05-2067  
05-2068  
05-2069  
05-2070  
05-2071  
05-2072  
05-2073  
05-2074  
05-2075  
05-2076  
05-2077  
05-2078  
05-2079  
05-2080  
05-2081  
05-2082  
05-2083  
05-2084  
05-2085  
05-2086  
05-2087  
05-2088  
05-2089  
05-2090  
05-2091  
05-2092  
05-2093  
05-2094  
05-2095  
05-2096  
05-2097  
05-2098  
05-2099  
05-2100  
05-2101  
05-2102  
05-2103  
05-2104  
05-2105  
05-2106  
05-2107  
05-2108  
05-2109  
05-2110  
05-2111  
05-2112  
05-2113  
05-2114  
05-2115  
05-2116  
05-2117  
05-2118  
05-2119  
05-2120  
05-2121  
05-2122  
05-2123  
05-2124  
05-2125  
05-2126  
05-2127  
05-2128  
05-2129  
05-2130  
05-2131  
05-2132  
05-2133  
05-2134  
05-2135  
05-2136  
05-2137  
05-2138  
05-2139  
05-2140  
05-2141  
05-2142  
05-2143  
05-2144  
05-2145  
05-2146  
05-2147  
05-2148  
05-2149  
05-2150  
05-2151  
05-2152  
05-2153  
05-2154  
05-2155  
05-2156  
05-2157  
05-2158  
05-2159  
05-2160  
05-2161  
05-2162  
05-2163  
05-2164  
05-2165  
05-2166  
05-2167  
05-2168  
05-2169  
05-2170  
05-2171  
05-2172  
05-2173  
05-2174  
05-2175  
05-2176  
05-2177  
05-2178  
05-2179  
05-2180  
05-2181  
05-2182  
05-2183  
05-2184  
05-2185  
05-2186  
05-2187  
05-2188  
05-2189  
05-2190  
05-2191  
05-2192  
05-2193  
05-2194  
05-2195  
05-2196  
05-2197  
05-2198  
05-2199  
05-2200  
05-2201  
05-2202  
05-2203  
05-2204  
05-2205  
05-2206  
05-2207  
05-2208  
05-2209  
05-2210  
05-2211  
05-2212  
05-2213  
05-2214  
05-2215  
05-2216  
05-2217  
05-2218  
05-2219  
05-2220  
05-2221  
05-2222  
05-2223  
05-2224  
05-2225  
05-2226  
05-2227  
05-2228  
05-2229  
05-2230  
05-2231  
05-2232  
05-2233  
05-2234  
05-2235  
05-2236  
05-2237  
05-2238  
05-2239  
05-2240  
05-2241  
05-2242  
05-2243  
05-2244  
05-2245  
05-2246  
05-2247  
05-2248  
05-2249  
05-2250  
05-2251  
05-2252  
05-2253  
05-2254  
05-2255  
05-2256  
05-2257  
05-2258  
05-2259  
05-2260  
05-2261  
05-2262  
05-2263  
05-2264  
05-2265  
05-2266  
05-2267  
05-2268  
05-2269  
05-2270  
05-2271  
05-2272  
05-2273  
05-2274  
05-2275  
05-2276  
05-2277  
05-2278  
05-2279  
05-2280  
05-2281  
05-2282  
05-2283  
05-2284  
05-2285  
05-2286  
05-2287  
05-2288  
05-2289  
05-2290  
05-2291  
05-2292  
05-2293  
05-2294  
05-2295  
05-2296  
05-2297  
05-2298  
05-2299  
05-2300  
05-2301  
05-2302  
05-2303  
05-2304  
05-2305  
05-2306  
05-2307  
05-2308  
05-2309  
05-2310  
05-2311  
05-2312  
05-2313  
05-2314  
05-2315  
05-2316  
05-2317  
05-2318  
05-2319  
05-2320  
05-2321  
05-2322  
05-2323  
05-2324  
05-2325  
05-2326  
05-2327  
05-2328  
05-2329  
05-2330  
05-2331  
05-2332  
05-2333  
05-2334  
05-2335  
05-2336  
05-2337  
05-2338  
05-2339  
05-2340  
05-2341  
05-2342  
05-2343  
05-2344  
05-2345  
05-2346  
05-2347  
05-2348  
05-2349  
05-2350  
05-2351  
05-2352  
05-2353  
05-2354  
05-2355  
05-2356  
05-2357  
05-2358  
05-2359  
05-2360  
05-2361  
05-2362  
05-2363  
05-2364  
05-2365  
05-2366  
05-2367  
05-2368  
05-2369  
05-2370  
05-2371  
05-2372  
05-2373  
05-2374  
05-2375  
05-2376  
05-2377  
05-2378  
05-2379  
05-2380  
05-2381  
05-2382  
05-2383  
05-2384  
05-2385  
05-2386  
05-2387  
05-2388  
05-2389  
05-2390  
05-2391  
05-2392  
05-2393  
05-2394  
05-2395  
05-2396  
05-2397  
05-2398  
05-2399  
05-2400  
05-2401  
05-2402  
05-2403  
05-2404  
05-2405  
0

**MICROFILMED**

**JAN 05 1989**

July 22, 1992

JOAN ENSLEY  
WAYNE ENSLEY  
20109 MARSING RD  
CALDWELL ID 83605

RE: WATER RIGHT NO. 02-07429

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS  
Water Resource Agent

PS:cz


Enclosure

RECEIVED  
JUL 29 1992

# ANGE N° 4 WEST, OF THE BOISE MERID

T 02 North

WEST 46.50 20.27 13.75



STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
**BENEFICIAL USE FIELD REPORT**

**A. GENERAL INFORMATION**


Permit No. 02-07429  
Phone No. 454-0035  
1. Owner: Wayne & Jean Easley  
Current Address: Rt. 4, Box 474 Caldwell, ID 83605  
2. Accompanied by: Wayne EXAM. DATE: 7-15-91  
Address: same Phone No. same  
Relationship to Permit Holder: owner  
3. Source: Snake River tributary to \_\_\_\_\_

**B. OVERLAP REVIEW**

1. Other water rights with same place of use: Other water rights are either father or his. 63-10717, 02-07430, 02-07339 ☐ Copies Attached  
2. Other water rights with same point of diversion: same ☐ Copies Attached ☐ Copies of Field Exam's Attached

**C. SYSTEM DESCRIPTION**

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = \_\_\_\_\_

2. ☐ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).  
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).  
☐ Aerial Photo Attached (required for irrigation of 10 acres or more).  
JUL 29 1992

**System Description (continued)**

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

This system is used directly for a Oasis field, but is a backup to 6 other acres. The system pulls from the Snake River. The owner uses a 5hp pump. There is a 2" line from pump, up the 30 ft pull up the hill to a 4" line that connects to risers along the field. The owner runs 15 heads at a time and a sprinkler head test was performed with 40psi being the result. The owner also uses risers to irrigate gravel

☒ See Remarks on page 4 for continuation

4.

| Well or Diversion Identification No.* | Motor Make | Hp | Motor Serial No.   | Pump Make | Pump Serial No. or Discharge Size |
|---------------------------------------|------------|----|--------------------|-----------|-----------------------------------|
|                                       | Marathon   | 5  | 111111111111111111 | NA-       | 2"                                |
|                                       |            |    |                    |           |                                   |
|                                       |            |    |                    |           |                                   |
|                                       |            |    |                    |           |                                   |

\*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

| Ident. No. | Gov't. Lot | 1/4 | 1/4 | 1/4 | Sec. | Twp. | Rge. | County | Method of Determination/Remarks |
|------------|------------|-----|-----|-----|------|------|------|--------|---------------------------------|
|            | 6          | SE  | NE  | NE  | 3    | 2N   | 4W   | Canyon | Quads/Ventilation               |
|            |            |     |     |     |      |      |      |        |                                 |
|            |            |     |     |     |      |      |      |        |                                 |
|            |            |     |     |     |      |      |      |        |                                 |

6. Place(s) of Use:

Indicate Method of Determination \_\_\_\_\_

| Twp. | Rge. | Sec. | NE 1/4 |        |        |        | NW 1/4 |        |        |        | SW 1/4 |        |        |        | SE 1/4 |        |        |        | Totals |
|------|------|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
|      |      |      | NE 1/4 | NW 1/4 | SW 1/4 | SE 1/4 | NE 1/4 | NW 1/4 | SW 1/4 | SE 1/4 | NE 1/4 | NW 1/4 | SW 1/4 | SE 1/4 | NE 1/4 | NW 1/4 | SW 1/4 | SE 1/4 |        |
| 2N   | 4W   | 3    | 8      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        | 8      |
|      |      |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |      |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |      |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |      |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |      |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |      |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |      |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |      |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |

**REPROFILMED**

JUL 29 1991

Do not use this space

#### D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

| Measurement Equipment | Type | Make | Model No. | Serial No. | Size | Calib. Date |
|-----------------------|------|------|-----------|------------|------|-------------|
| NONE                  |      |      |           |            |      |             |
|                       |      |      |           |            |      |             |
|                       |      |      |           |            |      |             |
|                       |      |      |           |            |      |             |

2. Measurements:

Theoretical:  $5 \text{ hp} \times 8.8 \times .7 \text{ eff} = 30.8 \div 25$   
 $\rightarrow 30 \text{ dyn} + (2.3 \times 40 \text{ psi}) = 122$   
*owners estimate*  
 Sprinkler test:  $\frac{3}{16}$  heads, 45 psi, 15 sprinklers  $7.03 \times 15 / 448.8 = .24$

#### E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

Theoretical = .25 cfs Sprinkler head .24 cfs

2. Alternate Method for Checking Purposes:

#### F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: \_\_\_\_\_ psi x 2.31 = \_\_\_\_\_ ft (1); Dynamic pumping level: \_\_\_\_\_ ft (2)

Total Head: (1) + (2) = \_\_\_\_\_ (3) ; Flow rate: \_\_\_\_\_ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = \_\_\_\_\_ (5)

Meter Input KW: 3.6 x \_\_\_\_\_ KH x \_\_\_\_\_ CTR or \_\_\_\_\_ MULT x \_\_\_\_\_ PTR x \_\_\_\_\_ N/ \_\_\_\_\_ T = \_\_\_\_\_ (6)

Meter Input HP: (6) x 1.34 = \_\_\_\_\_ (7)

Panel Input KW: \_\_\_\_\_ Ave PF x \_\_\_\_\_ Ave Volts x \_\_\_\_\_ Ave Amps x .001732 = \_\_\_\_\_ (6)

Panel Input HP: (6) x 1.34 = \_\_\_\_\_ (7) Efficiency: (5)/(7) x 100 = \_\_\_\_\_ %

#### G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 230535 + 86625 + 21750 = 338910 / 43500 = 7.8$   
*lowest*

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .16 \times 245 \times 1.9835 = 77.8$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 35 \text{ afd}$

2. Volume Calculations for Other Uses:

MICROFILMED  
JUL 29 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

and dirt area around garage house & shed.

other water rights are fathers, The only water number pertaining to this system is 02-07429.

I. RECOMMENDATIONS

1. Recommended Amounts

| Beneficial Use | Period of Use |      | Rate of Diversion<br>Q (cfs) | Annual Volume<br>V (afa) |
|----------------|---------------|------|------------------------------|--------------------------|
|                | From          | To   |                              |                          |
| IRRIGATION     | 3-5           | 3-15 | .16 cfs                      | or 35 afy                |
|                |               |      |                              |                          |
|                |               |      |                              |                          |
|                |               |      |                              |                          |

Totals: .16 cfs or 35 afy

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

DAVID GRAY

Signature

*David Gray*

Certification Date

7-17-91

Field Report Preparation Date

8-07-91



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

JUL 29 1992

← P10  
P1d

PERMIT 52-07429 INIT *Paul*  
T. R. S. Q/Q  
or 4w 3 *Seneca*

JUL 56


Gravel

22  
JAMES H. MURPHY  
MURPHY 20

01-0-0



from the ground  
 out of the ground  
 in the ground  
 of the property.



from the ground  
 the ground  
 the ground  
 water  
 from the ground

11/11/91

JUL 29 1992

June 8, 1992

JOAN ENSLEY  
WAYNE ENSLEY  
20109 MARSING RD.  
CALDWELL ID 83605

RE: Water Right No. 02-07429

Dear Water Right Holder(s):

On May 19, 1992, the department sent you a letter advising that you might be required to temporarily cease diverting water from the Snake River or its tributaries if the established minimum stream flow of the Snake River in the amount of 4,750 cubic feet per second measured near Weiser is not satisfied or likely will not be satisfied.

The flow of the Snake River at Weiser is now less than 4,750 cfs. You are, therefore, directed to immediately cease diverting water under the above referenced water right and to not resume use until authorized by the department.

Past flow records show that the duration of seasonal low flow periods typically last several days to a week. Since your use of water is extremely important to you and since mail notification includes a delay associated with mail delivery time, feel free to call the toll-free telephone number 1-800-451-4129 to determine when you are again authorized to divert and use water under your water right. Please use this phone number only in connection with resumption of use.

You need to be aware that Section 42-351, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversion.

Thank you for your cooperation in this matter. Please feel free to contact L. Glen Saxton (phone: 208-327-7955) or Gary Spackman (phone: 208-327-7946) of my staff if you have questions.

Sincerely,

R. KEITH HIGGINSON  
Director

JUL 29 1992

June 12, 1992

JOAN ENSLEY  
WAYNE ENSLEY  
20109 MARSING RD.  
CALDWELL ID 83605

RE: Water Right No. 02-07429

Dear Water Right Holder(s):

On June 8, 1992, the department sent you a letter which directed you to immediately cease diverting water under the above referenced water right, since the minimum stream flow of the Snake River in the amount of 4,750 cubic feet per second (cfs) measured near Weiser was not being satisfied.

The flow of the Snake River at Weiser is now above 4,750 cfs. You are, therefore, authorized to again divert water under your water right. If the minimum stream flow is not met later this year, however, the department will again notify you to temporarily cease diversion.

Thank you for your cooperation in this matter. Please feel free to contact L. Glen Saxton (phone: 208-327-7955) or Gary Spackman (phone: 208-327-7946) of my staff if you have questions.

Sincerely,

R. KEITH HIGGINSON  
Director

RECEIVED  
JUL 29 1992

May 19, 1992

JOAN ENSLEY  
WAYNE ENSLEY  
20109 MARSING RD.  
CALDWELL ID 83605

RE: Water Right No. 02-07429

Dear Water Right Holder(s):

Department water right records show that you divert water from the Snake River or its tributaries under a water right that has a priority date later than December 29, 1976. This is the priority of the established minimum stream flow of the Snake River at the Weiser Gage (Weiser) in the amount of 4,750 cubic feet per second.

Because of the continuing drought conditions in the Snake River Basin, department hydrologists project that during 1992, there could be periods when the required minimum flow will not be satisfied due to low flows of the Snake River. The department urges you to not divert at a higher rate than authorized by your water right and to not use your right in any manner different than authorized. In addition, when the minimum flow will not be satisfied or is not being satisfied, you are required to cease diverting water under your water right, because your right is of later priority than the minimum stream flow at Weiser.

If the department determines the minimum flow will not be satisfied, the department will advise you and will provide as much lead time as possible in requiring that you temporarily cease your diversion of water. The greatest likelihood for this to occur is during a period from mid-June to late June.

While the department expects good cooperation from junior water right holders, water users should be aware that Section 42-352, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversions of water.

The department has contacted both the Idaho Power Company and the U.S. Bureau of Reclamation with respect to the timing of storage releases from upstream reservoirs for flow enhancement

RECEIVED  
JUL 28 1992

purposes. This type of coordination could minimize the impact on existing water users and reduce the need to curtail diversions.

The department has scheduled public information meetings relative to this potential regulation as follows:

Mountain Home - June 4, 1992 - 10:00 a.m. - gymnasium at  
North Elementary School, 290 E. 12th N.

Caldwell - June 4, 1992 - 7:00 p.m. - Ballroom in the  
Student Union Building, Albertson College of Idaho,  
2112 Cleveland

If you have questions concerning this letter or wish to provide the name of a different contact person or address to receive department correspondence, please contact the department.

Sincerely,

L. GLEN SAXTON  
Chief, Water Allocation Bureau

LGS:klg

29 1992

November 23, 1990

JOAN ENSLEY  
WAYNE ENSLEY  
RT. 4 BOX 474  
CALDWELL, ID 83605

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 02-07429

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck  
Secretary/Records Manager

c: IDWR - Region

**MICROFILMED**  
DEC 07 1990

**RECEIVED**  
NOV 5 1990

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
**PROOF OF BENEFICIAL USE**

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 02-07429 Telephone No. 459-2752

2. Name(s) of Permit Holder(s): Wayne & Joan Ensley

3. Post Office Address: 20109 Marsing Rd.

4. Source of Water: Snake River

a. If ground water, well driller's name: — Date drilled: —

b. Pump horsepower: 5 Pressure (psi): — Dynamic pumping level (ft.): —

5. Extent of Use:

Domestic — (No. of households) Irrigation 6 (No. of acres)

Stockwater — (No. and type of stock) Other —

6. Total rate and/or volume for which proof is submitted .16 cfs — acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? — Yes X No Installed? — Yes — No

OR

Flow Measurement Port: Required? — Yes X No Installed? — Yes — No

8. Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Name

WAYNE ENSLEY  
20109 MARSING RD.  
CALDWELL, ID 83605

Telephone No.

Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

**NOT FILMED**

Date



Nov 2, 1990

Signature (and title if on behalf of a company or organization)

Wayne Ensley

DEC 07 1990

WAYNE ENSLEY  
20100 MARSH RD.  
CALDWELL, ID 83605



*Dept of Water Resources  
1301 North Orchard St  
Boise Idaho 83706*

138537

October 31, 1990

JOAN ENSLEY  
WAYNE ENSLEY  
20109 MARSING RD.  
CALDWELL, ID 83605

PROOF DUE NOTICE

RE: PERMIT NO. 02-07429

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck  
Secretary/Records Manager

Enclosures

**MICROFILMED**  
DEC 07 1990

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
COMMENCEMENT OF WORKS

Permit No. 02-07429  
Name(s) of Permit Holder(s): WAYNE ENSLEY  
Post Office Address: 20109 MARSING Rd.  
CALDWELL ID 83605 459-2752


- ☒ I hereby certify that construction of diversion works for the above referenced permit began on SEPT 1989 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.
- ☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control\*:

\*Note: A financing difficulty is not an acceptable reason.

DEC 3 1989  
Date

Wayne Ensley  
Signature of Permit Holder

Wayne Ensley  
20109 Marsing Rd  
Caldwell, ID 83



**RECEIVED**

DEC 7 1989



**MICROFILMED**

DEC 07 1990

Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES  
STATEHOUSE  
BOISE, IDAHO 83720

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES

Statehouse  
Boise, Idaho 83720  
(208) 334-7900  
December 21, 1988

JOAN ENSLEY  
WAYNE ENSLEY  
RT. 4 BOX 474  
CALDWELL, ID 83605

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 02-07429

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

The information available to us at this time does not warrant refusing to issue you a permit but does merit cautioning you that any permit issued by the Department cannot deprive water users, with earlier rights, of their water supply.

The reason for conditioning the permit and explaining the potential interference problem is to make you aware that future tests may definitely show that diversion of water from your well should be administered together with the older surface water priorities of the river and its tributaries. If this were to occur, it would essentially mean that there would not be water available for a diversion from your well since the surface water system is fully appropriated. By locating your well as far from the river as possible and by casing out upper water producing zones as the well is constructed, you may be able to reduce the amount of interference with the river.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of

**MICROFILMED**

JAN 05 1989

Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor  
Water Rights Permits Section

GS: SC  
Enclosures

**MICROFILMED**

JAN 30 1989

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCE  
Western Region  
2735 AIRPORT WAY

---

Boise, Idaho 83705  
(208) 334-2190

OCTOBER 12, 1988

Press-Tribune  
P.O. Box 9399  
Nampa, ID 83652

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before NOVEMBER 7, 1988.

Yours truly,

JUDY PENSE  
Secretary

Encl.

RECEIVED

JAN 05 1989

*press - Tribune*

02-07429

ENSLEY, JOAN  
ENSLEY, WAYNE  
RT. 4 BOX 474  
CALDWELL, ID 83605

Source: SNAKE RIVER

Tributary: COLUMBIA RIVER

Diversion Pt: LOT 6 (SENE) Sec 3 T 02N R 04W

Use: IRRIGATION ( .160 CFS)

Date Filed: 9/30/1988

In: T02N R04W S03 Lot 6 (NENE)

8.0 ACRES TOTAL

**MICROFILMED**  
JAN 05 1989