


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Roger Watson
 (Applicant)
 Katie Lyle

MICROFILMED

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following applications have
been filed to appropriate the public
waters of the State of Idaho:

02-7417 ✓ 39

WATSON, ROGER
FITE, KATIE
RT. 4 BOX 466, CALDWELL, ID
83605

Source: SNAKE RIVER trib. to
COLUMBIA RIVER
Date Filed: May 24, 1985
Diversion Pt: LOT 06 (SWNW) Sec
02 T 02N R 04W

Use: IRRIGATION (0.14 CFS)
DOMESTIC (0.04 CFS)
In: LOT 06 (SWNW) Sec 02 T 02N
R 04W FOR 7 ACRES

63-10297

OBENDORF, GREG
2106 ALMADEN DR., MERIDIAN,
ID 83642

Source: GROUNDWATER
Date Filed: May 23, 1985
Diversion Pt: NWNW Sec 32 T 05N
R 05W

Use: IRRIGATION (4.00 CFS)
In: NENW NWNW SWNW SENW
Sec 32 T 05N R 05W NESW
NWSW SWSW SESW Sec 29 T
05N R 05W FOR 320 ACRES

The permits will be subject to all
prior water rights. Protests must
be filed with the Director, Dept. of
Water Resources, Western Region,
Statehouse, Boise, Idaho 83720 on
or before JUNE 24, 1985.

KEN DUNN
Director
June 6, 13, 1985

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) ss.
County of Canyon)

Dorothy Hyslop

of Nampa, Canyon County, Idaho, being first duly sworn, deposes
and says:

1. That I am a citizen of the United States of America, and at all
times hereinafter mentioned was over the age of eighteen years,
and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a
daily, (except Saturday) newspaper published in the City of Nampa
and Caldwell, in the County of Canyon, State of Idaho; that the said
newspaper is in general circulation in the said County of Canyon,
and in the vicinity of Nampa and Caldwell, and has been uninter-
ruptedly published in said County during a period of seventy-eight
consecutive weeks prior to the first publication of the notice, a copy
of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was
published in said newspaper

Two times

in the regular and entire issue of said paper, and was printed in
the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

June 6, 13, 1985

Dorothy Hyslop
Subscribed and sworn to before me this
13th day of June


Janet Gusk
Notary Public, Residing at Nampa, Idaho

RECEIVED
JUN 14 1985

Department of Water Resources
Western Regional Office

MY COMMISSION EXPIRES
JULY 12th, 1985

MICROFILMED





BERKELEY SHP PUMP
BZXGKHS

3" suction PIPE IN
SNAKE RIVER

MICROFILMED

SEP 9 1992





DOMESTIC
AREA



BARN
AREA

MICROFILMED

SEP 09 1992



METHOD FOR IRRIG.-
PIPE + GRAVITY FLOW



PLANTED
VEGETATION

CHICKENS +
FRUIT TREES

MICROFILMED

SEP 09 1992





WILD GRASS +
PASTURE



PLANTED
PINE TREES
+ MISC.
BUSHES




PLANTED SAGEBRUSH
PLOTS

UNPROCESSED

SEP 09 1992

COMPOSITE PLAT OF
4 WEST, OF THE BOISE MER



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 02-07417

Priority: May 24, 1985

Maximum Diversion Rate: 0.14 CFS
Maximum Diversion Volume: 22.5 AF

This is to certify, that KATIE FITE
ROGER WATSON

RT 4 BOX 466
CALDWELL ID 83605

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 24, 1985; and has submitted Proof of Beneficial Use on March 19, 1990. An examination indicates that the works have a diversion capacity of .220 cfs of water from:

SNAKE RIVER tributary to COLUMBIA RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.14 CFS	22.5 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 6(SWNW), Sec. 2, Township 02N, Range 04W
CANYON County

<u>PLACE OF USE:</u>	<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
IRRIGATION	02N	04W	2	Lot 6(SWNW)	5		5

Total number of acres irrigated: 5

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Water shall not be diverted under this right unless the flow of the Snake River exceeds established downstream minimum stream flows.

MICROFILMED

SEP 09 1992

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 02-07417

CONDITIONS/REMARKS:

6. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 10TH day of AUGUST, 1992.

Acting for  R. Keith Higginson, Director

MICROFILMED
SEP 09 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant ROGER WATSON & OR KATIE FITE Phone 459-1038
Post office address RT. 4, Box 466, CALDWELL, ID 83605
2. Source of water supply SNAKE RIVER which is a tributary of COLUMBIA R.
3. Location of point of diversion is GOUT. LOT 6 SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 2 Township 2N
Range 4W B.M. CANYON County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

- Amount 0.04 for DOMESTIC purposes from JAN. 1 to DEC. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.14 for IRRIGATION purposes from MAR. 15 to NOV. 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

- a. 0.18 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc. PUMP w/ PIPELINE TO
PLACE OF USE.
b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____
Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

- a. If water is **not** for irrigation: GOUT. LOT 6
(1) Give the place of use of water: SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 2 Township 2N
Range 4W B.M.
(2) Amount of power to be generated: _____ horsepower under _____ feet of head.
(3) List number of each kind of livestock to be watered _____
(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water 1.
(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:


Total number of acres to be irrigated 2

IRK. DISTRICT.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Roger Watson
 (Applicant)
 Robert L. Lyle

MICROFILMED

Proposed Priority 5/24/85

MICROFILMED

Received by JG Date 5/24/85 Time 3:00 P.M.
Preliminary check by JG Fee \$ 30.00 # 36067
Receipted by JG Date 5/24/85
Publication prepared by jp Date 5/30/85
Published in Press-Tribune
Publication dates 6/6 & 6/13/85
Publication approved JP Date 6/17/85
Protests filed by: none

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by DBS kw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 02-7417, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 90.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
Water shall not be diverted under this permit unless the flow of the Snake River exceeds established downstream minimum stream flows.

Witness my hand this 27th day of August, 1985.

A. Glen Saxton
Chief, Operations Bureau



AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) ss.
County of Canyon)

Dorothy Hyslop

of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily, (except Saturday) newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Two times

in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

June 6, 13, 1985

Dorothy Hyslop
Subscribed and sworn to before me this 13th
day of June

Janet Gush
Notary Public, Residing at Nampa, Idaho

RECEIVED
JUN 14 1985

Department of Water Resources
Western Regional Office

MY COMMISSION EXPIRES
JULY 12th, 1985

MICROFILMED

August 13, 1992

KATIE FITE
ROGER WATSON
RT 4 BOX 466
CALDWELL ID 83605

RE: WATER RIGHT NO. 02-07417

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED
SEP 09 1992

July 20, 1992

KATIE FITE
ROGER WATSON
RT 4 BOX 466
CALDWELL ID 83605

RE: WATER RIGHT NO. 02-07417

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

MICROFILMED
SEP 09 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 02-07417

1. Owner: ROGER WATSON +/OR KATIE FITE

Phone No. 459-1038

Current Address: RT 4 BOX 466, CALDWELL ID 83605

2. Accompanied by: ROGER (OWNER)

EXAM. DATE: 4/6/92

Address: SAME

Phone No. _____

Relationship to Permit Holder: _____

3. Source: SNAKE RIVER tributary to COLUMBIA RIVER

B. OVERLAP REVIEW

1. Other water rights with same place of use: 02-07366

☐ Copies Attached



2. Other water rights with same point of diversion: 02-07366

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

SEP 09 1992

Scale: 1" = NOT TO SCALE

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A 5HP Berkeley pump pumps water from Snake R. to acres irrigated through a 3" discharge pipe. The 5 acres are irrigated on a rotation basis by means of pipe and gravity flow. The acres are irrigated for wildlife habitat and miscellaneous irrigation (etc. fruit trees, garden).

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		5	BZXGKHS	BERKELEY	3"

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	6		SW	NW	2	2N	4W	CANYON	ORTHO PHOTO

6. **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
2N	4W	2							46 5										5

MICROFILMED

SEP 09 1992

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
5 GAL. BUCKET						

2. Measurements:

$$\frac{5 \text{ gal} \times 60 \text{ sec}}{3.08} = 97.4 \text{ GPM} \quad A \frac{298.1}{3} = 99.4 \text{ GPM} = 1.22 \text{ cfs}$$

$$\frac{5 \text{ gal} \times 60 \text{ sec}}{2.97} = 101.0 \text{ GPM}$$

$$\frac{5 \text{ gal} \times 60 \text{ sec}}{3.01} = 99.7 \text{ GPM}$$

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: $\frac{5 \text{ HP} \times 8.8 \times .7}{20} = 1.54 \text{ cfs}$
 THEO :

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 5 \times 4.5 = 22.5 \text{ AFA}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .14 \times 246 \times 1.9835 = 68.3 \text{ AFA}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 22.5 \text{ AFA}$$

2. Volume Calculations for Other Uses:

RECEIVED

SEP 09 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Bucket measurement supported by theoretical. Can allow .03 cfs/acre since 5 acres irrigation was calculated, however permit limits amount to .14 cfs. Well, A63-21487, used for internal domestic and can be used on fruit trees and garden area (< 1/2 acre). Wilder Dring. Dist water also used on 5 acres.

The 5 acres habitat was recognized as beneficial use because a lot of the vegetation was planted and not part of the original natural habitat.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3/15	11/15	.14	22.5
Totals:			.14	22.5

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other


J. AUTHENTICATION

Field Examiner's Name LORE GRAVES

Signature Lori Graves

Cyt 4/30/92 Certification Date _____

Field Report Preparation Date _____



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

NOTED

SEP 09 1992





BERKELEY SHP PUMP
BZXGKHS

3" SUCTION PIPE IN
SNAKE RIVER




MIODOR

SEP 9 1992



DOMESTIC
AREA




BARN
AREA

RECEIVED

SEP 09 1992



METHOD FOR IRRIG.-
PIPE + GRAVITY FLOW



PLANTED
VEGETATION

CHICKENS +
FRUIT TREES



RECORDED

SEP 09 1992



WILD GRASS +
PASTURE



PLANTED
PINE TREES
+ MISC.
BUSHES

PLANTED SAGEBRUSH
PLOTS

REPRODUCED

SEP 09 1992



June 8, 1992

ROGER WATSON
RT. 4 BOX 466
CALDWELL ID 83605

RE: Water Right No. 02-07417

Dear Water Right Holder(s):

On May 19, 1992, the department sent you a letter advising that you might be required to temporarily cease diverting water from the Snake River or its tributaries if the established minimum stream flow of the Snake River in the amount of 4,750 cubic feet per second measured near Weiser is not satisfied or likely will not be satisfied.

The flow of the Snake River at Weiser is now less than 4,750 cfs. You are, therefore, directed to immediately cease diverting water under the above referenced water right and to not resume use until authorized by the department.

Past flow records show that the duration of seasonal low flow periods typically last several days to a week. Since your use of water is extremely important to you and since mail notification includes a delay associated with mail delivery time, feel free to call the toll-free telephone number 1-800-451-4129 to determine when you are again authorized to divert and use water under your water right. Please use this phone number only in connection with resumption of use.

You need to be aware that Section 42-351, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversion.

Thank you for your cooperation in this matter. Please feel free to contact L. Glen Saxton (phone: 208-327-7955) or Gary Spackman (phone: 208-327-7946) of my staff if you have questions.

Sincerely,

R. KEITH HIGGINSON
Director

MICROFILMED

SEP 09 1992

June 12, 1992

KATIE FITE
RT 4 BOX 466
CALDWELL ID 83605

RE: Water Right No. 02-07417

Dear Water Right Holder(s):

On June 8, 1992, the department sent you a letter which directed you to immediately cease diverting water under the above referenced water right, since the minimum stream flow of the Snake River in the amount of 4,750 cubic feet per second (cfs) measured near Weiser was not being satisfied.

The flow of the Snake River at Weiser is now above 4,750 cfs. You are, therefore, authorized to again divert water under your water right. If the minimum stream flow is not met later this year, however, the department will again notify you to temporarily cease diversion.

Thank you for your cooperation in this matter. Please feel free to contact L. Glen Saxton (phone: 208-327-7955) or Gary Spackman (phone: 208-327-7946) of my staff if you have questions.

Sincerely,

R. KEITH HIGGINSON
Director

MICROFILMED

SEP 09 1992

June 12, 1992

ROGER WATSON
RT. 4 BOX 466
CALDWELL ID 83605

RE: Water Right No. 02-07417

Dear Water Right Holder(s):

On June 8, 1992, the department sent you a letter which directed you to immediately cease diverting water under the above referenced water right, since the minimum stream flow of the Snake River in the amount of 4,750 cubic feet per second (cfs) measured near Weiser was not being satisfied.

The flow of the Snake River at Weiser is now above 4,750 cfs. You are, therefore, authorized to again divert water under your water right. If the minimum stream flow is not met later this year, however, the department will again notify you to temporarily cease diversion.

Thank you for your cooperation in this matter. Please feel free to contact L. Glen Saxton (phone: 208-327-7955) or Gary Spackman (phone: 208-327-7946) of my staff if you have questions.

Sincerely,

R. KEITH HIGGINSON
Director

NOT RECORDED

SEP 09 1992

May 19, 1992

ROGER WATSON
RT. 4 BOX 466
CALDWELL ID 83605

RE: Water Right No. 02-07417

Dear Water Right Holder(s):

Department water right records show that you divert water from the Snake River or its tributaries under a water right that has a priority date later than December 29, 1976. This is the priority of the established minimum stream flow of the Snake River at the Weiser Gage (Weiser) in the amount of 4,750 cubic feet per second.

Because of the continuing drought conditions in the Snake River Basin, department hydrologists project that during 1992, there could be periods when the required minimum flow will not be satisfied due to low flows of the Snake River. The department urges you to not divert at a higher rate than authorized by your water right and to not use your right in any manner different than authorized. In addition, when the minimum flow will not be satisfied or is not being satisfied, you are required to cease diverting water under your water right, because your right is of later priority than the minimum stream flow at Weiser.

If the department determines the minimum flow will not be satisfied, the department will advise you and will provide as much lead time as possible in requiring that you temporarily cease your diversion of water. The greatest likelihood for this to occur is during a period from mid-June to late June.

While the department expects good cooperation from junior water right holders, water users should be aware that Section 42-352, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversions of water.

The department has contacted both the Idaho Power Company and the U.S. Bureau of Reclamation with respect to the timing of storage releases from upstream reservoirs for flow enhancement purposes. This type of coordination could minimize the impact on

MICROFILMED

SEP 09 1992

existing water users and reduce the need to curtail diversions.

The department has scheduled public information meetings relative to this potential regulation as follows:

Mountain Home - June 4, 1992 - 10:00 a.m. - gymnasium at
North Elementary School, 290 E. 12th N.

Caldwell - June 4, 1992 - 7:00 p.m. - Ballroom in the
Student Union Building, Albertson College of Idaho,
2112 Cleveland

If you have questions concerning this letter or wish to provide the name of a different contact person or address to receive department correspondence, please contact the department.

Sincerely,

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:klg

MICROFILMED

SEP 09 1992

April 19, 1990

KATIE FITE
ROGER WATSON
Rt. 4 Box 466
Caldwell, ID 83605

PROOF ACKNOWLEDGEMENT LETTER

RE: PERMIT NO. 02-7417

This office acknowledges receipt of the assignment conveying the above referenced permit to you. The assignment has been entered into the department's records. A copy of the permit is enclosed for your information.

The department received the proof of beneficial use form. The next step for the department to conduct the field inspection to confirm and determine the extent of beneficial use. I cannot tell just when the representative from our Western Regional office will conduct the exam, but he will try to contact prior to being in the area.

If you have questions, please contact me.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

c: region

MICROFILMED

MAY 16 1990

RECEIVED
MAR 19 1990

For Office Use Only
Amt. of Fee \$ 50
Date 3/14/90
Receipt No. W010971
Received by BAJ

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 02-07417 Telephone No. 459 1038

Name(s) of Permit Holder(s): Fite, KATIE or Watson, Rodger

Post Office Address: Rt 4 Box 466, Caldwell ID 83605

Source of Water: SNAKE RIVER

If ground water, well driller's name: _____ Date drilled: _____

Extent of Use:
Domestic 1 (No. of households) Irrigation 7 (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted .18 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: _____

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes No Installed? Yes No

OR

Flow Measurement Port: Required? Yes No Installed? Yes No

Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Katie Fite or Rodger Watson 459 1038
Name Telephone No.

Rt 4 Box 466 Caldwell, Idaho 83605
Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

RECEIVED

MAY 16 1990

3/14/90 Katie Fite
Date Signature (and title if on behalf of a company or organization)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 02-7417
Name(s) of Permit Holder(s): Roger Watson or Katie Fite
Post Office Address: RF4 Box 466 Caldwell, ID 83605
Tel. 59-1038


- ☒ I hereby certify that construction of diversion works on the above referenced permit began on _____ (date) . . . I understand that I must continue to develop the water system with due diligence to maintain a valid permit.
- ☐ I hereby certify that construction of diversion works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

5/31/86
Date

Roger Watson
Signature of Permit Holder

Watson
Rt4 Box 466
Caldwell, ID 83605



MICROFILMED

MAY 16 1990

RECEIVED

IDAHO DEPARTMENT OF WATER RESOURCES
JUN 3 1988 STATEHOUSE
BOISE, IDAHO 83720

Department of Water Resources

August 28, 1985

RE: Permit 02-7417

Roger Watson or
Katie Fite
Rt. 4, Box 466
Caldwell, ID 83605

Dear Permit Holder:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

Note also that water shall not be diverted under this permit unless the flow of the Snake River exceeds established downstream minimum stream flows. In addition, there are many applications for permit for the use of Snake River water that are prior to your permit. These applications have been filed for the irrigation of lands that the applicants are attempting to obtain under the Federal Land laws such as Desert Entry and Carey Act. If these lands are developed, and if the established minimum stream flows are maintained, then no water would be available for this permit. Therefore, you should carefully consider these facts before making any expenditures for the construction of your system.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.


Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc
Enclosures

MICROFILMED

WEST, OF THE BOISE MER



02-7417

WATSON, ROGER
FITE, KATIE

RT. 4 BOX 466, CALDWELL, ID 83605

Source: SNAKE RIVER trib. to COLUMBIA RIVER

Date Filed: 05/24/1985

Diversion Pt: LOT 06 (SWNW) Sec 02 T 02N R 04W

Use: IRRIGATION	(0.14 CFS)
DOMESTIC	(0.04 CFS)

In: LOT 06 (SWNW) Sec 02 T 02N R 04W FOR 7 ACRES

MICROFILMED