


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.


BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

MAR 26 1990

[Signature]
(Applicant)

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Baldor	7.5	F589	Centr. Berkeley	B58145 1 1/2" 2" Intake


*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: 36 head, 9/64 nozzles press ^{top} 50 1/2 52 bottom



EXISTING
ACRES (3)

5 ac
Planimeter
6/18/96
cyl 9 1022

EXISTING
NOT IRR.
(.8)

TE/SE

36	31
6	

PERMIT AC.
UNDER INDIAN
ZONE

NEW
ACRES
(2)


8	12
6 5	


02-7400

801
T654

801
T682

90





P/D



P/u
view to west
lower field
near river



P/u
view to west
upper field
near highway

02-7400

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 02-07400

Proposed Priority: June 16, 1983 Maximum Diversion Rate: 0.30 CFS

This is to certify, that **DANIEL J. AYARRA**
200 CLEAR CREEK
MERIDIAN, ID 83642

has applied for a permit to appropriate water from:

SNAKE RIVER tributary of **COLUMBIA RIVER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	03/15 to 11/15	0.30 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: LOT 3(NENW), Sec. 6, Township 06S, Range 08E
OWYHEE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
06S	08E	6	LOT 3(NENW) 5	LOT 4(NWNW) 10		15

Total number of acres irrigated: 15

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **April 1, 1991**.
2. Subject to all prior water rights.
3. Water shall not be diverted under this permit unless the flow of the Snake River exceeds prior rights and established downstream minimum stream flows.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

19th day of March, 1990.

for 
R. Keith Higginson, Director

MICROFILMED

MAR 26 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant DANIEL J. AYARRA Phone 208 8883348
Post office address 200 CLEAR CREEK MERIDIAN IDAHO 83642
2. Source of water supply SNAKE RIVER which is a tributary of COLUMBIA RIVER
3. Location of point of diversion is LOT 3 (NEW) $\frac{1}{4}$ of 6 $\frac{1}{4}$ of Section 6 Township 6S
Range 8E B.M. OWYHEE County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.3 cfs for irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.3 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. pump, pipe & sprinklers

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

MAR 26 1990

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
6S	8E	6					5	10											15
							Lot 3	Lot 4											

* kw 3/5/90

Total number of acres to be irrigated 15

c. Describe any other water rights used for the same purposes as described above. NONE

9. a. Who owns the property at the point of diversion APPLICANT

b. Who owns the land to be irrigated or place of use APPLICANT


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

MICROFILMED

MAR 26 1990

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

MAR 26 1990

David M. Myers
(Applicant)

Received by JSR Date 6/16/83 Time 4:20 PM.
Preliminary check by _____ Fee \$ 45⁰⁰/₁₀₀
Receipted by JSR Date 6/16/83 # 31053
Publication prepared by JP Date 2/3/84
Published in Owyhee Nugget
Publication dates 12/6 + 12/13/89
Publication approved ll Date 1-19-90
Protests filed by: none

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by DA

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

MICROFILMED

MAR 26 1990

Dept. of Water Resources

THE OWYHEE AVALANCHE

P.O. BOX 97 • HOMEDALE, ID 83628 • 208/337-4681

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
)ss
COUNTY OF OWYHEE)

I, Joe E. Aman, being first duly sworn, depose and say:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was and now over the age of twenty-one years, not a party to nor interested in the proceedings hereinafter mentioned.

2. That during the time of the publication of the notice hereinafter mentioned, I was and now am the publisher of **The Owyhee Avalanche**, a newspaper of general circulation printed and published weekly, on Wednesday of each and every week, in the City of Homedale, County of Owyhee and State of Idaho.

3. That the said **The Owyhee Avalanche** has been printed and published continuously and uninterruptedly in said County during a period of more than seventy-eight weeks prior to the first publication of the attached notice.

4. That said notice of which a printed copy, taken from said newspaper, is hereto affixed, was published in the regular issue thereof, and not a supplement thereto, in said

newspaper, in Two (2)

(consecutive) calendar weekly issue(s) of said newspaper, in the following date(s):

Dec 6, 1989
Dec 13, 1989

MICROFILMED

MAR 26 1990

Signed

Joe E. Aman

Subscribed and sworn to before me this

13th day of

Dec

A.D., 1989

Olivia Aman Patrick

Notary Public in and for the State of Idaho
Residing at Nampa, Idaho
Commission expires October 1990

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

02-07399

J.R. SIMPLOT CO.

SCHUPAK, DR. EUGENE

9440 E. MARIPOSA

GRANDE

SCOTTSDALE, AZ 85255

Source: SNAKE RIVER

Tributary: COLUMBIAN RIVER

Diverison Pt: LOT 7 (SESW)

Sec 15 T 05S R 03E

Use: IRRIGATION (.200 CFS)

Total Diversion (.200 CFS)

Date Filed: 1/12/1983

In: T05S R03E S22 SENW

10.0 ACRES TOTAL

02-07400

AYARRA, DANIEL J.

200 CLEAR CREEK

MERIDIAN, ID 83642

Source: SNAKE RIVER

Tributary: COLUMBIA RIVER

Diverison Pt: LOT 3 0 Sec 6 T

06S R 08E

Use: IRRIGATION (.300 CFS)

Total Diversion: (.300 CFS)

Date Filed: 6/16/1983

In: T06S R08E S06 NENW

NWNW

15.0 ACRES TOTAL

51-07322

U.S. DEPT OF INTERIOR

BUREAU OF LAND

MGMT.

IDAHO STATE OFFICE

3380 AMERICANA

TERRACE

BOISE, ID. 83706

Source: SPRING Tributary:

MARYS CREEK

Diverison Pt: SENWSE Sec 13

T 13 S R 04E

Use: STOCKWATER (.120 CFS)

WILDLIFE (.100 CFS)

Total Diversion: (.220 CFS)

Date Filed: 11/28/1989

In: T13S R04E S13 NESE

NWSE

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before DECEMBER 26, 1989.


R. KEITH HIGGINSON,
Director

Published Dec. 6 & 13, 1989.

RECEIVED
JAN 08 1997

Permit No. 02-07400[illegible]

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Baldor	7.5	F589	Centr. Berkeley	B58145 1 1/2" 2" intake

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: 3/4 head, 9/64 nozzles press 30^{top} 52 bottom

E. NARRATIVE/REMARKS/COMMENTS

7.5 HP pump to 6" aluminum line, lift 40' max to top of field, 2' water to pump. Irrigating pasture - This land cannot be irrigated w/ Indian Cove I.D. water. pump station was abandoned for some time and replaced 6-7 yrs ago.

Overlap w/ 02-2063 - Same P/D. (See also attached remarks) This right was developed under gravity system for 3.8 acres, according to claim & B/A info, altho database shows only 3. Of the five four acres under sprinkler, the 3 below the rock outcrop, closest to river, were a part of the original system. The balance, .8 ac, around ^{old} a home site to the west, had not yet been brought under the sprinkler system. 2 acres above the rock outcrop are the new acres developed under this permit (amendment req'd)

Have conditions of permit approval been met? ☒ yes ☐ no

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

36 heads, 9/64" nozzles, 40 psi avg, 3.74 gpm/nozzle per discharge table
 $36 \times 3.74 = 135 \text{ gpm or } .3 \text{ cfs}$

allow .03 cfs/ac for ² ac = ^{.06} .15 cfs

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \overset{2}{8} \times 4 = 20.8$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \overset{.15}{.15} \times 214 \times 1.9835 = \overset{.06}{.06} 25.4$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{20.8}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRR			.15 .06	20.8
Totals:			.06	8.

2. Recommended Amendments

☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Cindy J. Hodges Date 12/31/96

Reviewer _____ Date _____

SEAL

MEMORANDUM

December 30, 1996

TO: Permit 02-07400, Claims A02-00097 and A02-02063

FROM: Cindy Hodges *CH*

RE: *Overlap Analysis and Licensing Amendment*

Permit 02-07400 shows the same general place of use (within N $\frac{1}{2}$ NW Sec 6, T06S R08E) as claim A02-00097. Both are in the name of Daniel Ayarra. Land is also served by Indian Cove Irrigation (under 02-02033 et al). The land is presently owned by Marv and Nancy Wootan. Marv Wootan relates that Ayarra had wanted out of Indian Cove service and first set up a private pump station in the 1960's. This use was claimed as A02-00097. File notes indicate that permit 02-07400 was filed during SRBA claimstaking as a "hedge" against the possible disallowal of the claim. An exam was conducted in 1984 for (little 02) claim A02-00097; a P/D and beneficial use was verified in NWNW Section 6.

Since it sounded like the pump station was still in operation, I scheduled a field exam for 02-07400. However, the land Mr. Wootan showed me as being irrigated under the permit was situated in S $\frac{1}{2}$ Section 31, T05S R08E, where license 02-02063 is appurtenant. Wootans also own this parcel and have filed SRBA claim A02-02063. Mr. Wootan described a portion of my found acreage as previously irrigated under the older license. These acres are not within the Indian Cove service area. The Section 31 pump station was not new (it had been developed under 02-02063), but the pump from the Section 6 station had been moved there and a few more acres placed into production.

The pump station in Section 6 is no longer operable and Mr. Wootan has been irrigating the Section 6 lands with Indian Cove water only. Wootan has not yet applied to change ownership of A02-00097. It is not clear whether the claim is still being exercised. Ownership and validity of this claim may be determined during future SRBA verifications. Ownership of permit 02-07400 was evidently assumed by Wootan and the place of use changed to Section 31 in order to place more acres under that system. This change may have taken place while Ayarra still owned the permit acres and Wootan was farming them. This fact is likely irrelevant now that Wootan has taken ownership.

An assignment may not be obtained because permit holder of record Ayarra is deceased. Mr. Wootan understands that the license must be issued in Ayarra's name, and he is willing to provide signature and fee for licensing amendment. Since there is no SRBA claim required for this permit, Mr. Wootan will need to receive a change in ownership form once the license is issued so that he can fulfill the statutory notification requirements.

Pumpback Computation Spreadsheet (DRT 1/24/1995)

Data Entered By: Cindy Hodges
4/5/96

Project: Flow Computation for 02-07400
Wootan

Given: See Data Table

Compute head losses with the Williams and Hazen Formula:

$$f = 0.2083 \cdot (100 / \text{roughness})^{1.85} \cdot (\text{cfs} \cdot 448.8)^{1.852} / \text{ID}^4 \cdot 8655 \cdot \text{Lengt}$$

To Find: Compute Rate of Flow for a Pumpback System

Data Table

Vertical Lift: 30.00 feet

Nozzle Pressure: 40.00 psi

Required Head: 122.40 feet

Pump Horsepower: 7.50 horsepower


Pipe Roughness: 125.00 Note: pvc = 150, smooth and straight pipe
 aluminum - joint length 20' = 125, j
 30' = 130, joint length 40' = 132, j
 50' = 134, new riveted steel = 100
 old riveted steel = 100, old cast ir
 old pipes in poor condition = 60 to

Inside Diameter in Inches	Equivalent Length in Feet	Unit Head Loss	Total Friction Head Loss from Pipe Frict
6.00	150.00	0.46	
1.00	0.00	0.00	
1.00	0.00	0.00	
			0.46

Initial Estimate of Rate of Flow: 0.380 CFS

Computation of Rate of Flow: 0.38 CFS

Solution is shown in the Computation of Rate of Flow.
 Solution is obtained by entering an initial estimate of rate of flow,
 and by changing this factor until it approximates as closely as possible
 the Computation of Rate of Flow.






801
T682

90

801
T654





EXISTING
Planned
6/18/96
27

EXISTING
ACCESS


02-7400







P/u
view to west
lower field
near river



P/u
view to west
upper field
near highway

02-7400

June 8, 1992

DANIEL J. AYARRA
200 CLEAR CREEK
MERIDIAN ID 83642

RE: Water Right No. 02-07400

Dear Water Right Holder(s):

On May 19, 1992, the department sent you a letter advising that you might be required to temporarily cease diverting water from the Snake River or its tributaries if the established minimum stream flow of the Snake River in the amount of 4,750 cubic feet per second measured near Weiser is not satisfied or likely will not be satisfied.

The flow of the Snake River at Weiser is now less than 4,750 cfs. You are, therefore, directed to immediately cease diverting water under the above referenced water right and to not resume use until authorized by the department.

Past flow records show that the duration of seasonal low flow periods typically last several days to a week. Since your use of water is extremely important to you and since mail notification includes a delay associated with mail delivery time, feel free to call the toll-free telephone number 1-800-451-4129 to determine when you are again authorized to divert and use water under your water right. Please use this phone number only in connection with resumption of use.

You need to be aware that Section 42-351, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversion.

Thank you for your cooperation in this matter. Please feel free to contact L. Glen Saxton (phone: 208-327-7955) or Gary Spackman (phone: 208-327-7946) of my staff if you have questions.

Sincerely,

R. KEITH HIGGINSON
Director

June 12, 1992

DANIEL J. AYARRA
200 CLEAR CREEK
MERIDIAN ID 83642

RE: Water Right No. 02-07400

Dear Water Right Holder(s):

On June 8, 1992, the department sent you a letter which directed you to immediately cease diverting water under the above referenced water right, since the minimum stream flow of the Snake River in the amount of 4,750 cubic feet per second (cfs) measured near Weiser was not being satisfied.

The flow of the Snake River at Weiser is now above 4,750 cfs. You are, therefore, authorized to again divert water under your water right. If the minimum stream flow is not met later this year, however, the department will again notify you to temporarily cease diversion.

Thank you for your cooperation in this matter. Please feel free to contact L. Glen Saxton (phone: 208-327-7955) or Gary Spackman (phone: 208-327-7946) of my staff if you have questions.

Sincerely,

R. KEITH HIGGINSON
Director

May 19, 1992

DANIEL J. AYARRA
200 CLEAR CREEK
MERIDIAN ID 83642

RE: Water Right No. 02-07400

Dear Water Right Holder(s):

Department water right records show that you divert water from the Snake River or its tributaries under a water right that has a priority date later than December 29, 1976. This is the priority of the established minimum stream flow of the Snake River at the Weiser Gage (Weiser) in the amount of 4,750 cubic feet per second.

Because of the continuing drought conditions in the Snake River Basin, department hydrologists project that during 1992, there could be periods when the required minimum flow will not be satisfied due to low flows of the Snake River. The department urges you to not divert at a higher rate than authorized by your water right and to not use your right in any manner different than authorized. In addition, when the minimum flow will not be satisfied or is not being satisfied, you are required to cease diverting water under your water right, because your right is of later priority than the minimum stream flow at Weiser.

If the department determines the minimum flow will not be satisfied, the department will advise you and will provide as much lead time as possible in requiring that you temporarily cease your diversion of water. The greatest likelihood for this to occur is during a period from mid-June to late June.

While the department expects good cooperation from junior water right holders, water users should be aware that Section 42-352, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversions of water.

The department has contacted both the Idaho Power Company and the U.S. Bureau of Reclamation with respect to the timing of storage releases from upstream reservoirs for flow enhancement purposes. This type of coordination could minimize the impact on

existing water users and reduce the need to curtail diversions.

The department has scheduled public information meetings relative to this potential regulation as follows:

Mountain Home - June 4, 1992 - 10:00 a.m. - gymnasium at
North Elementary School, 290 E. 12th N.

Caldwell - June 4, 1992 - 7:00 p.m. - Ballroom in the
Student Union Building, Albertson College of Idaho,
2112 Cleveland

If you have questions concerning this letter or wish to provide the name of a different contact person or address to receive department correspondence, please contact the department.

Sincerely,

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:klg

April 25, 1991

DANIEL J. AYARRA
200 CLEAR CREEK
MERIDIAN, ID 83642

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 02-07400

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

MAY 29 1991

RECEIVED
MAR 28 1991

For Office Use Only
Amt. of Fee \$ 106.00
Date 3-28-91
Receipt No. 0020057
Received by [Signature]

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. P02-07400 Telephone No. 208 888 3348

Name(s) of Permit Holder(s): DANIEL J. AYARRA

Post Office Address: 206 CLEAR CREEK MERIDIAN IDA 83642

Source of Water: SNAKE RIVER

If ground water, well driller's name: _____ Date drilled: _____

Extent of Use:
Domestic _____ (No. of households) Irrigation 15.17 (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted 0.3 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: April 1 1990

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No Installed? Yes ☒ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☒ No

Fee Enclosed: \$ 100.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

DANIEL J. AYARRA 208-888 3348
Name Telephone No.

206 CLEAR CREEK MERIDIAN, IDA 83642
Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MAY 29 1991

3/1/91
Date

[Signature]
Signature (and title if on behalf of a company or organization)

138969
January 31, 1991

DANIEL J. AYARRA
200 CLEAR CREEK
MERIDIAN, ID 83642

PROOF DUE NOTICE

RE: PERMIT NO. 02-07400

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before April 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MAY 29 1991

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
March 19, 1990

DANIEL J. AYARRA
200 CLEAR CREEK
MERIDIAN, ID 83642

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P02-07400

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

The information available to us at this time does not warrant refusing to issue you a permit but does merit cautioning you that any permit issued by the Department cannot deprive water users, with earlier rights, of their water supply.

The reason for conditioning the permit and explaining the potential interference problem is to make you aware that future tests may definitely show that diversion of water from your well should be administered together with the older surface water priorities of the river and it's tributaries. If this were to occur, it would essentially mean that there would not be water available for a diversion from your well since the surface water system is fully appropriated. By locating your well as far from the river as possible and by casing out upper water producing zones as the well is constructed, you may be able to reduce the amount of interference with the river.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MICROFILMED

MAR 26 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,


GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

MAR 26 1990

TOWNSHIP 6 SOUTH, RAM



02-07400

AYARRA, DANIEL J.
200 CLEAR CREEK
MERIDIAN, ID 83642

Source: SNAKE RIVER

Tributary: COLUMBIA RIVER

Diversion Pt: LOT 3 () Sec 6 T 06S R 08E

Use: IRRIGATION (.300 CFS)
Total Diversion: (.300 CFS)

Date Filed: 6/16/1983

In: T06S R08E S06 NENW NWNW

15.0 ACRES TOTAL

MICROFILMED

MAR 26 1990

MEMORANDUM

TO: FILE/APPLICATION NO. 02-7400

FROM: TIM LUKE

RE: SWAN FALLS PROCESSING

DATE: 11-8-89

=====

The applicant has returned the trust water questionnaire and claims that the source was developed and used prior to October of 1984. The application was filed in June, 1983. The questionnaire states that the source under this application was diverted and used since at least 1964.


The department's 1974 7.5 min orthophoto shows irrigation on the 15 acres in question. The department classified this same land as irrigated in its remote sensing report for Owyhee County using a 1984 landsat scene (report completed in 1988). There is sufficient evidence therefore that the land under the application was irrigated prior to October, 1984.

Note that the NENNW and NWNW of section 6 are actually govt. lots 3 and 4 respectively. The 1984 remote sensing data shows 4 and 18 acres of irrigation respectively for lots 3 and 4.

This application is exempt from the review requirements of Section 42-203C (i.e.; Swan Falls processing). The file is being returned to the regional office for advertising. I do not believe any special language is required for the advertising.

MICROFILMED

MAR 26 1990



RECEIVED

NOV 02 1989

Tim luke
SrWater Res Mgr
Dept of Water Res

Department of Water Resources

Dear Tim:

The attached water right application is based on a prior usage of 1964 when the pump site and pipe support structure were constructed. The pump site still shows clear evidence of that early usage in fact I presently use the site for pumping.

The furthest back that I traced this water use was the spring of 1964 when the owner claimed he operated a pump with a gasoline engine driven pump. He indicated that the site had been used prior to that but I did not pursue it further.

Thank you for your consideration.

Yours truly,

Dan Ayarra
Dan Ayarra

MICROFILMED

MAR 26 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
TRUST WATER INFORMATION QUESTIONNAIRE

Application No. 02-7400

INSTRUCTIONS: IF YOU ARE NOT INTERESTED IN HAVING THE APPLICATION PROCESSED, PLEASE COMPLETE AND RETURN THE ENCLOSED WITHDRAWAL FORM.

IF YOU WISH TO HAVE THE APPLICATION PROCESSED, PLEASE ANSWER THE FOLLOWING QUESTIONS AS THOROUGHLY AS POSSIBLE. FAILURE TO RETURN EITHER THE WITHDRAWAL FORM OR QUESTIONNAIRE IS CAUSE FOR THE DEPARTMENT TO VOID THE APPLICATION.

- 1a. Are you the current owner of the land or place of use described under this application? Yes ☒ No ☐
b. If you are not the propoerty owner, please describe the arrangement enabling you to develop the proposed project.

- 2a. Has the source of water listed on this application been used to irrigate any of the land described under this same application prior to October 1, 1984? Yes ☒ No ☐
b. If yes, please describe the extent of development and number of acres irrigated. (Note: Uses developed after October, 1984 are considered trust water diversions and may be subject to certain restrictions and/or conditions. You may be asked to verify uses established prior to October, 1984.)

3. Please state the number of acres you have irrigated under this application since October 1, 1984. 15

4. If you have not irrigated lands under this application, please state the number of acres you plan to complete. _____

5. If the permit is a supplemental filing please identify other water rights which are used on the same land. _____

Use the reverse side of this form if you wish to add any comments. You may mark changes on the enclosed application to designate any proposed amendments. (Note: Proposed changes which result in an expansion of use will not be considered by the department.)

I hereby assert that the responses provided above are true to the best of my knowledge. I understand that any willful misrepresentations may result in voiding of the application.

Applicant [Signature]

Date 10/31/89

MICROFILMED

MAR 26 1990

page 2

IDAHO DEPARTMENT OF WATER RESOURCES
TRUST WATER INFORMATION QUESTIONNAIRE

Lot 3 4 NE NW

4 18 NW NW

5 13

6 17

7 17

UBM3126222

1989 11 24 AM

MICROFILMED

MAR 26 1990



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

October 23, 1989

RE: APPLICATION FOR PERMIT NO. 02-7400

DEAR APPLICANT:

Due to the Swan Falls litigation, Department approval of the enclosed application may have been delayed. The Department is presently reviewing your application and may authorize the proposed development.

The purpose of this letter is to determine: (1) if you are still interested in developing the project, and (2) the extent of development if any, that has already occurred under your application.

Enclosed are two forms requesting information which will help the Department expedite the processing of the application.

1. If you have abandoned or have no interest in continuing with your plans for development of the project, please complete the enclosed withdrawal form and return it to the Department. If you request a withdrawal of the application and the application was not previously advertised, the department will refund your original filing fee.

2. If you wish to continue with your proposed development plans, or have completed all or a portion of the proposed development before October 1, 1984, the department asks that you complete and return the enclosed questionnaire. You may use the questionnaire and enclosed application to make any comments and/or amendments concerning the application. Your completion of the questionnaire will expedite processing and help the department determine if the water diverted under the application is public water or trust water.

Approved trust water applications may be subject to additional conditions.

Failure to return either of the above forms within thirty (30) days of the date of this letter is cause for the department to void the application.

MICROFILMED

MAR 26 1990

Page 2

If you have questions concerning the content of this letter or about completing the forms, please contact Tim Luke at the address below or by calling directly at 327-7864. The enclosed forms and all other relative information should be returned within thirty (30) days to:

Idaho Department of Water Resources
Statehouse Mail
Boise, Idaho 83720
Attn: Tim Luke

Please note that a copy of your application is enclosed. The application number is shown on the enclosed questionnaire.

Sincerely,



TIM LUKE
Sr. Water Resource Agent

Enclosures

TL:sc

cc: Region

MICROFILMED

MAR 26 1990

02-2400-

AYARRA, DANIEL J.

200 CLEAR CREEK, MERIDIAN, ID 83642

Source: SNAKE RIVER trib. to COLUMBIA RIVER

Date Filed: 06/16/1983

Diversion Pt: LOT 03 Sec 06 T 06S R 08E

Use: IRRIGATION (0.30 CFS)

In: NENW NWNW Sec 06 T 06S R 08E FOR 15 ACRES

MICROFILMED

MAR 26 1990