


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

MICROFILMED
MAR 05 1981

Cleo R. Swayne
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

OCT 1 8 1994

A. GENERAL INFORMATION

Permit No. 02-7368

1. Owner: Cleo Swayne

Phone No. _____

Current Address: 311 14th Ave. South Nampa, Id. 83651

2. Accompanied by: Cate Taker

EXAM. DATE: 8/12/87

Address: NOT KNOWN.

Phone No. 466-1282

Relationship to Permit Holder: _____

3. Source: Snake River tributary to Columbia River

RECEIVED

AUG 30 1994

Department of Water Resources

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-4847 + 63-5060

☐ Copies Attached

2. Other water rights with same point of diversion: NOTE ABOVE CLAIMS ARE FROM 2 DIF


SOURCES EACH Fld & Dif. Use IN SAME GOV. LT

☒ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 0


2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

- ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

OCT 19 1994



CVS-4KK-1

R2W

PO 1450 NINE
02-7368

00119294

Cleo Swayn

02-7368

SKN
10/87



Floating Pump site - Snake River



Place of use - Museum & surrounding Area
Walters Ferry Bridge

OCT 19 1994



confirmed
per Steve
Wester's
Request
7/5/94

PROPERTY WCA
OCT 19 1994



AFFIDAVIT OF PUBLICATION
STATE OF IDAHO)
) ss.
County of Canyon)

Suzanne Benkert
of Nampa, Canyon County, Idaho, being first duly
sworn, deposes and says:

1. That I am a citizen of the United States of
America, and at all times hereinafter mentioned
was over the age of eighteen years, and not a party
to the above entitled action.

2. That I am the Principal Clerk of the Idaho
Press-Tribune, a daily, (except Saturday)
newspaper published in the City of Nampa and
Caldwell, in the County of Canyon, State of Idaho;
that the said newspaper is in general circulation
in the said County of Canyon, and in the vicinity of
Nampa and Caldwell, and has been uninterrupted-
ly published in said County during a period of
seventy-eight consecutive weeks prior to the first
publication of the notice, a copy of which is hereto
attached.

3. That the notice, of which the annexed is a prin-
ted copy, was published in said newspaper

Two Times

in the regular and entire issue of said paper, and
was printed in the newspaper proper, and not in a
supplement.

4. That said notice was published the following
dates:

January 7, 14, 1982

Suzanne Benkert

Subscribed and sworn to before me this

14th day of January

19 82

Janet Lusk
Notary Public, Residing at Nampa, Idaho

MY COMMISSION EXPIRES
JULY 12th, 1985

NOTICE OF APPLICATION FOR WATER RIGHT
Notice is hereby given that the following application has been
submitted for permit to appropriate the public waters of the
State of Idaho:

02-7368

SWAYNE, CLEO
311 14TH AVE. SOUTH, NAMPA, Idaho 83651
Source: SNAKE RIVER tributary to COLUMBIA RIVER
Date Filed: December 10, 1981
Amount: 0.03 CFS
Diversion Point: LOT 04 (NWNE) Sec 17 T 01S R 02W, CANYON
County
Use: IRRIGATION (0.03 CFS) from March 15 to November 15
Place of Use: LOT 04 (NWNE) Sec 17 T 01S R 02W FOR 1
ACRES
Diversion Means: PUMPING PLANT & SPRINKLER SYSTEM
If issued, the permit will be subject to all prior water rights.
Protests against the granting of any permit must be filed with
the Director of the Idaho Department of Water Resources, 92 S.
Cole Road, Boise, Idaho 83709 on or before JANUARY 25, 1982.

A. KENNETH DUNN
Director

January 7, 14, 1982

RECEIVED

JAN 14 1982

Department of Water Resources
Western Regional Office

MICROFILMED

MICROFILMED
MAR 05 1981

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 02-07368

Priority: December 10, 1981

Maximum Diversion Rate: 0.03 CFS
Maximum Diversion Volume: 4.5 AF

This is to certify, that CLEO SWAYNE
311 14TH AVE S
NAMPA ID 83651

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated December 10, 1981; and has submitted Proof of Beneficial Use on January 22, 1987. An examination indicates that the works have a diversion capacity of .130 cfs of water from:

SNAKE RIVER

tributary to COLUMBIA RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.03 CFS	4.5 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 4 (NWNE), Sec. 17, Township 01S, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01S	02W	17	Lot 4 (NWNE)	1		1

Total number of acres irrigated: 1

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. Water shall not be diverted under this right unless the flow of the Snake River at the U.S. Geological Survey stream gaging station at Murphy exceeds 3,300 cubic feet per second and at Weiser exceeds 4,750 cubic feet per second.

OCT 19 1994


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 02-07368

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 14TH
day of OCTOBER, 1994.

Acting for


R. Keith Higginson, Director



OCT 19 1994

RECEIVED

JAN 22 1987

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

For Office Use Only

Fee Received WHA

Date WHA

Receipt # WHA

Receipt by WHA

Reviewed by WHA

Sent to region 6-2787

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 02-7368

Name(s) of Permit Holder: Cleo Swayne

Post Office Address: 311-14th ave So

Nampa, Idaho

Telephone No. 466-1282

Source of Water: Snake River

Extent of Use:

Domestic _____ (number of households)

Stockwater _____ (number and type of stock)

Irrigation .03 CFF 1 (acres)

Other/Remark Fire Protection of Museum.

Total rate and/or volume for which proof is submitted .03 CFF cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: 1982

Measuring Device: Required? Yes 1 No
Installed? Yes 1 No

Fee enclosed \$ WHA
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes 1 No
Installed? Yes 1 No

Person to contact to accompany the Department representative during the field examination:

Cleo Swayne
(Name)

466-1282
(Telephone Number)

MICROFILMED

(Address)

MAR 03 1987

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Jan 21, 1987
Date

Cleo Swayne 2nd Idaho State Historical Society
Signature of Permit Holder (and title, if appropriate)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant CLEO SWAYNE Phone 466-1282

Post office address 311 14th Ave. South, Nampa, ID 83651

2. Source of water supply SNAKE RIVER which is a tributary of Columbia River

3. Location of point of diversion is NW ^{Lot 4} $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 17 Township 1S

Range 2W B.M. Canyon County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .03 for irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .03 cfs cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Pumping plant, sprinkler system

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

MICROFILMED
MAR 05 1981

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated	1
---------------------------------------	---

c. Describe any other water rights used for the same purposes as described above. None

9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

MICROFILMED

RECEIVED
MAY 10 1961

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

MICROFILMED
MAR 05 1981

C. Leo R. Swaney
(Applicant)

Proposed Priority 12/10/1981

Received by SKN Date 12/10/81 Time 10:00

Preliminary check by js Fee \$ 367.00 # 21809

Received by SKN Date 12/10/81

Publication prepared by jp Date 12/30/81

Published in Press-Tribune

Publication dates 1/7 & 1/14/82

Publication approved AD Date 1-18-82

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DBS js

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 02-7368, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 19 87.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Water shall not be diverted under this permit unless the flow of the Snake River at the U.S. Geological Survey stream gaging station at Murphy exceeds 3,300 cfs and at Weiser exceeds 4,750 cfs.

Witness my hand this 8th day of February, 1982.

J. Glen Saxton
Chief, Operations Bureau

MICROFILMED

MICROFILMED
MAR 05 1981



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 17, 1994

CLEO SWAYNE
311 14TH AVE S
Nampa ID 83651

RE: WATER RIGHT NO. 02-07368

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:dc

Enclosure

OCT 19 1994

WR0749NP
No. L02-07368

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 09/23/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	CLEO SWAYNE 311 14TH AVE S NAMPA ID 83651 (208) 466-1282	12/10/1981	IRRIGATION	03-15 11-15	0.03 CFS	4.50 AFA
TOTAL DIVERSION:					0.03 CFS	4.50 AFA

Water Source: SNAKE RIVER

Tributary to: COLUMBIA RIVER

Stage: LICENSE

Point(s) of Diversion Capacity: 0.13 CFS

Point(s) of Diversion: T01S R02W S17 Lot 04(NWNE)

CANYON County

Place of use Legal Description for: IRRIGATION

NE																													
NENE				NWNE				SWNE				SENE																	
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:	SUM	
01S	02W	17	:									:					:						:					:	
			:	04-01								:					:						:					:	
TOTAL ACRES																												1.0	

Pou County: CANYON

Other Water Rights with Same Point(s) of Diversion and Source:
02-07368

Other Water Rights Listing Overlapping Place(s) of use:
02-07368

Conditions of Approval:

- R52 - This right when combined with all other rights shall provide no
- more than .03 cfs per acre nor more than 4.5 afa per acre for the
- lands above.
- R10 - Water shall not be diverted under this right unless the flow
- of the Snake River at the U.S. Geological Survey stream gaging
- station at Murphy exceeds 3,300 cubic feet per second and at
- Weiser exceeds 4,750 cubic feet per second.

Dates:	App. Received:	12/10/1981	Priority Date:	12/10/1981
	Proof Due Date:	02/01/1987	Proof Made Date:	01/22/1987
	Exam Made Date:	08/12/1987	Exam Sent to S.O.:	08/29/1994
	Licensed Date:			

Misc: Water District Number: Field Exam Fee: N (Not Required)

Audit: 09/23/94 BCHAPMAN

AJ5809NP
No. A02-07368

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT

DATE: 09/23/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	CLEO SWAYNE 311 14TH AVE. SOUTH NAMPA ID 83651 (208) 466-1282	12/10/1981	IRRIGATION	03-15 11-15	0.03 CFS	
TOTAL DIVERSION:					0.03 CFS	4.50 AFA

Water Source: SNAKE RIVER

Tributary to: COLUMBIA RIVER

Stage: PERMIT

Point(s) of Diversion: T01S R02W S17 Lot04(SWNWNE)

CANYON County

Place of use Legal Description for: IRRIGATION

		NE				NW				SW				SE							
T	R S	: Lt Ac	NENE Lt Ac	SWNE Lt Ac	SENE Lt Ac	: Lt Ac	NENW Lt Ac	SWNW Lt Ac	SENW Lt Ac	: Lt Ac	NESW Lt Ac	NWSW Lt Ac	SWSW Lt Ac	SESW Lt Ac	: Lt Ac	NESE Lt Ac	NWSE Lt Ac	SWSE Lt Ac	SESE Lt Ac	: SUM	
01S	02W 17	:		04-01		:				:					:					:	1.0
TOTAL ACRES																				1.0	

POU County: CANYON

Non-Irrigation Uses: FIRE PROTECTION

Other Rights: A63-05060

Other Water Rights Listing Overlapping Place(s) of use:
A63-05060

Conditions of Approval:

- 012 - Water shall not be diverted under this right unless the flow
- of the Snake River at the U.S. Geological Survey stream gaging
- station at Murphy exceeds 3,300 c.f.s. and at Weiser exceeds
- 4,750 c.f.s.

Dates: Exam Made Date: Verified Date:

Misc: Water District Number: Field Inspection Flag:
Presumption Flag:

Audit: 12/28/93 GRAVES

- CLAIM -

LICENSE REVIEW CHECKLIST

PERMIT NO. 02-07368 DATE 9-23-94



	Yes	No	
NAME	<u> </u>	<u>✓</u>	Or Address Change? <u> </u>
PRIORITY DATE	<u> </u>	<u>✓</u>	Advance? <u> </u> Advanced to: <u> </u> Order to reinstate needed? <u> </u> Incorrect fee for rate recommended? <u>N/A</u>
SOURCE	<u> </u>	<u>✓</u>	Changes or just clarification of originally intended source? <u> </u> Notice of Intent to Void necessary? <u> </u>
POINT OF DIV	<u> </u>	<u>✓</u>	Amendment needed? <u> </u>
	<u> </u>	<u>✓</u>	Overlaps? <u> </u>
PLACE OF USE	<u> </u>	<u>✓</u>	Amendment needed? <u> </u>
	<u>✓</u>	<u> </u>	Overlaps? <u>NA - FOR STOCK & DOMESTIC USES + ARE FROM DIFFERENT SOURCES</u>
DIV RATE	<u> </u>	<u>✓</u>	Permit/fee limits: <u>.03</u> Meas Q = <u> </u> Theo Q = <u>.13</u> Recommend: <u>.03</u>
			Combined rates exceed capacity <u> </u>
ANNUAL VOLUME	<u> </u>	<u>✓</u>	Season of use: <u>0/4.5 (3-15 to 11-15)</u> Calculations: <u>1 acre @ 4.5</u> Flow limit: <u> </u> cfs x <u> </u> x 1.9835 = <u> </u> Combined volumes exceed capacity/allowable <u> </u>
USES	<u> </u>	<u>✓</u>	Change in Nature of Use or additional uses? <u> </u> Amendment necessary? <u> </u>
REMARKS	<u> </u>	<u>✓</u>	Multiple p/d(s) in ¼ ¼? <u> </u>
	<u> </u>	<u>✓</u>	Other <u> </u>
CONDITIONS	<u> </u>	<u>✓</u>	Measuring/Locking Devices <u> </u>
	<u> </u>	<u>✓</u>	Watermaster control - District <u> </u>
	<u>R52</u>	<u> </u>	Irrigation Overlap <u> </u>
	<u> </u>	<u>✓</u>	Water Quality <u> </u>
	<u>R10</u>	<u> </u>	Other <u> </u> Heat/Cool/ Fish verified <u> </u>

COMMENTS:

RECOMMENDED	CFS	VOL	SRBA Claim Filed	YES
<u>Irrigation</u>	<u>.03</u>	<u>4.5</u>	Adjustment Memo Needed	<u>NO</u>
<u> </u>	<u> </u>	<u> </u>	LICENSE	<u>✓</u>
<u> </u>	<u> </u>	<u> </u>	1ST AMENDMENT LETTER	<u> </u>
<u> </u>	<u> </u>	<u> </u>	FINAL AMENDMENT LETTER	<u> </u>



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 02-7368

1. Owner: Cleo Swayne Phone No. _____

Current Address: 311 14th Ave. South Nampa, Id. 83651

2. Accompanied by: Cate Taker EXAM. DATE: 8/12/87

Address: NOT KNOWN Phone No. 466-1282

Relationship to Permit Holder: _____

3. Source: Snake River tributary to Columbia River

RECEIVED
AUG 30 1994

Department of Water Resources

B. OVERLAP REVIEW


1. Other water rights with same place of use: 63-4847 & 63-5060

☐ Copies Attached

2. Other water rights with same point of diversion: NOTE PROVE CLAIMS ARE FROM 2 DIFF
SOURCES EACH FOR DIFF. USE IN SAME GOV. LT ☒ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 0

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.)

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

RECEIVED
OCT 19 1994

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Gravity & sprinkler system.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	<i>Beggs</i>	<i>3</i>	<i>NO ID</i>	<i>Homelite</i>	<i>Model # 1106069</i>
	<i>&</i>		<i>Plate</i>		
	<i>Glatton</i>				

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	<i>4</i>	<i>SW</i>	<i>NW</i>	<i>NE</i>	<i>17</i>	<i>1S</i>	<i>2W</i>	<i>Canyon</i>	<i>aerial photo - Topog map</i>

6. Place(s) of Use:

Indicate Method of Determination

Indicate Method of Determination																			
Twp.	Rge.	Sec.	NE¼				NW¼				SW¼				SE¼				Totals
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
				24															
1S	2W	17		1															1

Do not use this space

OCT 19 1994

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
No measurement made.						

2. Measurements:

1 AC Recommended ~~to RCB~~ 1.03 cfs 6/7/5/94

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

None

2. Alternate Method for Checking Purposes:

$$\frac{3 \text{ HP} \times 8.8 \times .702}{50' \text{ lift} + 40 \text{ PSI} (92.1)} = \frac{18.46}{142.4} = .13 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi $\times 2.31 =$ _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) $\times$ (4) $\div 8.8 =$ _____ (5)

Meter Input KW: $3.6 \times$ _____ KH $\times$ _____ CTR or _____ MULT $\times$ _____ PTR $\times$ _____ N/ _____ T = _____ (6)

Meter Input HP: (6) $\times 1.34 =$ _____ (7)

Panel Input KW: _____ Ave PF $\times$ _____ Ave Volts $\times$ _____ Ave Amps $\times .001732 =$ _____ (6)

Panel Input HP: (6) $\times 1.34 =$ _____ (7) Efficiency: (5)/(7) $\times 100 =$ _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

4.5

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1 \times 4.5 = 4.5$$
$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .02 \times 245 \times 1.9835 = 9.7$$
$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 4.5$$

2. Volume Calculations for Other Uses:

None

RECEIVED
OCT 19 1994

H. REMARKS AND OVERLAP REVIEW ANALYSIS

No overlapping claims at P.D.
Two overlapping claims for the P.D.
63-4847 + 63-5060 spring + gravity
less than a acre being irrigated. The
site is a museum run by the applicant. There
are bare areas around the buildings that are
watered to keep the dust down. A vegetable
garden & lawn make up the remaining
area around the buildings. Floating pump
site with a 3 HP. Briggs & Stratton gasoline motor
Homelite pump #2281 Motor #1106069.
SRBA CLAIM A02-07368 FILED 12-13-93. -RZ 8/26/94

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3/15	11/15	.02	5
			.03	4.5
Totals:			.03	4.5

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION


Field Examiner's Name John K. Noyes
Signature John K. Noyes
Certification Date _____
Field Report Preparation Date _____

CONSULTANT SEAL

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.


RECEIVED

OCT 19 1994



CVS-4KK-1

T
1
S




Cleo Swayn -

02-7368

SKN
10/87



Floating Pump Site - Snake River



Place of Use - Museum & Surrounding Area
Walters Ferry Bridge

OCT 19 1994



confirmed
per Steve
Heater's
Request
7/5/94

RECEIVED

OCT 19 1994



Lori ✓

Looks like one you looked
at?

IF so:

Since exam is 1987, need
more current confirmation that
use occurs.

(NAPP?)

OCT 19 1994

Is diversion still in place?

Also - your initials on Exam where
changes made.

Thanks,
Steve

CLEO SWAYNE
311 14TH AVE. SOUTH
NAMPA ID 83651

May 19, 1992

RE: Water Right No. 02-07368

Dear Water Right Holder(s):

Department water right records show that you divert water from the Snake River or its tributaries under a water right that has a priority date later than December 29, 1976. This is the priority of the established minimum stream flow of the Snake River at the Weiser Gage (Weiser) in the amount of 4,750 cubic feet per second.

Because of the continuing drought conditions in the Snake River Basin, department hydrologists project that during 1992, there could be periods when the required minimum flow will not be satisfied due to low flows of the Snake River. The department urges you to not divert at a higher rate than authorized by your water right and to not use your right in any manner different than authorized. In addition, when the minimum flow will not be satisfied or is not being satisfied, you are required to cease diverting water under your water right, because your right is of later priority than the minimum stream flow at Weiser.

If the department determines the minimum flow will not be satisfied, the department will advise you and will provide as much lead time as possible in requiring that you temporarily cease your diversion of water. The greatest likelihood for this to occur is during a period from mid-June to late June.

While the department expects good cooperation from junior water right holders, water users should be aware that Section 42-352, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversions of water.

The department has contacted both the Idaho Power Company and the U.S. Bureau of Reclamation with respect to the timing of storage releases from upstream reservoirs for flow enhancement purposes. This type of coordination could minimize the impact on

RECEIVED

OCT 19 1994

existing water users and reduce the need to curtail diversions.

The department has scheduled public information meetings relative to this potential regulation as follows:

Mountain Home - June 4, 1992 - 10:00 a.m. - gymnasium at
North Elementary School, 290 E. 12th N.

Caldwell - June 4, 1992 - 7:00 p.m. - Ballroom in the
Student Union Building, Albertson College of Idaho,
2112 Cleveland

If you have questions concerning this letter or wish to provide the name of a different contact person or address to receive department correspondence, please contact the department.

Sincerely,

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:klg

RECEIVED
OCT 19 1994



Cecil D. Andrus
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

May 8, 1987

02-7368
SWAYNE, CLEO
311 14TH AVE. SOUTH
NAMPA, ID 83651

Dear Applicant(s):

We acknowledge receipt of your statement of proof of beneficial use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense
Secretary

/jp

OCT 19 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 02-7368
Name(s) of Permit Holder(s): Cleo Swayne
Post Office Address: 311 14th Ave South
Nampa Idaho 83651 Tel. No. 466-1282

☒ I hereby certify that construction of diversion works for the above referenced permit began on 7/82 (date) and that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:
OCT 19 1994

*Note: A financing difficulty is
not an acceptable reason.

7/30/82
Date

Cleo Swayne
Signature of Permit Holder

PLACE
STAMP
HERE



MAILED

OCT 19 1994

JUL 30 1982

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

RECEIVED

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL
NOVEMBER 30, 1986

SWAYNE, CLEO
311 14TH AVE. SOUTH
NAMPA, ID 83651

PROOF DUE NOTICE

RE: PERMIT NO. 02-7368

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF THE ABOVE REFERENCED WATER PERMIT WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE FEBRUARY 1, 1987. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST.) ENCLOSED IS A FORM WHICH WHEN ACCOMPANIED BY THE LICENSE EXAMINATION FEE OR A COMPLETED FIELD EXAMINATION REPORT PREPARED BY A CERTIFIED WATER RIGHT EXAMINER MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BRING TITLE TO THE WATER IN QUESTION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER AN ACCEPTABLE PROOF OF BENEFICIAL USE SUBMITTAL OR AN ACCEPTABLE REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED

MAR 05 1987

S T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

SWAYNE, CLEO
311 14TH AVE. SOUTH
NAMPA, ID 83651

FEBRUARY 17, 1982

RE: PERMIT NO. 02-7368

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE EXERCISE OF THIS PERMIT MAY ALSO BE AFFECTED BY THE SUPREME COURT'S REVIEW OF THE CASE OF IDAHO POWER COMPANY VS. STATE OF IDAHO, ET AL., ADA COUNTY CIVIL NO. 62237, CURRENTLY BEING APPEALED TO THE SUPREME COURT OF IDAHO. SINCE THE USE OF WATER UNDER YOUR PERMIT MAY AFFECT THE FLOWS IN THE SNAKE RIVER BETWEEN MILNER DAM AND HELLS CANYON THE FINAL DECISION IN THIS CASE MAY DETERMINE TO WHAT EXTENT THE EXERCISE OF YOUR PERMIT IS SUBJECT TO WATER RIGHTS OF IDAHO POWER. WHILE THE SUPREME COURT IS REVIEWING THIS CASE IDAHO POWER COMPANY HAS NOT FILED A SPECIFIC PROTEST TO YOUR PERMIT. HOWEVER, THE DEPARTMENT OF WATER RESOURCES HAS BEEN ADVISED THAT THE POWER COMPANY IS NOT WAIVING ANY OF ITS RIGHTS TO CONTEST OR LIMIT THE EXERCISE OF YOUR PERMIT OR SUBSEQUENT LICENSE.

NOTE ALSO THAT WATER SHALL NOT BE DIVERTED UNDER THIS PERMIT UNLESS A BASE FLOW OF THE SNAKE RIVER AT THE U.S. GEOLOGICAL SURVEY STREAM GAGING STATION AT MURPHY EXCEEDS 3,300 C.F.S. AND AT WEISER EXCEEDS 4,750 C.F.S. IN ADDITION, THERE ARE MANY APPLICATIONS FOR PERMIT FOR THE USE OF SNAKE RIVER WATER THAT ARE PRIOR TO YOUR PERMIT. THESE APPLICATIONS HAVE BEEN FILED FOR THE IRRIGATION OF LAND THAT THE APPLICANTS ARE ATTEMPTING TO OBTAIN UNDER THE FEDERAL LAND LAWS SUCH AS DESERT ENTRY AND CAREY ACT. IF THESE LANDS ARE DEVELOPED, AND IF THE BASE FLOW IS MAINTAINED, THEN NO WATER WOULD BE AVAILABLE FOR THIS PERMIT. THEREFORE, YOU SHOULD CAREFULLY CONSIDER THESE FACTS BEFORE MAKING ANY EXPENDITURES FOR THE CONSTRUCTION OF YOUR SYSTEM.

MICROFILMED

MAR 05 1987

MICROFILMED

RE: PERMIT 02-7368

PAGE 01
FEBRUARY 17, 1982

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

MICROFILMED

MAR 30 1982

AFFIDAVIT OF PUBLICATION
STATE OF IDAHO)
) ss.
County of Canyon)

Suzanne Benkert
of Nampa, Canyon County, Idaho, being first duly
sworn, deposes and says:

1. That I am a citizen of the United States of
America, and at all times hereinafter mentioned
was over the age of eighteen years, and not a party
to the above entitled action.

2. That I am the Principal Clerk of the Idaho
Press-Tribune, a daily, (except Saturday)
newspaper published in the City of Nampa and
Caldwell, in the County of Canyon, State of Idaho;
that the said newspaper is in general circulation
in the said County of Canyon, and in the vicinity of
Nampa and Caldwell, and has been uninterrupted-
ly published in said County during a period of
seventy-eight consecutive weeks prior to the first
publication of the notice, a copy of which is hereto
attached.

3. That the notice, of which the annexed is a prin-
ted copy, was published in said newspaper

Two Times

in the regular and entire issue of said paper, and
was printed in the newspaper proper, and not in a
supplement.

4. That said notice was published the following
dates:

January 7, 14, 1982

Suzanne Benkert

Subscribed and sworn to before me this _____
14th day of January
19 82

Janet Lusk
Notary Public, Residing at Nampa, Idaho

MY COMMISSION EXPIRES
JULY 12th, 1985

RECEIVED

JAN 14 1982

Department of Water Resources
Western Regional Office

MICROFILMED
MAR 05 1981

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

92 South Cole Road
Boise, Idaho 83709
(208) 334-2190

DECEMBER 30, 1981

PRESS-TRIBUNE
BOX 88
NAMPA, IDAHO 83651

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JANUARY 25, 1982.

Yours truly,

HELEN L. HARRINGTON
Secretary

Encl.

RECEIVED
MAR 05 1982

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before JANUARY 25, 1982.

A. KENNETH DUNN

Director

Published 01/07 & 01/14/82.

MICROFILMED

02-2368

SWAYNE, CLEO

311 14TH AVE. SOUTH, NAMPA, ID 83651

Source: SNAKE RIVER tributary to COLUMBIA RIVER

Date Filed: 12/10/1981

Amount: 0.03 CFS

Diversion Point: LOT 04 (NWNE) Sec 17 T 01S R 02W, CANYON Co.

Use: IRRIGATION (0.03 CFS) from 03/15 to 11/15

Place of Use: LOT 04 (NWNE) Sec 17 T 01S R 02W FOR 1 ACRES

Diversion Means: PUMPING PLANT & SPRINKLER SYSTEM

MICROFILMED