


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Martha L Jones
(Applicant)

MICROFILMED

RECEIVED
AUG 21

PROOF OF
PUBLICATION

STATE OF IDAHO, County of Owyhee, s.s.

I, RODNEY A. HAWES, being first duly sworn, on oath says

that he is the Publisher of the OWYHEE NUGGET, a newspaper of

general circulation, published weekly by Rodney A. Hawes, pub-

lisher and printer thereof, at Marsing, County of Owyhee, State of

Idaho;

That the annexed notice was published in said newspaper once

a week and every week for 2 consecutive weeks, the first pub-

lication being on the 13 day of August, 1981, and

the last publication being on the 20 day of August,

1981;

That the said newspaper has been published continuously and

uninterruptedly in said county during a period of more than

seventy - eight consecutive weeks prior to the first publication

of the attached notice.

Rodney A. Hawes
PUBLISHER

Subscribed and sworn to before me this 20 day of

August, 19 81.

Lona S. Hawes
NOTARY PUBLIC

My commission expires 9-10-84

(SEAL)

MICROFILMED

NOTICE OF APPLICATION
FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

02 - 7358 ✓

CURTIS, JR. A.
JONES, MARTHA D.
RT. 1, MARSING, ID 83639
Source: SNAKE RIVER
tributary to COLUMBIA RIV-
ER
Date Filed: 08/03/1981
Amount: 0.06 CFS
Diversion Point: LOT 05
(SESW) Sec 17 T 03N R 04W,
OWYHEE Co.
Use: IRRIGATION (0.06
CFS) from 03/15 to 11/15
Place of Use: LOT 05
(SESW) Sec 17 T 03N R 04W
FOR 2 ACRES
Diversion Means: PUMP &
SPRINKLERS
51 - 7172
U. S. DEPT. OF INTERIOR
BUREAU OF LAND MGMT.,
3948 DEVELOPMENT AVE.,
BOISE, ID 83705
Source: WEST TIGERT
SPRINGS tributary to SINKS
Date Filed: 07/30/1981
Amount: 0.01 CFS
Diversion Point: SWSE Sec
14 T 09S R 02E, OWYHEE
Co.
Use: STOCKWATER (0.01
CFS) from 01/01 to 12/31
WILDLIFE (0.01 CFS) from
01/01 to 12/31
Place of Use: SWSE Sec 14
T 09S R 02E
Diversion Means: HEAD
BOX & TROUGH
51 - 7173
U. S. DEPT. OF INTERIOR
BUREAU OF LAND MGMT.,
3948 DEVELOPMENT AVE.,
BOISE, ID 83705
Source: UNNAMED STREAM
tributary to SINKS
Date Filed: 07/30/1981
Amount: 0.00 CFS 1.0
AC - FT
Diversion Point: NWSW
Sec 11 T 10S R 02E, OWYHEE
Co.
Use: STOCKWATER STOR-
AGE (1.0 AC - FT) from 01/01
to 12/31
STOCKWATER FROM STOR-
AGE (1.0 AC - FT) from 01/01
to 12/31
WILDLIFE STORAGE (1.0
AC - FT) from 01/01 to 12/31
WILDLIFE FROM STOR-
AGE (1.0 AC - FT) from 01/01
to 12/31
Place of Use: NWSW Sec
11 T 10S R 02E
Diversion Means: Dam
55 - 7141
U. S. DEPT. OF INTERIOR

BUREAU OF LAND MGMT.,
3948 DEVELOPMENT AVE.,
BOISE, ID 83705
Source: UNNAMED STREAM
tributary to SINKS
Date Filed: 07/30/1981
Amount: 1.0 AC - FT
Diversion Point: NESE
Sec 12 T 10S R 01E, OWYHEE
Co.
Use: STOCKWATER STOR-
AGE (1.0 AC - FT) from 01/01
to 12/31
STOCKWATER FROM STOR-
AGE (1.0 AC - FT) from 01/01
to 12/31
WILDLIFE STORAGE (1.0
AC - FT) from 01/01 to 12/31
WILDLIFE FROM STOR-
AGE (1.0 AC - FT) from 01/01
to 12/31
Place of Use: NESE Sec
12 T 10S R 01E
Diversion Means: DAM
55 - 7142
U. S. DEPT. OF INTERIOR
BUREAU OF LAND MGMT.,
3948 DEVELOPMENT AVE.,
BOISE, ID 83705
Source: UNNAMED STREAM
tributary to SINKS
Date Filed: 07/30/1981
Amount: 1.0 AC - FT
Diversion Point: NWNE
Sec 07 T 10S R 02E, OWYHEE
Co.
Use: STOCKWATER STOR-
AGE (1.0 AC - FT) from 01/01
to 12/31
STOCKWATER FROM STOR-
AGE (1.0 AC - FT) from 01/01
to 12/31
WILDLIFE STORAGE (1.0
AC - FT) from 01/01 to 12/31
WILDLIFE FROM STOR-
AGE (1.0 AC - FT) from 01/01
to 12/31
Place of Use: NWNE Sec
07 T 10S R 02E
Diversion Means: DAM
If issued, the permit(s) will be
subject to all prior water rights.
Protests against the granting of
any permit must be filed with
the Director of the Idaho Depart-
ment of Water Resources, 92 S.
Cole Road, Boise, Idaho 83709
on or before AUGUST 31,
1981.

A. KENNETH DUNN,
Director
Published August 13 and 20,
1981 in the Owyhee Nugget,
Marsing, Owyhee County, Idaho




Diagram of System

MICROFILMED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 02-7358 Priority August 3, 1981 Amount 0.03 cfs

THIS IS TO CERTIFY, that A. CURTIS, JR. &/OR MARTHA D. JONES
of Marsing, Idaho, has complied with the terms and conditions of Permit
No. 02-7358 issued pursuant to Application for Permit dated August 3, 1981,
and has submitted proof to the Department of Water Resources on August 3, 1981,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.04 cfs of water from Snake River,
tributary to Columbia River, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from <u>March 15</u> to <u>November 15</u> at <u>0.03</u> cfs and	<u>4.5 AF</u>	
	from _____ to _____ at _____ cfs and		
	from _____ to _____ at _____ cfs and		
(both dates inclusive)			

Subject, however, to the condition that no more than 0.03 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
4.5 acre feet per year, said waters to be diverted within the Lot 5 (SESW), Sec 17,
Twp. 3N, Rge. 4W, B.M. in the County of Owyhee

Description and location of place of use:

Twp.	Range	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	4W	17																	1

Total number of acres irrigated 1

Water shall not be diverted under this license unless the flow of the Snake
River at the U.S. Geological Survey stream gaging station at Murphy exceeds
3,300 cubic feet per second and at Weiser exceeds 4,750 cubic feet per second.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 30 day of
December, 19 81.

Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant A. CURTIS, JR. & OR MARTHA D. JONES Phone 896-4841
Post office address RT. 1, MARSH, ID 83639
2. Source of water supply SNAKE RIVER which is a tributary of COLUMBIA RIVER
3. Location of point of diversion is SE ^{Lot 5} $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 17 Township 3N
Range 4W B.M. OWYHEE County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .06 for IRRIGATION purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .06 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. EXISTING PUMP & SPRINKLER
SYSTEM

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.


(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICHAEL L. JONES

Michael L. Jones
(Applicant)

Proposed Priority 8/3/1981

Received by DS Date 8/03/81 Time 2:00 PM
Preliminary check by 6 Fee \$ 30
Receipted by JP Date 8/3/81 # 19562
Publication prepared by JP Date 8-6-81
Published in Snake River
Publication dates 8-13-20-81
Publication approved JP Date 8/28/81
Protests filed by: None

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by DBS RC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 02-7358, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:
 - a. SUBJECT TO ALL PRIOR WATER RIGHTS.
 - b. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 19 82.
 - c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
 - d. Other: Water shall not diverted under this permit unless the flow of the Snake River at the U.S. Geological Survey stream gaging station at Murphy exceeds 3,300 cfs and at Weiser exceeds 4,750 cfs.

Witness my hand this 24th day of September, 1981.

J. Glen Saxton
Chief, Operations Bureau

MICROFILMED

PROOF OF PUBLICATION

STATE OF IDAHO, County of Owyhee, s.s.

I, RODNEY A. HAWES, being first duly sworn, on oath says that he is the Publisher of the OWYHEE NUGGET, a newspaper of general circulation, published weekly by Rodney A. Hawes, publisher and printer thereof, at Marsing, County of Owyhee, State of Idaho;

That the annexed notice was published in said newspaper once a week and every week for 2 consecutive weeks, the first publication being on the 13 day of August, 1981, and the last publication being on the 20 day of August, 1981;

That the said newspaper has been published continuously and uninterruptedly in said county during a period of more than seventy - eight consecutive weeks prior to the first publication of the attached notice.

Rodney A. Hawes
PUBLISHER

Subscribed and sworn to before me this 20 day of August, 1981.
Lorna S. Hawes
NOTARY PUBLIC

My commission expires 9-24-84

(SEAL)

MICROFILMED

BUREAU OF LAND MANAGEMENT
394 DEVELOPMENT
BOISE, IDAHO 83725
Source: UNRECORDED STRIP
tributary to STWIS
Date Filed: 07/30/1981
Amount: 1.00 AC. RT
Diversion Point: N
Sec. 12 T. 10S. R. 02E. Owyhee
Co.
Use: STOCKWATER
AGE 110 AC. RT. from 12/31
to 12/31
STOCKWATER
AGE 110 AC. RT. from 12/31
to 12/31
WATER RIGHTS
AC - 110 AC. RT. from 12/31
to 12/31
Place of Use: NW 1/4
12 T. 10S. R. 02E.
Diversion Point: DAM
Sec. 12 T. 10S. R. 02E. Owyhee
Co.
Use: STOCKWATER
AGE 110 AC. RT. from 12/31
to 12/31
STOCKWATER
AGE 110 AC. RT. from 12/31
to 12/31
WATER RIGHTS
AC - 110 AC. RT. from 12/31
to 12/31
Place of Use: NW 1/4
01 T. 10S. R. 02E.
Diversion Point: DAM
If issued, this permit is subject to all provisions of the Protests against the granting of any permit must be filed with the Director of the State Department of Water Resources, Boise, Idaho, on or before August 1981.
A. K. KENNEDY
Director
Published August 13, 1981
at the Owyhee County, Idaho
U. S. DEPT. OF INTERIOR

02-7358

September 10, 1992

Memo to file:

From: Carolyn Andregg

During the spring and summer of 1992, drought conditions caused record low flows in the Snake River. Twice, the flow of the Snake River fell below 4,750 cfs, the minimum stream flow at the Weiser gauge. Notices were mailed to the water user listed under this right because the priority is later than July 1, 1976, in order to protect the Snake River minimum stream flow. The following is a chronological history of the mailings.

May 19, 1992: Letter sent to water right holder informing holder of possible temporary cessation of diversion rights and notice of public meetings.

June 8, 1992: Letter sent informing water right holder directing immediate cessation of diversion of water until further notice.

June 12, 1992: Letter sent to water right holder authorizing resumption of diversion of water.

June 26, 1992: Letter sent to water right holder directing immediate cessation of diversion of water until further notice.

June 29, 1992: Letter sent to water right holder authorizing resumption of diversion of water.

MAIL RETURNED NOTICE

THIS MEMO HAS BEEN PLACED ONLY IN THE FILES FOR WHICH THE ABOVE LISTED DATES OF LETTERS WERE RETURNED. BEFORE SENDING ANY FUTURE MAILINGS, VERIFY CORRECT ADDRESS.

A. CURTIS, JR.
RT. 1
MARSING ID 83639

May 19, 1992

RE: Water Right No. 02-07358

Dear Water Right Holder(s):

Department water right records show that you divert water from the Snake River or its tributaries under a water right that has a priority date later than December 29, 1976. This is the priority of the established minimum stream flow of the Snake River at the Weiser Gage (Weiser) in the amount of 4,750 cubic feet per second.

Because of the continuing drought conditions in the Snake River Basin, department hydrologists project that during 1992, there could be periods when the required minimum flow will not be satisfied due to low flows of the Snake River. The department urges you to not divert at a higher rate than authorized by your water right and to not use your right in any manner different than authorized. In addition, when the minimum flow will not be satisfied or is not being satisfied, you are required to cease diverting water under your water right, because your right is of later priority than the minimum stream flow at Weiser.

If the department determines the minimum flow will not be satisfied, the department will advise you and will provide as much lead time as possible in requiring that you temporarily cease your diversion of water. The greatest likelihood for this to occur is during a period from mid-June to late June.

While the department expects good cooperation from junior water right holders, water users should be aware that Section 42-352, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversions of water.

The department has contacted both the Idaho Power Company and the U.S. Bureau of Reclamation with respect to the timing of storage releases from upstream reservoirs for flow enhancement purposes. This type of coordination could minimize the impact on

existing water users and reduce the need to curtail diversions.

The department has scheduled public information meetings relative to this potential regulation as follows:

Mountain Home - June 4, 1992 - 10:00 a.m. - gymnasium at
North Elementary School, 290 E. 12th N.

Caldwell - June 4, 1992 - 7:00 p.m. - Ballroom in the
Student Union Building, Albertson College of Idaho,
2112 Cleveland

If you have questions concerning this letter or wish to provide the name of a different contact person or address to receive department correspondence, please contact the department.

Sincerely,

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:klg

January 28, 1982

RE: Permit No. 02-7358

A. Curtis, Jr. &/or Martha D. Jones
Route #1
Marsing, ID 83639

Dear Mr. Curtis and Ms. Jones:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,



JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

December 9, 1981

RE: Permit No. 02-7358

A. Curtis and Martha D. Jones
Route #1
Marsing, ID 83639

Dear Mr. and Mrs. Jones:

A representative of this Department has made an examination of the works covered by your Permit No. 02-7358, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 0.03 cfs Source: Snake River

The maximum quantity diverted shall not exceed 4.5 acre feet per year.

Point(s) of diversion: Lot 6 (SE $\frac{1}{4}$ SW $\frac{1}{4}$), Sec. 17, Twp. 3N, Rge. 4W, Owyhee Co.

Beneficial use: Irrigation of 1 acre within the Lot 5 (SE $\frac{1}{4}$ SW $\frac{1}{4}$), Sec. 17,
Twp. 3N, Rge. 4W

Priority date established: August 3, 1981

Conditions (if any): Water shall not be diverted under this license unless the flow of the Snake River at the U. S. Geological Survey stream gaging station at Murphy exceeds 3,300 cubic feet per second and at Weiser exceeds 4,750 cubic feet per second.

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

November 10, 1981

A. Curtis and Martha D. Jones
Route 1
Marsing, ID 83639

Dear Mr. and Mrs. Jones:

Re: Permit No. 02-7358

This office acknowledges receipt of the statement of beneficial use submitted along with the application.

A field examination of your water distribution system has been completed and based upon the field examiner's recommendations, a water right license will be issued.

If you have any questions, please feel free to contact us.

Sincerely,

RITA I. FLECK
Sr. Secretary

Enclosure

NOV 11 1981

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 02-7358

Name(s) of Permit Holder: A. CORTIS, R. & R. MARTHA D. JONES

Post Office Address: RT. 1, MARSING, ID 83639

Tel. No. 896-4841

Source of Water: SNAKE RIVER

Extent of Use:

☐ Domestic	(number of households)
☐ Stockwater	(number and type of stock)
☒ Irrigation <u>2</u>	(acres)
☐ Other	

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

8/03/81
Date

Martina Jones
Signature of Permit Holder

PLACE
TEN CENT
STAMP
HERE

MICROFILMED



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

October 1, 1981

RE: Permit No. 02-7358

A. Curtis, Jr. &/or Martha D. Jones
Route #1
Marsing, ID 83639

Dear Mr. Curtis & Ms. Jones:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the fourth page.

The exercise of this permit may also be affected by the Supreme Court's review of the case of Idaho Power Company vs. State of Idaho, et al., Ada County Civil No. 62237, currently being appealed to the Supreme Court of Idaho. Since the use of water under your permit may affect the flows in the Snake River between Milner Dam and Hells Canyon the final decision in this case may determine to what extent the exercise of your permit is subject to water rights of Idaho Power. While the Supreme Court is reviewing this case, Idaho Power Company has not filed a specific protest to your permit. However, the Department of Water Resources has been advised that the Power Company is not waiving any of its rights to contest or limit the exercise of your permit or subsequent license.

Note also that water shall not be diverted under this permit unless a base flow of the Snake River at the U.S. Geological Survey stream gaging station at Murphy exceeds 3,300 cfs and at Weiser exceeds 4,750 cfs. In addition, there are many applications for permit for the use of Snake River water that are prior to your permit. These applications have been filed for the irrigation of land that the applicants are attempting to obtain under the Federal Land Laws such as Desert Entry and Carey Act. If these lands are developed, and if the base flow is maintained, then no water would be available for this permit. Therefore, you should carefully consider these facts before making any expenditures for the construction of your system.

We have enclosed a form entitled "Making Proof Of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Supervisor, Water Allocation Section

BRT:kw
Enclosures

MICROFILMED
DATE 10-1-81

FIELD REPORT

- TOTAL ACREAGE** 2




Diagram of System

MICROFILMED

DATE OF EXAM 8/03/81

ACREAGE
Found 1
Recommended 1

Irrigation Requirement 4.5 Ac Ft/Ac

USE
Irrigation Q = .03 c.f.s. V = 4.5 AF/Ann. from 3/15 to 11/15
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no X

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no X

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured .04 Method of measurement ESTIMATE

Total Q recommended .03 Meter No. _____ Type _____ Condition _____

Total V recommended 4.5

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None X

MEASUREMENT CALCULATION:

$$Q = \frac{HP(E) 8^E}{D + P/.433(E)} = \frac{.5(.8) 8^E}{20 + 30/.433} = .04 \text{ cfs}$$

SYSTEM DESCRIPTION:

20-INCH CULVERT FOR SUMP, SUBMERSIBLE PUMP & 6-INCH INLET, SPRINKLER SYSTEM. SUMP UNDER BOAT DOCK ON RIVER BANK.

REMARKS:

ACCOMPANIED BY MRS. JONES.

Examined by [Signature] Date 8/03/81

Checked by DBS Date 8/31/81

Approved by _____ Date _____

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before AUGUST 31, 1981.

A. KENNETH DUNN

Director

Published &.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

92 South Cole Road
Boise, Idaho 83709
(208) 334-2190

AUGUST 6, 1981

Owyhee Nusselt
Marsing, ID 83639

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before AUGUST 31, 1981.

Yours truly,

HELEN L. HARRINGTON
Secretary

Encl.

MICROFILMED
1981

02-2358-

CURTIS, JR., A.
JONES, MARTHA D.

RT. 1, MARSING, ID 83639

Source: SNAKE RIVER tributary to COLUMBIA RIVER

Date Filed: 08/03/1981

Amount: 0.06 CFS

Diversion Point: LOT 05 (SESW) Sec 17 T 03N R 04W, Owyhee Co.

Use: IRRIGATION (0.06 CFS) from 03/15 to 11/15

Place of Use: LOT 05 (SESW) Sec 17 T 03N R 04W FOR 2 ACRES

Diversion Means: PUMP & SPRINKLERS

RECEIVED
MAY 10 1981
MARSING, ID