


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

John C. Salter
(Applicant)

MICROFILMED

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
)ss.
COUNTY OF OWYHEE)

I, *Joe E. Aman*, being first duly sworn, depose and say:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was and now am over the age of twenty-one years, not a party to nor interested in the proceedings hereinafter mentioned.

2. The during the time of the publication of the notice hereinafter mentioned, I was and now am the publisher of THE OWYHEE CHRONICLE, a newspaper of general circulation printed and published weekly, on Thursday of each and every week, in the City of Homedale and County of Owyhee and State of Idaho.

3. That the said THE OWYHEE CHRONICLE has been printed and published continuously and uninterruptedly in said County during a period of seventy-eight weeks prior to the first publication of the attached notice.

4. That said notice of which a printed copy, taken from said newspaper, is hereto affixed, was published in the regular issue thereof, and not in a supplement thereto, in said newspaper, in two (2) (consecutive) calendar weekly issue(s) of said newspaper, in the following date(s):

..... July 8, 1981

..... July 15, 1981

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

02-7354

SALUTREGUI, ALFONSO &/or LINDA
BOX 811, HOMEDALE, ID 83628

Source: SNAKE RIVER tributary to COLUMBIA RIVER

Amount: 0.12 CFS

Diversion Point: LOT 08 (SWSW) Sec. 03, T 03N R 05W, OWYHEE Co.

Use: IRRIGATION (0.12 cfs) from 03/15 to 11/15

Place of Use: LOT 08 (SWSW) Sec 03, T 03N R 05W FOR 4 ACRES

Diversion Means: PUMP, PIPELINE & SPRINKLER SYSTEM

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before JULY 27, 1981.

A. KENNETH DUNN
DIRECTOR

Published July 8, 15, 1981 2t

RECEIVED

AUG 12 1981

Department of Water Resources

RECEIVED

AUG 3 1981

Department of Water Resources
Western Regional Office

RECEIVED

(Signed)

Joe E. Aman

Subscribed and sworn to before me this... 15th ... day of July..

A.D., 1981...

Clara E. Brannen


Notary Public in and for the State of Idaho,

residing at Homedale .., Idaho

My Commission expires March 24, 1984

02-7354

R5W



PERMIT 02-7354 INIT
T. R. S. Q/Q
P/D 3N 5W 3 SWSW L8
SCALE
PHOTO ID.

A883
246A

T
3
N

A
51
B
63

C
67

F
52

D
51

E
151

A
127
52A

A
514

B
34

A
125
59A

A
8

A
52

B
154

RECEIVED
JAN 21 1993

T. 3 North Range N. 5 West



Alfonso & Linda Salutregui - 02-7354

JKIV
10/87



P.D. Pumping plant in the background.
Snake River.



Place of use. Irrigated pasture.
Sprinkler irrigation system.

MICROFILMED

JAN 21 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 02-07354

Priority: June 30, 1981

Maximum Diversion Rate: 0.09 CFS
Maximum Diversion Volume: 18.0 AF

This is to certify, that ALFONSO SALUTREGUI
LINDA SALUTREGUI

PO BOX 811
HOMEDALE ID 83628

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 30, 1981; and has submitted Proof of Beneficial Use on June 5, 1984. An examination indicates that the works have a diversion capacity of .090 cfs of water from:

Snake River tributary to COLUMBIA RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.09 CFS	18.0 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 8(SESW), Sec. 3, Township 03N, Range 05W
OWYHEE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	05W	3	Lot 8(SWSW) 1	Lot 8(SESW) 3		4

Total number of acres irrigated: 4

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Water shall not be diverted under this right unless the flow of the Snake River exceeds established downstream minimum stream flows.

RECORDED

JAN 21 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 02-07354

CONDITIONS/REMARKS:

6. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 9TH day of January, 1993.

Acting for R. Keith Higginson, Director

RECEIVED

JAN 21 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant ALFONSO &/OR LINDA SALUTREGUI Phone 337-4464

Post office address Box 811, Homedale, ID 83628

2. Source of water supply Snake River which is a tributary of Columbia River

3. Location of point of diversion is SW ^{Lot 8} $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 3 Township 3N

Range 5W B.M. Owyhee County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.12 cfs for irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.12 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. pump, pipeline and sprinkler system

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

RECEIVED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	5W	3											4						4
													L. 8						


Total number of acres to be irrigated 4

c. Describe any other water rights used for the same purposes as described above.
Gem Irrigation District right on land, but impractical to use.

9. a. Who owns the property at the point of diversion Applicants
- b. Who owns the land to be irrigated or place of use Applicants and others
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing Applicants now irrigate 2 acres of own property, are negotiating for additional adjoining acreage.

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

John C. Salathie
(Applicant)

RECEIVED

Proposed Priority 6/30/1981

Received by SSP Date 6/30/81 Time 11:27 AM

Preliminary check by CS Fee \$ 30.00

Receipted by SSP Date 6/30/81 # 19503

Publication prepared by SS Date 7-2-81

Published in Owyhee Chronicle

Publication dates 7/29/81 & 7/30/81

Publication approved SS Date 8-4-81

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by CAS RC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 02-7354, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 86

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: Water shall not be diverted under this permit unless the flow of the Snake River at the U.S. Geological Survey stream gaging station at Murphy exceeds 3,300 cfs and at Weiser exceeds 4,750 cfs.

Witness my hand this 15th day of September, 19 81.

A. Glen Saxton
Chief, Operations Bureau

MICROFILMED

STATE OF IDAHO)
)ss.
COUNTY OF OWYHEE)

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was and now am over the age of twenty-one years, not a party to nor interested in the proceedings hereinafter mentioned.

2. The during the time of the publication of the notice hereinafter mentioned, I was and now am the publisher of THE OWYHEE CHRONICLE, a newspaper of general circulation printed and published weekly, on Thursday of each and every week, in the City of Homedale and County of Owyhee and State of Idaho.

3. That the said THE OWYHEE CHRONICLE has been printed and published continuously and uninterruptedly in said County during a period of seventy-eight weeks prior to the first publication of the attached notice.

4. That said notice of which a printed copy, taken from said newspaper, is hereto affixed, was published in the regular issue thereof, and not in a supplement thereto, in said newspaper, in two (2) (consecutive) calendar weekly issue(s) of said newspaper, in the following date(s):

SALVENDY, ALFONSO & SONS
Box 81, BOMEDALE, ID
Sec 06, SNAKE RIVER
tributary to COLUMBIA
RIVER
Assoc. A-1000
Diversion Point: LOT 06
(SW 1/4) Sec 06, T 6N R 05W,
OWYHEE CO.
Use: IRRIGATION (0.12 cfs)
from 05/15 to 11/15
Place of Use: LOT 06 (SWSW)
Sec 06, T 6N R 05W FOR 4
ACRES
Diversion Means: PUMP,
PIPELINE & SPRINKLER
SYSTEM

If issued, the permit(s) will be subject to all water rights. Protests against the granting of any permit must be filed with the Director of the Kansas Department of Water Resources, 5000 Oak Street, Topeka, Kansas 66606 on or before JULY 27, 1981.

A. KENNETH DUNN
DIRECTOR

[REDACTED]

RECEIVED

AUG 12 1961

AUG 12
Department of Water Resources

REPORT

AUG 3 1964

Department of Water Resources
Western Regional Office



Signe

(Signed)

Subscribed and sworn to before me this. . . . 15th day of . . . July . .
D., 19. 01

Clara E. Brannen

Notary Public in and for the State of Idaho,
residing at Homedale . . . Idaho

My Commission expires *March 24, 1980*

To: State of IDAHO
Dept Water Resources
1301 N. Orchard
Statehouse Mail
Boise ID 83720-9000

RECEIVED
JUN 25 2001
Department of Water Resources

June 16, 2001

Re: Mailing
Address change
for Water Right No. A02-07354

Please change mailing Address for ALFONSO &
LINDA Salutregui to : ALFONSO & LINDA Salutregui
16751 Quartz Lane
Wilden, IDAHO 83676

Thank you

Linda Salutregui
(208) 337-4464

(# A02-07354)



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

January 22, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

ALFONSO SALUTREGUI
LINDA SALUTREGUI
201 E 4TH ST
HOMEDALE ID 83628

RE: WATER RIGHT NO. 02-07354

Dear Mr. and Mrs. Salutregui:

I have modified our computer records to reflect the changes in your address on the above referenced water right. We have also enclosed a report regarding your water right.

If you have any questions regarding this matter, please feel free to contact us.

Sincerely,

Patti Harrell

Patti Harrell, Secretary
Water Right Permits Section

Enclosure



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 11, 1993

ALFONSO SALUTREGUI
LINDA SALUTREGUI
PO BOX 811
HOMEDALE ID 83628

RE: WATER RIGHT NO. 02-07354

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in cursive script that reads 'Pamela Skaggs'.

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

531-207-7866

JAN 21 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 18, 1992

ALFONSO SALUTREGUI
LINDA SALUTREGUI
PO BOX 811
HOMEDALE ID 83628

RE: WATER RIGHT NO. 02-07354

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED

JAN 21 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
DEC 09 1992

Department of Water Resources

A. GENERAL INFORMATION

- Permit No. 02-7354
1. Owner: Al Forso for Linda Salutregue Phone No. 337-4464
Current Address: Box 811 Homedale, Idaho 83628
2. Accompanied by: applicant EXAM. DATE: 5/30/85
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Snake River tributary to Columbia River

B. OVERLAP REVIEW

1. Other water rights with same place of use: Gem Irrigation District - Has right, but inoperative to use ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

- 1- 5 HP motor
2- 4" main line
3- 3/16 nozzles
4- measured system with a pressure gauge.

Scale: 1" = 0

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☒ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

RECORDED

JAN 21 1993

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

*appliance was present at time of measurement
measured 5-3/16 inch with pitot tube.
main line #30W 60PSI single nozzle.*

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	STA-rite	5	25BC02XP	STA-rite	HJ 113-B

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE						
	8	NE	SW	SW	3	3N	5W	0WYHoe	aerial photo - Topog map.

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
												48	18						
3N	5W	3										1X	3						4

JAN 21 1993

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Pressure gauge						

2. Measurements:

5 hrs 3/16 nozzle - 30 W single nozzle
Rainbird
 $5 \times 7.82 \times .002229 = .09 \text{ cfs}$

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

Pressure gauge

2. Alternate Method for Checking Purposes:

$$\frac{5 \text{ HP} \times 8.8 \times .6541}{50' \text{ lift} + 60 \text{ PSI} (139)} = \frac{28.6}{189} = .15055$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 4 \times 5 = 20$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .09 \times 245 \times 1.9835 = 44$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 20$$

2. Volume Calculations for Other Uses:

RECORDED

JAN 21 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

only green up in the Klamath Irrigation District water, which Mr. Salasquez doesn't use as it is impracticable to use it.

System capacity measurement of .09 cfs sets limit for rate of diversion recommended.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3/15	11/15	.09	20
Totals:			.09 cfs	20 afa

2. Recommended Amendments


- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

☒ None

☐ Other

J. AUTHENTICATION

Field Examiner's Name John K. Noyes
Signature John K. Noyes
Certification Date 3/20/92
Field Report Preparation Date 10-19-87




K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECEIVED

JAN 21 1993

R5W



PERMIT 02-7354 INIT _____
T. R. S. Q/Q
P/D 3N 5W 3 SW SW L8
SCALE _____
PHOTO ID. _____

A883
246A


7
3
N

63


D
5.1

E
15.1





P.D. Pumping plant in the background.
Snake River.



Place of use. Irrigated pasture.
Sprinkler irrigation system.

MINUTEMEN

JAN 21 1993

June 12, 1992

ALFONSO SALUTREGUI
LINDA SALUTREGUI
BOX 811
HOMEDALE ID 83628

RE: Water Right No. 02-07354

Dear Water Right Holder(s):

On June 8, 1992, the department sent you a letter which directed you to immediately cease diverting water under the above referenced water right, since the minimum stream flow of the Snake River in the amount of 4,750 cubic feet per second (cfs) measured near Weiser was not being satisfied.

The flow of the Snake River at Weiser is now above 4,750 cfs. You are, therefore, authorized to again divert water under your water right. If the minimum stream flow is not met later this year, however, the department will again notify you to temporarily cease diversion.

Thank you for your cooperation in this matter. Please feel free to contact L. Glen Saxton (phone: 208-327-7955) or Gary Spackman (phone: 208-327-7946) of my staff if you have questions.

Sincerely,

R. KEITH HIGGINSON
Director

RECEIVED

JAN 21 1993

June 8, 1992

ALFONSO SALUTREGUI
LINDA SALUTREGUI
BOX 811
HOMEDALE ID 83628

RE: Water Right No. 02-07354

Dear Water Right Holder(s):

On May 19, 1992, the department sent you a letter advising that you might be required to temporarily cease diverting water from the Snake River or its tributaries if the established minimum stream flow of the Snake River in the amount of 4,750 cubic feet per second measured near Weiser is not satisfied or likely will not be satisfied.

The flow of the Snake River at Weiser is now less than 4,750 cfs. You are, therefore, directed to immediately cease diverting water under the above referenced water right and to not resume use until authorized by the department.

Past flow records show that the duration of seasonal low flow periods typically last several days to a week. Since your use of water is extremely important to you and since mail notification includes a delay associated with mail delivery time, feel free to call the toll-free telephone number 1-800-451-4129 to determine when you are again authorized to divert and use water under your water right. Please use this phone number only in connection with resumption of use.

You need to be aware that Section 42-351, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversion.

Thank you for your cooperation in this matter. Please feel free to contact L. Glen Saxton (phone: 208-327-7955) or Gary Spackman (phone: 208-327-7946) of my staff if you have questions.

Sincerely,

R. KEITH HIGGINSON
Director

RECEIVED

OCT 19 1994

ALFONSO SALUTREGUI
LINDA SALUTREGUI
BOX 811
HOMEDALE ID 83628

May 19, 1992

RE: Water Right No. 02-07354

Dear Water Right Holder(s):

Department water right records show that you divert water from the Snake River or its tributaries under a water right that has a priority date later than December 29, 1976. This is the priority of the established minimum stream flow of the Snake River at the Weiser Gage (Weiser) in the amount of 4,750 cubic feet per second.

Because of the continuing drought conditions in the Snake River Basin, department hydrologists project that during 1992, there could be periods when the required minimum flow will not be satisfied due to low flows of the Snake River. The department urges you to not divert at a higher rate than authorized by your water right and to not use your right in any manner different than authorized. In addition, when the minimum flow will not be satisfied or is not being satisfied, you are required to cease diverting water under your water right, because your right is of later priority than the minimum stream flow at Weiser.

If the department determines the minimum flow will not be satisfied, the department will advise you and will provide as much lead time as possible in requiring that you temporarily cease your diversion of water. The greatest likelihood for this to occur is during a period from mid-June to late June.

While the department expects good cooperation from junior water right holders, water users should be aware that Section 42-352, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversions of water.

The department has contacted both the Idaho Power Company and the U.S. Bureau of Reclamation with respect to the timing of storage releases from upstream reservoirs for flow enhancement.

RECORDED

MAY 1 1993

purposes. This type of coordination could minimize the impact on existing water users and reduce the need to curtail diversions.

The department has scheduled public information meetings relative to this potential regulation as follows:

Mountain Home - June 4, 1992 - 10:00 a.m. - gymnasium at
North Elementary School, 290 E. 12th N.

Caldwell - June 4, 1992 - 7:00 p.m. - Ballroom in the
Student Union Building, Albertson College of Idaho,
2112 Cleveland

If you have questions concerning this letter or wish to provide the name of a different contact person or address to receive department correspondence, please contact the department.

Sincerely,

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:klg

JAN 21 1993

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 027054

Name(s) of Permit Holder: Alfonse & Linda Saltnegui

Post Office Address: Box 811

Homedale Idaho Tel. No. 337-4464

Source of Water: Snake River

Extent of Use: ☐ Domestic (number of households)
☐ Stockwater (number and type of stock)
☒ Irrigation 5 (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No
 Access Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

6-10-84 Date Linda Saltnegui Signature of Permit Holder

Solutrean
for Bill
Humboldt Island



RECEIVED



JUN 5 1984

IDAHO DEPARTMENT OF WATER RESOURCES

STATEHOUSE

Department of Water Resources
BOISE, IDAHO 83720

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 02-7354

Name(s) of Permit Holder(s): Alfonso & Linda Salutregui

Post Office Address: Box 811
Homedale Idaho 83628

Phone No. 337-4464

☒ I hereby certify that construction of diversion works for the above referenced permit began on 6-30-81 (date) and I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is
not an acceptable reason.


6-3-82
Date

Alfonso Salutregui
Signature of Permit Holder

A. Salutregui

Box 81

Homedale, Idaho 83628



RECEIVED

JAN 21 1993



RECEIVED

JAN 21 1993

Idaho Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

JULY 30, 1984

ALFONSO SALUTREGUI
P.O. BOX 811
HOMEDALE ID 83628

RE: Permit No. 02-7354

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 334-2190 or in person in the third floor State Towers Building, 450 West State Street, Boise.

Sincerely,
s/Judy Pense
Secretary

RECEIVED
JAN 21 1985



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

September 25, 1981

RE: Permit No. 02-7354

Alfonso & Linda Salutregui
Box 811
Homedale, ID 83628

Dear Mr. and Mrs. Salutregui:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

The exercise of this permit may also be affected by the Supreme Court's review of the case of Idaho Power Company vs. State of Idaho, et al., Ada County Civil No. 62237, currently being appealed to the Supreme Court of Idaho. Since the use of water under your permit may affect the flows in the Snake River between Milner Dam and Hells Canyon the final decision in this case may determine to what extent the exercise of your permit is subject to water rights of Idaho Power. While the Supreme Court is reviewing this case, Idaho Power Company has not filed a specific protest to your permit. However, the Department of Water Resources has been advised that the Power Company is not waiving any of its rights to contest or limit the exercise of your permit or subsequent license.

We have enclosed a form entitled "Making Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Supervisor, Water Allocation Section

Enclosure



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

92 South Cole Road
Boise, Idaho 83709
(208) 334-2190

JULY 2, 1981

Owyhee Chronicle
20 East Idaho Ave.
Homedale, Idaho 83628

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JULY 27, 1981.

Yours truly,

HELEN L. HARRINGTON
Secretary

Encl.

100-111111-1111

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before JULY 27, 1981.

A. KENNETH DUNN

Director

Published 7/9 & 7/16/81.

02-2354-

SALUTREGUI, ALFONSO &/or LINDA

BOX 811, HOMEDALE, ID 83628

Source: SNAKE RIVER tributary to COLUMBIA RIVER

Date Filed: 06/30/1981

Amount: 0.12 CFS

Diversion Point: LOT 08 (SWSW) Sec 03 T 03N R 05W, OMYHEE Co.

Use: IRRIGATION (0.12 CFS) from 03/15 to 11/15

Place of Use: LOT 08 (SWSW) Sec 03 T 03N R 05W FOR 4 ACRES

Diversion Means: PUMP, PIPELINE & SPRINKLER SYSTEM

RECEIVED
JUL 1 1981
WATER RESOURCES DIVISION
BOISE, IDAHO