


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Standard Credit Corp
by Chester J. Indalpus
(Applicant)

MICROFILMED

PROOF OF PUBLICATION

STATE OF IDAHO, County of Owyhee, s.s.

I, RODNEY A. HAWES, being first duly sworn, on oath says that he is the Publisher of the OWYHEE NUGGET, a newspaper of general circulation, published weekly by Rodney A. Hawes, publisher and printer thereof, at Marsing, County of Owyhee, State of Idaho;

That the annexed notice was published in said newspaper once a week and every week for 2 consecutive weeks, the first publication being on the 18 day of June, 1981, and the last publication being on the 25 day of June, 1981;

That the said newspaper has been published continuously and uninterruptedly in said county during a period of more than seventy - eight consecutive weeks prior to the first publication of the attached notice.

Rodney A. Hawes
PUBLISHER

Subscribed and sworn to before me this 25 day of

June, 1981.

Louise S. Hawes
NOTARY PUBLIC

My commission expires 9-10-84

(SEAL)

RECEIVED

JUN 26 1981

Department of Water Resources
Western Regional Office

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

02 - 7350

STANDARD CREDIT CORP.
550 NORTH 8 EAST, MOUNTAIN HOME, ID 83647

Source: SNAKE RIVER
tributary to COLUMBIA RIVER

Date Filed: 06/08/1981

Amount: 1.00 CFS

Diversion Point: NWN Sec 28 T 05S R 05E, OWYHEE Co.

Use: IRRIGATION (1.00 CFS) from 03/15 to 11/15
Place of Use: LOT 05 (SWNW) LOT 07 (NESW) Sec 31 T 05S R 05E FOR 50 ACRES

Diversion Means: PUMP, SPRINKLERS & DITCHES

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before JULY 6, 1981.

A. KENNETH DUNN,
Director

Published June 18 and 25, 1981, The Owyhee Nugget, Marsing Owyhee County, Idaho.

OK
jc
7/8/81

R5E

P.D
☒



28

$$\begin{array}{r} T \\ 5 \\ \hline 5 \end{array}$$

RSE

45 part 1 27	46
48	47 31A
411	12A
	412

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: NW NE Section 28 T5S R5E


Place(s) of Use

[illegible]☐ Other


Date 11/2/83

Date 1/19/83

ate 10-22-84



MICROFILMED



Surveys Designated.	By Whom Surveyed.	Group		Area Acre.
		No.	Date	
E. S. & W. Boundaries (Res.)	Fred. A. Tolman	8	Oct. 5 th 1910	9
Meanders	" " "	"	" " "	7
Subdivisions	" " "	"	" " "	26
N. E. & W. Boundaries	S. G. Rhoades	147	Jan. 6 th 1893	11

R. - L. S.

MICROFILMED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 02-7350 Priority June 8, 1981 Amount 1.0 cfs

THIS IS TO CERTIFY, that Standard Credit Corp.
of Mountain Home, Idaho, has complied with the terms and conditions of Permit
No. 02-7350 issued pursuant to Application for Permit dated June 8, 1981,
and has submitted proof to the Department of Water Resources on June 8, 1981,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 16.95 cfs of water from Snake River,
tributary to Columbia River, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from <u>March 15</u> to <u>November 15</u> at <u>1.0</u> cfs and <u>250.0</u> acre feet		
	from _____ at _____ cfs and _____		
	from _____ at _____ cfs and _____		

(both dates inclusive)

Subject, however, to the condition that no more than 1.0 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
250.0 acre feet per year, said waters to be diverted within the NW $\frac{1}{4}$ NE $\frac{1}{4}$ Section 28,
Twp 5S, Rge 5E in the County of Owyhee

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
5S	5E	31							1.5		1.7			1.2					50
									7		31								

Total number of acres irrigated 50

Water shall not be diverted under this license unless the flow of the Snake River
at the U.S. Geological Survey stream gaging station at Murphy exceeds 3,300 cubic
feet per second and at Weiser exceeds 4,750 cubic feet per second.

This right when combined with all other rights shall provide no more than .02 cfs
per acre nor more than 5.0 afa per acre for the lands above.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 3rd day of
AUGUST, 19 84.

Acting for the Director

Norman C. Young

STATE OF IDAHO

Licensing
APPLICATION FOR AMENDMENT OF A PERMIT

To change the point of diversion and/or the place of use

APPROVED

Comes now Standard Credit Corp.

Phone 587-3798

of (address) 550 North 8th East Mtn. Home, ID 83647, and represents to the
Director of the Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho
No. 02-7350, and requests that the permit and permit map be changed as follows:

1. Point of diversion: No change
1/4 1/4, Section _____, Township _____, Range _____, B.M.,
County of _____ . Other points of diversion: _____

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)
No change

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

3. Place of use or land to be irrigated:

TWP	RGE	SEC	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
5S	5E	31							L. 5 7		L. 7 31			L. 12 12					50


Total number of acres to be irrigated = 50

4. a. Who owns the property at the point of diversion? BLV
b. Who owns the land to be irrigated or the place of use? L 5 AND L 7 - STANDARD CREDIT CORP.
L 12 - CHESTER D. TINDALL
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the
applicant to make this filing: _____

Complete the following map by showing land and point of diversion as proposed by this amendment.

Show 40-acre subdivisions, townships, ranges and ditches.

Not Necessary



Scale: 2 inches equal 1 mile.

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at _____, this 17th day of July, 1984.
Chester J. Jundt Vice Pres.
(Signature)

FOR DEPARTMENT USE ONLY

Preliminary check by ced Fee = \$20.00

Received by ag Date 7-17-84 #34918

Publication prepared by N/A Date _____

Published in _____

Publication dates _____

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, A. KENNETH DUNN, of the Department of Water Resources hereby
Approve the above Application for Amendment for Permit No. 02-7350.

Witness my hand this 3rd day of August, 1984.

Roman C. Young
Acting for the Director

DK1

✓

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant STANDARD CREDIT CORP. Phone 587-3798

Post office address 550 North 8 East, Mtn. Home, ID 83647

2. Source of water supply Snake River which is a tributary of Columbia River

3. Location of point of diversion is NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 28 Township 5S

Range 5E B.M. Owyhee County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 1.0 cfs for irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 1.0 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. _____
pump, sprinkler system and gravity

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____

If water is to be used for other purposes describe: _____

APPROVED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
									L.5		L.7								
5S	5E	31							22		28								50

Total number of acres to be irrigated 50

c. Describe any other water rights used for the same purposes as described above. 02-7025, 02-2406


9. a. Who owns the property at the point of diversion C. J. STRIKE RESERVOIR IDAHO POWER

b. Who owns the land to be irrigated or place of use APPLICANT

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Microfilm 100-1070

Standard Credit Corp
by Chester J. Linder pres.
(Applicant)

Proposed Priority 6/8/81
Received by Cam Date 8 June 1981 time 3:00 pm
Preliminary check by JG Fee \$ 45.00
Receipted by Cam Date 8 June 1981 # 19913
Publication prepared by PBS Date 6/18/81
Published in Owyhee Nugget
Publication dates 6/18 + 6/25/81
Publication approved js Date 7/8/81
Protests filed by: [Signature]

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by PBS [Signature]

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 02-7350 , and said application is hereby approved .

- 1. Approval of said application is subject to the following limitations and conditions:
 - a. SUBJECT TO ALL PRIOR WATER RIGHTS.
 - b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1 , 19 82 .
 - c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
 - d. Other: An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
(2) The issuance of this permit in no way grants any right-of-way or easement across the land of another. (3) Water shall not be diverted under this permit unless the flow of the Snake River at the U.S. Geological Survey stream gaging station at Murphy exceeds 3,300 c.f.s. and at Weiser exceeds 4,750 c.f.s.

Witness my hand this 16th day of July, 1981.

[Signature]
Administrator, Resources Admin. Div.

RECEIVED

PROOF OF PUBLICATION

STATE OF IDAHO, County of Owyhee, s.s.

I, RODNEY A. HAWES, being first duly sworn, on oath says that he is the Publisher of the OWYHEE NUGGET, a newspaper of general circulation, published weekly by Rodney A. Hawes, publisher and printer thereof, at Marsing, County of Owyhee, State of Idaho;

That the annexed notice was published in said newspaper once a week and every week for 2 consecutive weeks, the first publication being on the 18 day of June, 1981, and the last publication being on the 25 day of June, 1981;

That the said newspaper has been published continuously and uninterruptedly in said county during a period of more than seventy - eight consecutive weeks prior to the first publication of the attached notice.


PUBLISHER

Subscribed and sworn to before me this 25 day of

June, 19 81.


NOTARY PUBLIC

My commission expires 9-10-84

(SEAL)

RECEIVED

JUN 26 1981

Department of Water Resources
Western Regional Office

**NOTICE OF APPLICATION
FOR WATER RIGHT**
Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:
Source: SHAKE RIVER
Location: to COLUMBIA RIVER
Date Filed: 06/08/1981
Amount: 1.00 CFS
Diversion Point: NWNE Sec 25 T 05S R 05E, OWYHEE Co.
Use: IRRIGATION
CFS from 03/15 to 11/15
Place of Use: LOT 05 (SWNE) LOT 07 (NESW) Sec 31 T 05S R 05E FOR 50 ACRES
Diversion Means: PUMP, SPRINKLERS & DITCHES
If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before JULY 4, 1981.
By KENNETH DUNN, Director
Witnessed June 25 and 25, 1981, The Owyhee Nugget, Marsing Owyhee County, Idaho.

ok
jc
7/15/81

June 12, 1992

STANDARD CREDIT CORP.
550 N. 8 E.
MOUNTAIN HOME ID 83647

RE: Water Right No. A02-07350

Dear Water Right Holder(s):

On June 8, 1992, the department sent you a letter which directed you to immediately cease diverting water under the above referenced water right, since the minimum stream flow of the Snake River in the amount of 4,750 cubic feet per second (cfs) measured near Weiser was not being satisfied.

The flow of the Snake River at Weiser is now above 4,750 cfs. You are, therefore, authorized to again divert water under your water right. If the minimum stream flow is not met later this year, however, the department will again notify you to temporarily cease diversion.

Thank you for your cooperation in this matter. Please feel free to contact L. Glen Saxton (phone: 208-327-7955) or Gary Spackman (phone: 208-327-7946) of my staff if you have questions.

Sincerely,

R. KEITH HIGGINSON
Director

June 8, 1992

STANDARD CREDIT CORP.
550 N. 8 E.
MOUNTAIN HOME ID 83647

RE: Water Right No. A02-07350

Dear Water Right Holder(s):

On May 19, 1992, the department sent you a letter advising that you might be required to temporarily cease diverting water from the Snake River or its tributaries if the established minimum stream flow of the Snake River in the amount of 4,750 cubic feet per second measured near Weiser is not satisfied or likely will not be satisfied.

The flow of the Snake River at Weiser is now less than 4,750 cfs. You are, therefore, directed to immediately cease diverting water under the above referenced water right and to not resume use until authorized by the department.

Past flow records show that the duration of seasonal low flow periods typically last several days to a week. Since your use of water is extremely important to you and since mail notification includes a delay associated with mail delivery time, feel free to call the toll-free telephone number 1-800-451-4129 to determine when you are again authorized to divert and use water under your water right. Please use this phone number only in connection with resumption of use.

You need to be aware that Section 42-351, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversion.

Thank you for your cooperation in this matter. Please feel free to contact L. Glen Saxton (phone: 208-327-7955) or Gary Spackman (phone: 208-327-7946) of my staff if you have questions.

Sincerely,

R. KEITH HIGGINSON
Director

STANDARD CREDIT CORP.
550 N. 8 E.
MOUNTAIN HOME ID 83647

May 19, 1992

RE: Water Right No. A02-07350

Dear Water Right Holder(s):

Department water right records show that you divert water from the Snake River or its tributaries under a water right that has a priority date later than December 29, 1976. This is the priority of the established minimum stream flow of the Snake River at the Weiser Gage (Weiser) in the amount of 4,750 cubic feet per second.

Because of the continuing drought conditions in the Snake River Basin, department hydrologists project that during 1992, there could be periods when the required minimum flow will not be satisfied due to low flows of the Snake River. The department urges you to not divert at a higher rate than authorized by your water right and to not use your right in any manner different than authorized. In addition, when the minimum flow will not be satisfied or is not being satisfied, you are required to cease diverting water under your water right, because your right is of later priority than the minimum stream flow at Weiser.

If the department determines the minimum flow will not be satisfied, the department will advise you and will provide as much lead time as possible in requiring that you temporarily cease your diversion of water. The greatest likelihood for this to occur is during a period from mid-June to late June.

While the department expects good cooperation from junior water right holders, water users should be aware that Section 42-352, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversions of water.

The department has contacted both the Idaho Power Company and the U.S. Bureau of Reclamation with respect to the timing of storage releases from upstream reservoirs for flow enhancement purposes. This type of coordination could minimize the impact on

existing water users and reduce the need to curtail diversions.

The department has scheduled public information meetings relative to this potential regulation as follows:

Mountain Home - June 4, 1992 - 10:00 a.m. - gymnasium at
North Elementary School, 290 E. 12th N.

Caldwell - June 4, 1992 - 7:00 p.m. - Ballroom in the
Student Union Building, Albertson College of Idaho,
2112 Cleveland

If you have questions concerning this letter or wish to provide the name of a different contact person or address to receive department correspondence, please contact the department.

Sincerely,

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:klg

August 7, 1984

RE: Permit No. 02-7350

Standard Credit Corp.
550 North 3th East
Mtn. Home, ID 83647

Gentlemen:

Enclosed herewith is a copy of your Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc
Enclosures

RECEIVED
AUG 14 1984
MOUNTAIN HOME, ID



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

June 29, 1984

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

RE: Permit No. 02-7350

Standard Credit Corp.
550 North 8th East
Mtn. Home, ID 83647

Gentlemen:

A representative of this Department made an examination of the works covered by your Permit No. 02-7350 and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 1.0 cfs Source: Snake River trib to Columbia River

The maximum quantity diverted shall not exceed 250.0 acre feet
per year.

Point(s) of diversion: NW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 28, Twp 5S, Rge 5E

Beneficial Use: Irrigation of 50 acres within SW $\frac{1}{4}$ NW $\frac{1}{4}$, E $\frac{1}{2}$ SW $\frac{1}{4}$, Sec. 31,
Twp 5S, Rge 5E

Priority date established: June 8, 1981

Conditions (if any): This right when combined with all other rights shall provide
no more than .02 cfs per acre nor more than 5.0 afa per acre for the lands
above. *

In order for the Department to issue the above license, it will be necessary for
you to amend the permit to correspond with the findings of the field examiner. We
are enclosing a partially completed amendment form for your use in this matter.

Please sign the amendment application and return it to this office along with a
\$20.00 filing fee within 30 days in order that we might issue your license as set
forth above. If you do not concur with these findings or have any questions,
please contact us within the 30-day period.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc
Enclosure

* Water shall not be diverted under this
this license unless the flow of the Snake
River at the U.S. Geol. Survey stream gaging
station at Murphy exceeds 3,300 cubic feet
per second and at Weiser exceeds 4,750 cubic
feet per second.

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

02-7350
Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:			
☐ Telephone call made: (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)			

EXAMINATION

Date 3/18/81 Accompanied by Chester Tindelt Total Q measured 16.95 ✓
If source is surface water, estimate total flow of source _____
Methods of measurement Spooling meter Meets Permit requirements? _____

Measurement calculations:

$50 \text{ acres} \times .02 = 1.0 \text{ cfs}$
 $5 \text{ AFA} \times 50 = 250 \text{ AFA}$
See attached data for total capacity of system

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
	200	G.E.	08052	Lorain	44587	Spooling		
	200	Newmax	—	Johnson	—			
	100	"	—	L & B	000819			
	100	"	—	"	000849			

System Description

2-200 HP motors 2-100 HP motors - sprinkler & gravity system - Relift pump 30 HP. Holding pond acts as a diversion point.
*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

Irrigation requirement = ~~4.5~~ 5.0 AFA/Acre

USE	Q (cfs)	V (afa)	FROM	TO
irrigation ✓	1.0 ✓	250 ✓	3/15 ✓	11/15 ✓
				245 days
Total	1.0 ✓	250 ✓	3/15	11/15


Remarks

no measurement made on this permit -
accepted rate as system has ample capacity.
Total diversion rate 16.95 cfs
rights from this P.D. total 16.08 cfs
See rate schedule attached. Permit is
on new land no other rights for this
land. A adjudication of other rights
made on this system.

R5E

						P.D [X]	
				T S S		28	
	RSE						
	L4	L5 PORT Q7	L6				
T S S	L9	L8 L7 31A	31				
	L10	L11 L12					

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: ✓ NW NE Section 28 T 55 R 5E

Place(s) of Use

[illegible]

☐ Change P.D. as reflected above

☐ Change P.U. as reflected above

☐ Add P.D. as reflected above
☒ Add P.U. as reflected above

☐ None

☐ Other

Examiner's Signature John R. Meyer
Checked by DBS
Approved by R. J. Walker

Date 1/12/83
Date 1/19/83
Date 6-22-84

55



(Tindall

Gate schedule

Pump #1

300 in 1:28.4 = 3.31 cfs

Pump #2

200 in 42 sec. = 4.76 cfs

Pump #3

200 in 1:36 = 2.08 cfs.

Pump #4

500 in 1:14.4 = 6.72 cfs.

TOTAL = 16.95 cfs. ✓ or 847.5"

SPARKING METER USED

DR & PM.

Note: P.D. NWNE Sec 28 T55R5E

16.95 cfs Total Diversion Capacity

Rights from this P.D are:

02-2129	3.54 cfs
02-7025	4.10 "
02-2130	3.42 "
02-2406	4.12 "
02-7350	1.10 "
	16.08 cfs

POOR QUALITY ORIGINAL

REPRODUCED

02-2130
30119


MICROFILMED

Source of supply SNAKE RIVER
a tributary of COLUMBIA
Location of P.D.(s) NW 1/4 SEC 28 SS 5E
OWYhee
Water is used for IRRIGATION
Quantity of water found 16.95 ~~7.55~~ c.f.s.
How was the measurement made? PYGMY CURRENT METER
Measurement calculations _____

NOTE DISTANCE MEASUREMENT NOTE

Diversion works description and diagram

16" PEXSTOCK 200' + UP HILL
INTO CONCRETE DIVERSION
WORKS THROUGH PARTIAL
DITCH - SLOWS - GRAVITY



Indicate area irrigated in each subdivision on the map.

Total acreage irrigated _____

If water is used for purposes other than irrigation, fully describe how the water is used and what is done with it after the use.

Who represented the permit holder at the examination?

IRRICATOR & THE TINDALL CONTRACTORS

Recommended allowance for licensing SEE MAP

Description of required amendments. Comments. _____

NOTE PERMITS 33633 / 26211

Report checked? 4-21-68 REVISOR May, 1968 DR. C. Pm.

Examination date _____

Signature [Signature]

4

L & B #44587

200 HP 6500 RPM

L2100050

10" Discharge into RW

5

100 HP Newsum
L & B VTP

Electric motor

D00817 1520 gpm
210'

2

200 HP Newsum

Johnson V P

L214103

1

100 HP Newsum

L & B VTP # D00817

1520 gpm @ 210'

Relift Pump


30 HP Electric motor

L & B VTP 1100 gpm @ 100'

10" Discharge into earth Disches 28' Lift

POOR QUALITY ORIGINAL
MICROFILM

30/19-2/30
02



R O O P

Survey Designated.	By Whom Surveyed.	Group		Area Acre Ma.
		No.	Date	
E. S. & W. Boundaries (Rd)	Fred. A. Tolman	8	Oct. 5, 1910	9
Meanders	.	.	.	7
Subdivisions	.	.	.	20
N. E. & W. Boundaries	S. G. Rhoades	107	Jan. 6, 1893	11

445.

Overlap Review for 02-7350
per permit: 02-7025

02-2406

per examiner: (*same p/d)

see
copies
attached

02-2129	-	3.54 cfs	Lic.
02-7025	-	4.00 cfs	Lic.
02-2130	-	3.42 cfs	Lic.
02-2406	-	4.12 cfs	Lic.
			15.08 cfs licensed

per micro-fische 6/22/84:

p/d - 02-2129

02-2130

02-2406

02-7025

} same as examiner
recommendations

see above...

p/u - 02-2406

~~02-7203~~ → application, no review

02-7025

✓ 02-7033-Lic.

02-7033-Lic., different p/d - p/u 5.0
overlap - recommend ~~RL6(4.5)~~

02-2129-Lic., same p/d - no p/u
overlap -

02-2130-Lic., same p/d - no p/u
overlap -

02-2406-Lic., same p/d - no p/u
overlap -

02-7025-Lic., same p/d -
p/u overlap -

$$265 \text{ acres} \times 0.02 = 5.3 \text{ cfs}$$

licensed for 4.0 cfs

$$265 \overline{) 4.0 \text{ cfs}} = 0.015 \text{ cfs/acre}$$

without 10 acres in NESW, 31

$$255 \overline{) 4.0} = 0.015$$

ok to license same lands
under 02-7350 @ 0.02 cfs/acre.

$$\begin{array}{r} \text{capacity of system} = 16.95 \\ \text{licensed} = \underline{15.08} \\ 1.87 \end{array}$$

$$\text{allow } 50 @ 0.02 = \underline{1.00} \\ .87$$

will not exceed capacity ^{remaining} in system
kw

$$\begin{array}{l} \text{Volume of 02-7025} = 1325 \text{ AF (265 acre)} \\ 265 \text{ ac.} \times 5 \text{ AF} = \uparrow \end{array}$$

per examiner there is no p/u
overlap - all new lands - (see
page 1 of exam) ok to allow 0.02 cfs
per acre & 5.0 AFA per acre
for Right 02-7350. kw

WATER LICENSE

Water License No. 26369/02-2129 Priority May 21, 1956 Amount 3.54 c.f.s.

THIS IS TO CERTIFY, that Denver A. Hamlin - Assignee - Standard Credit Corp.
of Mountain Home, Idaho, made application for a permit to appropriate the public waters of
the State of Idaho, dated May 21, 1956; that Permit 26369/02-2129 was issued pursuant
to said application; that the proposed works were completed on or about 1961,
with a storage/or carrying capacity of 16.95 c.f.s., said works consisting of concrete
diversion works through earth ditch; and that on March 22, 1968,
proof was made to the satisfaction of the State Reclamation Engineer, of the beneficial use of 885
acre feet per season, with a maximum rate of diversion of 3.54 cubic feet per second of the waters
of Snake River, tributary of Columbia River,
for the purpose of Irrigation from April 1 to October 31;
and for _____ from _____ to _____; and for
_____ from _____ to _____; and that the use
of said waters has been made in accordance with the laws of Idaho, and is hereby confirmed by the State Recla-
mation Engineer and entered in the records of the Idaho Department of Reclamation: the point of diversion is
located in NW 1/4 NE 1/4, Sec. 28, T. 5 S, R. 5 E, B.M., and
other additional points _____, in the County of
Owyhee; and that the amount of water to which such right is
entitled and which is hereby confirmed, for the purposes aforesaid, is limited to an amount actually beneficially
used for said purposes and shall not exceed 885 acre feet per year.

Description and location of place of use:


TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
5 S	5 E	28											7	27			32		66
		33		36			39	36											111

Total number of acres irrigated 177

The right to the use of the water hereby confirmed is restricted to the lands or place of use herein described,
as provided by the laws of Idaho.

Witness the seal and signature of the State Reclamation Engineer, affixed at Boise, Idaho, this

16th day of July, 1969.


State Reclamation Engineer

MICROFILMED

2 2129

26369
02-2129

WATER LICENSE

Water License No. 26370/02-2130 Priority May 21, 1956 Amount 3.42 c. f. s.

THIS IS TO CERTIFY, that William E. Miller - Assignee - Standard Credit Corp.
of Mountain Home, Idaho, made application for a permit to appropriate the public waters of
the State of Idaho, dated May 21, 1956; that Permit 26370/02-2130 was issued pursuant
to said application; that the proposed works were completed on or about 1961
with a storage/or carrying capacity of 16.95 c. f. s., said works consisting of
concrete diversion works and earth ditch; and that on March 22, 1968
proof was made to the satisfaction of the State Reclamation Engineer, of the beneficial use of 855
acre feet per season, with a maximum rate of diversion of 3.42 cubic feet per second of the waters
of Snake River, tributary of Columbia River,
for the purpose of Irrigation from April 1 to October 31;
and for _____ from _____ to _____; and for
_____ from _____ to _____; and that the use
of said waters has been made in accordance with the laws of Idaho, and is hereby confirmed by the State Recla-
mation Engineer and entered in the records of the Idaho Department of Reclamation: the point of diversion is
located in NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 28, T. 5 S, R. 5 E, B.M., and
other additional points _____, in the County of
Owyhee; and that the amount of water to which such right is
entitled and which is hereby confirmed, for the purposes aforesaid, is limited to an amount actually beneficially
used for said purposes and shall not exceed 855 acre feet per year.


Description and location of place of use:

TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
5 S	5 E	32			37	38				26					36	34			171

Total number of acres irrigated 171

The right to the use of the water hereby confirmed is restricted to the lands or place of use herein described,
as provided by the laws of Idaho.

Witness the seal and signature of the State Reclamation Engineer, affixed at Boise, Idaho, this

16th day of July, 19 69.

State Reclamation Engineer

JUN 1969

2130

26370
02-2130

WATER LICENSE

Water License No. 33633 Priority February 3, 1967 Amount 4.12 c.f.s.

THIS IS TO CERTIFY, that MYRTLE PRENTICE
of Mountain Home, Idaho, made application for a permit to appropriate the public waters of
the State of Idaho, dated February 3, 1967; that Permit 33633 was issued pursuant
to said application; that the proposed works were completed on or about June 15, 1967,
with a storage/or carrying capacity of 16.95 c.f.s., said works consisting of
concrete diversion works and earth ditch; and that on March 22, 1968,
proof was made to the satisfaction of the State Reclamation Engineer, of the beneficial use of 1030
acre feet per season, with a maximum rate of diversion of 4.12 cubic feet per second of the waters
of Snake River, tributary of Columbia River,
for the purpose of Irrigation from April 1 to October 31;
and for _____ from _____ to _____; and for
_____ from _____ to _____; and that the use
of said waters has been made in accordance with the laws of Idaho, and is hereby confirmed by the State Recla-
mation Engineer and entered in the records of the Idaho Department of Reclamation: the point of diversion is
located in NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 28, T. 5 S, R. 5 E, B.M., and
other additional points _____, in the County of
Owyhee; and that the amount of water to which such right is
entitled and which is hereby confirmed, for the purposes aforesaid, is limited to an amount actually beneficially
used for said purposes and shall not exceed 1030 acre feet per year.

Description and location of place of use:

TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
5 S	5 E	31			38	39			15 18	16 30	17 2				27	16			170
		32							36										36

Total number of acres irrigated 206

The right to the use of the water hereby confirmed is restricted to the lands or place of use herein described,
as provided by the laws of Idaho.

Witness the seal and signature of the State Reclamation Engineer, affixed at Boise, Idaho, this

16th day of July, 1969.

State Reclamation Engineer

MICROFILMED

02-2406

33033

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 02-7025 Priority Dec. 25, 1968 Amount 4.0 cfs

THIS IS TO CERTIFY, that Connecticut General Life Insurance Company
of Dallas, Texas, has complied with the terms and conditions of Permit
No. 02-7025 issued pursuant to Application for Permit dated December 5, 1968,
and has submitted proof to the Department of Water Resources on January 21, 1974 (late proof),
that he has applied water to a beneficial use: an examination by the Department indicates that the works have a
capacity for the diversion of 7.8 cfs of water from the Snake River,
tributary to the Columbia River, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	from <u>April 1</u> to <u>Oct. 31</u>	at <u>4.0</u> cfs and	<u>1,325 acre feet or</u>
	from _____ to _____	at _____ cfs and	<u>5.0 af per acre</u>
	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 4.0 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
1,325 acre feet per year, said waters to be diverted within the NW $\frac{1}{4}$ NE $\frac{1}{4}$ of Sec. 28,
Twp. 5 S, Rge. 5 E, B. M. in the County of Owyhee

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
5 S	5 E	28												13					13
		31								10					13	24			47
		32	40	40	3	2	30	10		14									139
		33			14			4	36	12									66

Total number of acres irrigated 265

A measuring device of a type approved by this Department shall be permanently
maintained as part of the diverting works.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 18 day of
December, 19 75.

Director



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 92 South Cole Road, Boise, Idaho 83709

JOHN V. EVANS
Governor

(Office at the corner of
Franklin and Cole Roads)

C. STEPHEN ALLRED
Director

(208) 384-2190

September 23, 1981

Standard Credit Corp.
550 North 8th East
Mountain Home, Idaho 83647

RE: 02-7350

Dear **Gentleman:**

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐ A field examination of your system has been scheduled for

no appointment made

If this time and date is not convenient for you, please contact this office as soon as possible.

☒ A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Kay Walker
Secretary

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. **02-7350**

Name(s) of Permit Holder: STANDARD CREDIT CORP

Post Office Address: 550 N 8 E

MTN. HOME IDAHO 83647 Tel. No. 587-3298

Source of Water: LAKE R. - Columbia River


Extent of Use: ☐ Domestic (number of households)
☐ Stockwater (number and type of stock)
☒ Irrigation 50 (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No
 Access Point: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

6/8/81
Date


Standard Credit Corp.
by Chester Lindell, pres.
 Signature of Permit Holder



PLACE
TEN CENT
STAMP
HERE



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



July 29, 1981

Standard Credit Corp.
550 North 8 East
Men. Home, ID 83647

Dear Sirs,

RE: Permit No. 02-7350

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

Be sure to note the special condition requiring you to install a measuring device, or an access port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the access port.

The exercise of this permit may also be affected by the Supreme Court's review of the case of Idaho Power Company vs. State of Idaho, et al., Ada County Civil No. 62237, currently being appealed to the Supreme Court of Idaho. Since the use of water under your permit may affect the flows in the Snake River between Milner Dam and Hells Canyon the final decision in this case may determine to what extent the exercise of your permit is subject to water rights of Idaho Power. While the Supreme Court is reviewing this case, Idaho Power Company has not filed a specific protest to your permit. However, the Department of Water Resources has been advised that the Power Company is not waiving any of its rights to contest or limit the exercise of your permit or subsequent license.

Note also that water shall not be diverted under this permit unless a base flow of the Snake River at the U.S. Geological Survey stream gaging station at Murphy exceeds 3,300 c.f.s. and at Weiser exceeds 4,750 c.f.s. In addition, there are many applications for permit for the use of Snake River water that are prior to your permit. These applications have been filed for the irrigation of lands that the applicants are attempting to obtain under the Federal Land Laws such as Desert Entry and Carey Act. If these lands are developed, and if the base flow is maintained, then no water would be available for this permit. Therefore, you should carefully consider these facts before making any expenditures for the construction of your system.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Supervisor, Water Allocation Section

Enclosure

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

92 South Cole Road
Boise, Idaho 83709
(208) 334-2190

JUNE 11, 1981

Owryhee Nusset
Marsing, ID 83639

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JULY 6, 1981.

Yours truly,

HELEN L. HARRINGTON
Secretary

Encl.

RECEIVED
JUN 11 1981
DEPT. OF WATER RESOURCES
BOISE, IDAHO

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before JULY 6, 1981.

A. KENNETH DUNN

Director

Published 6/18 & 6/25/81.

02-2350

STANDARD CREDIT CORP.

550 NORTH 8 EAST, MOUNTAIN HOME, ID 83647

Source: SNAKE RIVER tributary to COLUMBIA RIVER

Date Filed: 06/08/1981

Amount: 1.00 CFS

Diversion Point: NWNE Sec 28 T 05S R 05E, Owyhee Co.

Use: IRRIGATION (1.00 CFS) from 03/15 to 11/15

Place of Use: LOT 05 (SWNW) LOT 07 (NESW) Sec 31 T 05S R 05E
FOR 50 ACRES

Diversion Means: PUMP, SPRINKLERS & DITCHES

1981 JUN 10 PM 4:10
STANDARD CREDIT CORP.
MOUNTAIN HOME, ID 83647