



11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


(Applicant)

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Gooding } SS.

Bary Scott, being first duly sworn, deposes and says that he is the printer (publisher) of the Gooding County Leader, a newspaper published every week in Gooding, County of Gooding, State of Idaho, that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 25 day of March 1981, and the date of the last publication was on the 1 day of April 1981.

Subscribed and sworn to before me this 1

day of April, 1981.
(SEAL)

Gannon H. H. H.
NOTARY PUBLIC

GOODING COUNTY LEADER

Gooding, Idaho

COST OF PUBLICATION

Number of Lines in Notice 20
Number of Insertions 2
Lines tabular at 38
Lines straight at 20 29 5.80
Subsequent lines at 20 19 3.80
TOTAL COST 9.60

COPY OF NOTICE
02-7326
MENGEL, HERBERT O.
&/or MARGARET L.
360 MONTVUE DR., ME-
RIDIAN, ID 83642
Source: SNAKE RIVER
Date Filed: 03/06/1981
Amount: 0.06 CFS
Diversion Point: LOT 11
(NWSE) Sec 01 T 08S R 13E,
GOODING Co.
Use: IRRIGATION (0.04
CFS) from 04/01 to 10/31
HEATING (0.02 CFS) from
01/01 to 12/31
COOLING (0.02 CFS) from
01/01 to 12/31
Place of Use: LOT 11
(NWSE) Sec 01 T 08S R 13E
FOR 1 ACRES
Diversion Means: PUMP

RECEIVED

APR 13 1981

Department of Water Resources
Southern District Office

PUBLICATION RATES


(Idaho Code, Rev. Statutes 1971)

7 pt. per line, straight	21c
7 pt. per line, tabular	315c
7 pt. per line, successive insertions	15c

Nº 2711

MICROFILMED



n - 1942



MICROFILM REEL

10. Other water rights on these lands None
11. Other water right diverted from same p.d. None

12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate on systems with measurement port the nearest component/pipe bend/restriction both upstream and downstream at the measurement port. On multiple diversion systems connected.



13. ☒ Photo of Diversion & System Attached ☐ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks P/U Further described as lot 8 Gridley Island Subdivision

15. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
- ☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

16. Examiner's/Consultant's Signature Larry D. Blau Date 2-27-86

Consultant's License Number _____

IDWR Director's Authorization to Conduct

Beneficial Use Examination _____

Date

CONSULTANT SEAL

MACROFLEX MED

02-7326

HIGH HEAD



HIGH-HEAD

MEDIUM HEAD

MICROFILM ME

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 02-7326 Priority March 6, 1981 Amount 0.04 cfs

THIS IS TO CERTIFY, that Vance Van Hall
of Hagerman, Idaho, has complied with the terms and conditions of Permit
No. 02-7326 issued pursuant to Application for Permit dated March 6, 1981,
and has submitted proof to the Department of Water Resources on February 21, 1985,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.06 cfs of water from Snake River,
tributary to Columbia River, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from <u>March 15</u> to <u>November 15</u>	at <u>0.02</u> cfs and	<u>2.5</u> acre feet
Heating	from <u>January 1</u> to <u>December 31</u>	at <u>0.02</u> cfs and	<u>N/A</u>
Cooling	from <u>January 1</u> to <u>December 31</u>	at <u>0.02</u> cfs and	<u>N/A</u>

(both dates inclusive)

Subject, however, to the condition that no more than 0.04 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
2.5 acre feet per year, said waters to be diverted within the Gov. Lot 11 (NE $\frac{1}{4}$ SE $\frac{1}{4}$)
Section 1, Twp 8S, Rge 13E in the County of Gooding

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
8S	13E	1													GLI .5				.5

Total number of acres irrigated .5

CONDITIONS OF APPROVAL

a. Modifications to or variance from this license must be made within the limits of Section 42-222, **Idaho Code**, or the applicable Idaho Law. This right may be forfeited by five years of non-use.


b. The right to the use of the water hereby confirmed is restricted and appurtenant to lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

c. Any water right confirmed in this license for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this license and shall not give rise to any right or claim against any future rights to the use of water other than hydropower, within the State of Idaho initiated later in time than the priority of this license.

P/U also known as Lot 8, Gridley Subdivision, Gridley Island.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 28TH day of AUGUST, 19 86.

Acting for the Director



MICROFILMED

WATER RIGHT SPLIT
SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
Original Permit	02-7326	Herbert O. &/or Margaret L. Mengel	0.05 cfs
Full Assignment	02-7326	Vance Van Hall	0.05 cfs

MICROFILMED

RECEIVED

MAR 26 1984

State of Idaho
Department of Water Resources

Department of Water Resources
Sawtooth District Office

ASSIGNMENT OF PERMIT

I, Herbert O. Mengel, hereby assign to Yance Van Hall
of 932 Mountain View Drive, Twin Falls, Idaho
Address

CHECK ONE



All my right, title, and interest in and to Permit No. 02-7326
to appropriate the public waters of the State of Idaho.



The following described portion of my right, title, and interest in and to Permit
No. _____ to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

Made this 26 day of March, 1984.

Herbert O. Mengel
Permit Holder

Margaret L. Mengel
Spouse of Permit Holder

State of Idaho)
County of Twin Falls) ss.

On this 26 day of March, 1984, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that he (she) (they) executed the same.

seal

Larry O. Halmer
Notary Public residing at

My commission expires:


OK to process-
KW
4/5/84

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

Ident. No.



1. Name of applicant Herbert O. &/or Margaret L. Mengel Phone 888-2248

Post office address 360 Montvue Drive, Meridian, ID 83642

2. Source of water supply Snake River which is a tributary of Columbia River
~~Riley Creek~~ ~~Snake River~~

3. Location of point of diversion is Lot 11 $\frac{1}{4}$ of 1 $\frac{1}{4}$ of Section 1 Township 8S

Range 13E B.M. Gooding County, additional points of diversion if any: _____

* Source of water is @ elevation of Snake River ADM 3/17/81

4. Water will be used for the following purposes:

Amount 0.02 for Heating & cooling purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum) Allow .03 cfs

Amount 0.04 for Irrigation purposes from 4/1 to 10/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

Allow .05 cfs RH 4-20-81

a. 0.06 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Pump from stream to irrigation
sprinklers and heat pump.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____, inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: Lot 11 $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section 1 Township 8S

Range 13E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe: Used in heat pump for heating and
cooling home.

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
8S	13E	1														.75			.75

Total number of acres to be irrigated .75

c. Describe any other water rights used for the same purposes as described above. none


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing


10. Remarks Lot 8, Gridley Subdivision, Gridley Island. Water for heating and cooling is required.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


(Applicant)

Proposed Priority

3/6/81

Received by COB Date 3-10-81 Time 3:30 pm

Preliminary check by ADM Fee \$ 30.00

Receipted by her Date 3/6/81 # 17347

Publication prepared by ch Date 3/18/81

Published in Gooding County Leader

Publication dates 3/25 + 4/1/81

Publication approved marya Date 3/25/81

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by Ed TH

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 02-7326, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 19 86.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Return flow if discharged to a subsurface system must be authorized by a separate injection well permit, and return flow if discharged to a surface water system shall meet intrastate water quality standards.

Water shall not be diverted under this permit unless the flow of the Snake River at the U.S. Geological Survey stream gaging station at Murphy exceeds 3,300 c.f.s. and at Weiser exceeds 4,750 c.f.s.

The maximum rate of diversion for irrigation proposed shall not exceed .03 cfs and the total rate of diversion authorized by this permit shall not exceed .05 cfs.

Witness my hand this 7th day of May, 1981.

D. Glen Saxton
Chief, Operations Bureau

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Gooding } SS.

Bary Scott, being first duly sworn, deposes and says that he is the printer (publisher) of the Gooding County Leader, a newspaper published every week in Gooding, County of Gooding, State of Idaho, that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication

of said advertisement was on the 25 day of March

1981, and the date of the last publication was on the 1

day of April, 1981.

[Signature]

Subscribed and sworn to before me this 1

day of April, 1981.
(SEAL)

[Signature]
NOTARY PUBLIC

GOODING COUNTY LEADER Gooding, Idaho COST OF PUBLICATION

Number of Lines in Notice 24
Number of Insertions 2
Lines tabular at 38
Lines straight at 20 29 5.80
Subsequent lines at 20 19 3.80
TOTAL COST 9.60

COPY OF NOTICE
7336
HERBERT O.
ARET L.
GE DR., ME-
63642
LAKE RIVER
03/06/1981
Amount: 0.06 CFS
Division Point: LOT 11
(NWSE) Sec 01 T 06S R 13E,
GOODING Co.
Use: IRRIGATION (0.04
CFS) from 04/01 to 10/31
HEATING (0.02 CFS) from
01/01 to 12/31
COOLING (0.02 CFS) from
01/01 to 12/31
Place of Use: LOT 11
(NWSE) Sec 01 T 06S R 13E
FOR 1 ACRES
Division Means: PUMP

RECEIVED

APR 13 1981

Department of Water Resources
Southern District Office

PUBLICATION RATES	
(Idaho Code, Rev. Statutes 1971)	
7 pt. per line, straight	21c
7 pt. per line, tabular	315c
7 pt. per line, successive insertions	15c

Nº 2711

UNRECORDED

02-7326

September 10, 1992

Memo to file:

From: Carolyn Andregg

During the spring and summer of 1992, drought conditions caused record low flows in the Snake River. Twice, the flow of the Snake River fell below 4,750 cfs, the minimum stream flow at the Weiser gauge. Notices were mailed to the water user listed under this right because the priority is later than July 1, 1976, in order to protect the Snake River minimum stream flow. The following is a chronological history of the mailings.

May 19, 1992: Letter sent to water right holder informing holder of possible temporary cessation of diversion rights and notice of public meetings.

June 8, 1992: Letter sent informing water right holder directing immediate cessation of diversion of water until further notice.

June 12, 1992: Letter sent to water right holder authorizing resumption of diversion of water.

June 26, 1992: Letter sent to water right holder directing immediate cessation of diversion of water until further notice.

June 29, 1992: Letter sent to water right holder authorizing resumption of diversion of water.

MAIL RETURNED NOTICE

THIS MEMO HAS BEEN PLACED ONLY IN THE FILES FOR WHICH THE ABOVE LISTED DATES OF LETTERS WERE RETURNED. BEFORE SENDING ANY FUTURE MAILINGS, VERIFY CORRECT ADDRESS.

VANCE VAN HALL
P.O. BOX 175
HAGERMAN ID 83332

May 19, 1992

RE: Water Right No. 02-07326

Dear Water Right Holder(s):

Department water right records show that you divert water from the Snake River or its tributaries under a water right that has a priority date later than December 29, 1976. This is the priority of the established minimum stream flow of the Snake River at the Weiser Gage (Weiser) in the amount of 4,750 cubic feet per second.

Because of the continuing drought conditions in the Snake River Basin, department hydrologists project that during 1992, there could be periods when the required minimum flow will not be satisfied due to low flows of the Snake River. The department urges you to not divert at a higher rate than authorized by your water right and to not use your right in any manner different than authorized. In addition, when the minimum flow will not be satisfied or is not being satisfied, you are required to cease diverting water under your water right, because your right is of later priority than the minimum stream flow at Weiser.

If the department determines the minimum flow will not be satisfied, the department will advise you and will provide as much lead time as possible in requiring that you temporarily cease your diversion of water. The greatest likelihood for this to occur is during a period from mid-June to late June.

While the department expects good cooperation from junior water right holders, water users should be aware that Section 42-352, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversions of water.

The department has contacted both the Idaho Power Company and the U.S. Bureau of Reclamation with respect to the timing of storage releases from upstream reservoirs for flow enhancement purposes. This type of coordination could minimize the impact on

existing water users and reduce the need to curtail diversions.

The department has scheduled public information meetings relative to this potential regulation as follows:

Mountain Home - June 4, 1992 - 10:00 a.m. - gymnasium at
North Elementary School, 290 E. 12th N.

Caldwell - June 4, 1992 - 7:00 p.m. - Ballroom in the
Student Union Building, Albertson College of Idaho,
2112 Cleveland

If you have questions concerning this letter or wish to provide the name of a different contact person or address to receive department correspondence, please contact the department.

Sincerely,

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:klg



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

September 8, 1986

RE: Permit No. 02-7326

Vance Van Hall
Box 175
Hagerman, ID 83332

Dear Mr. Van Hall:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc

Enclosure

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

July 15, 1986

RE: Permit No. 02-7326

Vance Van Hall
Box 175
Hagerman, ID 83332

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

If you do not concur with the information shown on the draft license, please advise the Department within ten (10) days. If you have any questions, please let us know; otherwise, the license will be issued as identified on the draft copy.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED
JUN 30 1986

02-7326
Permit No.

1. Measurement Calculations

Department of Water Resources

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

Q_I From STA-RITE Ind. 1.5 hp DHF-51-3 pump. Assume 10 ft of 1. ft @ 40 PSI

$$Q_I = 27 \text{ gpm} \div 448.8 \text{ gpm/cfs} = 0.06 \text{ cfs} \checkmark$$

$$3 \text{ sprinkler heads @ } 2.94 \text{ gpm} = 8.82 \text{ gpm}$$

$$3 \text{ sprinkler heads @ } 6.07 \text{ gpm} = 18.21 \text{ gpm}$$

$$\text{Allow } 0.03 \text{ cfs} = \text{Amt Applied for } 27.03 \text{ gpm} \div 448.8 \text{ gpm/cfs} = 0.06 \text{ cfs} \checkmark$$

$$= 1 \text{ acre} \times 0.03 \text{ cfs/acre}$$

$$Q_h = 9 \text{ gpm} \div 448.8 \text{ gpm/cfs} = 0.02 \text{ cfs} \text{ As per Don Louder - Magic Valley Refrigeration Inc. seller \& Dealer of Heat Pump.}$$

* Use 3/15 to 11/15 irrig. season to be uniform with other "02" Snake River rights.

b) Volume Calculations for Irrigation: 245 days / 5.0 AF/AC

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 0.5138 \times 4 \text{ AF/AC} = 2.06$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.03 \times 245 \times 1.9835 = 14.58$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 2.06$$

c) Volume Calculations for Other Uses:

$$V = 0.02 \times 1.9835 \times 245 = 9.7 \text{ AFA}$$

$$V = 0.5 \text{ ac} \times 5.0 \text{ AF/AC} = 2.5 \text{ AFA} \leftarrow$$

$$\text{LAWN \& Landscape watering} = 0.5138 \text{ acres} \times 4 \text{ AFA/AC} = 2.1 \text{ AFA}$$

$$0.5 \text{ ac} \times 0.03 \text{ cfs} = 0.015 \approx 0.02 \text{ cfs allowable for irrig.}$$

2. Overlap Review

a) Other water rights with same place of use: _____

b) Other water rights with same point of diversion: _____

c) Analysis:

MICROFILMED

RECOMMENDED AMOUNTS

10 day

3.	Permit No.	Priority	Amount	App. Date	Date Proof Submitted	System Capacity
	02-7326	3-6-1981	0.04 cfs	3-6-1981	2-21-1985	0.06 cfs

4. Permit Holder: Vance Van Hall

Address: P.O. Box 175, Hagerman, ID 83332

5. Source: Snake River tributary to Columbia River

6. Beneficial Use	Period of Use From To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
<u>Irrigation</u> ✓	<u>3/15</u> <u>11/15</u>	<u>0.02 cfs</u>	<u>2.5 AF</u>
<u>Hunting & Feeding</u> ✓	<u>1-1</u> <u>12-31</u>	<u>0.02 cfs</u>	<u>N/A</u>
<u>Cooling</u>	<u>1-1</u> <u>12-31</u>	<u>0.02 cfs</u>	<u>N/A</u>

Allowable Maximums: 0.05 cfs 0.04 cfs 2.5 AF

7. Point(s) of Diversion: ✓

No.	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County
	<u>GL11</u>	<u>NW</u>	<u>NE</u>	<u>SE</u>	<u>1</u>	<u>8S</u>	<u>13E</u>	<u>Gooding</u>

8. Place(s) of Use ✓

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
8S	13E	1															GL 11 .5 ac.	0.5	
Total Acres 0.5																			

Total Acres 0.5

9. Recommended Conditions/Remarks: P/U also known as Lot 8, Gridley Subdivision, Gridley Island.

10. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None ☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

11. Examiner's Signature Larry A. Blau

Checked in Regional Office by J. F. Stanton ADR

Approved in State Office by Ray Walker

Date 2-28-86

Date 3-12-86

Date 7-8-86

per form 219A

WIDOWED


n - 1542



[illegible]

10. Other water rights on these lands None
11. Other water right diverted from same p.d. None

12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components applicable. Indicate on systems with measurement port the nearest component/pipe bend/restriction both upstream and downstream of the measurement port. On multiple diversion systems indicate the flow direction.



13. ☒ Photo of Diversion & System Attached ☐ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks P/U Further described as lot 8 Grid by Island Subdivision

15. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
- ☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

16. Examiner's/Consultant's Signature Larry A. Blau Date 2-27-86

Consultant's License Number _____

IDWR Director's Authorization to Conduct Beneficial Use Examination _____

Date




CONSULTANT SEAL

MACROFILM

PUMP PERFORMANCE

02-7326

GENERAL PURPOSE PUMP PERFORMANCE



LAWN SPRINKLING PUMP PERFORMANCE

HIGH HEAD

CAT. NO.	HP	DISCHARGE PRESSURE		DYNAMIC SUCTION LIFT (Gallons Per Minute)					
		PSI	Feet HEAD	5'	10'	15'	20'	25'	
DHE-3	1	20	46.2	46	43	41	38	35	
		30	69.3	35	32	29	25	21	
		40	92.4	19	15	10	—	—	
DHF-3	1½	20	46.2	55	53	51	49	46	
		30	69.3	45	42	39	36	32	
		40	92.4	31	27	22	18	12	
DHG-3	2	20	46.2	77	74	71	68	65	
		30	69.3	63	60	56	53	49	
		40	92.4	48	44	40	36	30	
		50	115.5	27	20	13	—	—	
DHH-3	2½	20	46.2	89	85	82	80	76	
		30	69.3	75	72	68	64	60	
		40	92.4	60	57	53	49	44	
		50	115.5	42	37	31	25	17	
		60	138.6	14	4	—	—	—	
DHH-3	3	20	46.2	121	119	105	96	68	
		30	69.3	106	103	98	92	66	
		40	92.4	85	80	74	69	60	
		50	115.5	58	51	42	32	13	
DHJ-3	5	20	46.2	162	161	152	138	98	
		30	69.3	160	158	150	136	98	
		40	92.4	146	141	136	130	96	
		50	115.5	119	114	105	95	85	
		60	138.6	81	70	55	30	—	

MEDIUM HEAD

CAT. NO.	HP	DISCHARGE PRESSURE		DYNAMIC SUCTION LIFT (Gallons Per Minute)					
		PSI	Feet HEAD	5'	10'	15'	20'	25'	
DME-3	1	20	46.2	55	50	45	40	33	
		30	69.3	30	21	5	—	—	
DMF-3	1½	20	46.2	67	63	56	53	47	
		30	69.3	44	37	29	20	5	
DMG-3	2	20	46.2	84	79	74	69	63	
		30	69.3	60	53	46	39	30	
		40	92.4	22	12	—	—	—	
DMMG-3	2½	20	46.2	103	96	90	85	70	
		30	69.3	75	66	58	46	35	
		40	92.4	35	20	5	—	—	
DMH-3	3	20	46.2	159	154	146	138	99	
		30	69.3	126	118	110	101	86	
		40	92.4	85	75	61	26	—	
DMJ-3	5	20	46.2	214	209	202	194	162	
		30	69.3	185	179	172	165	158	
		40	92.4	153	146	139	130	120	
		50	115.5	114	101	85	65	28	

MICROFIL MFI

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region

1041 Blue Lakes Blvd. N
Twin Falls, Idaho 83301
(208) 734-3578

AUGUST 2, 1985

VANCE VAN HALL
BOX 175
HAGERMAN

ID 83332

RE: Permit No. 02-7326

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 734-3578 or in person at our office at 1041 Blue Lakes Blvd. N. Twin Falls, Idaho.

Sincerely,
s/Mary A. Newby
Secretary

MICROFILMED

RECEIVED

FEB 22 1985

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

RECEIVED

FEB 21 1985

Department of Water Resources
Southern District Office

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below:

Permit No. 02-7326

Name(s) of Permit Holder: Vance Van Hall

Post Office Address: Box 175 Hagerman, ID 83332

Telephone No. 837-4848 (Home)
837-6294 (Business)

Source of Water: Snake River

Extent of Use:

Domestic _____ (number of households)

Stockwater _____ (number and type of stock)

✓ Irrigation 75 _____ (acres)

Other/Remarks Heating & Cooling

Indicate the date water was first diverted and beneficially used under this permit: August, 1984

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

Permit Holder
(Name)

(Address)

(Telephone Number)

MICROFILMED

The above information is a true statement of the extent to which the above numbered permit has been developed.

2/21/85
Date

Vance Van Hall
Signature of Permit Holder (and Title, if appropriate)

MD

April 6, 1984

RE: Permit No. 02-7326

Vance Van Hall
932 Mountain View
Twin Falls, ID 83301

Dear Permit Holder:

This office acknowledges receipt of the Assignment of the above referenced permit to you.

Enclosed for your records is a copy of the permit. Be sure to note the conditions of approval on the fourth page that identify requirements necessary for developing the permit into a licensed water right.

If you have any questions on this matter, please feel free to contact us.

Sincerely,

KAY WALKER
Chief Clerk

KW:sc
Enclosure

MICROFILMED

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

MENGEL, HERBERT O. & MARGARET L.
360 MONTVUE DR.
MERIDIAN, ID 83642

JUNE 03, 1981

RE: PERMIT NO. 02-7326

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region

1041 Blue Lakes Blvd N.
Twin Falls, Idaho 83301
(208) 734-3578

MARCH 18, 1981

Gooding County Leader
P.O. Box 56
Gooding, Idaho 83330

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billings to this office before APRIL 13, 1981.

Yours truly,

Mary A. Hill
Secretary

Encl.

REPROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

02-7326

MENGEL, HERBERT O. &/or MARGARET L.

360 MONTVUE DR., MERIDIAN, ID 83642

Source: SNAKE RIVER

Date Filed: 03/06/1981

Amount: 0.06 CFS

Diversion Point: LOT 11 (NWSE) Sec 01 T 08S R 13E, GOODING Co.

Use: IRRIGATION	(0.04 CFS)	from 04/01 to 10/31
HEATING	(0.02 CFS)	from 01/01 to 12/31
COOLING	(0.02 CFS)	from 01/01 to 12/31

Place of Use: LOT 11 (NWSE) Sec 01 T 08S R 13E FOR 1 ACRES

Diversion Means: PUMP

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before APRIL 13, 1981.

C. STEPHEN ALLRED

Director

Published 3/25 & 4/1/81.

MICROFILMED

02-7326

MENGEL, HERBERT O.

&/or MARGARET L.

360 MONTVUE DR., ME-

RIDIAN, ID 83642

Source: SNAKE RIVER

Date Filed: 03/06/1981

Amount: 0.06 CFS

Diversion Point: LOT 11

(NWSE) Sec 01 T 08S R 13E,

GOODING Co.

Use: IRRIGATION (0.04

CFS) from 04/01 to 10/31

HEATING (0.02 CFS) from

01/01 to 12/31

COOLING (0.02 CFS) from

01/01 to 12/31

Place of Use: LOT 11

(NWSE) Sec 01 T 08S R 13E

FOR 1 ACRES

Diversion Means: PUMP

*at
marge
2/25/91*