


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Harold S. Lovelady
(Applicant)

PROOF OF PUBLICATION

STATE OF IDAHO

County of Owyhee

s.s.

I, RODNEY A. HAWES, being first duly sworn, on oath says that he is the Publisher of the OWYHEE NUGGET, a newspaper of general circulation, published weekly by Rodney A. Hawes, publisher and printer thereof, at Marsing, County of Owyhee, State of Idaho;

That the annexed notice was published in said newspaper once each week and every week for 2 consecutive weeks, the first publication being on the 12 day of April, 1979, and the last publication being on the 19 day of April, 1979;

That the said newspaper has been published continuously and uninterruptedly in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of the attached notice.

Rodney A. Hawes
PUBLISHER

Subscribed and sworn to before me this 19 day of April, 1979.

Lena S. Hawes
NOTARY PUBLIC

My commission expires 9-10-80

(SEAL)

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

02 - 7282

LOVELADY, HAROLD S.
&/or GEORGIA
STAR ROUTE, MELBA, ID
83641

Source: SNAKE RIVER

Date Filed: 04/02/1979

Amount: 0.12 CFS

D version Point: LOT 08
(NWSE) Sec 28 T 05S R 02W,
OWYHEE Co.

Use: IRRIGATION (0.12
CFS) from 03/15 to 11/15

Place of Use: LOT 08
(NWSE) LOT 08 (SWSE) Sec
28 T 01S R 02W FOR 6
ACRES

Diversion Means: PUMP-
ING PLANT & SPRINKLER

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83705 on or before APRIL 30, 1979.

C. STEPHEN ALLRED,

Director

Published 4/12 & 4/19, 1979,
The Owyhee Nugget, Marsing,
Owyhee County, Idaho 83639.

OK
KK
5/1/79

MICROFILMED



22 33

B


A
212

28
33 34


MICROFILMED

R22W

T



10. Other water rights on these lands none
11. Other water right diverted from same p.d. none
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☐ Photo of Diversion & System Attached

☒ Aerial Photo of Place of Use Attached
or Map of Irrigated Acreage Attached

14. Remarks _____

15. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

16. Examiner's/Consultant's Signature John R. Hayes Date 6/28/85

Consultant's License Number _____

IDWR Director's Authorization to Conduct

Beneficial Use Examination _____

Date

CONSULTANT SEAL

WATER RIGHT LICENSE

THIS IS TO CERTIFY, that Harold S. &/or Georgia Lovelady
of Melba, Idaho, has complied with the terms and conditions of Permit
No. 02-7282 issued pursuant to Application for Permit dated April 2, 1979,
and has submitted proof to the Department of Water Resources on March 8, 1984,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.12 cfs of water from Snake River,
tributary to Columbia River, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Subject, however, to the condition that no more than 0.06 cfs of water be diverted at any one time, and that the amount of water so diverted and to which such right is entitled and confirmed for the purpose aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed 10.0 acre feet per year, said waters to be diverted within the Gov. Lot 8 (SE1SE1) Section 28, Twp 15S, Rge 2W in the County of Quibbe

[illegible]

MICROFICHE

MICROFILMED

CONDITIONS OF APPROVAL

a. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

b. The right to the use of the water hereby confirmed is restricted and appurtenant to lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

c. Any water right confirmed in this license for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this license and shall not give rise to any right or claim against any future rights to the use of water other than hydropower, within the State of Idaho initiated later in time than the priority of this license.

Water shall not be diverted under this right unless the flow of the Snake River exceeds established downstream minimum stream flows.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 25TH day of

April, 19 86.

Acting for the

Director

Norman C Young

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Harold S. &/or Georgia Lovelady Phone 495-2932

Post office address Star-Route, Melba, ID 83641

2. Source of water supply Snake River which is a tributary of Columbia River

3. Location of point of diversion is Lot 8
NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 28 Township 1S

Range 2W B.M. Owyhee County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .12 for irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .12 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Pumping plant and sprinkler
system.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.


(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Harold S. Lovelady
(Applicant)

Proposed Priority 4-2-79

Received by SKN Date 4/2/79 Time 10:30

Preliminary check by R.W.N. Fee \$ 13024 \$20.00

Receipted by KK Date 4/2/79

Publication prepared by kk Date 4/5/79

Published in Owyhee Nugget

Publication dates 4/12 & 4/19/79

Publication approved KK Date 5/1/79

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DBS S.S.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 02-7282, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 19 84.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Water shall not be diverted under this permit unless the flow of the Snake River at the U. S. Geological Survey stream gaging station at Murphy exceeds 3,300 c.f.s. and at Weiser exceeds 4,750 c.f.s.

Witness my hand this 7 day of May, 19 79.

A. Glen Saxton
Chief, Operations Bureau

PROOF OF PUBLICATION

STATE OF IDAHO

County of Owyhee

S.S.

I, RODNEY A. HAWES, being first duly sworn, on oath says that he is the Publisher of the OWYHEE NUGGET, a newspaper of general circulation, published weekly by Rodney A. Hawes, publisher and printer thereof, at Marsing, County of Owyhee, State of Idaho;

That the annexed notice was published in said newspaper once each week and every week for 2 consecutive weeks, the first publication being on the 12 day of April, 1979, and the last publication being on the 19 day of April, 1979;

That the said newspaper has been published continuously and uninterruptedly in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of the attached notice.

Rodney A. Hawes
PUBLISHER

Subscribed and sworn to before me this 19 day of April, 1979.

James J. Collier
NOTARY PUBLIC

My commission expires 9-10-82

(SEAL)

NOTICE OF DIVERSION
FOR WATER RIGHT
Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

BY: **LOVELADY, HAROLD S.**
&/or **GEORGIA STAR ROUTE, MELBA, ID 83641**

Source: **SNAKE RIVER**
Date Filed: **04/03/1979**
Amount: **0.12 CFS**
Diversion Point: **LOT 08 (NWSE) Sec 28 T 05S R 02W, OWYHEE Co.**
Use: **IRRIGATION (0.12 CFS) from 03/15 to 11/15**
Place of Use: **LOT 08 (NWSE) LOT 08 (SWSE) Sec 28 T 05S R 02W FOR 6 ACRES**
Diversion Means: **PUMP-ING PLANT & SPRINKLER**
If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 52 S. Cole Road, Boise, Idaho 83705 on or before **APRIL 30, 1979**.
C: **STANLEY ALFRED**, Director
Published **4/19, 1979**
The Owyhee Nugget, Marsing, Owyhee County, Idaho 83638.

OK KK 5/1/79

May 19, 1992

HAROLD S. LOVELADY
GEORGIA LOVELADY
STAR RT. BOX 35
MELBA ID 83641

RE: Water Right No. 02-07282

Dear Water Right Holder(s):

Department water right records show that you divert water from the Snake River or its tributaries under a water right that has a priority date later than December 29, 1976. This is the priority of the established minimum stream flow of the Snake River at the Weiser Gage (Weiser) in the amount of 4,750 cubic feet per second.

Because of the continuing drought conditions in the Snake River Basin, department hydrologists project that during 1992, there could be periods when the required minimum flow will not be satisfied due to low flows of the Snake River. The department urges you to not divert at a higher rate than authorized by your water right and to not use your right in any manner different than authorized. In addition, when the minimum flow will not be satisfied or is not being satisfied, you are required to cease diverting water under your water right, because your right is of later priority than the minimum stream flow at Weiser.

If the department determines the minimum flow will not be satisfied, the department will advise you and will provide as much lead time as possible in requiring that you temporarily cease your diversion of water. The greatest likelihood for this to occur is during a period from mid-June to late June.

While the department expects good cooperation from junior water right holders, water users should be aware that Section 42-352, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversions of water.

The department has contacted both the Idaho Power Company and the U.S. Bureau of Reclamation with respect to the timing of storage releases from upstream reservoirs for flow enhancement

purposes. This type of coordination could minimize the impact on existing water users and reduce the need to curtail diversions.

The department has scheduled public information meetings relative to this potential regulation as follows:

Mountain Home - June 4, 1992 - 10:00 a.m. - gymnasium at
North Elementary School, 290 E. 12th N.

Caldwell - June 4, 1992 - 7:00 p.m. - Ballroom in the
Student Union Building, Albertson College of Idaho,
2112 Cleveland

If you have questions concerning this letter or wish to provide the name of a different contact person or address to receive department correspondence, please contact the department.

Sincerely,

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:klg

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

COMMENCEMENT OF WORKS

Permit No. 02-7282
Name(s) of Permit Holder(s): HAROLD or Georgia Lovelady
Post Office Address: STAR. RT. BOX 35
MEABA, IDAHO 83641 Tel. No. 495-2392

☒ I hereby certify that construction of diversion works for the above referenced permit began on 8-1-79 I understand that I must
(date) **MICROFILMED**
continue to develop the water system and maintain a valid permit.


☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:
JUN 16 1980

*Note: A financing difficulty is
not an acceptable reason.

7-10-82
Date

Harold Lovelady
Signature of Permit Holder

Georgia Lovelady



RECEIVED

RECEIVED

JUN 16 1988



JUL 12 1982

Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

April 28, 1986

RE: Permit No. 02-7282

Harold S. &/or Georgia Lovelady
Star Rt., Box 35
Melba, ID 83641

Dear Mr. and Mrs. Lovelady:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc

Enclosure

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

April 10, 1986

RE: Permit No. 02-7282

Harold S. &/or Georgia Lovelady
Star Rt., Box 35
Melba, ID 83641

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

If you do not concur with the information shown on the draft license, please advise the Department within ten (10) days. If you have any questions, please let us know; otherwise, the license will be issued as identified on the draft copy.

Sincerely,


JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

RECEIVED
MAR 25 1986

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED

02-7282
Permit No.

Department of Water Resources

1. Measurement Calculations

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

3/16 nozzles (Rainbird) 25 PSI = 5 GPM x 11 hrs x
0.002228 = .12 cfs ✓

Theoretical

1.5 HP x 8.8 x .85 = 11.22 ✓

$$\frac{20 + 1.43 \sqrt{25 \text{ PSI } (58.13)} = 98.13}{11.22} = .144 \text{ cfs} \checkmark$$

$20 + (25 \times 2.31) = 77.75$

Recommend

$2 \times .03 = .06 \text{ cfs} \checkmark$

b) Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 2 \times 5 = 10 \checkmark$
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .12 \times 245 \times 1.9835 = 58.31$
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 10 \checkmark$
 $V = 0.06 \times 1.9835 \times 245 = 29.2$

c) Volume Calculations for Other Uses:

none

2. Overlap Review

a) Other water rights with same place of use: none

b) Other water rights with same point of diversion: none

c) Analysis:

MICROFILMED

10 day

- Date 4/3/86

have because
app. was made
for Gov. Lot 8




B

R20W

28
2334


UNRECORDED

T
S



[illegible]

10. Other water rights on these lands none
11. Other water right diverted from same p.d. none
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☐ Photo of Diversion & System Attached ☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached
14. Remarks _____
15. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other
16. Examiner's/Consultant's Signature John R. Noyes Date 6/28/85
Consultant's License Number _____
IDWR Director's Authorization to Conduct
Beneficial Use Examination _____ Date _____
- CONSULTANT SEAL

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

MAY 5, 1984

HAROLD S. LOVELADY
STAR RT. BOX 35
MELBA

ID 83641

RE: Permit No. 02-7282

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 334-2190 or in person in the third floor State Towers Building, 450 West State Street, Boise.

Sincerely,
s/Judy Pense
Secretary

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 02-7282.

Name(s) of Permit Holder: Harold S. Lovelady

Post Office Address: Star Rt. Box 35 Melba, Idaho
83641 Tel. No. 495-2392

Source of Water:

Extent of Use:

☐ Domestic

(number of households)

☐ Stockwater

(number and type of stock)

☒ Irrigation

(acres)

☐ Other

Measuring Device:

Required?

☐ Yes ☒ No

Installed?

☐ Yes ☐ No

Access Port:

Required?

☐ Yes ☒ No

Installed?


☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

3-6-84
Date

Harold Lovelady
Signature of Permit Holder

Harold Ovelady
Star Rt. Box 35
Melba. Id. 83641



RECEIVED

MAR 8 1984



MICROFILMED

IDAHO DEPARTMENT OF WATER RESOURCES
Department of Water Resources HOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138470

LOVELADY, HAROLD S. & GEORGIA
STAR ROUTE
MELBA, ID 83641

PROOF DUE NOTICE

FEBRUARY 28, 1984

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 02-7282 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE MAY 01, 1984. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

RECEIVED
FEB 29 1984

May 8, 1979

Re: Permit No. 02-7282

Harold S. &/or Georgia Lovelady
Star Route
Melba, Idaho 83641

Dear Mr. or Mrs. Lovelady:

Your approved copy of your Application for Permit is enclosed and we direct your attention to the conditions of approval on the fourth page.

Note also that water shall not be diverted under this permit unless a base flow of the Snake River at the U. S. Geological Survey stream gaging station at Murphy exceeds 3,300 c.f.s. and at Weiser exceeds 4,750 c.f.s. In addition, there are many applications for permit for the use of Snake River water that are prior to your permit. These applications have been filed for the irrigation of land that the applicants are attempting to obtain under the Federal Land Laws such as Desert Entry and Carey Act. If these lands are developed, and if the base flow is maintained, then no water would be available for this permit. Therefore, you should carefully consider these facts before you make any expenditures for the construction of your system.

The exercise of this permit may also be affected by the court's determination of water rights in the case of Idaho Power Company v. State of Idaho, et al., Civil No. 62237, currently pending before the District Court of Ada County.

Idaho Power officials tell us that because of Case No. U-1006-124 filed before the Idaho Public Utilities Commission, Idaho Power Company is asking the District Court of Ada County to determine whether the Power Company's water rights on the Snake River are protected against subsequent upstream appropriations in the waters of the Snake River and surface and subterranean tributaries between Milner Dam and Hells Canyon.

Harold S. &/or Georgia Lovelady
May 8, 1979
Page 2

Since the use of water under this permit may affect the flows in this reach of the Snake River, the final decision in Idaho Power Company V. State of Idaho, et al. (Ada County Civil No. 62237) may determine to what extent the exercise of your permit may be subject to the water rights of Idaho Power.

While the Ada County court is examining this question, Idaho Power Company has not filed a specific protest to your permit. However, the Department of Water Resources has been advised that the Power Company is not waiving any of its rights to contest or limit the exercise of your permit or a subsequent license or water right.

If you have any questions, please let us know.

Sincerely,

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosure

02-7282

STAFF REVIEW - STATE OFFICE

1. ✓ Name vs. Signature
2. S.R. Source
3. ✓ Point of Diversion
4. 0.12 Amnt. & Period of Use
5. ✓ Descrip. of Diverting Wrks.
6. 5 Time req. for Proof of B/U
7. N/A Place of Use for other than irrig.
8. 6 Place of Use for irrigation (add acres)
9. A Property Owner at Pt. of Div. & Pl. of Use
10. ✓ Map
11. 20 Fee & Rec't. No.

Copies Sent To:

N° Idaho Health Department
/ Idaho Fish & Game Dept.
/ Bureau of Land Management

N° U.S.F.S.
/ Dept. of Lands
/ Other

Dam Safety Information N/A (Goes to Permit Section)

Check:

Critical G.W. Area yes ✓ no

Other rights on same land None plotted

Withdrawals of all protests received N/A yes no

Conditions:

ID Power Co. Letter - Snake R. Yes

ID Power Co. Letter - G.W. & Tribs. No

Snake River Condition Yes

" " Letter Yes

Payette River Letter No

Priority Date 4/2/79

Water Quality #16 No

Water Quality #10 /

Intrastate / interstate /

Meas. Dev. or Sc. Meas. No

Totalizing meter /

Supplemental /

Right-of-Way Cond. /

Watermaster Cond. /

Wtr. Dist No. /

Meas. Dev. Cond. for apps within a Water Dist. /

Reviewer

5/4/79

Date

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

APRIL 5, 1979

Owyhee Nusselt
Marsing, ID 83639

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before APRIL 30, 1979.

Yours truly,

Karla Knecht
Secretary

Encl.

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83705 on or before APRIL 30, 1979.

C. STEPHEN ALLRED

Director

Published 4/12 & 4/19.

MICROFILMED

02-2282

LOVELADY, HAROLD S. &/or GEORGIA

STAR ROUTE, MELBA, ID 83641

Source: SNAKE RIVER

Date Filed: 04/02/1979

Amount: 0.12 CFS

Diversion Point: LOT 08 (NWSE) Sec 28 T 01S R 02W, OWYHEE Co.

Use: IRRIGATION (0.12 CFS) from 03/15 to 11/15

Place of Use: LOT 08 (NWSE) LOT 08 (SWSE) Sec 28 T 01S R 02W
FOR 6 ACRES

Diversion Means: PUMPING PLANT & SPRINKLER

RECORDED