



# PROOF OF PUBLICATION

STATE OF IDAHO

County of Owyhee

s.s.

I, RODNEY A. HAWES, being first duly sworn, on oath says that he is the Publisher of the OWYHEE NUGGET, a newspaper of general circulation, published weekly by Rodney A. Hawes, publisher and printer thereof, at Marsing, County of Owyhee, State of Idaho;

That the annexed notice was published in said newspaper once each week and every week for 2 consecutive weeks, the first publication being on the 1 day of February, 1979, and the last publication being on the 8 day of February, 1979;

That the said newspaper has been published continuously and uninterruptedly in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of the attached notice.

Rodney A. Hawes  
PUBLISHER

Subscribed and sworn to before me this 8 day of Feb, 1979.

Tom S. Hawes  
NOTARY PUBLIC

My commission expires 9-10-80

(SEAL)

## NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application has been submitted for permit to appropriate the public waters of the State of Idaho:

02 - 7278

CROCHERON, JOHN

P. O. BOX 394, MARSING,

ID 83639

Source: SNAKE RIVER

Date Filed: 01/19/1979

Amount: 0.02 CFS

Diversion Point: LOT 03  
Sec 03 T 02N R 04W, OWYHEE

Co.

Use: IRRIGATION (0.02

CFS) from 04/01 to 10/31

Place of Use: LOT 03 Sec

03 T 02N R 04W FOR 1 ACRES

Diversion Means: Pump

AND SPRINKLER SYSTEM

If issued, the permits will be

subject to all prior water rights.

Protests against the granting of

any permit must be filed with

the Director of the Idaho De-

partment of Water Resources,

92 S. Cole Road, Boise, Idaho

83705 on or before FEBRUARY

19, 1979.

C. STEPHEN ALLRED,

Director

Published 2/1 & 2/8, 1979,

the Owyhee Nugget, Marsing,

Owyhee County, Idaho.

RECEIVED

FEB 12 1979

Department of Water Resources  
Western Regional Office

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: L 3 (NWNE) Sec 3 T2N R4W

Place(s) of Use ✓ .2 less acres

[illegible]

0.3

☐ Change P.D. as reflected above

☐ Change P.U. as reflected above

☐ Add P.D. as reflected above

☐ Add P.U. as reflected above

☒ None

☐ Other

Examiner's Signature John K. Noyes  
Checked by 036


Checked by QPS

Approved by Kay Walker

Date 9/6/83


Date 10/4/83

Date 4-13-1984



1935

# COMPOSITE PLAT OF RANGE N° 4 WEST, OF THE BOISE



State of Idaho  
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 02-7278 Priority January 19, 1979 Amount 0.02 cfs

THIS IS TO CERTIFY, that John Crocheron  
of Marsing, Idaho, has complied with the terms and conditions of Permit  
No. 02-7278 issued pursuant to Application for Permit dated January 19, 1979,  
and has submitted proof to the Department of Water Resources on September 7, 1983,  
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a  
capacity for the diversion of 0.23 cfs of water from Snake River,  
tributary to Columbia River, and that the permit holder has applied to a beneficial use and  
established a right to use water as follows:

| Beneficial Use         | Period of Use                              | Rate of Diversion      | Annual Volume        |
|------------------------|--------------------------------------------|------------------------|----------------------|
| Irrigation             | from <u>March 15</u> to <u>November 15</u> | at <u>0.02</u> cfs and | <u>1.5</u> acre feet |
|                        | from _____                                 | at _____ cfs and       | _____                |
|                        | from _____                                 | at _____ cfs and       | _____                |
| (both dates inclusive) |                                            |                        |                      |

Subject, however, to the condition that no more than 0.02 cfs of water be diverted at any one time, and  
that the amount of water so diverted and to which such right is entitled and confirmed for the purpose  
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed  
1.5 acre feet per year, said waters to be diverted within the Gov. Lot 3 (NW 1/4 NE 1/4)  
Section 3, Twp 2N, Rge 4W in the County of Owyhee

Description and location of place of use:

| Twp. | Range | Sec. | NE 1/4 |        |        |        | NW 1/4 |        |        |        | SW 1/4 |        |        |        | SE 1/4 |        |        |        | Totals |
|------|-------|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
|      |       |      | NW 1/4 | NW 1/4 | SW 1/4 | SE 1/4 | NE 1/4 | NW 1/4 | SW 1/4 | SE 1/4 | NE 1/4 | NW 1/4 | SW 1/4 | SE 1/4 | NE 1/4 | NW 1/4 | SW 1/4 | SE 1/4 |        |
| 2N   | 4W    | 3    |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        | 0.3    |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |

Total number of acres irrigated 0.3

Water shall not be diverted under this license unless the flow of the Snake River  
at the U.S. Geological Survey gaging station at Murphy exceeds 3,300 cubic feet  
per second and at Weiser exceeds 4,750 cubic feet per second.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho  
code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use  
herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 25<sup>TH</sup> day of  
MAY, 19 84.

Acting for the Director

Director

**STATE OF IDAHO**  
**DEPARTMENT OF WATER RESOURCES**  
**APPLICATION FOR PERMIT**

**APPROVED**

To appropriate the public waters of the State of Idaho

1. Name of applicant Crocheron, John Phone 896-4289

Post office address P.O. Box 394 Marsing, Idaho 83639

2. Source of water supply Snake River which is a tributary of Columbia River

3. Location of point of diversion is Govt. Lot 3  $\frac{1}{4}$  of         $\frac{1}{4}$  of Section 3 Township 2N

Range 4W B.M. Owyhee County, additional points of diversion if any:       

4. Water will be used for the following purposes:

Amount 0.02 for Irrigation purposes from 4/1 to 10/31 (both dates inclusive)  
(cfs or acre-feet per annum)

Amount        for        purposes from        to        (both dates inclusive)  
(cfs or acre-feet per annum)

Amount        for        purposes from        to        (both dates inclusive)  
(cfs or acre-feet per annum)

Amount        for        purposes from        to        (both dates inclusive)  
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.02 cubic feet per second and/or b.        acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Pump and sprinkler system

b. Height of storage dam        feet, active reservoir capacity        acre-feet; total reservoir capacity        acre-feet, materials used in storage dam:       

Period of year when water will be diverted to storage        to        inclusive.  
(Month/Day) (Month/Day)

c. Proposed well diameter is        inches; proposed depth of well is        feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water:         $\frac{1}{4}$  of         $\frac{1}{4}$  of Section        Township         
Range        B.M.

(2) Amount of power to be generated:        horsepower under        feet of head.

(3) List number of each kind of livestock to be watered       

(4) Name of municipality to be served       , or number of families to be supplied with domestic water       .

(5) If water is to be used for other purposes describe:       

RECEIVED



A full-page sheet of white graph paper with a black grid. The grid consists of 20 columns and 20 rows of squares, forming a large square area. There are no margins or additional markings on the page.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

John Brotherton  
(Applicant)

Proposed Priority 1-19-79

Received by R.W.H. Date 1-19-79 Time 10:30 A.M.

Preliminary check by R.W.H. Fee \$ 20<sup>00</sup> # 12550

Received by KK Date 1-19-79

Publication prepared by KK Date 1/25

Published in Owyhee Nugget

Publication dates 2/1 + 2/8

Publication approved KK Date 2/20/79

Protests filed by: \_\_\_\_\_

Copies of protests forwarded by \_\_\_\_\_

Hearing held by \_\_\_\_\_ Date \_\_\_\_\_

Recommended for approval denial by DBS 3.3.

#### ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 02-7278, and said application is hereby APPROVED.


1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 19 84.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Water shall not be diverted under this permit unless the flow of the Snake River at the U.S. Geological Survey stream gaging station at Murphy exceeds 3,300 c.f.s. and at Weiser exceeds 4,750 c.f.s.

Witness my hand this 23<sup>rd</sup> day of February, 1979.

L. Glen Saxton  
Chief, Operations Bureau

WASLES C. W. WASHLEY, JR.  
34-27 CHASE ST. NEW YORK



STREETS FORMING URBAN EXTENSIONS OF  
FEDERAL-AID, PRIMARY STATE AND US ROUTES

[illegible]

# PROOF OF PUBLICATION

STATE OF IDAHO


County of Owyhee

s.s.


I, RODNEY A. HAWES, being first duly sworn, on oath says that he is the Publisher of the OWYHEE NUGGET, a newspaper of general circulation, published weekly by Rodney A. Hawes, publisher and printer thereof, at Marsing, County of Owyhee, State of Idaho;

That the annexed notice was published in said newspaper once each week and every week for 2 consecutive weeks, the first publication being on the 1 day of February, 1979, and the last publication being on the 8 day of February, 1979;

That the said newspaper has been published continuously and uninterruptedly in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of the attached notice.


  
PUBLISHER

Subscribed and sworn to before me this 8 day of Feb, 1979.

  
NOTARY PUBLIC

My commission expires 9-10-80

(SEAL)

  
**RECEIVED**  
FEB 12 1979  
Department of Water Resources  
Western Regional Office  
**MICROFILMED**

JOHN CROCHERON  
P.O. BOX 394  
MARSING ID 83639

May 19, 1992

RE: Water Right No. 02-07278

Dear Water Right Holder(s):

Department water right records show that you divert water from the Snake River or its tributaries under a water right that has a priority date later than December 29, 1976. This is the priority of the established minimum stream flow of the Snake River at the Weiser Gage (Weiser) in the amount of 4,750 cubic feet per second.

Because of the continuing drought conditions in the Snake River Basin, department hydrologists project that during 1992, there could be periods when the required minimum flow will not be satisfied due to low flows of the Snake River. The department urges you to not divert at a higher rate than authorized by your water right and to not use your right in any manner different than authorized. In addition, when the minimum flow will not be satisfied or is not being satisfied, you are required to cease diverting water under your water right, because your right is of later priority than the minimum stream flow at Weiser.

If the department determines the minimum flow will not be satisfied, the department will advise you and will provide as much lead time as possible in requiring that you temporarily cease your diversion of water. The greatest likelihood for this to occur is during a period from mid-June to late June.

While the department expects good cooperation from junior water right holders, water users should be aware that Section 42-352, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversions of water.

The department has contacted both the Idaho Power Company and the U.S. Bureau of Reclamation with respect to the timing of storage releases from upstream reservoirs for flow enhancement purposes. This type of coordination could minimize the impact on

existing water users and reduce the need to curtail diversions.

The department has scheduled public information meetings relative to this potential regulation as follows:

Mountain Home - June 4, 1992 - 10:00 a.m. - gymnasium at  
North Elementary School, 290 E. 12th N.

Caldwell - June 4, 1992 - 7:00 p.m. - Ballroom in the  
Student Union Building, Albertson College of Idaho,  
2112 Cleveland

If you have questions concerning this letter or wish to provide the name of a different contact person or address to receive department correspondence, please contact the department.

Sincerely,

L. GLEN SAXTON  
Chief, Water Allocation Bureau

LGS:klg



State of Idaho  
**DEPARTMENT OF WATER RESOURCES**  
STATE OFFICE, 450 W. State Street, Boise, Idaho

---

JOHN V. EVANS  
Governor

A. KENNETH DUNN  
Director

Mailing address:  
Statehouse  
Boise, Idaho 83720  
(208) 334-4440

May 31, 1984

RE: Permit No. 02-7278

John Crocheron  
Box 394  
Marsing, ID 83639

Dear Mr. Crocheron:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

JIM JOHNSON  
Water Distribution Supervisor

JJ:sc

Enclosure





State of Idaho

## DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

May 4, 1984

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

RE: Permit No. 02-7278

John Crocheron  
Box 394  
Marsing, ID 83639

Dear Mr. Crocheron:

A representative of this Department has made an examination of the works covered by your Permit No. 02-7278, and has found the following:

Amount of water that can be recognized as beneficially used under  
Idaho law: 0.02 cfs Source: Snake River trib to Columbia River

The maximum quantity diverted shall not exceed 1.5 acre feet  
per year.

Point(s) of diversion: Gov. Lot 3 (NW $\frac{1}{4}$ NE $\frac{1}{4}$ ) Sec. 3, Twp 2N, Rge 4W

Beneficial Use: Irrigation of 0.3 acres within Lot 3 (NW $\frac{1}{4}$ NE $\frac{1}{4}$ ) Sec. 3,  
Twp 2N, Rge 4W

Priority date established: January 19, 1979

Conditions (if any): Water shall not be diverted under this license unless the  
flow of the Snake River at the U.S. Geological Survey gaging station at Murphy  
exceeds 3,300 cubic feet per second and at Weiser exceeds 4.750 cubic feet  
per second.

If you do not concur with these findings, please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON  
Water Distribution Supervisor

JJ:sc

RECEIVED  
MAY 10 1984

State of Idaho  
DEPARTMENT OF WATER RESOURCES  
WATER RIGHT BENEFICIAL USE FIELD REPORT

02-7278

Permit No.

CONTACT WITH PERMIT HOLDER

|                                                                               | DATE | INITIALS | REMARKS |
|-------------------------------------------------------------------------------|------|----------|---------|
| <input type="checkbox"/> Appointment letter mailed:                           |      |          |         |
| <input type="checkbox"/> Telephone call made<br>(List Telephone No. used)     |      |          |         |
| <input type="checkbox"/> Appointment scheduled for:<br>(Date, time, location) |      |          |         |

EXAMINATION

Date 9/6/83 Accompanied by John Cracheron Total Q measured .23 ✓  
Source Snake R Tributary to Columbia Supp. annubar measurement sheet used? no  
If source is surface water, estimate total flow of source \_\_\_\_\_  
Methods of measurement Flow Meter Meets permit requirements? \_\_\_\_\_

Measurement calculations: \_\_\_\_\_  
4 HP X 8.8 X .80 = 28.16  
30' lift + .43 (40 PSI) (93.02) = 123.02 / 28.16 = .23 cfs ✓  
.3 acre = 1.02 cfs ✓ .3 X 5 = 1.5 AFA ✓  
Recommend 5

| WELL/DIV. NO. | HP | MOTOR MAKE | MOTOR SERIAL NO. | PUMP MAKE | PUMP SERIAL NO. | MEASURING DEVICE TYPE | CONDITION OF MEAS. DEVICE | REMARKS |
|---------------|----|------------|------------------|-----------|-----------------|-----------------------|---------------------------|---------|
|               | 4  | Glor       | —                | Gter      | —               | —                     | —                         |         |
|               |    | Bite       |                  | Bite      |                 |                       |                           |         |

System Description 4/ HP motor 20'-3" PVC pipe in Snake River  
Permanent set sprinkler system for lawn


\*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

| USE                 | Irrigation requirement = <u>5.0</u> |              | AFA/Acre        |              |
|---------------------|-------------------------------------|--------------|-----------------|--------------|
|                     | Q (cfs)                             | V (afa)      | FROM            | TO           |
| <u>Irrigation ✓</u> | <u>.02 ✓</u>                        | <u>1.5 ✓</u> | <u>4/1</u>      | <u>10/31</u> |
|                     |                                     |              | <u>3/15</u>     | <u>11/15</u> |
|                     |                                     |              | <u>245 days</u> |              |
| Total               | <u>.02 ✓</u>                        | <u>1.5 ✓</u> | <u>4/1</u>      | <u>10/31</u> |

Remarks Accepted acreage given by applicant - appears to be reasonable accurate ✓  
Proof card received 9/6/83

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: ✓ L3 (NWNE) Sec 3 T2N R4W

Place(s) of Use ✓ .2000 acres


| TWP. | RGE. | SEC. | NE¼ |     |     |     | NW¼ |     |     |     | SW¼ |     |     |     | SE¼ |     |     |     | TOTALS |
|------|------|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--------|
|      |      |      | NE¼ | NW¼ | SW¼ | SE¼ | NE¼ | NW¼ | SW¼ | SE¼ | NE¼ | NW¼ | SW¼ | SE¼ | NE¼ | NW¼ | SW¼ | SE¼ |        |
|      |      |      |     | L3  |     |     |     |     |     |     |     |     |     |     |     |     |     |     |        |
| 2N   | 4W   | 3    |     | .8  |     |     |     |     |     |     |     |     |     |     |     |     |     |     | 0.3    |
|      |      |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |        |
|      |      |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |        |
|      |      |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |        |
|      |      |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |        |
|      |      |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |        |
|      |      |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |        |

0.3

- Recommended Amendments:
- ☐ Change P.D. as reflected above
 ☐ Add P.D. as reflected above
 ☒ None
- ☐ Change P.U. as reflected above
 ☐ Add P.U. as reflected above
 ☐ Other \_\_\_\_\_


Examiner's Signature John K. Moyer  
 Checked by QBS  
 Approved by Kay Walker

Date 9/6/83  
 Date 10/4/83  
 Date 4-13-1984



1935

# COMPOSITE PLAT OF RANGE N° 4 WEST, OF THE BOISE



# DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 02-7278

Name(s) of Permit Holder: John Crocheron

Post Office Address: Box 394 Marsing, Idaho

83639 Tel. No. \_\_\_\_\_

Source of Water: \_\_\_\_\_

Extent of Use: ☐ Domestic \_\_\_\_\_ (number of households)  
☐ Stockwater \_\_\_\_\_ (number and type of stock)  
☒ Irrigation 13 \_\_\_\_\_ (acres)  
☐ Other \_\_\_\_\_

Measuring Device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

Access Port: Required? ☐ Yes ☒ No Installed? ☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

9/6/83  
Date

John Crocheron  
Signature of Permit Holder



February 26, 1979

Re: Permit No. 02-7278

John Crochern  
P.O. Box 394  
Marsing, Idaho 83639

Dear Mr. Crochern

Your approved copy of your Application for Permit is enclosed and we direct your attention to the conditions of approval on the fourth page.

Note also that water shall not be diverted under this permit unless a base flow of the Snake River at the U.S. Geological Survey stream gaging station at Murphy exceeds 3,300 c.f.s. and at Weiser exceeds 4,750 c.f.s. In addition, there are many applications for permit for the use of Snake River water that are prior to your permit. These applications have been filed for the irrigation of land that the applicants are attempting to obtain under the Federal Land Laws such as Desert Entry and Carey Act. If these lands are developed, and if the base flow is maintained, then no water would be available for this permit. Therefore, you should carefully consider these facts before you make any expenditures for the construction of your system.

The exercise of this permit may also be affected by the court's determination of water rights in the case of Idaho Power Company v. State of Idaho, et al., Civil No. 62237, currently pending before the District Court of Ada County

Idaho Power officials tell us that because of Case no. U-1006-124 filed before the Idaho Public Utilities Commission, Idaho Power Company is asking the District Court of Ada County to determine whether the Power Company's water rights on the Snake River are protected against subsequent upstream appropriations in the waters of the Snake River and surface and subterranean tributaries between Milner Dam and Hells Canyon.

Since the use of water under your permit may affect the flows in this reach of the Snake River, the final decision in Idaho Power Company v. State of Idaho, et al. (Ada County Civil No. 62237) may determine to what extent the exercise of your permit may be subject to the water rights of Idaho Power.

John Crochern  
Re: Permit No. 02-7278  
February 26, 1979  
Page 2

While the Ada County court is examining this question, Idaho Power Company has not filed a specific protest to your permit. However, the Department of Water Resources has been advised that the Power Company is not waiving any of its rights to contest or limit the exercise of your permit or a subsequent license or water right.

If you have any questions, please let us know.

Sincerely,

DAVID R. TUTHILL, JR.  
Supervisor, Water Allocations Section

DRT:lr

Enclosure

STAFF REVIEW - STATE OFFICE

02-7278

- |                                         |                                                        |
|-----------------------------------------|--------------------------------------------------------|
| 1. <u>✓</u> Name vs. Signature          | 7. <u>N/A</u> Place of Use for other than irrig.       |
| 2. <u>S.R.</u> Source                   | 8. <u>S</u> Place of Use for irrigation (add acres)    |
| 3. <u>✓</u> Point of Diversion          | 9. <u>A</u> Property Owner at Pt. of Div. & Pl. of Use |
| 4. <u>0.02</u> Amnt. & Period of Use    | 10. <u>✓</u> Map                                       |
| 5. <u>✓</u> Descrip. of Diverting Wrks. | 11. <u>90</u> Fee & Rec't. No.                         |
| 6. <u>5</u> Time req. for Proof of B/U  |                                                        |

Copies Sent To:

|                                              |                               |
|----------------------------------------------|-------------------------------|
| <u>N<sup>o</sup></u> Idaho Health Department | <u>N<sup>o</sup></u> U.S.F.S. |
| <u>7</u> Idaho Fish & Game Dept.             | <u>7</u> Dept. of Lands       |
| <u>7</u> Bureau of Land Management           | <u>7</u> Other                |

Dam Safety Information N/A (Goes to Permit Section)

Check:

Critical G.W. Area yes ✓ no

Other rights on same land None plotted

Withdrawals of all protests received N/A yes no

Conditions:

ID Power Co. Letter - Snake R. Yes N<sup>o</sup>

ID Power Co. Letter - G.W. & Tribs. N<sup>o</sup>

Snake River Condition yes  
" " Letter yes w/o M.D.

Payette River Letter No

Priority Date 1/19/79

Water Quality #16 N<sup>o</sup>

Water Quality #10 7  
intrastate interstate

Meas. Dev. or Sc. Meas. N<sup>o</sup>

Totalizing meter 7

Supplemental 7

Right-of-Way Cond. 7

Watermaster Cond. 7  
Wtr. Dist No. 7

Meas. Dev. Cond. for apps within a Water Dist. 7

Jim

Reviewer

2/22/79  
Date

*Mundy*

02-7278

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
Western Region

---

92 South Cole Road  
Boise, Idaho 83705  
(208) 384-2190

JANUARY 25, 1979

Dwvhee Nussel  
Harsing, ID 83639

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before FEBRUARY 19, 1979.

Yours truly,

Karla Knecht  
Secretary

Encl.

MICROFILMED

02-2278-

CROCHERON, JOHN

P.O. BOX 394, MARSING, ID 83639

Source: SNAKE RIVER

Date Filed: 01/19/1979

Amount: 0.02 CFS

Diversion Point: LOT 03 Sec 03 T 02N R 04W, OWYHEE Co.

Use: IRRIGATION (0.02 CFS) from 04/01 to 10/31

Place of Use: LOT 03 Sec 03 T 02N R 04W FOR 1 ACRES

Diversion Means: PUMP AND SPRINKLER SYSTEM

RECEIVED

# NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83705 on or before FEBRUARY 19, 1979.

C. STEPHEN ALLRED

Director

Published 2/1 & 2/8.

RECEIVED  
FEB 21 1979