

Complete the following map by showing land and point of diversion as proposed by this amendment.


Show 40-acre subdivisions, townships, ranges and ditches.

TWP 8S

Lands to be removed
from Permit

Lands in DLE

MICROFILMED



Scale: 2 inches equal 1 mile.

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at Timber Lake, this 16 day of May, 1983.

Robert Paul Ford
(Signature)

FOR DEPARTMENT USE ONLY

Preliminary check by [initials] Fee = \$20.00
Publication prepared by [initials] Date 6/7/83
Publication dates 6/23 + 6/30/83
Received by [initials] Date 5/8/83 # 27361
Published in Times News

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

I, Norman C. Young, Director of the Department of Water Resources hereby

Approve the above Application for Amendment for Permit No. 02-7249.

Witness my hand this 15TH day of July, 19 83.

Norman C. Young
Norman C. Young
Administrator, Resources Admin. Div.

NOTICE OF AMENDMENT TO A WATER PERMIT NO. 02-7249

Notice is hereby given that Robert H. Brailsford of Twin Falls, Idaho is the holder of approved permit No. 02-7249 authorizing the diversion of 32.48 cubic feet per second of water from Snake River tributary of Columbia River within Lts 2, 5, & 6, Sec. 7, T8S, R14E, B.M., Twin Falls County, to be used for irrigation of 1624 acres within S $\frac{1}{2}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 1; SW $\frac{1}{4}$, SE $\frac{1}{4}$, Sec. 11; N $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 12; W $\frac{1}{2}$ NW $\frac{1}{4}$, SE $\frac{1}{4}$ NW $\frac{1}{4}$, E $\frac{1}{2}$ SW $\frac{1}{4}$, SW $\frac{1}{4}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$, Sec. 13; NE $\frac{1}{4}$, NW $\frac{1}{4}$, E $\frac{1}{2}$ SW $\frac{1}{4}$, W $\frac{1}{2}$ SE $\frac{1}{4}$, SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 14 T 8S, R13E; W $\frac{1}{2}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$ SW $\frac{1}{4}$, W $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 7, NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 18, T8S, R14E, B.M.

The permit holder has applied to the Department of Water Resources for an Amendment to the permit, to change the place of use as follows: Point of Diversion: No Change

Place of Use: S $\frac{1}{2}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 1; S $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 10; NE $\frac{1}{4}$, SW $\frac{1}{4}$, SE $\frac{1}{4}$, Sec. 11; W $\frac{1}{2}$ NW $\frac{1}{4}$, N $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 12; W $\frac{1}{2}$ NW $\frac{1}{4}$, SE $\frac{1}{4}$ NW $\frac{1}{4}$, S $\frac{1}{2}$ SW $\frac{1}{4}$, NE $\frac{1}{4}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$, Sec. 13; NE $\frac{1}{4}$, NW $\frac{1}{4}$, E $\frac{1}{2}$ SW $\frac{1}{4}$, W $\frac{1}{2}$ SE $\frac{1}{4}$, SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 14; NE $\frac{1}{4}$, Sec. 15; T8S, R13E; Lt 3 (NW $\frac{1}{4}$ SW $\frac{1}{4}$), Lt 4 (SW $\frac{1}{4}$ SW $\frac{1}{4}$), SE $\frac{1}{4}$ SW $\frac{1}{4}$, W $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 7; NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 18, T8S, R14E for irrigation of 1624 acres.

Any protest against approval of the amending of Permit No. 02-7249 as set forth above must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho, 83301, on or before July 11, 1983.

A. KEN DUNN
Director

PUBLISH: Thursday,
June 23, and June 30,
1983.

Affidavit of Publication

STATE OF IDAHO,
COUNTY OF TWIN FALLS } ss.

N^o 12840

I, Sherry Kesler being first duly sworn upon oath, depose and say that I am Princ. Clerk of the TIMES-NEWS, published daily, at Twin Falls, Idaho, and do solemnly swear that a copy of the notice of advertisement, as per clipping attached, was published in the regular and entire issue of said newspaper, and not in any supplement thereof, for two consecutive publications, commencing with the issue dated June 23, 1983, and ending with the issue dated June 30, 1983.

And I do further certify that said newspaper is a consolidation, effective February 16, 1942, of the Idaho Evening Times, published theretofore daily except Sunday, and the Twin Falls News, published theretofore daily except Monday, both of which newspapers prior to consolidation had been published under said names in said city and county continuously and uninterruptedly during a period of more than twelve consecutive months, and said TIMES-NEWS, since such consolidation, has been published as a daily newspaper except Saturday, until July 31, 1978, at which time said newspaper began daily publication under said name in said city and county continuously and uninterruptedly.

And I further certify that pursuant to Section 60-108 Idaho Code, Thursday of each week has been designated as the day on which legal notice by law or by order of any court of competent jurisdiction within the state of Idaho, to be published weekly, will be published; and that at the head of the editorial column of said combined newspapers, and in each issue thereof, Thursday is announced as the day on which said legal notices will be published.

Subscribed and sworn to before me on this June 30th day of June, 1983.

MICROFILMED

Sherry Kesler
Soldier J. Fawcett
Notary Public in and for the County of Twin Falls,
State of Idaho, residing at Twin Falls, Idaho

**NOTICE OF AMENDED
APPLICATION FOR
A WATER PERMIT**

Notice is hereby given that Application for Permit No. 36-7676 in the name of Robert H. Brailsford, Twin Falls, Idaho, was filed for the diversion of 32.48 cubic feet per second of water from Bickel Springs, tributary of Snake River point of injection into Snake River from Bickel Springs is Govt. Lots 8 & 9, Sec. 6, Twp. 8S, Rge. 14E., B.M., Gooding County; Point of Diversion from Snake River Govt. Lots 2, 5, & 6, Sec. 7, Twp. 8S, Rge. 14E., B.M., Twin Falls County to be used from Mar. 15 to Nov. 15 for irrigation purposes within the S $\frac{1}{2}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 1; S $\frac{1}{2}$, Sec. 11; N $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 12, W $\frac{1}{2}$ NW $\frac{1}{4}$, SE $\frac{1}{4}$ NW $\frac{1}{4}$, NE $\frac{1}{4}$ SW $\frac{1}{4}$, S $\frac{1}{2}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$, Sec. 13; NE $\frac{1}{4}$, NW $\frac{1}{4}$, E $\frac{1}{2}$ SW $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, S $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 14; Twp. 8S, Rge. 13E., B.M.; NW $\frac{1}{4}$ SW $\frac{1}{4}$, S $\frac{1}{2}$ SW $\frac{1}{4}$, W $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 7; NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 18, Twp. 8S, Rge. 14E., B.M.

The applicant now proposes to amend Application for Permit No. 36-7676 changing it to No. 02-7249 and changing the source to Snake River which is a tributary of the Columbia River, point of diversion from Snake River Govt. Lots 2, 5, & 6, Sec. 7, Twp. 8S, Rge. 14E., B.M., Twin Falls County to be used from Mar. 15 to Nov 15 for the irrigation of 1624 acres described above.

Any protest against the proposed amending of this application must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, ID. on or before August 29, 1977.

C. STEPHEN ALLRED
Director

PUBLISH Aug. 11 and 18, 1977

OK 8-25-77

Affidavit of Publication

STATE OF IDAHO,
COUNTY OF TWIN FALLS }

ss.

RECEIVED
AUG 23 1977

No 6283

I, Ray Maley being first duly sworn upon oath, depose and say that I am Princ. Clerk of the TIMES-NEWS, published daily, except Saturday, at Twin Falls, Idaho, and do solemnly swear that a copy of the notice of advertisement, as per clipping attached, was published in the regular and entire issue of said newspaper, and not in any supplement thereof, for two consecutive Thursdays, commencing with the issue dated August 11, 1977, and ending with the issue dated August 18, 1977.

And I do further certify that said newspaper is a consolidation, effective February 16, 1942, of the Idaho Evening Times, published theretofore daily except Sunday, and the Twin Falls News, published theretofore daily except Monday, both of which newspapers prior to consolidation had been published under said names in said city and county continuously and uninterruptedly during a period of more than twelve consecutive months, and said TIMES-NEWS, since such consolidation, has been published as a daily newspaper except Saturday, under said name in said city and county continuously and uninterruptedly.

And I further certify that pursuant to Section 60-108 Idaho Code, Thursday of each week has been designated as the day on which legal notice by law or by order of any court of competent jurisdiction within the state of Idaho, to be published weekly, will be published; and that at the head of the editorial column of said combined newspapers, and in each issue thereof, Thursday is announced as the day on which said legal notices will be published.

Subscribed and sworn to before me on this 18th day of August, 1977.

Ray Maley
Catherine J. Jennings
Notary Public in and for the County of Twin Falls,
State of Idaho, residing at Twin Falls, Idaho

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Robert H. Brailsford 1964 Filer Avenue East, Twin Falls, Idaho 83301 has on 2/7/77 submitted Application No. 36-7676 for a permit to appropriate 32.48 cubic feet per second of water from Bickel Springs, which is a tributary of Snake River by means of pumps to pipeline from Snake River to land within the Point of injection into Snake River from Bickel Springs is Govt. Lots 8 & 9, Sec. 6, Twp. 8S, Rge. 14E., B.M., Gooding County; Point of Diversion from Snake River Govt. Lots 2, 5, & 6, Sec. 7, Twp. 8S, Rge. 14E., B.M., Twin Falls County to be used from March 15 to Nov. 15 for irrigation purposes within the S $\frac{1}{2}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 1; S $\frac{1}{2}$, Sec. 11; N $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 12, W $\frac{1}{2}$ NW $\frac{1}{4}$, SE $\frac{1}{4}$ NW $\frac{1}{4}$, NE $\frac{1}{4}$ SW $\frac{1}{4}$, S $\frac{1}{2}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$, Sec. 13; NE $\frac{1}{4}$, NW $\frac{1}{4}$, E $\frac{1}{2}$ SW $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, S $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 14, Twp. 8S, Rge. 13E., B.M.; NW $\frac{1}{4}$ SW $\frac{1}{4}$, S $\frac{1}{2}$ SW $\frac{1}{4}$, W $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 7; NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 18, Twp 8S, Rge. 14E., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before March 7, 1977.

R. KEITH HIGGINSON
Director

PUBLISH: February 17, 24, 1977. •

Affidavit of Publication

STATE OF IDAHO, }
COUNTY OF TWIN FALLS } ss.

I, Carolynne Jennings being first duly sworn upon oath, depose and say that I am Princ. Clerk of the TIMES-NEWS, published daily, except Saturday, at Twin Falls, Idaho, and do solemnly swear that a copy of the notice of advertisement, as per clipping attached, was published in the regular and entire issue of said newspaper, and not in any supplement thereof, for two consecutive Thursdays, commencing with the issue dated Feb. 17, 19 77, and ending with the issue dated Feb. 24, 19 77.

And I do further certify that said newspaper is a consolidation, effective February 16, 1942, of the Idaho Evening Times, published theretofore daily except Sunday, and the Twin Falls News, published theretofore daily except Monday, both of which newspapers prior to consolidation had been published under said names in said city and county continuously and uninterruptedly during a period of more than twelve consecutive months, and said TIMES-NEWS, since such consolidation, has been published as a daily newspaper except Saturday, under said name in said city and county continuously and uninterruptedly.

And I further certify that pursuant to Section 60-108 Idaho Code, Thursday of each week has been designated as the day on which legal notice by law or by order of any court of competent jurisdiction within the state of Idaho, to be published weekly, will be published; and that at the head of the editorial column of said combined newspapers, and in each issue thereof, Thursday is announced as the day on which said legal notices will be published.

Carolynne Jennings
Subscribed and sworn to before me on this 24th day of February, 19 77.

Malcolm L. Clark
Notary Public in and for the County of Twin Falls,
State of Idaho, residing at Twin Falls, Idaho

RECEIVED
FEB 25 1977
Idaho Department of Water Resources
Twin Falls District Office

ok
LB
2/25/77

AFFIDAVIT of PUBLICATION

RECEIVED
MAR 1 1977

State of Idaho, }
County of Gooding } SS.

Kim R. Crumpton, being first duly sworn, deposes and says that he is the printer (publisher) of the Gooding County Leader, a newspaper published every week in Gooding, County of Gooding, State of Idaho, that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication

of said advertisement was on the 17 day of February

1977, and the date of the last publication was on the 24

day of February, 1977.

Subscribed and sworn to before me this 24

day of February, 1977.
(SEAL)

Carman H. Hia
NOTARY PUBLIC

GOODING COUNTY LEADER

Gooding, Idaho

COST OF PUBLICATION

Number of Lines in Notice	<u>56</u>	<u>56</u>
Number of Insertions	<u>2</u>	<u>2</u>
Lines tabular at	315c	
<u>56</u> Lines straight at	<u>56</u>	<u>21c</u>
<u>56</u> Subsequent lines at	<u>56</u>	<u>15c</u>
TOTAL COST	<u>20.16</u>	

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Robert H. Brailsford 1964 Filer Avenue East, Twin Falls, Idaho 83301 has on 2/7/77 submitted Application No. 36-7676 for a permit to appropriate 32.48 cubic feet per second of water from Bickel Springs, which is a tributary of Snake River by means of pumps to pipeline from Snake River to land within the Point of injection into Snake River from Bickel Springs is Govt. Lots 8 & 9, Sec. 6, Twp. 8S, Rge. 14E., B.M., Gooding County; Point of Diversion from Snake River Govt. Lots 2, 5, & 6, Sec. 7, Twp. 8S, Rge. 14E., B.M., Twin Falls County to be used from March 15 to Nov. 15 for irrigation purposes within the S $\frac{1}{2}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 1; S $\frac{1}{2}$, Sec. 11; N $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 12, W $\frac{1}{2}$ NW $\frac{1}{4}$, SE $\frac{1}{4}$ NW $\frac{1}{4}$, NE $\frac{1}{4}$ SW $\frac{1}{4}$, S $\frac{1}{2}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$, Sec. 13;

NE $\frac{1}{4}$, NW $\frac{1}{4}$, E $\frac{1}{2}$ SW $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, S $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 14; Twp. 8S, Rge. 13E., B.M.; NW $\frac{1}{4}$ SW $\frac{1}{4}$, S $\frac{1}{2}$ SW $\frac{1}{4}$, W $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 7; NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 18, Twp. 8S, Rge. 14E., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before March 7, 1977.

/s/ R. Keith-Higginson
Director

Pub: 2-17, 24

1 pt. per line, tabular	315c
7 pt. per line, successive insertions	15c

18639

Nº 1123


MICROFILMED

Exhibit


NOTE:

Total distance of pipeline across
U.S. Land - 2,034.44 feet.

P. I. No.	Station No.	Bearing	Dist
Pump	0+00		
1	2+87.16	S.63°29'00"W.	28
2	14+74.65	S.30°17'48"W.	118
3	20+34.44	S.49°21'53"W.	55



50' Right-of-Way Req'd except as noted.



APPLICANT CERTIFICATE

This is to certify that A. T. Peterson who subscribed the statement herein authorized to represent the undersigned applicant to prepare this map, which has been adopted by the applicant as the final location of the work, thereby is and this map is filed as a part of the complete application in order that the applicant may obtain the benefits of the act of March 3, 1891, (26 Stat. 1101) as amended, and I further certify that the right-of-way herein described is for an irrigation pipeline and appurtenances.

SURVEY OF IRRIGATION PIPELINE RIGHT-OF-WAY

Situate in Section 7, T 8 S, R. 14 E, B. M., Twin Falls County,

ENGINEERS STATEMENT

ISSUE

LAYNE & BOWLER, INC
MEMPHIS, TENN. 38108



No. Stages	Eff Change	MATERIAL	Eff Change
1	6	IMP - C.I.	1
2	3	IMP - NI RI	1
3	0	BOWL - BRZ	1
4		BOWL - NI-R	1

130

SECTION 0100
CURVE NO. 18-135


1770 R.P.M.

SINGLE STAGE LAB PERFORMANCE WITH STANDARD MATERIALS. EFFICIENCY SHOWN FOR 3 OR MORE STAGES. HORSE POWER SHOWN FOR ONE STAGE BASED ON 3 STAGE EFFICIENCY. CORRECTIONS SHOULD BE MADE FOR STAGES AND MATERIAL

ONE STAGE


CUSTOM PERFORMANCE

Pump # 5



EYE AREA - SQ. IN.	25.5
WPI PER IMPELLER	1.45 LB FT ²
MAX. SPHERE SIZE	1.00
MAX. NO STD STAGES	4
MAX. OPERATING PSI	40
STD. LATERAL	84
STD. SHAFT DIA.	1.88
MAX. SHAFT DIA.	1.93
MIN. SUBMERGENCE	31

IMPELLER WT LBS	1.5
ONE STAGE WT LBS	2.8
ADD'L STAGE WT LB	1.10
IMPELLER NUMBER	1
DISCH SIZES	6.10
SUCTION SIZES	10
MAX LATERAL	100
BOWL CONN	FLANGED COLLET
ADD 11.25	PER ADDITIONAL STAGE



MAR 27 1995

LAYNE & BOWLER, INC.
MEMPHIS, TENN. 38108



No.	Eff. Change	MATERIAL	Eff. Change
1	-1	IMP.—C.I.	-1
2	0	IMP.—NI-RI	-1
3		BOWL—BRZ.	-1
4		BOWL—NI-R.	-1

14THC

1770 R.P.M.


SINGLE STAGE LAB PERFORMANCE WITH STANDARD MATERIALS. EFFICIENCY SHOWN FOR 2 OR MORE STAGES. HORSE POWER SHOWN FOR ONE STAGE BASED ON 2 STAGE EFFICIENCY. CORRECTIONS SHOULD BE MADE FOR STAGES AND MATERIAL.

ONE (4) STAGE STAGES

Pump #4


CUSTOM PERFORMANCE

376



EYE AREA — SQ. IN.	1.1
WR ² PER IMPELLER	2.0
MAX. SPHERE SIZE	1.25
MAX. NO. STD. STAGES	7
MAX. OPERATING P.S.I.	14
STD. LATERAL	1.0
STD. SHAFT DIA.	1.0
MAX. SHAFT DIA.	1.25
MIN. SUBMERGENCE	4

IMPELLER WT. LBS	31.5
ONE STAGE WT. LBS	4.5
ADD'L STAGE WT. LBS	164
IMPELLER NUMBER	11.1
DISCH. SIZES	1.125
SUCTION SIZES	1.0
MAX. LATERAL	1.25
BOWL CONN.	FLANGED COLLET
ADD'L	FOR ADDITIONAL STAGE



MAR 2 1967

ION 8100
NO. 18-191A

LAYNE & BOWLER, INC.
MEMPHIS, TENN. 38108



No. Stages	Eff. Change	MATERIAL	Eff. Change
1	0	IMP.—C.I.	-1
2		IMP.—NI-RI	-1
3		BOWL—BRZ.	-1
4		BOWL—NI-R.	-1

19GM

1770


R.P.M.

SINGLE STAGE LAB PERFORMANCE WITH STANDARD MATERIALS. EFFICIENCY SHOWN FOR 2 OR MORE STAGES. HORSE POWER SHOWN FOR ONE STAGE BASED ON 2 STAGE EFFICIENCY. CORRECTIONS SHOULD BE MADE FOR STAGES AND MATERIAL.

ONE STAGE STAGES

Pumps 1, 2, 3


4400 @ 3579 @ 128 = 384'



EYE AREA — SQ. IN.	= 69.5	IMPELLER WT.-LBS.	= 58
W ₂ PER IMPELLER	= 7.45 LB.-FT. ²	ONE STAGE WT.-LBS.	= 610
MAX. SPHERE SIZE	= 1.25 in.	ADD'L STAGE WT.-LBS.	= 350
MAX. NO. STD. STAGES	= 3	IMPELLER NUMBER	= 95G15
MAX. OPERATING P.S.I.	= 300	DISCH. SIZES	= 14, 16
STD. LATERAL	= 0.62 in.	SUCTION SIZES	= 17 1/4" or 22 1/4" Ball
STD. SHAFT DIA.	= 2.187 in.	MAX. LATERAL	= --- in.
MAX. SHAFT DIA.	= --- in.	BOWL CONN.	FLANGED — COLLET
MIN. SUBMERGENCE	= 32 in.	ADD 17 5/8"	PER ADDITIONAL STAGE


ENCLOSED
LINE SHAFT
(Not Available)


OPEN
LINE SHAFT



MAR 27 1979

02-7249
36-7085







Township N° 8 South, Range N° 14 East

SECTION 7

P/D at NESE (GOV LOT #6)


S. 89:56'





02-7249
36-7085

Central 1/3 182/3



9 10
16 15

1475

02-7249
36-7085
Western 1/3 P81/3

16 15
21 22




MAR 27 1995

02-7249
36-7085



850 HP Booster
Plant



170 HP Booster
Plant.

FILMED
MAR 27 1995

02-7249
36-7085




River intake &
Pumping Plant



Interior view
of Pumping Plant.

RECEIVED
MAR 27 1995



MICROFILMED

7/1/79
NEW ISSUE

300 HP

1800 GPM RIVER PUMP

SECTION 8100
CURVE NO. 18-135

LAYNE & BOWLER, INC
MEMPHIS, TENN. 38108



No. Stages	Eff. Change	MATERIAL	Eff. Change
1	6	IMP. - C.I.	1
2	3	IMP. - N.I.R.	1
3	0	BOWL - BRZ.	-1
4		BOWL - N.I.R.	-1


13C

1770° R.P.M.


SINGLE STAGE LAB PERFORMANCE WITH STANDARD MATERIALS. EFFICIENCY SHOWN FOR 3 OR MORE STAGES. HORSE POWER SHOWN FOR ONE STAGE BASED ON 3 STAGE EFFICIENCY. CORRECTIONS SHOULD BE MADE FOR STAGES AND MATERIAL

ONE STAGE STAGES

CUSTOM PERFORMANCE



EYE AREA - SQ. IN.	25.5	IMPELLER WT. LBS.	115
WT. PER IMPELLER	1.45 LB. FT ²	ONE STAGE WT. LBS.	278
MAX. SPHERE SIZE	1.00 in.	ADD L STAGE WT. LBS.	116
MAX. NO. STD. STAGES	8	IMPELLER NUMBER	1
MAX. OPERATING P.S.I.	400	DISCH. SIZES	8, 10
STD. LATERAL	84 in.	SUCTION SIZES	10
STD. SHAFT DIA.	1.887 in.	MAX. LATERAL	1.00 in.
MAX. SHAFT DIA.	1.937 in.	BOWL CONN. FLANGED COLLET	
MIN. SUBMERGENCE	44 in.	ADD 11.25 PER ADDITIONAL STAGE.	



7/11/79
NEW ISSUE

Proposed

300 H.P.

2575 GPM @ 3800
River Pump

SECTION 8100
CURVE NO. 18151

LAYNE & BOWLER, INC.
MEMPHIS, TENN. 38108



No. Stages	Eff. Change	MATERIAL	Eff. Change
1	-1	IMP.—C.I.	-1
2	0	IMP.—NI-RI	-1
3		BOWL—BRZ.	-1
4		BOWL—NI-R.	-1


14THC

1770 R.P.M.

SINGLE STAGE LAB PERFORMANCE WITH STANDARD MATERIALS. EFFICIENCY SHOWN FOR 2 OR MORE STAGES. HORSE POWER SHOWN FOR ONE STAGE BASED ON 2 STAGE EFFICIENCY. CORRECTIONS SHOULD BE MADE FOR STAGES AND MATERIAL.


ONE (4)
STAGE STAGES

CUSTOM PERFORMANCE



EYE AREA — SQ. IN.	25.0	IMPELLER WT. LBS	31.8
WR ² PER IMPELLER	2.75 LB. FT. ²	ONE STAGE WT. LBS	4.05
MAX. SPHERE SIZE	1.25 in.	ADD'L STAGE WT. LBS	164
MAX. NO. STD. STAGES	7	IMPELLER NUMBER	2112
MAX. OPERATING P.S.I.	24	DISCH. SIZES	10 1/2
STD. LATERAL	6.75 in.	SUCTION SIZES	10
STD. SHAFT DIA.	1.917 in.	MAX. LATERAL	1.25 in.
MAX. SHAFT DIA.	2.187 in.	BOWL CONN.	FLANGED COUPLER
MIN. SUBMERGENCE	47 in.	ADD 13 PER ADDITIONAL STAGE	

MICROFILMED



SECTION 8100
CURVE NO. 18 191A

4400 GPM
3801

500 HP
RIVER PUMP

2.1.79
Supersedes 10/15/78

LAYNE & BOWLER, INC.
MEMPHIS, TENN. 38108




No. Stages	Eff. Change	MATERIAL	Eff. Change
1		IMP - C.I.	1
2		IMP - NI RI	1
3		BOWL - BRZ	1
4		BOWL - NI R	1

19GM


1770 R.P.M.

SINGLE STAGE LAB PERFORMANCE WITH STANDARD MATERIALS. EFFICIENCY SHOWN FOR 2 OR MORE STAGES. HORSE POWER SHOWN FOR ONE STAGE BASED ON STAGE EFFICIENCY. CORRECTIONS SHOULD BE MADE FOR STAGES AND MATERIAL.

131
STAGE STAGES



YE AREA - SQ. IN.	69.5	IMPELLER WT. LBS	58
VR ² PER IMPELLER	7.45 LB.-FT.	ONE STAGE WT. LBS	610
MAX. SPHERE SIZE	1.25 in.	ADD. STAGE WT. LBS	350
MAX. NO. STD. STAGES	3	IMPELLER NUMBER	10, 11, 12
MAX. OPERATING P.S.I.	300	DISCH. SIZES	14, 16
TD. LATERAL	0.62 in.	SUCTION SIZES	17, 18, 20, 22, 24
TD. SHAFT DIA.	2.187 in.	MAX. LATERAL	
MAX. SHAFT DIA.		BOWL CONN.	FLANGED COLLET
MIN. SUBMERGENCE	32 in.	ADD. 17.5 in.	PER ADDITIONAL STAGE



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 02-07249

Priority: February 7, 1977 Maximum Diversion Rate: 29.89 CFS

This is to certify, that SALMON FALLS LAND & LIVESTOCK INC
C/O MIKE HENSLEE VP
123 BELL RAPIDS RD
HAGERMAN ID 83332

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated February 7, 1977; and
has submitted Proof of Beneficial Use on June 26, 1985. An examination indicates
that the works have a diversion capacity of 29.890 cfs of water from:

SNAKE RIVER tributary to **COLUMBIA RIVER**

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	29.89 CFS	

LOCATION OF POINT(S) OF DIVERSION: Lot 6(NESE), Sec. 7, Township 08S, Range 14E
TWIN FALLS County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
08S 13E 10	SWSE 11	SESE 17		28
11	NENE 20	NWNE 19	SWNE 40	
	SENE 40	SWNW 1	SENE 1	
	NESW 26	NWSW 39	SWSW 38	
	SESW 27	NESE 10	NWSE 15	
	SWSE 21	SESE 25		322
12	NWNW 20	SWNW 20	NESW 40	
	NWSW 21	SWSW 40	SESW 40	
	NESE 19	NWSE 15	SWSE 37	
	SESE 36			288
13	NENE 40	NWNE 35	SWNE 40	
	SENE 40	NENW 39	NWNW 40	
	SWNW 39	SENE 40	NESW 40	
	NWSW 40	SWSW 40	SESW 40	
	NESE 40	NWSE 39	SWSE 40	
	SESE 40			632
14	NENE 38	NWNE 40	SWNE 39	
	SENE 39	NENW 40	NWNW 40	
	SWNW 38	SENE 40	NESW 40	
	SESW 32	NESE 38	NWSE 38	
	SWSE 31	SESE 1		494
15	NENE 40	NWNE 30	SWNE 10	
	SENE 18			98
14E 7	NESW 20	Lot 7(NWSW) 32	Lot 8(SWSW) 32	
	SESW 40	NWSE 16	SWSE 40	180
18	NWNE 40	SWNE 32	NENW 40	
	Lot 1(NWNW) 32	Lot 2(SWNW) 22	SENE 35	

State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 02-07249

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>		<u>ACRES</u>		<u>ACRES</u>	<u>TOTAL</u>
NESW	40		Lot 3(NWSW)	28	Lot 4(SWSW)	32		
SESW	40		NWSE	30	SWSE	19		390


Total number of acres irrigated: 2432

CONDITIONS/REMARKS:

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.
5. Water shall not be diverted under this right unless the flow of the Snake River exceeds flows required by prior downstream minimum stream flow rights.
6. Right 02-07462 is also diverted through the point of diversion described above.
7. Use of this right with Right 02-07462 is limited to a total combined diversion rate of 29.89 cfs, a total combined annual diversion volume of 9728 af, and to the irrigation of a combined total of 2432 acres in a single irrigation season.
8. This right is limited to the irrigation of 1624 acres within the place of use described above in a single irrigation season.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 24TH
day of MARCH, 1995.

Acting for


R. Keith Higginson, Director

State of Idaho
Department of Water Resources

RECEIVED
FEB 27 1995
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 02-07249

Date of Priority: February 7, 1977 Maximum Diversion Rate: 29.89 CFS
Comes now SALMON FALLS LAND & LIVESTOCK INC
C/O MIKE HENSLEE VP
123 BELL RAPIDS RD
HAGERMAN ID 83332 and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 02-07249, and requests that the permit be changed as follows:

Source: SNAKE RIVER tributary to COLUMBIA RIVER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	29.89 CFS	

LOCATION OF POINT(S) OF DIVERSION: Lot 6(NESE), Sec. 7, Township 08S, Range 14E
TWIN FALLS County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
08S	13E	10	SWSE 11	SESE 17		28
		11	NENE 20	NWNE 19	SWNE 40	
			SENE 40	SWNW 1	SENE 1	
			NESW 26	NWSW 39	SWSW 38	
			SESW 27	NESE 10	NWSE 15	
			SWSE 21	SESE 25		322
		12	NWNW 20	SWNW 20	NESW 40	
			NWSW 21	SWSW 40	SESW 40	
			NESE 19	NWSE 15	SWSE 37	
			SESE 36			288
		13	NENE 40	NWNE 35	SWNE 40	
			SENE 40	NENW 39	NWNW 40	
			SWNW 39	SENE 40	NESW 40	
			NWSW 40	SWSW 40	SESW 40	
			NESE 40	NWSE 39	SWSE 40	
			SESE 40			
		14	NENE 38	NWNE 40	SWNE 39	
			SENE 39	NENW 40	NWNW 40	
			SWNW 38	SENE 40	NESW 40	
			SESW 32	NESE 38	NWSE 38	
			SWSE 31	SESE 1		494
		15	NENE 40	NWNE 30	SWNE 10	
			SENE 18			98
14E	7		NESW 20	Lot 7(NWSW) 32	Lot 8(SWSW) 32	
			SESW 40	NWSE 16	SWSE 40	180
		18	NWNE 40	SWNE 32	NENW 40	
			Lot 1(NWNW) 32	Lot 2(SWNW) 22	SENE 35	
			NESW 40	Lot 3(NWSW) 28	Lot 4(SWSW) 32	

MAR 27 1995

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 02-07249

RECEIVED
FEB 27 1995
Department of Water Resources

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
	SESW	40		NWSE 30	SWSE 19	390

Total number of acres irrigated: 2432

MAR 27 1995

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Hagerman, Idaho, this 23 day of February, 1995.
Salmon Falls Land & Livestock Co., Inc.
Mike Henstee V.P.
(Signature)

SALMON FALLS
LAND & LIVESTOCK CO., INC.
123 BELL RAPIDS ROAD
HAGERMAN, ID 83332

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 02-07249

FOR DEPARTMENT USE ONLY

Preliminary check by ____ Fee = 50⁰⁰ Received by RT #C03222 Date 2-27-95

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 02-07249 with the following;

CONDITIONS/REMARKS:

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.
5. Water shall not be diverted under this right unless the flow of the Snake River exceeds flows required by ~~senior~~ ^{prior} downstream minimum stream flow rights. swk 3/2/95
6. Right 02-07462 is also diverted through the point of diversion described above.
7. Use of this right with Right 02-07462 is limited to a total combined diversion rate of 29.89 cfs, a total combined annual diversion volume of 9728 af, and to the irrigation of a combined total of 2432 acres in a single irrigation season.
8. This right is limited to the irrigation of 1624 acres within the place of use described above in a single irrigation season.

Witness my hand this 24TH day of MARCH, 1995.

Acting for R. Keith Higginson, Director

[Handwritten signature]

MAR 27 1995

Amt. of Fee \$25.00

Date 1/5/95

Receipt No. 5017600

Receipt by [Signature]

State of Idaho

DEPARTMENT OF WATER RESOURCES

JAN 10 1995

Department of Water Resources
Southern Region Office

ASSIGNMENT OF PERMIT

To change the ownership of a permit

I, Robert Brailsford (Permit Holder) hereby assign to Salmon Falls Land
of & Livestock Co Inc. 123 Bell Rapids Rd. Pagerman, Idaho 83332
 (Full Address) attn. Mike Hansen V.P.

All my right, title, and interest in and to Permit No. 02 - 07249
 to appropriate the public waters of the State of Idaho.

OR (for partial assignments)

The following described portion of my right, title, and interest in and to
 Permit No. _____ to appropriate the public waters of the State of Idaho.

Describe portion of the permit assigned listing the number of acres in each 40 acre subdivision,
 point of diversion location, and the amount of water in cubic feet per second.

Made this 5th day of January, 1995.

Robert Brailsford
 Permit Holder(s)

State of Idaho)
 County of Twin Falls ss

On this 5th day of January, 1995, personally appeared before me
 the signer of the above instrument, duly acknowledged to me that he/she/they executed the same.

Mary G. Baldwin
 Notary Public

SEAL

My commission expires:

10/16/1998

Signature

171395

RECEIVED
JUN 28 1985

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

RECEIVED

JUN 26 1985

Department of Water Resources
Southern District Office

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below:

Permit No. 02-7249

Name(s) of Permit Holder: Robert H Brailsford ✓

Post Office Address: 300 Morrison Drive Twin Falls, ID 83301 ✓

Telephone No. 733-9161

Source of Water: Snake River ✓

Extent of Use:

Domestic _____ (number of households)

Stockwater _____ (number and type of stock)

Irrigation Irrigation - 1624 Acres (acres)

Other/ Remarks _____ ✓

Indicate the date water was first diverted and beneficially used under this permit: March 10, 1981 ✓

Measuring Device: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☐ No

Flow Measurement Port: Required? ☒ Yes ☐ No
Installed? ☒ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

Permit Holder
(Name)

(Address)

(Telephone Number)

MICROFILMED

The above information is a true statement of the extent to which the above numbered permit has been developed.

6/26/85
Date

Robert H. Brailsford
Signature of Permit Holder (and Title, if appropriate) ✓

[Handwritten initials]

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR AMENDMENT OF A PERMIT **RECEIVED**

To change the point of diversion and/or the place of use. MAY 27 1983

Department of Water Resources
Southern District Office

Comes now Robert H. Brailsford

of (address) 300 Morrison Drive Twin Falls, ID 83301, and represents to the
Director of the Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho
No. 02-7249, and requests that the permit and permit map be changed as follows:

1. Point of diversion: NO CHANGE $\frac{1}{4}$ $\frac{1}{4}$, Section _____, Township _____, Range _____, B.M.,
County of _____. Other points of diversion: _____

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.) NO CHANGE
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

3. Place of use or land to be irrigated: SEE ATTACHED LAND LIST

TWP	RGE	SEC	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	

Total number of acres to be irrigated = _____

4. a. Who owns the property at the point of diversion? BLM (Applicant has easment)
b. Who owns the land to be irrigated or the place of use? Applicant & BLM
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the
applicant to make this filing: Applicant has easment for pumping plant w/BLM


BLM Lands have been filed on under DLE I17057 (amended)

MICROFILMED

Show 40-acre subdivisions, townships, ranges and ditches.

TWP 85

 ← Lands in DLE



~~That no one will be injured by such change, and that such change will be made at permit holder's own risk.~~

Signed at New York, this 16 day of May, 1983.

Robert Paul Ford
(Signature)

Preliminary check by Fee = \$20.00

Received by me Date 5/18/83 # 27361

Publication prepared by Muskie Date 9/17/83

Published in Times News

Publication dates 6/23 & 6/30/83

I, Norman C. Young, Director of the Department of Water Resources hereby

Approve the above Application for Amendment for Permit No. 02-7249.

Witness my hand this 15TH day of July, 19 83

Norman C. Young
Administrator, Resources Admin. Div.

LAND LIST ATTACHMENT

[illegible]

* Denotes lands in Desert Land Entry

Total number of acres irrigated _____

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
REQUEST FOR EXTENSION OF TIME

To provide additional time in which to submit
proof of beneficial use on a water right permit

JUL 8 1982

Department of Water Resources

Robert H. Brailsford
(Name)

of 1964 Filer Ave. East, Twin Falls
(Address)

State of Idaho 83301, deposes and says:

That he is the holder, or the duly authorized agent of the holder*, of Permit to Appropriate the Public
Waters of the State of Idaho No. 02-7249.

That under the terms and conditions of said permit, work thereunder was required to be completed on or
before September 1, 1982.

That he has heretofore performed the following work described under said permit:

See Attachment #1

Costing \$

That he is unable to complete the remainder of the work within the required time for the following
reasons, to-wit: See Attchments #2 and #3

Wherefore, he asks that the Department of Water Resources extend the time for the completion of
obligations under said permit to September 1, 1987.

Robert H. Brailsford
(Signature)*

*IF OTHER THAN HOLDER, Power of Attorney must be supplied.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above application for extension of time be APPROVED and the time
within which to submit the statement of beneficial use is extended to September 1, 1987.

Signed this 1st day of September, 1982.

A. Glen Sayton
Chief, Operations Bureau

\$15.00 fee received by

Date

8-27-82

Receipt #

34623

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING)
DEVICE REQUIREMENT FOR PERMIT NO. 02-7249)

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows:

"The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 1st day of June 1981.

Glen Saxton

GLEN SAXTON
Chief, Operations Bureau

Application No. 02-7249

AMENDED

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

DECLASSIFIED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
8S	13E	1											40	30				10	80 ✓ NC
		11									40	40	40	40	40	40	40	40	320 ✓
		12													40	40			80 ✓
		13						40	40	40	40		40	40	40	40	40	40	400 ✓ NC
		14	40	40	40	40	40	40	40	40	40			40		40	40	40	520 ✓
8S	14E	7										32	32	40		40	40		184 ✓
		18									40								40 ✓

Total number of acres to be irrigated 1624

c. Describe any other water rights used for the same purposes as described above.

9. a. Who owns the property at the point of diversion BLM easement appl.

b. Who owns the land to be irrigated or place of use applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

Proposed Priority 2/ 7/77

Received by mb Date 2-7-77 Time 4:30 ^{VOID} # 2333

Preliminary check by ADM Fee \$ 280.00 # 2334

Receipted by SB Date 2/8/77

Publication prepared by SB Date 2/10/77

Published in Hooking City Ldr & Times News

Publication dates 2/17 & 2/24/77

Publication approved SB Date 2/16/77

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by mts

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 02-7249, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:


a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 82.

c. Other: 1. For licensing purposes a scientific measurement of the diversion rate of the system as it is normally operated shall be provided by either properly installing an approved type of measuring device or by having a professional engineer certify the rate of diversion to the Department prior to submitting proof of beneficial use of water.

2. Water shall not be diverted under this permit unless the flow of the Snake River at the U.S. Geological Survey stream gaging station at Murphy exceeds 3,300 c.f.s. and at Weiser exceeds 4,750 c.f.s.

Witness my hand this 23 day of September 19 77.


Deputy Director

**NOTICE OF AMENDED
APPLICATION FOR
A WATER PERMIT**

Notice is hereby given that Application for Permit No. 36-7676 in the name of Robert H. Brailford, Twin Falls, Idaho, was filed for the diversion of 32.48 cubic feet per second of water from Bickel Springs, tributary of Snake River point of injection into Snake River from Bickel Springs is Govt. Lots 8 & 9, Sec. 6, Twp. 8S, Rge. 14E., B.M., Gooding County; Point of Diversion from Snake River Govt. Lots 2, 5, & 6, Sec. 7, Twp. 8S, Rge. 14E., B.M., Twin Falls County to be used from Mar. 15 to Nov. 15 for irrigation purposes within the S $\frac{1}{2}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 1; S $\frac{1}{2}$, Sec. 11; N $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 12, W $\frac{1}{2}$ NW $\frac{1}{4}$, SE $\frac{1}{4}$ NW $\frac{1}{4}$, NE $\frac{1}{4}$ SW $\frac{1}{4}$, S $\frac{1}{2}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$, Sec. 13; NE $\frac{1}{4}$, NW $\frac{1}{4}$, E $\frac{1}{2}$ SW $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, S $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 14; Twp. 8S, Rge. 13E., B.M.; NW $\frac{1}{4}$ SW $\frac{1}{4}$, S $\frac{1}{2}$ SW $\frac{1}{4}$, W $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 7; NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 18, Twp. 8S, Rge. 14E., B.M.

The applicant now proposes to amend Application for Permit No. 36-7676 changing it to No. 02-7249 and changing the source to Snake River which is a tributary of the Columbia River, point of diversion from Snake River Govt. Lots 2, 5, & 6, Sec. 7, Twp. 8S, Rge. 14E., B.M., Twin Falls County to be used from Mar. 15 to Nov. 15 for the irrigation of 1624 acres described above.

Any protest against the proposed amending of this application must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, ID. on or before August 29, 1977.

C. STEPHEN ALLRED

Director

PUBLISH Aug. 11 and 18, 1977

Affidavit of Publication

STATE OF IDAHO,
COUNTY OF TWIN FALLS }

ss.

N^o 6283

I, Ray M. Mauer being first duly sworn upon oath, depose and say that I am Ray M. Mauer of the TIMES-NEWS, published daily, except Saturday, at Twin Falls, Idaho, and do solemnly swear that a copy of the notice of advertisement, as per clipping attached, was published in the regular and entire issue of said newspaper, and not in any supplement thereof, for three consecutive three days, commencing with the issue dated August 11, 1977, and ending with the issue dated August 13, 1977.

And I do further certify that said newspaper is a consolidation, effective February 16, 1942, of the Idaho Evening Times, published theretofore daily except Sunday, and the Twin Falls News, published theretofore daily except Monday, both of which newspapers prior to consolidation had been published under said names in said city and county continuously and uninterruptedly during a period of more than twelve consecutive months, and said TIMES-NEWS, since such consolidation, has been published as a daily newspaper except Saturday, under said name in said city and county continuously and uninterruptedly.

And I further certify that pursuant to Section 60-108 Idaho Code, Thursday of each week has been designated as the day on which legal notice by law or by order of any court of competent jurisdiction within the state of Idaho, to be published weekly, will be published; and that at the head of the editorial column of said combined newspapers, and in each issue thereof, Thursday is announced as the day on which said legal notices will be published.

Subscribed and sworn to before me on this 13 day of August, 1977.

Ray M. Mauer
Notary Public in and for the County of Twin Falls,
State of Idaho, residing at Twin Falls, Idaho

NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that Robert H. Brailsford 1964 Filer Avenue East, Twin Falls, Idaho 83301 has on 2/17/77 submitted Application No. 36-7676 for a permit to appropriate 32.48 cubic feet per second of water from Bickel Springs, which is a tributary of Snake River by means of pumps to pipeline from Snake River to land within the Point of Injection into Snake River from Bickel Springs is Govt. Lots 8 & 9, Sec. 6, Twp. 8S, Rge. 14E., B.M., Gooding County; Point of Diversion from Snake River Govt. Lots 2, 5, & 6, Sec. 7, Twp. 8S, Rge. 14E., B.M., Twin Falls County to be used from March 15 to Nov. 15 for irrigation purposes within the S $\frac{1}{2}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 1; S $\frac{1}{2}$, Sec. 11; NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 12, W $\frac{1}{2}$ NW $\frac{1}{4}$, SE $\frac{1}{4}$ NW $\frac{1}{4}$, NE $\frac{1}{4}$ SW $\frac{1}{4}$, S $\frac{1}{2}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$, Sec. 13; NE $\frac{1}{4}$, NW $\frac{1}{4}$, E $\frac{1}{2}$ SW $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, S $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 14, Twp. 8S, Rge. 13E., B.M.; NW $\frac{1}{4}$ SW $\frac{1}{4}$, S $\frac{1}{2}$ SW $\frac{1}{4}$, W $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 7; NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 18, Twp. 8S, Rge. 14E., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before March 7, 1977.

R. KEITH HIGGINSON

Director

PUBLISH: February 17, 24, 1977. •

Affidavit of Publication

STATE OF IDAHO,

COUNTY OF TWIN FALLS }

ss.

N^o 5700

I, Carolynne Jennings being first duly sworn upon

oath, depose and say that I am Princ. Clerk of the TIMES-NEWS, published daily, except Saturday, at Twin Falls, Idaho, and do solemnly swear that a copy of the notice of advertisement, as per clipping attached, was published in the regular and entire issue of said newspaper, and not in any supplement thereof, for two

consecutive Thursdays, commencing with the issue dated

Feb. 17, 19 77, and ending with the issue dated

Feb. 24, 19 77.

And I do further certify that said newspaper is a consolidation, effective February 16, 1942, of the Idaho Evening Times, published theretofore daily except Sunday, and the Twin Falls News, published theretofore daily except Monday, both of which newspapers prior to consolidation had been published under said names in said city and county continuously and uninterruptedly during a period of more than twelve consecutive months, and said TIMES-NEWS, since such consolidation, has been published as a daily newspaper except Saturday, under said name in said city and county continuously and uninterruptedly.

And I further certify that pursuant to Section 60-108 Idaho Code, Thursday of each week has been designated as the day on which legal notice by law or by order of any court of competent jurisdiction within the state of Idaho, to be published weekly, will be published; and that at the head of the editorial column of said combined newspapers, and in each issue thereof, Thursday is announced as the day on which said legal notices will be published.

Carolynne Jennings
Subscribed and sworn to before me on this 24th day of
February, 19 77.

William F. Clash
Notary Public in and for the County of Twin Falls,
State of Idaho, residing at Twin Falls, Idaho

AFFIDAVIT of PUBLICATION

State of Idaho,

County of Gooding

SS.

Ken R. Crumpton, being first duly sworn, deposes and says that he is the printer (publisher) of the Gooding County Leader, a newspaper published every week in Gooding, County of Gooding, State of Idaho, that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication

of said advertisement was on the 17 day of February 1977, and the date of the last publication was on the 24 day of February, 1977.

Subscribed and sworn to before me this 24

day of February, 1977.
(SEAL)

NOTARY PUBLIC

GOODING COUNTY LEADER

Gooding, Idaho

COST OF PUBLICATION

Number of Lines in Notice	<u>56</u>	<u>56</u>
Number of Insertions	<u>2</u>	<u>2</u>
Lines tabular at	<u>315c</u>	
<u>56</u> Lines straight at	<u>56</u> <u>21c</u>	<u>11.76</u>
<u>56</u> Subsequent lines at	<u>56</u> <u>15c</u>	<u>8.40</u>
TOTAL COST		<u>20.16</u>

CC / OF NOTICE NOTICE OF APPLICATION FOR WATER PERMIT

a
il
er-
or
the
alf-
ire
es,
loy
se

Notice is hereby given that Robert H. Brailford 1964 Filer Avenue, Snake River Falls, Idaho 83441, on 2/7/77 submitted application No. 36-7676 for a permit to appropriate 32.48 cubic feet per second of water from Bickel Springs, which is a tributary of Snake River by means of pumps to pipeline from Snake River to land within the Point of injection into Snake River from Bickel Springs is Govt. Lots 8 & 9, Sec. 6, Twp. 8S, Rge. 14E., B.M., Gooding County; Point of Diversion from Snake River Govt. Lots 2, 5, & 6, Sec. 7, Twp. 8S, Rge. 14E., B.M., Twin Falls County to be used from March 15 to Nov. 15 for irrigation purposes within the S $\frac{1}{2}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 1; S $\frac{1}{2}$ Sec. 11; NW $\frac{1}{4}$ Sec. 18, NW $\frac{1}{4}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$ NW $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, S $\frac{1}{2}$ SW $\frac{1}{4}$, S $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 18.

SE $\frac{1}{4}$, S $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 14; Twp. 8S, Rge. 13E., B.M.; NW $\frac{1}{4}$ SW $\frac{1}{4}$, S $\frac{1}{2}$ SW $\frac{1}{4}$, W $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 7; NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 18, Twp. 8S, Rge. 14E., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before March 7, 1977.

/s/ R. Keith - Higginson
Director

Pub: 2-17, 24

4 pt. per line, tabular	31.5c
7 pt. per line, successive insertions	15c

18639

N^o 1123



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 24, 1995

SALMON FALLS LAND & LIVESTOCK INC
C/O MIKE HENSLEE VP
123 BELL RAPIDS RD
HAGERMAN ID 83332

RE: WATER RIGHT NO. 02-07249

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved Application for Amendment.

Should you have any questions regarding these documents, please contact me.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

MAR 27 1995

M E M O R A N D U M

DATE: March 1, 1995

TO: File 02-07249

FROM: Shelley W. Keen *SWK*

RE: Conversation with Mike Henslee

=====

Mike Henslee of Salmon Falls Land and Livestock, Inc., called me to express some concern with the language of one of the conditions we have proposed to use when we issue a license for 02-07249. The condition says:

Water shall not be diverted under this right unless the flow of the Snake River exceeds established downstream minimum stream flows.

Mr. Henslee would like the condition amended to acknowledge that his diversion is subject to senior minimum stream flow rights only. In response to Mr. Henslee's concern, I propose amending the condition to read as follows:

Water shall not be diverted under this right unless the flow of the Snake River exceeds flows required by ~~senior~~ downstream minimum stream flow rights.
prior

3
MAR 27 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 14, 1995

SALMON FALLS LAND & LIVESTOCK INC
C/O MIKE HENSLEE VP
123 BELL RAPIDS RD
HAGERMAN ID 83332

RE: WATER RIGHT NO. 02-07249

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the place(s) of use description. Please review carefully and if you concur, sign the amendment and return with the \$50.00 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of CONDITIONS/REMARKS proposed for the license when it is issued. These conditions/remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED

JUL 25 1994

Department of Water Resources

MEMORANDUM

TO: FILES 36-7085 & 02-07249

FROM: DOUGLAS JONES, LOREN HOLMES

DATE: July 14, 1994

RE: FIELD EXAM RESULTS

During the development of these rights it has been apparent to the Department that the permit holder was not going to install a pipe from Bickel Springs (see '76 amendment), or from the effluent of Valley Trout ('77 amendment, '80 letter), to his pump system across the river. Bickel Springs water is collected and routed either through the fish facility, then into the Snake R. downstream of the pumping plant authorized by these permits; or through a pipeline owned by Brailsford and thence to a different farm. Bickle Springs water is NOT commingled with Snake River water and pumped by his system. All of the permit holder's rights pumped for this development are Snake River source water.

I recommend that the water right 36-7085 be reassigned a Basin "02-" number. I base this recommendation on the fact that all water which might have been conveyed across the river, had the pipe been installed, flows into the river, and that any priority cut that would affect a Snake River source would apply to Bickel Springs also (e.g. Weiser Gage minimum instream flow). Indeed, these rights were turned off during the 1992 enforcement of the MIF. Administration of these rights is clearer with a change in sources for 36-7085. Having approved the amendment switching the point of diversion to the Snake River it appears that there was a mistake made in not renumbering 36-7085.

Acreages for these rights are fully interconnected and are recommended as a permissible-place-of-use. Permit 02-7249 is for 1624 acres, permit 36-7085 is for 1007 acres. Analysis of permitted acreage indicates that there is 216 acres of overlap, resulting in a licensable farm of 2415 acres. Should a priority cut have to be made all acreages would have to cease irrigation.

Pumping plant capacity was measured to be 38.77 cfs. However, due to contract limitations with Idaho Power only two of the three 500 hp pumps can be operated at any time. Therefore a diversion rate equal to the capacity less the lowest producing 500 hp pump was recommended - 29.89 cfs.

MAR 27 1995

MEMORANDUM

RECEIVED

JAN 06 1995

Department of Water Resources

TO: Shelley Keen, Allocations

FROM: Douglas Jones

DATE: 1/5/95

RE: Lic. Review

Word has it that you get to do the licensing review on the rights under these assignments. BCC says they are back in the vault.

New owners came in & said Cindy said they needed different assignments. You might check with her about this.

These exams are old ones Loren did & hadn't written up - I put them together, documented what I could, reviewed it with him before he got too bad, and sent them. ~~the~~ My memo may be a little screwy, but call if you have questions (I don't have a copy).

Good Luck!

thx Douglas

RECEIVED

MAR 27 1995

PERMITS 36-7085 & 02-7249
WATER MEASUREMENT AND CONCLUSION

PUMP #	HP	# STAGES	DESIGN Q gpm cfs	DESIGN HEAD psi ft	OBSERVED Q gpm cfs (1)	OBSERVED HEAD psi ft	AVG OBSERVED h in	MEASUREMENT TIME FROM - TO	PUMP PRESSURE psi	MP PRESSURE psi
5	200	5	1800 4.01	169 390	1992 4.44	165 381	.20	9:46 - 9:51	165	23
4	300	4	2575 5.74	163 376	2507 5.59	166 383	.32	9:51 - 9:55	166	25
3	500	3	4400 9.80	166 384	4455 9.93	170 393	1.00	9:55 - 9:58	170	29
1	500	3	4400 9.80	166 384	3985 8.88	173 400	.80	9:59 - 10:03	173	32
2	500	3	4400 9.80	166 384	4455 9.93	175 404	1.00	10:15 - 10:19	175	34

(1) computed from $Q = (4.03) \cdot (d^{.5}) \cdot (\sqrt{h})$, where $d = 33.25$ inches and $h =$ observed differential head on air-water manometer

MEASUREMENT PROCEDURE

The output of the main pumping plant was measured one pump at a time without the booster system in operation.

To make the measurements, observers were stationed at the pumping plant and at the measuring port (MP) at the top of the hill. An annubar was inserted in the MP and connected to an air - water differential manometer. Pressure gages were installed on the manometer and on the pump discharge manifold to measure static pressures.

As each pump was operated the time, differential head, and static pressure in the pipeline were noted by the observers.

As the testing progressed water was pumped beyond the booster plant up into the distribution system which resulted in increasing pressure readings at both the MP and at the pumping plant. The average observed difference in pressure between the pump manifold gage and the MP gage was 141.2 psi which is equivalent to 326 feet in elevation between the pump manifold and the MP. The lift from the river level and from the MP to the booster suction accounts for another 15 feet making the total static lift 341 feet.

ANALYSIS OF DATA

The measurements were interpreted by comparing the measured flows with the design output of the pumps. Design curves for these pumps were provided by Ben Neff of FarmMore Irrigation, which had installed the system. The measurements and comparison with design values is summarized in the above table.

CONCLUSION AND RECOMMENDATION

The observed flows agreed quite well with the design capacities.

It is therefore recommended that the sum of the design pump capacities (39.15 cfs) be adopted as the pumping plant capacity.

Recommended: Pumps 5,4,3,2: Total Q = 29.89 cfs
Capacity: Pumps 1-5: Total Q = 38.77 cfs

LH

MAR 27 1995


Exhibit

NOTE:

Total distance of pipeline across
U.S. Land - 2,034.44 feet.

P. I. No.	Station No.	Bearing	Dist
Pump	0+00		
1	2+87.16	S. 63° 29' 00" W.	28
2	14+74.65	S. 30° 17' 48" W.	118
3	20+34.44	S. 49° 21' 53" W.	55

50' Right-of-Way Road except as noted.




APPLICANT CERTIFICATE

This is to certify that A. T. Peterson, who has subscribed the statement herein, authorized to represent the undersigned applicant to prepare this map, which has been adopted by the applicant as the final location of the works, thereby is and this map is filed as a part of the complete application in order that the applicant may obtain the benefits of the act of March 3, 1899, (26 Stat. 1101) as amended, and I further certify that the right-of-way herein described is for an irrigation pipeline and appurtenances.

SURVEY OF
IRRIGATION PIPELINE
RIGHT-OF-WAY

Situate in Section 7, T. 8 S., R. 14 E., E. M., Twin Falls Count.

ENGINEERS STATEMENT



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

36-7085

Permit No. 02-7249

A. GENERAL INFORMATION

1. Owner: Robert H. Brailford Phone No. _____
Current Address: 300 Morrison Dr. Twin Falls, ID 83301
Robert Brailford - owner Allen Merritt - IDWR
2. Accompanied by: Ben Neff - Fatmore Irrigation EXAM. DATE: 4/9/86
Address: _____ Phone No. _____
Relationship to Permit Holder: _____

3. Source: Snake River tributary to _____

B. OVERLAP REVIEW


1. Other water rights with same place of use: Overlaps of these 2 permits - No other RTE

☐ Copies Attached
2. Other water rights with same point of diversion: _____

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 20' (Approx)

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more)
- ☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A 2000 HP Pumping Plant made up of 3-500HP Pumps, 1-300HP & 1-200HP Pumps lifts water from the Snake River. The Conveyance system is 2100 ft of 33 1/2" dia steel pipe. Water is further pressurized by a 850 HP booster plant at the end of the steel penstock & a 170 HP Booster Plant on the farm. The farm is irrigated by 12 Center Pivots and numerous portable sprinkler lines. When measured, the main Pumping plant was operated one unit at a time. The booster plants were not operating.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
1	U.S. "Titan"	500	CH7846-822859-388	Layne	3 stage / 12 inch
2	Westinghouse	500	2S-80	Layne	2 stage / 12 inch
3	Westinghouse	500	1S-80	Layne	3 stage / 12 inch
4	Westinghouse	300	7710	Layne	4 stage / 10 inch
5	Westinghouse	200	8012	Layne	5 stage / 8 inch

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	6	NE	NE	SE	7	8S	14E	Turn Falls	R.O.W. Survey by BLM

6. Place(s) of Use: Observed

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
8S	13E	10														11	17		28
		11	20	19	40	40		1	1	26	39	38	37	10	15	21	25		322
		12					20	20		40	21	40	40	19	15	37	36		288
		13	40	35	40	40	39	40	39	40	40	40	40	40	39	40	40		632
		14	38	40	39	39	40	40	38	40	40			32	38	38	31	1	494
		15	40	30	10	18													98
8S	14E	7								20	32	32	40		16	40			180
		18		40	32		40	32	22	35	40	28	32	40		30	19		390

$\Sigma = 2432$

See attached adjustment memo

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Annubar / Manometer	75				29.25"	

2. Measurements:

Output of each pump was measured with only one pump operating at a time. Pipeline pressure at the pump discharge & measuring port were observed & an annubar/manometer measurement made near the booster plant intake.

See attached sheets for summary & analysis of measurements.

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

See Attachment

2. Alternate Method for Checking Purposes:

Measurements were compared with pump design capacities

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{2415}{2432} \times 4 = 9660 \text{ AFA}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 29.89 \times 214 \times 1.9835 = 12,687$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = V_{I.R.} = 9660 \text{ AFA}$

2. Volume Calculations for Other Uses:

RECEIVED
MAR 27 1995

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Analysis of overlap indicates (see page 9/9) that up to 2415 acres can be licensed. The field exam found 2432 acres were being irrigated, a difference of 17 acres. Volume recommendations were based on 2415 acres.

I. RECOMMENDATIONS

1. Recommended Amounts


Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	4/1	10/31	29.89	9723 9660
Totals:			29.89 cfs	9660 AFA

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☒ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name Loren O Holmes
Signature Loren O Holmes
Certification Date 4/13/94
Field Report Preparation Date 7/24/94



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

* See adjustment explanation memo BC

MAR 27 1995

MEMORANDUM

TO: File 02-07085 / Salmon Falls Land & Livestock
FROM: Brenda Chapman
DATE: January 20, 1995
RE: Recommendation Adjustment(s)

=====

The final licensing recommendations for the above referenced water right are based on the information below:

C. SYSTEM DESCRIPTION

2. Place of Use: The exam map, POU comparison chart (# 3 of 9) and the system total confirms 27 acres in the SESW of Section 11.

G. VOLUME CALCULATIONS

Because a "permissible place of use" scenario is being recommended, the entire 2432 acres are listed with the volume calculated accordingly. (Does not exceed the combined permitted amount of this right and 02-07462 (36-07085)).

E. REMARKS AND OVERLAP REVIEW ANALYSIS

With a permissible place of use recommendation, a reduction of acres is not necessary. The total volume will be calculated based on 2432 acres being irrigated by the two permits. Each will have the permitted acre limitation addressed in remarks.

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Div	Annual Vol
Irrigation	4-01 to 10-31	29.89	Not listed

Volume recommendation is addressed in remarks.


RECEIVED
MAR 27 1995

Btailsford

#2 Booster station

4/9/86

5/5



Unit
"D"

Motor

G.E. 50HP

Mod GK 326 AL 205D

No Ser# No. CX

1775 RPM

Pump

Peerless

846 I 26 417

13.815" Impeller

4" suction & Disch

A

Westinghouse 50HP

ser# 8203M

1765 RPM

Cornell

45856

Dim 12 3/4

6" suction

4" Disch

B.

Same as A

Peerless

806 I 15555

12 3/8 dia

5" suction

4" Disch.

C

Westinghouse 20HP

ser# 8009M

1760 RPM

Peerless

806 I - 15556

9 1/2 Dia


6" suction
5" Disch.

REPRODUCTION
MAR 27 1995

4/5

Brailford #1 Booster station

4/9/86



Unit	Motor	Pump
A	Westinghouse 1775 RPM Set #8011 Frame 445TS Mod. TB DP Style 680B102G74	Peerless #8061-15559 Mod. 8AD17 10" suction 16 1/4 impeller 8" Disch
B	Same As A.	"
C	Same As A	"
D	Westinghouse 1775 RPM Set #8012 Frame 405TS Mod. TB DP Style 680B102G59	Peerless #8061-15560 Mod. 6AD16 10" suction 15 1/2 impeller 6" Disch
E	Same As D	"

MAR 27 1995

4/9/86 Brazil/Sold Exm

3/5

Inside Pipe Dia = 33 1/4"

Readings

Time	H ₁	H ₂		Pressure Gauge	Recheck Fillings
9:39	25.35	24.0		14	
9:44	33.6	33.4	.2	23	#5? (#5)
9:50	33.7	33.5	.2	23	1903 1993*
9:53	34.85	34.50	.35	24 1/2	(#9)
	35.0	34.7	.30	25	2395
9:54:15	35.1	34.8	.30	25	2502*
9:57:15	37.5	36.5	1.0	29	
9:58:01	37.7	36.7	1.0	29 1/2	4256 (#3) 4455*
10:01:20	38.4	37.6	.8	31	
10:02:00	38.8	38.0	.8	32	3801 (#1)
10:07:23	39.3	38.5	.8	33	3985*
10:17:20				33 1/2	(#2)
10:18:41	39.8	38.8	1.0	34 1/2	4135
10:19:40	39.9	38.9		34 1/2	4455*

M...
* - Q...
MAR 27 1995 4.03

Pump Operating Times Bristol/Lake Pumping Plant

2/5

4/4/86

Pump(s)	TIME ON	TIME OFF	PRESSURE
#5 Operating to fill pipe	9:20		
#5	9:46	9:51	165
#4	9:51	9:55	166
#3	9:55	9:58	170
#1	9:59	10:03	173
#2	10:15	10:19	175

Note: Line Holds 175 Psi static pressure
 with pumps off.


APPROVED
 MAR 27 1995

02-7249 -
36-7085

Field Notes 1/5

Brailstad Pumping Plant

4/9/66



Motor		Pump.
#1	US Motors "Titan" Frame 5009PH 460 V 1770 RPM ID# CH 7846 - 822859 388	Layne # T 84057 3 stage
#2	Westinghouse Model USW1 Frame 5008-P24 460V 1769 RPM style 80F31162 set 25-80	Layne # T 81003 3 stage
#3	Westinghouse Same as above set # 15-80	Layne # T 81002 3 stage
#4	Westinghouse 460 V 1775 RPM Frame 449 TPH Model TUDP Serial 7710 style 7738724G13	Layne # T 81004 4 stage
#5	Westinghouse Frame 440 TPH Model GUDP Set # 8012 style 7738920G46	MAR 27 1966 Layne # T 81005 5 stage

ISSUE

LAYNE & BOWLER, INC.
MEMPHIS, TENN 38108



No. Stages	Eff. Change	MATERIAL	Eff. Change
1	6	IMP - C.I.	1
2	3	IMP - NI RI	1
3	0	BOWL - BRZ	1
4		BOWL - NI R	1

13C 1


1770 R.P.M.

SINGLE STAGE LAB PERFORMANCE WITH STANDARD MATERIALS. EFFICIENCY SHOWN FOR 3 OR MORE STAGES. HORSE POWER SHOWN FOR ONE STAGE BASED ON 3 STAGE EFFICIENCY. CORRECTIONS SHOULD BE MADE FOR STAGES AND MATERIAL


ONE STAGE STAGES

CUSTOM PERFORMANCE

Pump # 5



EYE AREA - SQ. IN.	25.5	IMPELLER WT. LBS	11.5
WT. PER IMPELLER	1.45 LB FT	ONE STAGE WT. LBS	2.8
MAX. SPHERE SIZE	1.05 in	ADD L STAGE WT. LB	1.16
MAX. NO. STD STAGES	4	IMPELLER NUMBER	1
MAX. OPERATING P.S.I.	4.5	DISCH. SIZES	6.10
STD. LATERAL	84	SUCTION SIZES	10
STD. SHAFT DIA.	1.88	MAX. LATERAL	1.0
MAX. SHAFT DIA.	1.93	BOWL CONN.	FLANGED COLLET
MIN. SUBMERGENCE	33	ADD 11.25 PER ADDITIONAL STAGE	



MAR 27 1995

LAYNE & BOWLER, INC.
MEMPHIS, TENN. 38108




No.	Eff. Change	MATERIAL	Eff. Change
1	1	IMP.—C.I.	-1
2	0	IMP.—NI-BI	-1
3		BOWL—BRZ.	-1
4		BOWL—NI-BI	-1

14THC 1770 R.P.M.
SINGLE STAGE LAB PERFORMANCE WITH STANDARD MATERIALS. EFFICIENCY SHOWN FOR 2 OR MORE STAGES. HORSE POWER SHOWN FOR ONE STAGE BASED ON 2 STAGE EFFICIENCY. CORRECTIONS SHOULD BE MADE FOR STAGES AND MATERIAL.


ONE (4) STAGE STAGES

Pump #4

CUSTOM PERFORMANCE 376



EYE AREA — 50 IN.	IMPPELLER WT. LBS	31.5
WB ² PER IMPELLER	ONE STAGE WT. LBS	4.6
MAX. SPHERE SIZE	ADD L STAGE WT. LBS	164
MAX. NO. STD. STAGES	IMPELLER NUMBER	13.9
MAX. OPERATING P.S.I.	DISCH. SIZES	1.12
STD. LATERAL	SUCTION SIZES	1.0
STD. SHAFT DIA.	MAX. LATERAL	1.25
MAX. SHAFT DIA.	BOWL CONG. FLAT AND COLLECT	
MIN. SUBMERGENCE	ADD 13 FOR ADDITIONAL STAGE	



MAR 2 1962

ION 8100
SERVO NO. 18-191A

LAYNE & BOWLER, INC.
MEMPHIS, TENN. 38108



No. Stages	Eff. Change	MATERIAL	Eff. Change
1	0	IMP.—C.I.	-1
2		IMP.—NI-RI	-1
3		BOWL—BRZ.	-1
4		BOWL—NI-R.	-1

19GM

1770


R.P.M.

SINGLE STAGE LAB PERFORMANCE WITH STANDARD MATERIALS. EFFICIENCY SHOWN FOR 2 OR MORE STAGES. HORSE POWER SHOWN FOR ONE STAGE BASED ON 2 STAGE EFFICIENCY. CORRECTIONS SHOULD BE MADE FOR STAGES AND MATERIAL.


ONE STAGE

Pumps (1) (2) (3)


4400 @ 3579 @ 128 = 384'



WET AREA — SQ. IN.	= 69.5	IMPELLER WT.-LBS.	= 58
WET PER IMPELLER	= 7.45 LB.-FT ²	ONE STAGE WT.-LBS.	= 610
MAX. SPHERE SIZE	= 1.25 in.	ADD'L STAGE WT.-LBS.	= 350
MAX. NO. STD. STAGES	= 3	IMPELLER NUMBER	= 95G15
MAX. OPERATING P.S.I.	= 300	DISCH. SIZES	= 14, 16
STD. LATERAL	= 0.62 in.	SUCTION SIZES	= 17 1/2" or 22 1/2" Ball
STD. SHAFT DIA.	= 2.187 in.	MAX. LATERAL	= --- in.
MAX. SHAFT DIA.	= --- in.	BOWL CONN.	FLANGED — COLLET
MIN. SUBMERGENCE	= 32 in.	ADD 17 5/8" PER ADDITIONAL STAGE	



36- 7085



27 1995

T 85 R 13E Sec 1

TRACT	02-7244 Acres	36-7085 Acres	Irrig Crop Acres	Irrig. Pasture Acres	Total Permit Acres	Total Irrigated Acres
NE NE						
NW NE						
SW NE						
SE NE						
NE NW						
NW NW						
SW NW						
SE NW						
NE SW						
NW SW						
SW SW	40					
SE SW	30					
NE SE						
NW SE						
SW SE						
SE SE	10					
	80					

Overlap Analysis

02-7244
36-7085

RECORDED

MAR 21/9 1995

T 8S R 13E Sec 10

TRACT	02-7249 Acres	36-7085 Acres	Irrig Crop Acres	Irrig Pasture Acres	Total Permit Acres	Total Irrigated Acres
NE NE						
NW NE						
SW NE						
SE NE						
NE NW						
NW NW						
SW NW						
SE NW						
NE SW						
NW SW						
SW SW						
SE SW						
NE SE						
NW SE						
SW SE	20		11			11
SE SE	20		17			17
	40		28			28

RECEIVED
MAR 27 1995 2/9

T 85 R 13E Sec 11

TRACT	02-7249 Acres	36-7085 Acres	Irrig Crop Acres	Irrig Pasture Acres	Total Permit Acres	Total Irrigated Acres
NE NE	20		20			20
NW NE	20		19			19
SW NE	40		40			40
SE NE	40		40			40
NE NW						
NW NW						
SW NW			1			1
SE NW			1			1
NE SW	22		26			26
NW SW	40		39			39
SW SW	20		10	28		38
SE SW	20		26	1		27
NE SE	15		10			10
NW SE	21		15			15
SW SE	20		21			21
SE SE	24		25			25
	302		293	29		322

sec 11
SE SW
should be → 27 acres
agreed with
map

MAR 27 1995 3/9

T 8S R 13E Sec 12

TRACT	02-7249 Acres	36-7085 Acres	Irrig Crop Acres	Irrig Pasture Acres	Total Permit Acres	Total Irrigated Acres
NE NE						
NW NE						
SW NE						
SE NE						
NE NW						
NW NW	20		20			20
SW NW	20		20			20
SE NW						
NE SW		40	40			40
NW SW		40	21			21
SW SW		40	40			40
SE SW		40	40			40
NE SE	32	40	19			19
NW SE	40		15			15
SW SE		40	37			37
SE SE		40	36			36
	112	280	288			288

Overlap 32

RECORDED

MAR 27 1995

4/9

T 85 R 13E Sec 13

TRACT	02-7249 Acres	36-7085 Acres	Irrig Crop Acres	Irrig. Pasture Acres	Total Permit Acres	Total Irrigated Acres
NE NE		40	40			40
NW NE		40	35			35
SW NE		40	40			40
SE NE		40	40			40
NE NW		40	39			39
NW NW	40		40			40
SW NW	40		39			39
SE NW	40		40			40
NE SW	40		7	33		40
NW SW		40	22	18		40
SW SW	40			40		40
SE SW	40			40		40
NE SE	40		40			40
NW SE	40		20	19		39
SW SE	40		1	39		40
SE SE	40		36	4		40
	400	240	439	193		632

MICROFILMED

MAR 27 1995

5/9

T 95 R 13E Sec 14

TRACT	02-7244 Acres	36-7085 Acres	Irrig Crop Acres	Irrig Pasture Acres	Total Permit Acres	Total Irrigated Acres
NE NE	40		37	1		38
NW NE	5		20	20		40
SW NE	3		3	36		39
SE NE	40	40	38	1		39
NE NW	3		4	36		40
NW NW	13		22	18		40
SW NW	40		38			38
SE NW	40		28	12		40
NE SW	40		40			40
NW SW						
SW SW						
SE SW	40		32			32
NE SE		40	38			38
NW SE	40		38			38
SW SE	40		31			31
SE SE	2		1			1
	346	80	370	124		494

Overlap 40

MAR 27 1995

T 8S R 13E Sec 15

TRACT	02-7244 Acres	36-7085 Acres	Irrig Crop Acres	Irrig Pasture Acres	Total Permit Acres	Total Irrigated Acres
NE NE	40		40			40
NW NE	40		30			30
SW NE	20		10			10
SE NE	20		18			18
NE NW						
NW NW						
SW NW						
SE NW						
NE SW						
NW SW						
SW SW						
SE SW						
NE SE						
NW SE						
SW SE						
SE SE						
	120		98			98

RECEIVED

MAR 27 1995

7/1

T 85 R 14E Sec 7

TRACT	02-7244 Acres	36-7085 Acres	Irrig Crop Acres	Irrig Pasture Acres	Total Permit Acres	Total Irrigated Acres
NE NE						
NW NE						
SW NE						
SE NE						
NE NW						
NW NW						
SW NW						
SE NW						
NE SW			20			20
Lot 7 NW SW	32	31.70	32			32
Lot 8 SW SW	32	31.82	32			32
SE SW	40	40	40			40
NE SE						
NW SE	40		16			16
SW SE	40	40	40			40
SE SE						
	184	143.52	180			180

CW lap 144

MICROFILMED
MAR 27 1995

8/90

T 85 R 14E Sec 18

TRACT	02-7249 Acres	36-7085 Acres	Irrig Crop Acres	Irrig Pasture Acres	Total Permit Acres	Total Irrigated Acres
NE NE						
NW NE		40	40			40
SW NE		40	31	1		32
SE NE						
NE NW		40	40			40
Lot 1 NW NW		31.85	32			32
Lot 2 SW NW		31.79	22			22
SE NW		40	35			35
NE SW	40		40			40
Lot 3 NW SW			3	25		28
SW SW			29	3		32
SE SW			39	1		40
NE SE						
NW SE		40	30			30
SW SE			19			19
SE SE						
	40	263.64	340	30		390

Total 1624 1007.16 2056 376

Total overlap = 216 ac in permit


Total Licensable = 1624 + 1007.16 - 216 = 2415.16

Found
2415.16 total Acres
irrig

MAR 27 1995

16.84 short

9/90




02-7249
36-7085


7 1995

Township N° 8 South, Range N° 14 East

SECTION 7 E d D

P/O at NESE (GOV LOT #6) S. 89° 56' 7"






02-7249
36-7085

Central 1/3 182/3






02-7249

36-7085

Western 1/3 P81/3

1544
27.995

02-7249
36-7085



850 HP Booster
Plant




170 HP Booster
Plant.

MAR 27 1995

02-7249
36-7085



River intake &
Pumping Plant



Interior View
of Pumping Plant.

MAR 27 1985

June 12, 1992

ROBERT H. BRAILSFORD
300 MORRISON DR. #644
TWIN FALLS ID 83301

RE: Water Right No. 02-07249

Dear Water Right Holder(s):

On June 8, 1992, the department sent you a letter which directed you to immediately cease diverting water under the above referenced water right, since the minimum stream flow of the Snake River in the amount of 4,750 cubic feet per second (cfs) measured near Weiser was not being satisfied.

The flow of the Snake River at Weiser is now above 4,750 cfs. You are, therefore, authorized to again divert water under your water right. If the minimum stream flow is not met later this year, however, the department will again notify you to temporarily cease diversion.

Thank you for your cooperation in this matter. Please feel free to contact L. Glen Saxton (phone: 208-327-7955) or Gary Spackman (phone: 208-327-7946) of my staff if you have questions.

Sincerely,

R. KEITH HIGGINSON
Director

RECEIVED

MAR 27 1995

ROBERT H. BRAILSFORD
300 MORRISON DR. #644
TWIN FALLS ID 83301

June 8, 1992

RE: Water Right No. 02-07249

Dear Water Right Holder(s):

On May 19, 1992, the department sent you a letter advising that you might be required to temporarily cease diverting water from the Snake River or its tributaries if the established minimum stream flow of the Snake River in the amount of 4,750 cubic feet per second measured near Weiser is not satisfied or likely will not be satisfied.

The flow of the Snake River at Weiser is now less than 4,750 cfs. You are, therefore, directed to immediately cease diverting water under the above referenced water right and to not resume use until authorized by the department.

Past flow records show that the duration of seasonal low flow periods typically last several days to a week. Since your use of water is extremely important to you and since mail notification includes a delay associated with mail delivery time, feel free to call the toll-free telephone number 1-800-451-4129 to determine when you are again authorized to divert and use water under your water right. Please use this phone number only in connection with resumption of use.

You need to be aware that Section 42-351, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversion.

Thank you for your cooperation in this matter. Please feel free to contact L. Glen Saxton (phone: 208-327-7955) or Gary Spackman (phone: 208-327-7946) of my staff if you have questions.

Sincerely,

R. KEITH HIGGINSON
Director

MAR 27 1995

May 19, 1992

ROBERT H. BRAILSFORD
300 MORRISON DR. #644
TWIN FALLS ID 83301

RE: Water Right No. 02-07249

Dear Water Right Holder(s):

Department water right records show that you divert water from the Snake River or its tributaries under a water right that has a priority date later than December 29, 1976. This is the priority of the established minimum stream flow of the Snake River at the Weiser Gage (Weiser) in the amount of 4,750 cubic feet per second.

Because of the continuing drought conditions in the Snake River Basin, department hydrologists project that during 1992, there could be periods when the required minimum flow will not be satisfied due to low flows of the Snake River. The department urges you to not divert at a higher rate than authorized by your water right and to not use your right in any manner different than authorized. In addition, when the minimum flow will not be satisfied or is not being satisfied, you are required to cease diverting water under your water right, because your right is of later priority than the minimum stream flow at Weiser.

If the department determines the minimum flow will not be satisfied, the department will advise you and will provide as much lead time as possible in requiring that you temporarily cease your diversion of water. The greatest likelihood for this to occur is during a period from mid-June to late June.

While the department expects good cooperation from junior water right holders, water users should be aware that Section 42-352, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversions of water.

The department has contacted both the Idaho Power Company and the U.S. Bureau of Reclamation with respect to the timing of storage releases from upstream reservoirs for flow enhancement purposes. This type of coordination could minimize the impact on

MAR 27 1995

existing water users and reduce the need to curtail diversions.

The department has scheduled public information meetings relative to this potential regulation as follows:

Mountain Home - June 4, 1992 - 10:00 a.m. - gymnasium at
North Elementary School, 290 E. 12th N.

Caldwell - June 4, 1992 - 7:00 p.m. - Ballroom in the
Student Union Building, Albertson College of Idaho,
2112 Cleveland

If you have questions concerning this letter or wish to provide the name of a different contact person or address to receive department correspondence, please contact the department.

Sincerely,

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:klg

100000

71995

ROSHOLT, ROBERTSON & TUCKER
Chartered

ATTORNEYS AT LAW

1020 MAIN STREET
SUITE 400
P.O. BOX 2139
BOISE, IDAHO 83701-2139
TELEPHONE (208) 336-0700
FAX (208) 344-6034

JOHN A. ROSHOLT
J. EVAN ROBERTSON
JAMES C. TUCKER
TERRY R. McDANIEL
GARY D. SLETTE
JERRY V. JENSEN
F. BRUCE COVINGTON
BRUCE M. SMITH
GARY L. QUIGLEY
JUSTIN R. SEAMONS
JOHN O. FITZGERALD

Twin Falls Office
142 3rd AVENUE NORTH
P.O. BOX 1906
TWIN FALLS, IDAHO 83303-1906
TELEPHONE (208) 734-0700
FAX (208) 736-0041

May 23, 1991

RECEIVED

MAY 24 1991

Department of Water Resources
Southern Region Office

Mr. Loren Holmes
Southern Regional Manager
Idaho Department of
Water Resources
222 Shoshone Street, East
Twin Falls, Idaho 83301

Re: Permit Nos. 02-7249 and 36-7085

Dear Loren:

This is confirmation of our discussion on 5/22/91 regarding licensing of Permit Nos. 02-7249 and 36-7085 in the name of Robert H. Brailsford. As you know, Mr. Brailsford has sold the property to which these two water rights would be appurtenant. The new owners are in the process of obtaining a contract with Idaho Power.

Based on the Department's January 8, 1988 letter to Mr. Brailsford, it appears that the Department has recommended that these permits be licensed for 38.8 cfs. According to that letter, the Department inspected the system and measured the output of five pumps in the river. The Department measured three 500 hp pumps, one 300 hp pump and one 200 hp pump. However, one of the 500 hp pumps, based on Mr. Brailsford's contract with Idaho Power, is a standby pump, which can only be used in the event that one of the other 500 hp pumps or the 300 and the 200 hp pumps are down. Therefore, one of the 500 hp pumps whose capacity was measured by the Department cannot operate at the same time that the other pumps with a combined 1500 hp capacity are running. The net effect is that the Brailsford system can only pump water with a combination of pumps of 1500 hp capacity.

Licensing of these permits should not be for 38.8 cfs as this was the combined capacity of all the pumps, and Idaho Power objects to licensing of these permits for that amount.

MAR 27 1995


Mr. Loren Holmes
Southern Regional Manager
May 23, 1991

Page Two

Idaho Power is in the process of developing a contract with the new owners of the Brailsford property and that contract will recognize only 1500 hp capacity. Based on our conversation, it is my understanding that the Department will be proceeding with a licensing procedure which incorporates these facts. Thus, any license would reflect a system capacity of 1500 hp, not 2000. If I am incorrect as to this situation, please contact me prior to the issuance of any license.

I appreciate your efforts in clarifying this matter.

Sincerely,



Bruce M. Smith

BMS/dj
62571

cc: Steve Herndon
Jim Thompson
Paul Bull
Bill Specht

MAY 27 1991
RECEIVED

MAY 24 1991

Department of Water Resources
Southern Region Office



State of Idaho
DEPARTMENT OF WATER RESOURCES
Southern Region

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

Mailing Address:
Southern Region
2148 4th Ave. East
Twin Falls, Idaho 83301
(208) 734-3578

January 8, 1988

Robert H. Brailsford
300 Morrison Dr.
Twin Falls, ID 83301

Dear Mr. Brailsford:

This Office made an examination of your water permits No. 02-7249 and 36-7085 on April 9, 1986.

The final licensing of the permits has not been completed yet. Data collected during our examination indicates the following:

The irrigation system covers 2056 acres of irrigated cropland and 376 acres of irrigated pasture for a total of 2432 irrigated acres.

The sum of the outputs of the five pumps was 38.8 cubic feet per second. The measurements were made with only one pump operating at a time. The actual capacity of the pumping system may turn out to be somewhat different when adjusted to account for pipeline friction losses when all pumps are operated together.

We anticipate licensing of these permits in the near future.

Very Truly yours,

Loren O. Holmes, P. E.
Southern Region Manager

LOH

MAR 27 1995

BRAILSFORD, ROBERT H.
300 MORRISON DR. #644
TWIN FALLS, ID 83301

138671
CERTIFIED MAIL
June 30, 1987

PROOF DUE NOTICE

RE: Permit No. 02-7249

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before September 1, 1987. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

MAR 27 1995

*? on this
proof due,
note that
proof (below)
was filed in
1985*



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

SEPTEMBER 1, 1985

DEAR PERMIT HOLDER:

ACCORDING TO OUR RECORDS, YOU ARE THE HOLDER OF A WATER PERMIT ON WHICH PROOF OF BENEFICIAL USE OF WATER WAS NOT SUBMITTED BEFORE JULY 1, 1985, WHICH INDICATES YOUR PROJECT IS NOT COMPLETE. THEREFORE, YOU NEED TO BE AWARE OF CHANGES IN IDAHO LAW, EFFECTIVE JULY 1, 1985, WHICH IMPACT ALL WATER PERMITS ISSUED BY THIS DEPARTMENT.

SPECIFICALLY, PURSUANT TO SECTION 42-203D, IDAHO CODE, THE DEPARTMENT MUST REVIEW ALL PERMITS FOR WHICH DEVELOPMENT OF WATER USE WAS NO COMPLETED ON OR BEFORE JULY 1, 1985, TO DETERMINE IF THEY MEET THE NEW REQUIREMENTS OF CHAPTER 2, TITLE 42, IDAHO CODE. RULES AND REGULATIONS GOVERNING THE RE-EVALUATION OF PERMITS ARE NOT YET FINALIZED. HOWEVER, IF YOU COMPLETED THE DEVELOPMENT UNDER YOUR PERMIT BEFORE JULY 1, 1985, YOU SHOULD SUBMIT A PROOF OF BENEFICIAL USE STATEMENT, STATING THAT THE PROJECT WAS COMPLETED BEFORE JULY 1, 1985 SO THAT YOUR PERMIT WILL NOT BE SUBJECT TO THE REVIEW REQUIREMENTS OF SECTION 42-203D, WHICH READS AS FOLLOWS:

42-203D. REVIEW OF PERMITS - OPPORTUNITY FOR HEARING. - (1)THE DEPARTMENT SHALL REVIEW ALL PERMITS ISSUED PRIOR TO THE EFFECTIVE DATE [JULY 1, 1985] OF THIS SECTION, EXCEPT TO THE EXTENT A PERMIT HAS BEEN PUT TO BENEFICIAL USE PRIOR TO JULY 1, 1985, TO DETERMINE WHETHER THEY COMPLY WITH THE PROVISIONS OF CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PROPOSED USE DOES NOT SATISFY THE CRITERIA OF CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL EITHER CANCEL THE PERMIT OR IMPOSE THE CONDITIONS REQUIRED TO BRING THE PERMIT INTO COMPLIANCE WITH CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PERMIT SATISFIES THE CRITERIA ESTABLISHED IN CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL ENTER AN ORDER CONTINUING THE PERMIT.
(2)THE DEPARTMENT SHALL PROVIDE AN OPPORTUNITY FOR HEARING IN ACCORDANCE WITH SECTION 42-1701A, IDAHO CODE, AND SECTIONS 67-5209 THROUGH 67-5215, IDAHO CODE, FOR EACH HOLDER OF A PERMIT THAT IS PROPOSED EITHER TO BE CANCELLED OR MADE SUBJECT TO NEW CONDITIONS.

YOU MAY OBTAIN PROOF OF BENEFICIAL USE FORMS FROM THE DEPARTMENT. IF YOU HAVE ANY QUESTIONS, PLEASE LET US KNOW.

SINCERELY,

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

MAR 27 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

1641 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

November 19, 1984

Robert Brailsford
300 Morrison Drive
Twin Falls, Idaho 83301

Re: Water Measurements

Dear Mr. Brailsford:

Attached is a report of water measurements made at your Snake River
pumping plant on November 2, 1984.

If we can be of any further assistance, please contact us.

Very truly yours,

Loren O. Holmes
Southern Region Supervisor

LOH:marya

Encl:

RECORDED

MAR 27 1995

1/2

BRAILSFORD PUMPING PLANT TEST 11/2/84

PUMP	TIME	HIGH	LOW	H	FLOW (GPM)
200 HP	12:00:	37.95	37.65	0.30	2159
"	12:01:	38.18	37.85	0.33	2265
300 HP	12:15:30	39.00	38.61	0.39	2462
"	12:15:41	39.15	38.75	0.40	2493
# 3 500 HP	12:27:36	26.70	25.40	1.30	4495
"	12:27:50	26.80	25.60	1.20	4319
"	12:28:15	27.30	26.00	1.30	4495
#2 500 HP	12:41:53	30.35	29.50	0.85	3635
"	12:42:30	30.58	29.70	0.88	3698
"	12:42:56	30.68	29.80	0.88	3698

Measurements were made with a 29.25 inch Annubar flow sensor inserted in the pipe through a measuring port installed near the booster pumping plant and a differential water manometer.

Flows were computed using the following equation:

$$Q = 3.85 D^2 \sqrt{H}$$

Where: Q = Flow of water in GPM

D = Inside diameter of pipe in inches (32.00 Inches)

H = Differential head produced by the Annubar sensor in inches.

27 1995

11/19/84 letter
2/2

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

JULY 31, 1985

ROBERT H. BRAILSFORD
300 MORRISON DR.
TWIN FALLS ID 83301

RE: Permit No. 02-7249

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 334-2190 or in person in the third floor State Towers Building, 450 West State Street, Boise.

Sincerely,
s/Judy Pense
Secretary

RECORDED

MAR 27 1995

August 4, 1983

U.S. Bureau of Land Management
Attn: Doris Blom
3380 Americana Terrace
Boise, ID 83706

RE: Water Right Permit No. 02-7249

Dear Ms. Blom:

Yesterday Mr. Robert Brailsford visited this office to provide additional information related to the above referenced permit. During the conversation, he indicated an apparent misunderstanding between this Department and your agency regarding the interpretation of the validity of the water right. The purpose of this letter is to clarify our position, initially described in my letter to you dated July 15, 1983.

Approval of the Amendment of Permit dated July 15, 1983, did indeed convey the permit to the new lands identified therein. From the standpoint of this Department, the water right is fully valid and developable. The hindrance to development to which my cover letter to you dated July 15, 1983 alluded is related to the pending Idaho Power Company lawsuit which could possibly result in the injunction of certain water uses upstream from Swan Falls dam.

If you desire further clarification, please feel free to contact me.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Supervisor, Water Allocation Section

DRT:sc

cc: Robert Brailsford

RECEIVED

PLATEAU TRUST

No. 3

September 30, 1980

22 10
1980

PAY
TO THE
ORDER OF

GOLDEN WEST IRRIGATION, INC.

\$ 84,819.89

-Eighty Four Thousand Eight Hundred Nineteen and 89/100-

DOLLARS

TWIN FALLS
bank & trust
MAIN OFFICE, POST OFFICE BOX 7, TWIN FALLS, IDAHO 83301

Allen D. Callie *

⑆12110038⑆ 80 04902 1⑈

RECEIPT IS HEREBY ACKNOWLED OF THE ABOVE CHECK REPRESENTING:

25% of steel pipe bid per your letter and sales contract dated 5-30-80	\$66,654.00
down on all other equipment per letter and sales contract referred to above	18,165.89
	<u>\$84,819.89</u>

GOLDEN WEST IRRIGATION, INC.

DATED:

9-30

1980

by

Allen D. Callie

Authorized Signature

MICROFILMED



GOLDEN WEST IRRIGATION

P. O. BOX 398

MOUNTAIN HOME, IDAHO 83647

May 30, 1980

Mr. Bob Brailsford
1964 Filer Avenue East
Twin Falls, Idaho 83301

Dear Bob:

It is with pleasure that I submit to you our Quotation for the Irrigation Equipment on your project. The price structure is made up of 6 areas described as follows:

- 1) Pivots, installed at Jobsite
- 2) Steel pipe F.O.B. Portland
- 3) Underground electrical Cable - Con delivered to Jobsite
- 4) Aluminum Mainline delivered to Jobsite
- 5) Aluminum Handlines delivered to Jobsite
- 6) Risers & Valve tops delivered to Jobsite

There is a great deal of savings reflected in these prices. Because of the size of your project and the off season timing, we are able to sell some of this equipment to you at dealer cost, as well as a number of special summer incentives, including a factory rebate.

In addition to these discounts, to enable you to make the best possible buy, we have already deducted our 2% cash discount from the manufacturer for payment within 10 days of delivery.

The prices quoted are in effect for delivery between July 1st and August 15th only.

Terms of sale are 10% down, balance on delivery, for all items except pivots. Terms of pivots are 10% down, 75% on delivery, and 15% on completion. Thank You.

Sincerely,

Steve R. Keim

enc/lb

MICROFILMED



GOLDEN WEST IRRIGATION

P. O. BOX 398

MOUNTAIN HOME, IDAHO 83647

ELECTRICAL CABLE-CON

PIVOT # 1	950'	#1
2	1320'	#2
3	0	
4	1400'	#2
5	0	
6	0	
7	2328'	#2
8	1320'	#2
9	1400	#2
10	1500'	#2
11	1370'	#00
12	2640'	#0
13	1360'	#2

	#2	#00	#0
TOTAL	11,578'	1370'	2640'

\$16,556.54	\$3,562.00	\$6,283.20
-------------	------------	------------

GRAND TOTAL \$ 26,401.74

MICROFILMED

TWIN FALLS
bank & trust
MAIN OFFICE

TWIN FALLS · IDAHO 83301

264930

Remitter PLATEAU TRUST

n/c

Date September 25, 1980 ⁹²⁻³⁸ ₂₄₁

Pay to the Order of * IDAHO POWER COMPANY *

\$ 47,085.00

TWIN FALLS
B.K. & TR. CO. **47085000**

Cashier's Check

Helen McCallie
Authorized Signature

⑈0264930⑈ ⑆124100381⑆ 80 52130 0⑈

Receipt of the within and foregoing check is hereby acknowledged this 26th day of September, 1980, in full payment for the \$47,085.00 connection charge referred to in paragraph #3 of Electric Service Agreement dated September 24, 1980 between Idaho Power Company and Robert Brailsford.

Idaho Power Company

By *J.W. Coryell*

PLATEAU TRUST

No. 2

PAY
TO THE
ORDER OF

IDAHO POWER COMPANY

September 30 19 80 123

\$ 11,200.00

-ELEVEN THOUSAND TWO HUNDRED & NO/100 -

DOLLAR

TWIN FALLS
bank & trust

MAIN OFFICE, POST OFFICE BOX 7, TWIN FALLS, IDAHO 83301

Full payment Paragraph No. 6
Electric Service Agreement dated
9-24-80

⑈124100381⑆ 80 04902 1⑈

Helen McCallie

Receipt of foregoing check is hereby acknowledged this _____ 1980 in full payment in advance of construction of the overhead-underground difference in the amount of \$11,200. referred to in paragraph six of Electric Service Agreement dated 9-24-80 between Idaho Power Company and Robert Brailsford.

IDAHO POWER COMPANY

By *[Signature]*
Authorized Signature

MICROFILMED

July 15, 1983

Robert H. Brailsford
300 Morrison Dr.
Twin Falls, ID 83301

RE: Permit No. 02-7249

Dear Mr. Brailsford:

Enclosed please find a copy of the approved Application for Amendment for the above referenced permit. Also enclosed is a copy of the cover letter sent to the U.S. Bureau of Land Management.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Supervisor, Water Allocation Section

DRT:sc

Enclosures

RECEIVED

July 15, 1983

U.S. Bureau of Land Management
Attn: Doris Blom
3380 Americana Terrace
Boise, ID 83706

RE: Application for Desert Land Entry in the Name of Robert Brailsford
for Permit No. 02-7249

Dear Ms. Blom:

Pursuant to a request from Mr. Robert Brailsford, we are mailing to you the enclosed copy of a recently approved Application for Amendment of the above referenced water right permit.

Please be advised that our approval of this amendment in no way alters the status of this water right permit with respect to the current water right controversy at Swan Falls. The amendment only changes the place of use of water to include lands within the associated DLE application, and in no way implies that development of the water source is permissible in light of the current Swan Falls court actions. At this time, it is difficult to ~~determine~~ just how this water right permit will be impacted by the Swan Falls situation.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Supervisor, Water Allocation Section

DRT:sc

Enclosure

cc: Robert Brailsford

MICROFILMED

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 42-R0968

DESERT LAND ENTRY APPLICATION

Serial Number

I-17057 Amended

1. Name (first, middle initial, last)

Robert H. Brailsford

Address (include zip code)

300 Morrison Drive #644 Twin Falls, Idaho

83301
hereby applies to enter, under the Desert Land Act for the purpose of reclaiming the lands by permanent irrigation and cultivation within four (4) years from allowance of this application, the public lands described as follows:

TOWNSHIP	RANGE	MERIDIAN	SECTION	SUBDIVISION
8S	R1E	Boise	10	S $\frac{1}{2}$ S $\frac{1}{2}$ SE $\frac{1}{4}$ 40
8S	R1E	Boise	11	S $\frac{1}{2}$ N $\frac{1}{2}$ NE $\frac{1}{2}$, S $\frac{1}{2}$ NE $\frac{1}{4}$ 120
8S	R1E	Boise	12	S $\frac{1}{2}$ NW $\frac{1}{4}$ NW $\frac{1}{4}$, N $\frac{1}{2}$ SW $\frac{1}{4}$ NW $\frac{1}{4}$ 40 200
8S	R1E	Boise	15	N $\frac{1}{2}$ NE $\frac{1}{4}$, N $\frac{1}{2}$ S $\frac{1}{2}$ NE $\frac{1}{4}$ 120

State of

containing a total of 320 acres

2. Enclose filing fee of \$15 plus advance payment of 25¢ per acre, or fraction thereof \$

Total \$ Paid on a prior unapproved application

3a. Are you of the age of majority? ☒ Yes ☐ No

b. Of what State are you a bona fide resident? Idaho

c. Are you a citizen? ☒ Yes ☐ No

d. If naturalized give: Date in the Court of
in (city and state)

e. If not a citizen, have you filed a Declaration of Intention to become a citizen of the United States?
☐ Yes ☐ No (If "yes," attach full details)

f. Are you an employee, the spouse, or an agent of an employee of the Department of the Interior? ☐ Yes ☒ No

4a. Have you made any other application under the Desert Land Act? ☐ Yes ☒ No (If "yes," give office and serial number)

b. Have you ever received by assignment any lands under the Desert Land Act? ☐ Yes ☒ No (If "yes," give office and serial number)

c. Have you entered, acquired title, or are you now claiming an entry under any of the nonmineral public land laws since August 30, 1890? ☐ Yes ☒ No (If "yes," state total number of acres)

5. Have you made a personal on-the-ground examination of every legal subdivision of the above described land?
☒ Yes ☐ No

Have you, or to your knowledge has any other person, ever worked any of the subdivision for minerals?

☐ Yes ☒ No (If "yes," give details)

b. Are these lands within any mining claim or other claim of record under the United States mining laws or the mining laws of the State? ☐ Yes ☒ No (If "yes," give details)

c. Do you know of any vein or lode of quartz or other rocks in place, bearing gold, silver, cinnabar, lead, tin, or copper, or any deposit of coal, placer deposits, other valuable mineral deposits, salt deposit, or salt springs? ☐ Yes ☒ No (If "yes," specify)

7a. Is this application for lands that will produce cultivated crops without application of water for irrigation? ☐ Yes ☒ No

b. Do the lands in their natural state produce enough native grass for cutting of hay? ☐ Yes ☒ No

c. Are the lands applied for occupied or improved by yourself or any other person, association, or corporation? ☒ Yes ☐ No (If "yes," specify) T8S, R13E, S $\frac{1}{2}$ N $\frac{1}{2}$ W $\frac{1}{4}$ NW $\frac{1}{4}$, N $\frac{1}{2}$ SW $\frac{1}{4}$ NW $\frac{1}{4}$, were seeded to Crested wheat Grass by Brailsford Bros. Inc. of which I was one of two stockholders and to which I am the sole successor. This activity was done with agreement from the B.L.M.

8. Are the lands applied for irrigated or watered, or overflowed at any season of the year? ☐ Yes ☒ No (If "yes," specify)

9. Show in the chart below the soil characteristics of each subdivision (see specific instructions)

SECTION	LEGAL SUBDIVISION	SLOPE IN PERCENT	CHARACTER OF SURFACE	TEXTURE	DEPTH OF TOP SOIL	RELATIVE SALINITY OR ALKALINITY	CHARACTER OF SUBSOIL	ACRES IRRIGABLE
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
10	S $\frac{1}{2}$ S $\frac{1}{4}$ SE $\frac{1}{4}$	2	sloping	sandy loam	4ft.	minor	calache	40
11	S $\frac{1}{2}$ N $\frac{1}{2}$ NE $\frac{1}{4}$, S $\frac{1}{2}$ NE $\frac{1}{4}$	2	sloping	sandy loam	5ft.	minor	caleche	120
12	S $\frac{1}{2}$ NW $\frac{1}{4}$ NW $\frac{1}{4}$	2	sloping	sandy loam	4ft.	minor	caleche	40
15	N $\frac{1}{2}$ NE $\frac{1}{4}$, N $\frac{1}{2}$ S $\frac{1}{4}$ NE $\frac{1}{4}$	2to4	rolling	sandy loam	4ft.	minor	caleche&rock	120

10. Complete the items below concerning irrigation requirements		ACRES
a. Total acreage irrigable		320
b. Type of crop to be grown	Potatoes, Beans, Sugar Beets, Corn, Barley, Wheat,	
	Alfalfa, Alfalfa Seed.	

c. Water requirements per acre (state whether in miners inches, gallon/minute, or cubic feet/second)

One Miners inch

d. Source of water (e.g., well, river, irrigation district, water company; give name of organization)

Snake River and Bickel Springs a part of what is known as the 1000 Springs area.

e. Well data:

(1) Depth of static water 310 from Snake River to the first pressurizing station feet

(2) Diameter Mainline pipe from Snake River starts with 34" reduced in stages to 12" inches

(3) Completed cost \$115,000.00 dollars

(4) Pump requirement 1-100 h.p. for pressurizing, River pump station presently horsepower has enough surplus h.p. to irrigate an additional 320 a.

(5) Type of pump Horizontal-centrifical

(6) Cost of pump \$6000.00 pump and motor dollars

f. Cost of sprinkler system (mainlines, laterals, heads, etc.) \$109,000.00 dollars

g. Costs of levelling, ditches, and canals \$5000.00 dollars

h. Costs of other installations (e.g., river pump stations, penstocks) Installed February, 1981 dollars

11. Attach a complete plan of irrigation that shows at least the following:

- Map showing location of lands applied for by legal description, and an accurate detailed diagram of the entire proposed irrigation system to be used in the permanent reclamation and production of agricultural crops in this proposed entry.
- Topography, shown by contour interval of 10 feet or less, if a gravity irrigation system is planned.
- Location and source of permanent water supply, including the type, size, dimensions, and location of all facilities for transporting the water from its source to the lands, such as, river pump stations, penstocks, pipelines, holding ponds, etc.
- Location, type, size, and gradient in percent, of any water distribution ditches and laterals necessary to irrigate all irrigable portions of each legal subdivision adequately.
- Location, type, size, and dimensions of all other installations necessary for the irrigation of the lands, such as, sprinkler systems, mainlines, etc.

12a. Is there adequate water supply of suitable quality available to you for the irrigation of all the irrigable portions of the lands applied for? ☒ Yes ☐ No

- Have you proceeded as far as possible toward acquiring by appropriation, purchase, or contract, a right to the permanent use of sufficient water to irrigate and reclaim permanently all of the irrigable portions of each of the legal subdivisions applied for? ☒ Yes ☐ No (If "yes," you must present as evidence and make a part of this application copies of any commitments you may have, which show the legal source of your proposed water supply.)

13a. Is reclamation and permanent cultivation of the lands in this application economically sound? ☒ Yes ☐ No

b. Complete and make a part of this application an estimated farm budget showing annual costs and returns that would be involved in the permanent reclamation and cultivation of the lands in this application. Include at least the following items:

Estimated Annual Production Costs:	\$
Farm automobiles and trucks* Proportional use 1-pickup, 1-truck	\$2000.00
Machinery and tractors* Custom farming costs	87,000.00
Irrigation system* Irrigation system maintenance and depreciation	8,250.00
Farm buildings, fences, and other improvements in operation of farm, not including irrigation system and residence*	1250.00
Seed, fertilizer, herbicides, insecticides	56,650.00
Water costs	13,250.00
Cash wages to hired labor	none-custom operated
Interest on borrowed money (such as short term or operational loans)	23336.00
Taxes (personal such as on machinery and equipment)	60.00
Cost of marketing (trucking, storage, treatment, etc.)	trucking included in custom farming costs 3000.00
Other - Itemize (insurance, custom machine hire)	1400.00
TOTAL ANNUAL COSTS	
	\$196,196.00

Estimated Annual Income							
Crop:	Acres of Production	X	Units Per Acre **	X	Price Per Unit	=	\$
Potatoes	160		400		\$ 4.00	=	256,000.00
Wheat	160	X	80	X	3.80	=	48,640.00
		X		X		=	
		X		X		=	
		X		X		=	
		X		X		=	
		X		X		=	
TOTAL ANNUAL INCOME							\$ 304,040.00
Estimated Annual Net Income (total annual income less total annual costs)							\$ 107,844.00

c. Are the lands in this application accessible to a farm produce market? ☒ Yes ☐ No
(If "yes," attach a brief explanation to this application)

d. Does it show the initial and continuing annual operations and production costs? ☒ Yes ☐ No

* Annual costs of operation, including depreciation, maintenance, and interests
** Bushels, cwt., tons, etc.

MEMO:

From: Loren O. Holmes *LH*
Southern Region Supervisor

TO: Norm Young

Re: 02-7249 - Amendment

Date : 5/20/83

Attached is a copy of an Application for Amendment of Permit 02-7249 filed in this office.

The tracts from which the permit is to be removed were planimetered from a 1" = 200' design map of the irrigation system.



The attached map shows the approximate extent of the irrigated land under the permit at the present stage of development.

This Application was filed to remove lands which will not be irrigated and make the water available for Desert Entry Lands while keeping the same number of acres under the permit.

Permit 02-7249 overlaps some lands under Permit 36-7085. None of the overlap lands are affected by this amendment.

A copy of the electric service agreement and pump design curves filed with the Application indicate an installed pumping capacity of about 29 cfs.

MICROFILMED



MICROFILMED

ELECTRIC SERVICE AGREEMENT

Buhl

Southern Division

1. ROBERT BRAILSFORD, herein called Customer, agrees to purchase, receive, and pay for, and IDAHO POWER COMPANY, herein called Company, agrees to supply electric service required by Customer for his irrigation operations at or near Hagerman, in Twin Falls County, State of Idaho, up to the amount of horsepower herein set forth, in the form of three phase, alternating current at approximately 60 cycles per second at 480 volts, in accordance with and subject to the Company's standard Rules and Regulations as now or hereafter in effect and on file with the Idaho Public Utilities Commission, and at the rates hereinafter provided for. All payments for service shall be made at the Company's office at Buhl, Idaho.

2. (a) All electric power and energy, up to the amount specified in Exhibit A, attached hereto and made a part hereof, shall be supplied and paid for in accordance with the Company's applicable irrigation pumping service rate schedule, as now or as may be hereafter modified and approved by the Idaho Public Utilities Commission.

(b) Points of delivery under this Agreement to be metered and billed separately are set forth in Exhibit A. In the event the Customer desires, subsequent to commencement of service at the above mentioned points of delivery, to move the location or change the size of a pump installation, Customer shall pay for any costs incurred by the Company for such change.

(c) The minimum monthly charge shall be the Demand Charge for the current month's maximum demand, but not less than \$15.27 for each delivery point for any month that service is connected.

(d) The minimum annual charge shall be the higher of the following:

(i) An amount sufficient to make the total charge for service under this Agreement for the twelve-month period ending February 28 of each year, equal to \$26.00 per horsepower for the total amount of horsepower shown on Exhibit A, or \$71,760.00, whichever is the higher.

(ii) An amount sufficient to make the charge for service, at any one point of delivery shown on Exhibit A, under this contract for the twelve-month period, ending February 28 of each year, equal to \$10.00 per horsepower.

MICROFILMED

The minimum charges set forth above shall apply during the term of this Agreement and any renewals or extensions thereof, and shall be payable by the Customer's successors or assigns.

3. In consideration of charges specified under paragraph 2 above, Customer further agrees to pay a one-time connection charge in the amount of Forty-seven Thousand Eighty-five Dollars (\$47,085.00), which connection charge is that portion of the capital investment required to serve Customer that is not financed by revenues collected under paragraph 2 above.

4. In addition to charges computed in accordance with paragraph 2 above, Customer further agrees to pay an annual Facilities Charge in the amount of six percent (6.0%) per year times the connection charge specified in paragraph 3, during the initial term and any renewals and extensions of this Agreement. It is understood that said Facilities Charge represents the annual costs of the unfinanced investment not recoverable from charges under paragraph 2.

5. It is further mutually understood and agreed, in consideration of the factors relating to the construction of this extension and facilities and the use of electrical service therefrom, that Customer will deposit a joint letter of instructions of the parties and U S Treasury Notes or equivalent securities in the aggregate principal amount of \$26,000 with the Twin Falls Bank & Trust Co., P O Box 7, 102 Main Avenue South, Twin Falls, Idaho 83301, which amount represents the net cost (non-salvable part of the total cost) of installing and removing the lines and facilities required hereunder. After the sixth full year of service under the contract, such amount shall be reduced by approximately twenty (20) percent and by 20 percent for each full year thereafter until all of the instruments deposited by the Customer have been released. Said instruments remaining with the bank from time to time shall be released to the Company in the event of termination of service by the Customer or abandonment of operation.

6. In addition, Applicant agrees to pay Company thirty (30) days in advance of construction the Overhead-Underground Difference in the amount of \$11,200.00, which payment shall be nonrefundable.

7. It is understood and agreed between the parties that:

(a) Customer shall make the advance payment required under Company's applicable irrigation pumping service rate schedule and the Facilities Charge in paragraph 4 above. Power and energy required will be measured and billed by meters at

MICROFILMED

each point of use and such use and billing will be for the operation of all facilities to supply water for Customer.

(b) Company will not be required to energize facilities for operation of pumps until the total advance payment has been received from Customer. Failure to make this advance payment each season shall be considered as termination or abandonment of the Agreement.

8. During the term of this Agreement and any renewals and extensions thereof, the Customer agrees to and will purchase from the Company all electric power and energy required for its operations at the above location, such power and energy, up to the amount hereinabove set forth, to be supplied and paid for at the rate set forth in paragraph 2(a) above, it being understood and agreed that when the Customer's horsepower exceeds such amount, it is the intention of the parties that new and superseding rates will be agreed upon, applicable to the Customer's load and service as then required.

9. This Agreement and the rates, terms and conditions of service set forth or incorporated herein, and the respective rights and obligations of the parties hereunder, shall be subject to valid laws and to the regulatory authority and orders, rules and regulations of the Idaho Public Utilities Commission and such other administrative bodies having jurisdiction.


10. Nothing herein shall be construed as limiting the Idaho Public Utilities Commission from changing any rates, charges, classifications or service, or any rules, regulations or conditions relating to service under this Agreement, or construed as affecting the right of the Company or the Customer to unilaterally make application to the Commission for any such change.

11. The initial term of this Agreement shall extend from March 1, 1981, to February 28, 1991, and such term shall be automatically renewed and extended from year to year thereafter, unless and until either party shall notify the other party in writing not less than twelve (12) months prior to any such expiration date of its intention to terminate this Agreement.


12. This Agreement shall be binding upon the parties and their respective personal representatives, heirs, devisees, successors and assigns.

Executed this 24th day of September, 1980.

ATTEST
WITNESS:



ROBERT BRADLSFORD


1964 Filer Avenue East
Twin Falls, Idaho 83301


MICROFILMED

IDAHO POWER COMPANY



ATTEST:

By


Vice President


Barton L Kline
Assistant Secretary
P O Box 70
1220 Idaho Street
Boise, Idaho 83707

MICROFILMED

EXHIBIT A

ROBERT BRAILSFORD

<u>Horsepower</u>	<u>Voltage</u>	<u>Location</u>				<u>Pump</u>	<u>Account Number</u>
		<u>1/4</u>	<u>Sec</u>	<u>Sec</u>	<u>Twp</u>	<u>Rge</u>	
1700	480					River	
850	480					Boost #1	
210	480					Boost #2	
2760	Total Horsepower						

Minimum Annual Billing
2760 X 26.00 = \$71,760.00

MICROFILMED

EXHIBIT A
Revision #1

ROBERT BRAILSFORD
1983-1984 Horsepower

<u>Horsepower</u>	<u>Voltage</u>	<u>Location</u>				<u>Pump</u>	<u>Account Number</u>
		<u>¼ Sec</u>	<u>Sec</u>	<u>Twp</u>	<u>Rge</u>		<u>0554-</u>
1500	480					River	005536-1
850	480					Boost #1	005547-1
120	480					Boost #2	005539-1
2470	Total Horsepower						

Minimum Annual Billing = \$71,760.00

ROBERT BRAILSFORD

Robert Brailsford

IDAHO POWER COMPANY

BY *[Signature]*
Vice President

Dated

5-10, 1983

MICROFILMED

June 17, 1983

Times News
P. O. Box 540
Twin Falls, Idaho 83301

Re: Notice of Proposed Change of Water Right No. 47-7115
Notice of Amendment to a Water Permit No. 02-7249

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Sincerely,

Nancy A. Newby
Sec/Office Coord

Encl:

MICROFILMED

Bill submitted: _____

NOTICE OF AMENDMENT TO A WATER PERMIT

NO. 02-7249

Notice is hereby given that Robert H. Brailsford of Twin Falls, Idaho is the holder of approved permit No. 02-7249 authorizing the diversion of 32.48 cubic feet per second of water from Snake River tributary of Columbia River within Lts 2, 5, & 6, Sec. 7, T8S, R14E, B.M., Twin Falls County, to be used for irrigation of 1624 acres within S $\frac{1}{2}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 1; SW $\frac{1}{4}$, SE $\frac{1}{4}$, Sec. 11; N $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 12; W $\frac{1}{2}$ NW $\frac{1}{4}$, SE $\frac{1}{4}$ NW $\frac{1}{4}$, E $\frac{1}{2}$ SW $\frac{1}{4}$, SW $\frac{1}{4}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$, Sec. 13; NE $\frac{1}{4}$, NW $\frac{1}{4}$, E $\frac{1}{2}$ SW $\frac{1}{4}$, W $\frac{1}{2}$ SE $\frac{1}{4}$, SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 14 T 8S, R13E; W $\frac{1}{2}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$ SW $\frac{1}{4}$, W $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 7, NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 18, T8S, R14E, B.M.

The permit holder has applied to the Department of Water Resources for an Amendment to the permit, to change the place of use as follows:

Point of Diversion: No change

Place of Use: S $\frac{1}{2}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 1; S $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 10; NE $\frac{1}{4}$, SW $\frac{1}{4}$, SE $\frac{1}{4}$, Sec. 11; W $\frac{1}{2}$ NW $\frac{1}{4}$, N $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 12; W $\frac{1}{2}$ NW $\frac{1}{4}$, SE $\frac{1}{4}$ NW $\frac{1}{4}$, S $\frac{1}{2}$ SW $\frac{1}{4}$, NE $\frac{1}{4}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$, Sec. 13; NE $\frac{1}{4}$, NW $\frac{1}{4}$, E $\frac{1}{2}$ SW $\frac{1}{4}$, W $\frac{1}{2}$ SE $\frac{1}{4}$, SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 14; NE $\frac{1}{4}$, Sec. 15; T8S, R13E; Lt3 (NW $\frac{1}{4}$ SW $\frac{1}{4}$), Lt4 (SW $\frac{1}{4}$ SW $\frac{1}{4}$), SE $\frac{1}{4}$ SW $\frac{1}{4}$, W $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 7; NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 18, T8S, R14E for irrigation of 1624 acres.

Any protest against approval of the amending of Permit No. 02-7249 as set forth above must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho, 83301, on or before July 11, 1983.

A. KEN DUNN, Director

Published in the Times News June 23 and July 30, 1983.

MICROFILMED

THURSDAY.

**NOTICE OF AMEND-
MENT TO A WATER
PERMIT NO. 02-7249**

Notice is hereby given that Robert H. Brailsford of Twin Falls, Idaho is the holder of approved permit No. 02-7249 authorizing the diversion of 32.48 cubic feet per second of water from Snake River tributary of Columbia River within Lts 2, 5, & 6, Sec. 7, T8S, R14E, B.M., Twin Falls County, to be used for irrigation of 1624 acres within S $\frac{1}{2}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 1; SW $\frac{1}{4}$, SE $\frac{1}{4}$, Sec. 11; N $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 12; W $\frac{1}{2}$ NW $\frac{1}{4}$, SE $\frac{1}{4}$ NW $\frac{1}{4}$, E $\frac{1}{2}$ SW $\frac{1}{4}$, SW $\frac{1}{4}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$, Sec. 13; NE $\frac{1}{4}$, NW $\frac{1}{4}$, E $\frac{1}{2}$ SW $\frac{1}{4}$, W $\frac{1}{2}$ SE $\frac{1}{4}$, SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 14 T 8S, R13E; W $\frac{1}{2}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$ SW $\frac{1}{4}$, W $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 7, NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 18, T8S, R14E, B.M.

The permit holder has applied to the Department of Water Resources for an Amendment to the permit, to change the place of use as follows:
Point of Diversion: No Change

Place of Use: S $\frac{1}{2}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 1; S $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 10; NE $\frac{1}{4}$, SW $\frac{1}{4}$, SE $\frac{1}{4}$, Sec. 11; W $\frac{1}{2}$ NW $\frac{1}{4}$, N $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 12; W $\frac{1}{2}$ NW $\frac{1}{4}$, SE $\frac{1}{4}$ NW $\frac{1}{4}$, S $\frac{1}{2}$ SW $\frac{1}{4}$, NE $\frac{1}{4}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$, Sec. 13; NE $\frac{1}{4}$, NW $\frac{1}{4}$, E $\frac{1}{2}$ SW $\frac{1}{4}$, W $\frac{1}{2}$ SE $\frac{1}{4}$, SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 14; NE $\frac{1}{4}$, Sec. 15; T8S, R13E; L13 (NW $\frac{1}{4}$ SW $\frac{1}{4}$), Lt 4 (SW $\frac{1}{4}$ SW $\frac{1}{4}$), SE $\frac{1}{4}$ SW $\frac{1}{4}$, W $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 7; NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 18, T8S, R14E for irrigation of 1624 acres.

Any protest against approval of the amendment of Permit No. 02-7249 as set forth above must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho, 83301, on or before July 11, 1983.

A. KEN DUNN
Director

PUBLISH: **Thursday,**
June 23, and June 30,

*De
macy
6/20/83*

Exhibit #8

ELECTRIC SERVICE AGREEMENT

Buhl

Southern Division

1. ROBERT BRAILSFORD, herein called Customer, agrees to purchase, receive, and pay for, and IDAHO POWER COMPANY, herein called Company, agrees to supply electric service required by Customer for his irrigation operations at or near Hagerman, in Twin Falls County, State of Idaho, up to the amount of horsepower herein set forth, in the form of three phase, alternating current at approximately 60 cycles per second at 480 volts, in accordance with and subject to the Company's standard Rules and Regulations as now or hereafter in effect and on file with the Idaho Public Utilities Commission, and at the rates hereinafter provided for. All payments for service shall be made at the Company's office at Buhl, Idaho.

2. (a) All electric power and energy, up to the amount specified in Exhibit A, attached hereto and made a part hereof, shall be supplied and paid for in accordance with the Company's applicable irrigation pumping service rate schedule, as now or as may be hereafter modified and approved by the Idaho Public Utilities Commission.

(b) Points of delivery under this Agreement to be metered and billed separately are set forth in Exhibit A. In the event the Customer desires, subsequent to commencement of service at the above mentioned points of delivery, to move the location or change the size of a pump installation, Customer shall pay for any costs incurred by the Company for such change.

(c) The minimum monthly charge shall be the Demand Charge for the current month's maximum demand, but not less than \$15.27 for each delivery point for any month that service is connected.

(d) The minimum annual charge shall be the higher of the following:

(i) An amount sufficient to make the total charge for service under this Agreement for the twelve-month period ending February 28 of each year, equal to \$26.00 per horsepower for the total amount of horsepower shown on Exhibit A, or \$71,760.00, whichever is the higher.

(ii) An amount sufficient to make the charge for service, at any one point of delivery shown on Exhibit A, under this contract for the twelve-month period, ending February 28 of each year, equal to \$10.00 per horsepower.

#3

MICROFILMED

The minimum charges set forth above shall apply during the term of this Agreement and any renewals or extensions thereof, and shall be payable by the Customer's successors or assigns.

3. In consideration of charges specified under paragraph 2 above, Customer further agrees to pay a one-time connection charge in the amount of Forty-seven Thousand Eighty-five Dollars (\$47,085.00), which connection charge is that portion of the capital investment required to serve Customer that is not financed by revenues collected under paragraph 2 above.

4. In addition to charges computed in accordance with paragraph 2 above, Customer further agrees to pay an annual Facilities Charge in the amount of six percent (6.0%) per year times the connection charge specified in paragraph 3, during the initial term and any renewals and extensions of this Agreement. It is understood that said Facilities Charge represents the annual costs of the unfinanced investment not recoverable from charges under paragraph 2.

5. It is further mutually understood and agreed, in consideration of the factors relating to the construction of this extension and facilities and the use of electrical service therefrom, that Customer will deposit a joint letter of instructions of the parties and U S Treasury Notes or equivalent securities in the aggregate principal amount of \$26,000 with the Twin Falls Bank & Trust Co., P O Box 7, 102 Main Avenue South, Twin Falls, Idaho 83301, which amount represents the net cost (non-salvable part of the total cost) of installing and removing the lines and facilities required hereunder. After the sixth full year of service under the contract, such amount shall be reduced by approximately twenty (20) percent and by 20 percent for each full year thereafter until all of the instruments deposited by the Customer have been released. Said instruments remaining with the bank from time to time shall be released to the Company in the event of termination of service by the Customer or abandonment of operation.

6. In addition, Applicant agrees to pay Company thirty (30) days in advance of construction the Overhead-Underground Difference in the amount of \$11,200.00, which payment shall be nonrefundable.

7. It is understood and agreed between the parties that:

(a) Customer shall make the advance payment required under Company's applicable irrigation pumping service rate schedule and the Facilities Charge in paragraph 4 above. Power and energy required will be measured and billed by meters at

MICROFILMED

each point of use and such use and billing will be for the operation of all facilities to supply water for Customer.

(b) .Company will not be required to energize facilities for operation of pumps until the total advance payment has been received from Customer. Failure to make this advance payment each season shall be considered as termination or abandonment of the Agreement.

8. During the term of this Agreement and any renewals and extensions thereof, the Customer agrees to and will purchase from the Company all electric power and energy required for its operations at the above location, such power and energy, up to the amount hereinabove set forth, to be supplied and paid for at the rate set forth in paragraph 2(a) above, it being understood and agreed that when the Customer's horsepower exceeds such amount, it is the intention of the parties that new and superseding rates will be agreed upon, applicable to the Customer's load and service as then required.

9. This Agreement and the rates, terms and conditions of service set forth or incorporated herein, and the respective rights and obligations of the parties hereunder, shall be subject to valid laws and to the regulatory authority and orders, rules and regulations of the Idaho Public Utilities Commission and such other administrative bodies having jurisdiction.

10. Nothing herein shall be construed as limiting the Idaho Public Utilities Commission from changing any rates, charges, classifications or service, or any rules, regulations or conditions relating to service under this Agreement, or construed as affecting the right of the Company or the Customer to unilaterally make application to the Commission for any such change.

11. The initial term of this Agreement shall extend from March 1, 1981, to February 28, 1991, and such term shall be automatically renewed and extended from year to year thereafter, unless and until either party shall notify the other party in writing not less than twelve (12) months prior to any such expiration date of its intention to terminate this Agreement.

12. This Agreement shall be binding upon the parties and their respective personal representatives, heirs, devisees, successors and assigns.

Executed this 24th day of September, 1980.

ATTEST
WITNESS:




ROBERT BRAILSFORD


1964 Filer Avenue East
Twin Falls, Idaho 83301

MICROFILMED

IDAHO POWER COMPANY

By


Vice President

(CORPORATE SEAL)

ATTEST:



Barton L Kline
Assistant Secretary
P O Box 70
1220 Idaho Street
Boise, Idaho 83707

MICROFILMED

ROBERT BRAILSFORD

<u>Horsepower</u>	<u>Voltage</u>	<u>Location</u>				<u>Pump</u>	<u>Account Number</u>
		<u>1/2 Sec</u>	<u>Sec</u>	<u>Twp</u>	<u>Rge</u>		
1700	480					River	
850	480					Boost #1	
210	480					Boost #2	
2760	Total Horsepower						

Minimum Annual Billing
2760 X 26.00 = \$71,760.00

MICROFILMED


EXHIBIT A
Revision #1

ROBERT BRAILSFORD
1983-1984 Horsepower

<u>Horsepower</u>	<u>Voltage</u>	<u>Location</u>				<u>Pump</u>	<u>Account Number</u>
		<u>1/4 Sec</u>	<u>Sec</u>	<u>Twp</u>	<u>Rge</u>		<u>0554-</u>
1500	480					River	005536-1
850	480					Boost #1	005547-1
120	480					Boost #2	005539-1
2470	Total Horsepower						

Minimum Annual Billing = \$71,760.00

ROBERT BRAILSFORD



IDAHO POWER COMPANY

BY 
Vice President

Dated

5-10, 1983

MICROFILMED

7/1/79
NEW ISSUE

J 00 NA

1800 GPM

RIVER PUMP

SECTION 8100
CURVE NO. 18-135

LAYNE & BOWLER, INC
MEMPHIS, TENN. 38108



No. stages	Eff. Change	MATERIAL	Eff. Change
1	6	IMP - C.I.	1
2	3	IMP - NI RI	1
3	0	BOWL - BRZ	1
4		BOWL - NI-R	1


13C

1770⁰ R.P.M.


SINGLE STAGE LAB PERFORMANCE WITH STANDARD MATERIALS. EFFICIENCY SHOWN FOR 3 OR MORE STAGES. HORSE POWER SHOWN FOR ONE 5 AGR BASED ON 3 STAGE EFFICIENCY. CORRECTIONS SHOULD BE MADE FOR STAGES AND MATERIAL

ONE STAGE STAGES

CUSTOM PERFORMANCE



EYE AREA — SQ. IN.	25.5	IMPELLER WT. LBS	115
WT. PER IMPELLER	1.45 LB. FT ²	ONE STAGE WT. LBS	218
MAX. SPHERE SIZE	1.00 in.	ADD'L STAGE WT. LB.	110
MAX. NO. STD. STAGES	4	IMPELLER NUMBER	1
MAX. OPERATING P.S.I.	400	DISCH. SIZES	8, 10
STD. LATERAL	84 in.	SUCTION SIZES	10
STD. SHAFT DIA.	1.887 in.	MAX. LATERAL	100 in.
MAX. SHAFT DIA.	1.937 in.	BOWL CONN.	FLANGED COLLET
MIN. SUBMERGENCE	5 ft.	ADD. 11.25	PER ADDITIONAL STAGE



2/1/79
NEW ISSUE

Proposed

300 H.P.

2595 RPM @ 380' RIVER PUMP

SECTION 8100
CURVE NO. 18 15

LAYNE & BOWLER, INC
MEMPHIS, TENN. 38108



No. Stages	Eff. Change	MATERIAL	Eff. Change
1	-1	IMP.—C.I.	-1
2	0	IMP.—NI.RI	-1
3		BOWL—BRZ	-1
4		BOWL—NI.R	-1


14THC

1770 R.P.M.

SINGLE STAGE LAB PERFORMANCE WITH STANDARD MATERIALS. EFFICIENCY SHOWN FOR 2 OR MORE STAGES. HORSE POWER SHOWN FOR ONE STAGE BASED ON 2 STAGE EFFICIENCY. CORRECTIONS SHOULD BE MADE FOR STAGES AND MATERIAL.


ONE (4) STAGE

CUSTOM PERFORMANCE



EYE AREA — SQ. IN.	1.0	IMPELLER WT. LBS	31.5
WR ² PER IMPELLER	0.001	ONE STAGE WT. LBS	4.0
MAX. SPHERE SIZE	1/8"	ADD'L STAGE WT. LBS	164
MAX. NO. STD. STAGES	2	IMPELLER NUMBER	1332
MAX. OPERATING P.S.I.	200	DISCH. SIZES	10 1/2"
STD. LATERAL	1/2"	SUCTION SIZES	10"
STD. SHAFT DIA.	1 1/4"	MAX. LATERAL	1 1/2"
MAX. SHAFT DIA.	2 1/2"	BOWL CONN. FLANGED COLLET	
MIN. SUBMERGENCE	4'	ADD 13' PER ADDITIONAL STAGE	

MICROFILMED



SECTION 8100
CURVE NO. 18 191A

LAYNE & BOWLER, INC.
MEMPHIS, TENN 38108



No. Stages	Eff. Change	MATERIAL	Eff. Range
1	0	IMP - C.I.	1
2		IMP - NI RI	1
3		BOWL - BRZ	1
4		BOWL - NI R	1


19GM

1770

R.P.M.


SINGLE STAGE LAB PERFORMANCE WITH STANDARD MATERIALS EFFICIENCY SHOWN FOR 2 OR MORE STAGES HORSE POWER SHOWN FOR ONE STAGE BASED ON STAGE EFFICIENCY CORRECTIONS SHOULD BE MADE FOR STAGES AND MATERIAL

STAGE STAGES



TE AREA - SQ. IN.	1.15
FR ² PER IMPELLER	7.45 LB. FT. ²
MAX. SPHERE SIZE	1.25
MAX. NO. STD. STAGES	3
MAX. OPERATING P.S.I.	300
ID. LATERAL	0.62
ID. SHAFT DIA.	2.187
AX. SHAFT DIA.	
MIN. SUBMERGENCE	32

IMPELLER WT. LBS	58
ONE STAGE WT. LBS	620
ADD. STAGE WT. LBS	350
IMPELLER NUMBER	10
DISCH. SIZES	14.36
SUCTION SIZES	17.5 - 22.5
MAX. LATERAL	
BOWL CONN.	FLANGED COLLET
ADD. 1.58	PER ADDITIONAL STAGE



02-7249


**As soon as you know your new address,
mail this card to all the people, businesses,
and publishers who send you mail.**

For publishers: paste old label over name and old address sections and complete new address section.

Your Name	Print or Type—Last Name, First Name, Middle Initial <i>Brailford Robert</i>	New Area Code and Telephone No. if known
Old Address	No. and Street, Apt., Suite, P.O. Box or R.D. No. <i>1964 Filer Ave. East</i> City, State and ZIP Code <i>Twin Falls, Idaho 83301</i>	
New Address	No. and Street, Apt., Suite, P.O. Box or R.D. No. (In care of) <i>300 MORRISON DRIVE #644</i> City, State and ZIP Code <i>Twin Falls, Idaho 83301</i>	
Sign Here	<i>Robert Brailford</i>	Date new address in effect <i>11-1-82</i> Account No. (If any)

Receiver: Be sure to record the above new address in your address book at home or office.

Change of Address card for:



Publishers of Water Resources
Southern District Office

Name

Idaho Dept. of Water Resources
Southern Regional Office

Address

1041 Blue Lakes Blvd North

City

Twin Falls

State

Ida

ZIP

83301

*GPO: 1979-650-565

September 8, 1982

Robert H. Brailsford
1964 Filer Ave. East
Twin Falls, ID 83301

Dear Mr. Brailsford:

Re: Permit No.s 02-7249 and 36-7085

Enclosed is a copy of the approved requests for extension of time. The time within which to submit the statement of beneficial use is extended to: permit no. 02-7249, September 1, 1987, permit no. 36-7085, December 1, 1987.

Also enclosed is Receipt No. 24623 in the amount of \$30.

Sincerely,

RITA I. FLECK
Sr. Secretary

Enclosures: 3

INTER-DEPARTMENT MEMO — 1

FROM Ray Walker
TO 02-7249

DATE

SUBJECT

See file 36-7085 for all
exhibits related to extension
request dated 7/2/82.

SIGNATURE

TO: FILES: 02-7249 & 36-7085

EXTENSION OF TIME SUMMARY OF
DELAYS CAUSED BY ACTIONS OTHER
THAN DUE DILIGENCE.

1). LACK OF RIGHT OF WAY APPROVAL
FROM BLM

7-29-1976 - APPLIED FOR RIGHT OF WAY

9-26-1978 RECEIVED APPROVAL

PERIOD OF DELAY 26 MONTHS 2yr 2mo

2) IDAHO POWER MORITORIUM

9-26-1978 APPROVAL BY BLM

3-10-1981 APPROVAL BY IDAHO POWER

PERIOD OF DELAY 30 MONTHS 2yr 6mo

SUB TOTAL 4yr 8mo

3) LITIGATION - VALLEY TROUT FARM

12-16-1981 DATED FILED W/COURT
STILL PENDING

PERIOD OF DELAY 20 months 1yr 8mo.

TOTAL 6yr 4mo

Summary:

Permit holder has shown proof of
development delay caused by factors out
of his control for the entire period in
which he has had the permit.

Recommend: 5yr EXTENSION

8-27-82
Jim

August 13, 1982

RE: Water Right Permits Nos. 02-7249 and 36-7085

Robert H. Brailsford
1964 Filer Ave/ East
Twin Falls, ID 83301

Dear Mr. Brailsford:

Thank you for sending us the excellantly prepared description of the chain of events that led to the request for extension of time in which to submit proof to beneficial use of water under the above referenced permits.

After reviewing the circumstances you were faced with I believe the Department would be willing to approve the extension request under both permits for the period that was lost to delays caused by lack of right-of-way approval from BLM (2 years, 3 months) and the period between right-of-way approval from BLM to the time of agreement by Idaho Power to provide service to your irrigation system (1 year).

However, before the Department can recognize the litigation between South Idaho Production Credit Association vs. Valley Trout Farms Inc. as reason for development delay of permit 36-7085 it has to be demonstrated how the litigation has directly impacted the development of this permit. You would provide a copy of the beginning date of Case No. 34014 and copies of any additional documents which can demonstrate that development of your permit was delayed because of this litigation.

We will hold action on your extension request until August 30, 1982 so that you may have time to remit the above information. If we have not heard from you by then we will assume that you want us to approve the said extensions of time for the 3 years and 3 months as here-to-fore identified. If you have any questions on this matter, please let us know.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:kw

ROBERT BRAILSFORD
1964 Filer Avenue, East
Twin Falls, Idaho 83301

Idaho Dept of State Resources
Statehouse Mail
Boise, Idaho
83720

RECEIVED

JUL 7 1982

Department of Water Resources

Dear Sir:

A few days ago I filed
requests for Extension of Time for
Permits #36-9085 and 02-7249.

Inadvertently I did not include
the filing fee. Enclosed please
find the check for the fee.

Yours Very Truly
Robert Brailsford

UNRECORDED

RECEIVED

JUL 2 1982

Department of Water Resources

June 28, 1982

Idaho Water Resources Department
State House Mail
Boise, Idaho 83720

Dear Sirs:

Please note the enclosed application covers two permits.

I would like to draw your attention to the fact that Permit #02-7249 has not had a request for an extension of time but is due to have beneficial use shown by September 1, 1982. Permit 36-7085 is due to show beneficial use December 1, 1982.

I would ask that the extension of time request for both Permits be considered simultaneously.

Yours very truly,

Robert Brailford

Attachment #1

1. Installed a pumping station on the Snake River at point of diversion Lot 6, Sec. 7, Range 14E, Township 8S as directed under amended application Permit No. 36-7085 and approved October 26, 1976 under the signature of R. Kieth Higginson then the Director of the Department of Water Resources.
This pumping station is designed to serve both Permits #02-7249 and # 36-7085 with a first phase capacity of 1500 H.P. delivering 14,400 g.p.m., 1600 miners or 32c.f.s. A second phase capacity of 9225 g.p.m. or 20.5 c.f.s. is incorporated in the pumping station.
2. Installed 17,824 ft. of mainline which is over-designed for the present first phase irrigated acres. As the main artery for eventual irrigated developement it will serve the total 2,540 acres area of use under the two above mentioned permits.
3. Installed ten center pivots, twenty two 1320 ft. handlines, and seventy acres of solid set lines.
4. Installed 16,098 ft. of underground lateral lines and 9000 ft. of aluminum lateral lines
5. Installed eight pressurizing pumps and motors and a broad assortment of valves risers, flanges, etc. to provide for an efficient sprinkler irrigation system.
The total cost of the present irrigation system was \$1,178,000. Much of this cost, particularly invested in the river pump station and the mainline, will be allocated to the second phase of the developement.

The above information relates to both Permits #36-7085 and #02-7249.

10-1-77

Attachment #2:

This is the first request for an extension of time under Permit #36-7085.

The Federal Land Bank of Spokane agreed to finance the irrigation development in phases and as economic conditions warranted. The Bank did provide funds for the installation of the pump station located on the Snake River and the main pipeline servicing the development with a capacity great enough to provide water in quantities great enough to irrigate the total of 2540 acres under Permits # 36-7085 and #02-7249. There has been developed in 1981 approximately 750 acres of area of use under Permit #02-7249 and approximately 800 acres of area of use under Permit #32-7085. The reason this was to deliver water to the areas that were immediately adjacent to the location of the mainline. The mainline bisects areas of use under both permits. The next phase will irrigate areas of use under both permits which will require only the extension of lateral lines.

Please refer to Attachment #3 the subject matter will relate to both Permits #36-7085 and #02-7249.

RECEIVED
JAN 11 1982
FEDERAL LAND BANK OF SPOKANE

Attachment #3:

On July 29, 1976 I applied to the Bureau of Land Management, hereinafter called the Bureau, for an easement to place a river pump station on a location on the Snake River approved by the Idaho Department of Resources and located on Bureau land on Lot 6, Sec. 7, R 14E, T 8S, Boise Meridian and for an easement for an underground pipeline across 2,034.42ft. of Bureau property Lot 6, Sec 7, R14E, T8S and a corner of the SE $\frac{1}{4}$, SE $\frac{1}{4}$, Sec.7, R14E, T8S. See Exhibit #1.

On September 26, 1978 I received from the Bureau Right-of-Way-Grant #I-12511 or 26 months after the request for an easement was made. See Exhibit #2.

Because the easement described above was the first essential to the exercise of both Permits #02-7249 and #36-7085 it is important that you consider this time lag in reviewing my request for an extension of time for showing beneficial use under Permits #02-7249 and #36-7085.

On July 31, 1976 I made a request for a Work Order for electrical service to the Idaho Power Co., hereinafter called the Power Co., to provide electrical service for the irrigation development. See Exhibit #3. In order for the Power Co. to perform on this work order the Bureau would have to first agree to the Grant Easement and to grant an easement to the Power Co. to reach the river pump site.

On December 30, 1977 I received a letter from James Bruce, then President of the Power Co., advising me that if I was not already hooked up for electrical service they would not provide that service until a resolution of a lawsuit the Power Co. had filed in the Idaho Fourth District Court to determine whether the Power Co. had protectable water rights in the Snake River and its tributaries and certain other areas with ground water potential; therefore because I did not have a hook up prior to the filing of the suit electrical service would not be provided to my proposed irrigation development. See Exhibit #4.

Though the Bureau had not issued the grant easement to me the Power Co., on my insistence and with inferential legal ramifications and the agreement to the work order did agree to provide electrical service to the development. See Exhibit #5.

After receiving the grant easement from the Bureau I began my negotiations with three financial institutions to provide capital for the cost of work and equipment for the development. These negotiations took me to the early months of 1979 and because of the size of the development my decision was to start the development in the fall of 1979 to be ready for the crop year of 1980. However

in April of 1979 the Idaho Public Utilities Commission placed a moratorium on any new electrical service to provide for pumping out of the Snake River, its tributaries, or ground water areas, before mentioned, and related to in Mr. Paul Jauregis, General Counsel for the Power Co., letter of September 27, 1979. Mr. Jauregi, in this letter, also took the position that my request for electrical service should be submitted to the Idaho Public Utilities Commission for its determination whether electrical service should be provided for the development or not. See Exhibit #6.

The negotiations between myself and the Power Co. had become interminable and in early October of 1979 I retained the services of an attorney Mr. Tom Miller. His letter of October 9, 1979 to the Power Co. brought an immediate response from the Power Co. ^{Exhibit #7} and they began their engineering plan to service the irrigation system. I provided, at their request, an aerial survey and a detailed plan of the irrigation system in order for them to be able to locate all of the electrical installations necessary. It was not until September of 1980 that all of the Power Co. engineering and planning had been completed and an Electrical Service Agreement could be signed. See Exhibit #8. The installation of the irrigation system was begun immediately after the signing of the Electrical Service Agreement and was ready for use March 10, 1981.

As more support for my request for a time extension I would like to draw to the attention of the Water Resources Department the filing of a suit on December 16, 1981 by the Southern Idaho Production Credit Association as Plaintiff against Kenneth S. Ellis, Valley Trout Farms Inc., et. all as Defendants. The suit is for foreclosure and attaches all real and personal assets of the defendants. The suit is Number 34014 filed in the District Court-Fifth Judicial District, Twin Falls, Idaho.

Valley Trout Farms Inc. is holder of Idaho Water Resources Department Approved Permit #36-7072 on certain waters commonly known as Bickel Springs located in Hagerman Valley for the purpose of fish propagation. My Approved Permit #36-7085 for irrigation and fish propagation is subordinate in time to Permit #36-7249 on the same waters. The question of the viability of Valley Trout Farms Inc. is being attacked through litigation. It is my position that Permit #36-7085 should have an extension of time until the status of Valley Trout Farms is finally determined.

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138163

BRAILSFORD, ROBERT H.
1964 FILER AVE. EAST
TWIN FALLS, ID 83301

JUNE 30, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 02-7249 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE SEPTEMBER 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

February 11, 1982

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the regional office nearest to you.

Sincerely,

DAVID R. TUTHILL JR., P. E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

NORTHERN REGION OFFICE
Route #5, Box 203, Government Way
Coeur d'Alene, Idaho 83814
Telephone 667-6484

EASTERN REGION OFFICE
150 Shoup Avenue
Idaho Falls, Idaho 83401
Telephone 525-7161

SOUTHERN REGION OFFICE
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301
Telephone 734-3578

WESTERN REGION OFFICE
92 South Cole Road
Boise, Idaho 83709
Telephone 334-2190

February 10, 1977

Gooding County Leader
Box 56
Gooding, Idaho 83330

RE: Application For Permit #36-7676 - Brailsford, Robert H.

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Sincerely,

Michael L. Steele
Southern Region Supervisor

MLS:sb

enclosure

Bill submitted: _____

RECEIVED
FEB 11 1977

February 10, 1977

Times News
P.O. Box 548
Twin Falls, Idaho 33301

RE: Application For Permit #36-7676 - Brailsford, Robert H.

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Sincerely,

Michael L. Steele
Southern Region Supervisor

MLS:sb

enclosure

Bill submitted: 2/25/77

RECEIVED

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Robert H. Brailsford

1964 Filer Avenue East, Twin Falls, Idaho 83301
has on 2/7/77 submitted Application No. 36-7676
for a permit to appropriate 32.48 cubic feet per second ~~more feet per annum~~
of water from Bickel Springs, which is a tributary of Snake River
by means of pumps to pipeline from Snake River to land
within the Point of injection into Snake River from Bickel Springs is Govt. Lots 3 & 9,
Sec. 6, Twp. 8S, Rge. 14E., B.M., Gooding County; Point of Diversion from Snake
River Govt. Lots 2, 5, & 6, Sec. 7, Twp. 8S, Rge. 14E., B.M., Twin Falls County
to be used from March 15 to Nov. 15
for irrigation purposes

within the S₁/2SW₁, SE₁/4SE₁, Sec. 1; S₁/2, Sec. 11; NE₁/4SE₁, Sec. 12, W₁/2NW₁, SE₁/4NW₁,
NE₁/4SW₁, S₁/2SW₁, SE₁/4, Sec. 13; NE₁/4, NW₁/4, E₁/2SW₁, NW₁/4SE₁, S₁/2SE₁, Sec. 14; Twp. 8S,
Rge. 13E., B.M.; NW₁/4SW₁, S₁/2SW₁, W₁/2SE₁, Sec. 7; NE₁/4SW₁, Sec. 18, Twp. 8S, Rge. 14E., B.M.

If issued, this permit will be subject to all prior water rights. Protests
against the granting of the permit must be filed with the Idaho Department of
Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or be-
fore March 7, 1977.

R. KEITH HIGGINSON

Director

Published in the Times News and Gooding County Leader
on 2/17 and 2/24/77

MICROFILMED

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Robert H. Brailsford 1964 Filer Avenue East, Twin Falls, Idaho 83301 has on 2/7/77 submitted Application No. 36-7676 for a permit to appropriate 32.48 cubic feet per second of water from Bickel Springs, which is a tributary of Snake River by means of pumps to pipeline from Snake River to land within the Point of injection into Snake River from Bickel Springs is Govt. Lots 8 & 9, Sec. 6, Twp. 8S, Rge. 14E., B.M., Gooding County; Point of Diversion from Snake River Govt. Lots 2, 5, & 6, Sec. 7, Twp. 8S, Rge. 14E., B.M., Twin Falls County to be used from March 15 to Nov. 15 for irrigation purposes within the S¹/₂SW¹/₄, SE¹/₄SE¹/₄, Sec. 1; S¹/₂, Sec. 11; N¹/₂SE¹/₄, Sec. 12, W¹/₂NW¹/₄, SE¹/₄NW¹/₄, NE¹/₄SW¹/₄, S¹/₂SW¹/₄, SE¹/₄, Sec. 13; NE¹/₄, NW¹/₄, E¹/₂SW¹/₄, NW¹/₄SE¹/₄, S¹/₂SE¹/₄, Sec. 14; Twp. 8S, Rge. 13E., B.M.; NW¹/₄SW¹/₄, S¹/₂SW¹/₄, W¹/₂SE¹/₄, Sec. 7; NE¹/₄SW¹/₄, Sec. 18, Twp. 8S, Rge. 14E., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before March 7, 1977.

/s/ R. Keith Higginson
Director

Pub: 2-17, 24

OK-SB
2/16/77

February 15, 1977

Mr. Robert Brailsford
343 Blue Lakes Blvd. N.
Twin Falls, Idaho 83301

Dear Mr. Brailsford:

I would like to set up a time to review the Application for water from Bickel Springs. I've tried to contact you by telephone, but it seems you are as busy as I am.

Please call me and set up a time that's convenient for you.

Sincerely,

Michael L. Steele
Southern Region Supervisor

MLS:sb

MICROFILMED



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse
Boise, Idaho 83720
(208) 384-2215

24 March, 1977

Mr. Edward W. Clyde
Clyde and Pratt
Attorneys at Law
351 South State Street
Salt Lake City, Utah 84111

Dear Mr. Clyde,

After receiving your letter this morning about filing a protest against the Robert H. Brailsford application for a permit (#36-7676), I called our Twin Falls office to ask about the protest period. This period expired earlier this month, according to the staff there.

I am sending you a copy of the permit. You will note that it has been recommended for approval and the director will probably sign the permit within a few days.

Normally, there is a charge of \$1.00 for a copy sent to anyone but the owner of record, but it hardly seems fair to charge your office in this case, since the protest period has expired. Therefore, the enclosed is with our compliments.

Should you have additional questions, please contact either this office, or the regional office in Twin Falls.

Sincerely,

Kay Weaver
(Ms. Kay Weaver
Records Supervisor

Encl.

734-3272

RECEIVED

MAR 24 1977

Department of Water Resources

PHONE 322-2516
AREA CODE 801

EDWARD W. CLYDE
ELLIOTT LEE PRATT
WILLIAM G. GIBBS
FRANK J. ALLEN
ROLAND R. WRIGHT
JOHN T. EVANS
RICHARD C. CAHOON
MICHAEL M. QUEALY
STEVEN E. CLYDE

CLYDE & PRATT
ATTORNEYS AT LAW
351 SOUTH STATE STREET
SALT LAKE CITY, UTAH 84111

March 22, 1977

Department of Water Administration
State Capitol Building
Boise, Idaho

Gentlemen:

I would very much appreciate it if you would send me a copy of Application for Water Permit No. 36-7676, filed by Robert Brailsford, notice of which is currently being advertised.

I would also appreciate it if you would tell me when the protest period will expire. I assume that there will be a charge for making the copy, and if we are at all close on the date for protests, I would appreciate a collect call telling me the amount, so that the matter can be expedited.

Very truly yours,



Edward W. Clyde

EWC:ML

Mike,

attached ^{REC} are the
notes from Ken
Dunn & Bob Plunor.

It was suggested
3 be completely
whited out, possibly
a new app. typed up
& signed & that it
be advertised as Snake
River. Am returning
for your action. Dan

Norn Young

How about conditions of approval.

1. Measuring devices

2. Snake Flow @ Murphy
E. Weiser

Needs re-advertising as Snake River water.

Point of injection location in item 3 is meaningless
and should be deleted since it is Snake River

File is out
2-7249

1964 Filer Ave., East
Twin Falls, Idaho
September 16, 1977

Bob Fleenor
Idaho State Water Resources Dept.
373 West Franklin St.
Boise, Idaho

Department of Water Resources

Dear Bob:

On Friday, September 9, you and I had a lengthy conference concerning the circumstance of my last application to the department for additional water to be applied to a part of the 2,542 acres of land that I own located on a bench above the south bank of the Snake River in Twin Falls County and directly across the river from what is known as the Bickel Springs, a part of the springs generally known as 1000 Springs. This conference was one of a series of conferences over the past several years which I have had with you and other members of your department concerning my attempts to obtain water permits for this area.

The results of some of these conferences has been the approval of requests for additional points of diversion on the south bank of the Snake. The reason for this request was to avoid the expensive installation of a large siphon across the river and allow me to exercise my consumptive water right in the Bickel Springs without pre-empting the non-consumptive rights in the springs under approved application #36-7085. This action was a result of two conferences with Keith Higginson at which time my position was that I would in fact be either exchanging Bickel Springs water for Snake River water, or I would be using the Snake River as a means of transporting the waters of the Bickel Springs. As the department has never informed me of any other reasons for allowing the points of diversion on the south bank of the Snake River, I assume they accepted my reasoning.

After mentally chewing on the positive results of my requests of the department, I determined to file on additional water from the Bickel Springs for consumptive use. I have the Idaho Power Company's determination of the amount of water in the Bickel Springs which is 150 c.f.s., and Standall & Lemmon in their letter to you of October 28, 1969, in which they state, "By careful measurement of the above water at two different times, we found the total supply to be 210 and 215 second feet, respectively. This did not include the water that was being taken out by the existing Brailsford irrigation pipeline." The positive position taken by Idaho Power Company and Standall & Lemmon, both of whom I assumed to be responsible, reliable persons in the department's estimation, made me feel secure in my belief that there was more than adequate water for consumptive use if a way could be found to transport the water without attempting to pre-empt the filings for non-consumptive use.

Reviewing my conferences with Keith Higginson and the department's legal staff, it appeared to me to be logical to apply for additional unappropriated water for consumptive use out of the springs and use the approved points of diversion to pump it up to my land.

I requested of your Twin Falls manager, Mike Steele, that he help me make my application and he agreed to do so, but after reviewing my proposed application he thought it advisable to confer with Keith Higginson over the telephone to get his view of the advisability of proceeding with the application because he frankly told me it contained elements he was not experienced with and wanted further assurance before proceeding. I did not, of course, hear all of the conversation but at the termination of the conversation Mike told me that he was advised to proceed with the application, that the application was in order and acceptable if there were no protests that justified a public hearing before the director of the Dept. of Water Resources after legal publication of the request for approval of the application.

Mike told me that he would publish the application in two newspapers in order to insure wide public coverage. There were no protests and I assumed the application would be processed in an ordinary way. Much later, I think in May, I was advised that the application needed alteration. I did alter it and in so doing, in fact changed the source of the water mentioned. At a later date I was advised that the application would have to be published again. This was done and again no protests were received. The present application #02-7249 is before the department awaiting its decision.

Very recently I have been advised by G. L. Elliott, Central Division Manager of the Idaho Power Company, that my application, which I at an earlier date had been notified as having been approved and the engineering done by the Idaho Power Co., would have to be held in abeyance by the power company. Shortly after I received this letter from Mr. Elliott I asked him to review my application for power and very shortly thereafter in another conversation he informed me that my application for power did have unique qualities. I received not directly but only inferentially the impression that its uniqueness was a result of the fact that the land upon which the water was to be used after pumping was all deeded land, and because its source was the Bickel Springs; Mr. Elliott further informed me that my application was the only one in the Central Division where the water would be applied strictly on private land. He felt constrained to provide me with the names of other power applicants who were applying for power use only on private lands, if there are any, because it possibly could be considered privileged information. I have some question, in the case of a public utility, of the propriety of such a position.

If I am to pursue my request for power from the Idaho Power Co., to its final conclusion, the adjudication of what waters should be used for power purposes or agricultural purposes should not be

left to the Idaho Public Utilities Commission, the Idaho Power Company, the Idaho Department of Water Resources or myself, but to the proper legal procedures of the Idaho judicial system or the Idaho legislature.

It would be ill-advised for me to have split rights from approved water permits from both the Bickel Springs and the Snake River to be applied through the same irrigation system or to design a system that would accomodate the present 20 c.f.s. under permit #36-7085, issued to me as the successor to Brailsford Bros., Inc.; and if I were to proceed subject only to the use of the water under #36-7085 and at a later date find that water under application #02-7249 had become eligible for diversion, it would entail the construction of a new system at probably prohibitive costs.

I request that the Idaho Water Resources Department reconsider application #02-7249 in its original form of the source of water being the Bickel Springs and leave the final determination of whether this water is, in fact, Snake River water or Bickel Springs water, and if its priority use is to be for electric power generation or for application to agricultural lands.

This application was submitted to the department in February of 1977. In order to avoid being subjected to proceedings of the Idaho Power Co. and its adversaries, I urgently request the department to act expeditiously on application #02-7249.

Yours very truly,

A handwritten signature in cursive script, reading "Robert Brailsford". The signature is written in dark ink and is positioned above the printed name.

Robert Brailsford

RB/mef

On 7/21/77 I sent a copy of corrected
application to Jan in Boise.

SM

August 1, 1977

Times News
P. O. Box 548
Twin Falls, ID 83301

Re: Application for Permit No. 02-7249 - Robert H. Brailsford

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Sincerely,

Michael L. Steele
Southern Region Supervisor

MLS:sm

Enclosures

Bill submitted: _____

NOTICE OF AMENDED
APPLICATION FOR A WATER PERMIT

Notice is hereby given that Application for Permit No. 36-7676 in the name of Robert H. Brailsford, Twin Falls, Idaho, was filed for the diversion of 32.48 cubic feet per second of water from Bickel Springs, tributary of Snake River point of injection into Snake River from Bickel Springs is Govt. Lots 8 & 9, Sec. 6, Twp. 8S, Rge. 14E., B.M., Gooding County; Point of Diversion from Snake River Govt. Lots 2, 5, & 6, Sec. 7, Twp. 8S, Rge. 14E., B.M., Twin Falls County to be used from Mar. 15 to Nov. 15 for irrigation purposes within the S $\frac{1}{2}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 1; S $\frac{1}{2}$, Sec. 11; N $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 12, W $\frac{1}{2}$ NW $\frac{1}{4}$, SE $\frac{1}{4}$ NW $\frac{1}{4}$, NE $\frac{1}{4}$ SW $\frac{1}{4}$, S $\frac{1}{2}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$, Sec. 13; NE $\frac{1}{4}$, NW $\frac{1}{4}$, E $\frac{1}{2}$ SW $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, S $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 14; Twp. 8S, Rge. 13E., B.M.; NW $\frac{1}{4}$ SW $\frac{1}{4}$, S $\frac{1}{2}$ SW $\frac{1}{4}$, W $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 7; NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 18, Twp. 8S, Rge. 14E., B.M.

The applicant now proposes to amend Application for Permit No. 36-7676 changing it to No. 02-7249 and changing the source to Snake River which is a tributary of the Columbia River, point of diversion from Snake River Govt. Lots 2, 5, & 6, Sec. 7, Twp. 8S, Rge. 14E., B.M., Twin Falls County to be used from Mar. 15 to Nov. 15 for the irrigation of 1624 acres described above.

Any protest against the proposed amending of this application must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, ID, on or before August 29, 1977.

C. Stephen Allred
Director

Published in the Times News on 8/11 and 8/18/77.

29 September, 1977

Mr. Robert H. Brailsford
1964 Filer Avenue East
Twin Falls, Idaho 83301

Dear Mr. Brailsford:

Enclosed is a copy of your approved Application for Permit No. 02-7249 . We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to either install and maintain a measuring device at your point of diversion or to provide the Department a certified measurement of the systems diversion capacity prior to submitting proof of beneficial use of water. We have enclosed a letter describing the different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Operations Bureau

BDF/cah

Enclosure