


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Roger S. Young
(Applicant)

PROOF OF PUBLICATION

STATE OF IDAHO

County of Owyhee

} s.s.

I, RODNEY A. HAWES, being first duly sworn, on oath says that he is the Publisher of the OWYHEE NUGGET, a newspaper of general circulation, published weekly by Rodney A. Hawes, publisher and printer thereof, at Marsing, County of Owyhee, State of Idaho;

That the annexed notice was published in said newspaper once each week and every week for 2 consecutive weeks, the first publication being on the 18 day of March, 1976, and the last publication being on the 25 day of March, 1976;

That the said newspaper has been published continuously and uninterruptedly in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of the attached notice.


PUBLISHER

Subscribed and sworn to before me this 25 day of March, 1976.


NOTARY PUBLIC

My commission expires 9-10-76

(SEAL)

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that ROGER G. YOUNG, P. O. Box 430, Mountain Home, ID has on March 9, 1976 submitted Application No. 02 - 7222 for a permit to appropriate 0.8 cubic feet per second of water from the Snake River trib. Columbia River by means of pumping plant and pipeline within Government Lot 6, Sec. 31, T. 5 S., R. 6 E., B. M. Owyhee County to be used from March 1 to December 1 for irrigation of 40 acres within Government Lot 1 (NE $\frac{1}{4}$ NE $\frac{1}{4}$), Sec. 2, T. 6 S., R. 5 E.
~~5, 1976.~~

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, Statehouse, Boise, Idaho, 83720, on or before April 5, 1976.

R. KEITH HIGGINSON,
Director

Published in the Owyhee Nugget, Marsing, ID on March 18, 1976 and March 25, 1976.

MAR 29 1976

MICROFILMED

MICROFILMED

← R5E →

C331
204C

F
104.5

G
129.0

35 | 36

2 |

C37
201C

B
6.6

A
46.3

D
7.1

40 ACRES
near
alfalfa
11/28/80

C

E





Diagram of System



NAME OF APPLICANT

Key

02-7112 • / / / /

02-2156 • / / / /

02-2245 • / / / /

02-2298 • / / / /

02-2355 • / / / /

02-2356 • / / / /


02-2376 • / / / /

02-7055 • / / / /

02-7182 • / / / /

02-7222 • / / / /

Colored
map in file
02-7112
3/13/81



SCALE: 2 Inches Equal 1 Mile. Draw Plan In Ink.

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 02-7222 Priority March 9, 1976 Amount .8 cfs

THIS IS TO CERTIFY, that ROGER G. YOUNG
of Mountain Home, Idaho, has complied with the terms and conditions of Permit
No. 02-7222 issued pursuant to Application for Permit dated March 9, 1976,
and has submitted proof to the Department of Water Resources on April 24, 1979,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 43.5 cfs of water from the Snake River,
tributary to Columbia River, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from <u>April 1</u> to <u>November 1</u>	at <u>.8</u> cfs and	<u>200</u> acre feet
	from <u> </u> to <u> </u>	at <u> </u> cfs and	<u> </u>
	from <u> </u> to <u> </u>	at <u> </u> cfs and	<u> </u>
(both dates inclusive)			

Subject, however, to the condition that no more than .8 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
200 acre feet per year, said waters to be diverted within the Lot 6 (NW $\frac{1}{4}$ SW $\frac{1}{4}$), Sec. 31,
Twp. 5S, Rge. 6E, B.M. in the County of Owyhee

Description and location of place of use:

Twp.	Range	Sec.	NEW				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
6S	5E	2	40																40

Total number of acres irrigated 40

A measuring device of a type approved by this Department shall be maintained as a
part of the diverting works.
Use of water under this license is subject to control by the watermaster of State
Water District No. 02, Snake River.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 30 day of
April, 19 81.

Director

Identification No. _____

Application No. 02-7222

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Roger G. Young Phone: 587-7244
post office address P. O. Box 430, Mountain Home, Idaho 83647
2. Source of water supply Snake River which is a tributary of Columbia River
3. a. Location of point of diversion is Lot 6 $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 31 Township 5 S.
Range 6 E. B.M. Owyhee County; additional points of diversion if any: None
- b. If water is not consumed, it will be discharged into None at a point in None $\frac{1}{4}$ of None $\frac{1}{4}$ of Section None Township None Range None B.M. None
4. Water will be used for the following purposes:
Amount 0.8 cfs for Irrigation purpose from March 1 to December 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount None for None purpose from None to None (both dates inclusive)
(cfs or acre-feet per annum)
Amount None for None purpose from None to None (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 0.8 cubic feet per second and/or
b. None acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Addition to Existing Pumping Plant
Total GPM 21,000 from 5 - 600 HP Pumps discharging into a 34" Pipeline.
- b. Height of storage dam None feet, active reservoir capacity None acre feet; total reservoir capacity None acre feet, materials used in storage dam: None
Period of year during which storage will occur None (Mo. Day) to None (Mo. Day) inclusive.
- c. Proposed well diameter is None inches; proposed depth of well is None feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years.
b. Estimated construction cost is \$12,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: None $\frac{1}{4}$ of None $\frac{1}{4}$ of Section None Township None
Range None B.M. None
(2) Amount of power to be generated: None hp under None feet of head.
(3) List number of each kind of livestock to be watered None
(4) Name of municipality to be served None, or number of families to be supplied with domestic water None.
(5) If water is to be used for other purposes describe: None

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
6 S.	5 E.	2	40 (lot 1)																40

Total number of acres to be irrigated 40

c. Describe any other water rights used for the same purposes as described above. None


9. a. Who owns the property at the point of diversion U. S. Bureau of Land Management

b. Who owns the land to be irrigated or place of use Roger G. Young (Applicant)

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks Additional land to be irrigated from an existing system.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Roger E. Young
(Applicant)

Proposed Priority 3-9-76

Received by DLB Date 3-4-76 Time 8:15 AM
Preliminary check by _____ Fee \$ 25.00 on March 9 1976
Received by rb Date 3-9-76 # 3681
Publication prepared by rb Date 3-11-76
Published in Owyhee Tugget
Publication dates March 18 + 25
Publication approved RB Date 3-29-76
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by JHJ DRT

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES


This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 02-7222, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 1981.
- c. Other: 1. A measuring device of a type approved by the Director shall be permanently installed and maintained as part of the diverting works.
2. The issuance of this permit in no way grants any right-of-way or easement across the land of another person.

2. Denial of said application is for the following reasons: _____

Witness my hand this 15 day of April, 1976.


Director

PROOF OF PUBLICATION

STATE OF IDAHO

County of Owyhee

s.s.

I, RODNEY A. HAWES, being first duly sworn, on oath says that he is the Publisher of the OWYHEE NUGGET, a newspaper of general circulation, published weekly by Rodney A. Hawes, publisher and printer thereof, at Marsing, County of Owyhee, State of Idaho;

That the annexed notice was published in said newspaper once each week and every week for 2 consecutive weeks, the first publication being on the 18 day of March, 1976, and the last publication being on the 25 day of March, 1976;

That the said newspaper has been published continuously and uninterruptedly in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of the attached notice.

Rodney A. Hawes
PUBLISHER

Subscribed and sworn to before me this 25 day of March, 1976;

Lena S. Hawes
NOTARY PUBLIC

My commission expires 9-10-76

(SEAL)

NOTICE OF AFFIDAVIT
I, the undersigned, being first duly sworn, depose and say that
RODNEY A. HAWES, Publisher of the OWYHEE NUGGET, a newspaper of
general circulation, published weekly by Rodney A. Hawes, publisher
and printer thereof, at Marsing, County of Owyhee, State of Idaho;
That the annexed notice was published in said newspaper once
each week and every week for 2 consecutive weeks, the first
publication being on the 18 day of March, 1976, and the last
publication being on the 25 day of March, 1976;
That the said newspaper has been published continuously and
uninterruptedly in said county during a period of more than
seventy-eight consecutive weeks prior to the first publication
of the attached notice.

MAR 25 1976

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

~~E. STEPHEN K. ALLEN~~

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

May 4, 1981

Roger G. Young
P.O. Box 430
Mtn. Home, Idaho 83467

Dear Mr. Young,

RE: License No. 02-7222

Enclosed is a copy of the Water Right License issued on the above referenced Permit.

Please be advised that one of the conditions of your permit was, that a measuring device be installed as part of your diversion works. That requirement has been waived with issuance of the enclosed license. However, in the event that water supply shortages become a problem installation of measuring devices may be required.

Sincerely,

JIM JOHNSON

Water Distribution Supervisor

JJ:mr
Enclosure

MICROFILMED

Listed below are claims from the
 same diversion point i.e. NWSW (lot 6)
 Sec 31 T6S R5E

Lic 02-7182 - ^{ESS} 2,5000 ✓
 " 02-2376 - 5,6600 ✓
 " 02-2278 - 5,8300 ✓
 P 02-7222 8000 ✓
 Lic 02-2156 - 5,7900 ✓
 " 02-2245 - 5,1900 ✓
 " 02-2356 - 5,0600 ✓
 " 02-2355 5,8500 ✓
 " 02-7055 5,8300 ✓

Licensed Siling
 41.71 ESS

02-2712 ^{41.62} 41.72

~~R 02-7112 6,4000~~
~~L 2216 - 6,4000~~
~~R 7075~~
~~R 22 18,7300~~

← R 5 E →

C331
2040

1045

G
129.0

35136

21

40 ACRES

*near
alfalfa*

11/29/80

D

7.1

C

E




Diagram of System

DEPARTMENT OF WATER RESOURCES
FIELD REPORT

1. Name of permit holder Roger A. Young
Post office address P.O. Box 430, Mtn Home Phone 587-7244
Person to contact _____ Phone _____

2. Source of water supply: Groundwater ☐ Surface water ☒ Snake River
(name spring, stream, etc.)
Tributary to _____

3. Water will be used for the following purposes:
Amount 0.8 c.f.s. for irrigation
AF/Annum (nature of use)
Period of Use: from 4-1 to 11-1
(mo.-day) inclusive (mo.-day)
Amount _____ c.f.s. for _____
AF/Annum (nature of use)
Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)
Amount _____ c.f.s. for _____
AF/Annum (nature of use)
Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)
Other uses: _____

Permit No. 02-7222
Examination for 6/1

4. Total amount to be appropriated:
Max Rate of Diversion 0.8 cubic feet per second and annual volume _____ AF/Annum.

5. Location of Point(s) of Diversion:
Township 55 N/S, Range 4E E/W, B.M., Section 31, Subdivision 1/4 6 1/4, _____ County
Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision 1/4 1/4, _____ County
Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision 1/4 1/4, _____ County
Other Points of Diversions: _____

Description of diverting works: 3-100 hp pumps, 34" pipeline reducing to 22" pressure boosted by a 100 hp pump into a 14" pipeline reduced to 12", 2-3" sprinkler lines

Measuring device required: yes ☒ no ☐

6. Lands to be irrigated or place of use.

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
<u>65</u>	<u>5E</u>	<u>2</u>	<u>21</u>																<u>40</u>
			<u>70</u>																
			<u>2</u>																
			<u>101</u>																
			<u>6</u>																

RECEIVED

JUN 6 1979

MICROFILMED

DATE OF EXAM 11/26/80

ACREAGE

Found 40
Recommended 40

Irrigation Requirement 5 Ac Ft/Ac

USE

Irrigation Q = .80 c.f.s. V = 200 AF/Ann. from 4/1 to 11/1
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no _____

Name source: _____

twp. _____ N/S, Rge. _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Exchange? yes _____ no _____

Name source exchanged with: _____

twp. _____ N/S, Rge. _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Point of injection:

twp. _____ N/S, Rge. _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Point of exchange:

twp. _____ N/S, Rge. _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Total Q measured 43.45 Method of measurement In line Flowmeter

Total Q recommended .80 Meter No. 68-34-101 Type mechrometer Condition operational

Total V recommended 200

Recommended Amendments:

P.D. _____

Place of Use _____

Other _____

None ✓

MEASUREMENT CALCULATION:

mechrometer 36" # 68-34-101 19,500 x .002228 = 43.45055

Allow .02 cfs/AC 40AC x .02 = .8 cfs

V = 40AC x 5 = 200.0 or .8 x 1.9835 x 214 = 339.6

SYSTEM DESCRIPTION:

Pump #1 600 HP ID # J520385 with vertiline pump motor 18 FXH
ser # 94-06535. Pump #2 600 HP ID # J1423562 with vert. pump
model # 18 FXH serial # D22126A Pump #3 600 HP ID # J142356 with vert.
line pump. Motor 18 FXH ser. # D22126B Pump #4 600 HP ID # J1423651
with type 4 Bowler pump # 60629 Pump #5 600 HP ID # J1423650
with type 4 Bowler # 60628 - all pumps on 36" mainline. all U.S. meters

REMARKS:

filings
other claims on the same P.D. 02-7182, 02-2376, 02-2299
02-7222, 02-2156, 02-2356, 02-2355, 02-7055, C 02-2245,

Examiner's Signature John X Noyes Date 12/9/80

Checked by BS Date 12/17/80

Approved by Robin Date 3/13/81

Overlap Review
Attached

DATE OF EXAM 5/2/76 ~~11/28/80~~

ACREAGE

Found 70

Recommended 40

Irrigation Requirement _____ Ac Ft/Ac

USE

Irrigation Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____

Domestic Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____

Livestock Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no _____

Name source: _____

twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____

Exchange? yes _____ no _____ County _____

Name source exchanged with: _____

twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____

Point of injection: _____ County _____

twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____

Point of exchange: _____ County _____

twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____

County _____

Total Q measured 43.45 cfs Method of measurement in-line flowmeter

Total Q recommended _____ Meter No. 68-34-101 Type Mcrometer Condition operations

Total V recommended _____

Recommended Amendments:

P.D. _____

Place of Use _____

Other _____

None _____

MEASUREMENT, CALCULATION:


Mcrometer 36" # 68-34-101 at 19,500 gpm = 43.45 cfs

Re-exam

SYSTEM DESCRIPTION:

Pump #1 US Motor 600HP ID# J520385 with Vertiline pump Model 1BFX1
Ser. # V-74-06535. Pump #2 US Motor 600HP ID# J1423562 with Vert
pump Model 1BFXH Serial # 022126A Pump #3 US Motor 600HP ID#
J1423563 with Vertiline pump Model 1BFXH Ser. # 022126B Pump #
US Motor 600HP ID# J1423651 with Kaynet-Bowler pump #60629
Pump #5 US Motor 600HP ID# J1423650 with Kaynet-Bowler pump #60628

REMARKS: all pump into 36" main line.
Re-exam for water meas. for max capacity



Examiner's Signature power plant 6 P. J. J. J. Date 5/21/76

Checked by 874 Date 5-24-76

Approved by _____ Date _____

Overlap Review for 02-7112 & 02-7222

02-2156
02-2245
02-2298
02-2355
02-2356
02-2376
02-7055
02-7182
02-7222
02-7112

different P/U's (see attached map)
same P/D


All of the listed rights are on the
same 5 pump system.

02-2156	5.79 cfs
02-2245	5.19 cfs
02-2298	5.83 cfs
02-2355	5.85 cfs
02-2356	5.06 cfs
02-2376	5.66 cfs
02-7055	5.83 cfs
02-7182	2.50 cfs
02-7112	5.30 cfs
02-7222	.80 cfs
	47.81 Total

Recommend combination of rights be limited
to capacity of system.

TH 3/13/81


MICROFILMED



02-2355 02-2356 02-7071
02-2156 02-7222 02-7298
02-7018
02-7182
02-2245
02-2376
02-7055
02-7112

120°55'
120°56'
120°57'
120°58'
120°59'
121°00'
121°01'
121°02'
121°03'
121°04'
121°05'
121°06'
121°07'
121°08'
121°09'
121°10'
121°11'
121°12'
121°13'
121°14'
121°15'
121°16'
121°17'
121°18'
121°19'
121°20'

Strike Res.
Boundary
02-7273(2) See file for land use



Key

- 02-7112 • / / / /
- 02-2156 • / / / /
- 02-2245 • / / / /
- 02-2298 • / / / /
- 02-2355 • / / / /
- 02-2356 • / / / /
- 02-2376 • / / / /
- 02-7055 • / / / /
- 02-7182 • / / / /
- 02-7222 • / / / /

Colored
map in file
02-7112
3/13/81



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

May 18, 1979

Roger G. Young
P. O. Box 430
Mountain Home, ID 83647

Dear Mr. Young:

Re: Permit No. 02-7222

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our regional office in **Boise, Idaho.**

Sincerely,

RITA FLECK
Water Rights

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
**PROOF OF APPLICATION
OF WATER TO BENEFICIAL USE**

RECEIVED

APR 24 1979

Department of Water Resources

1. a) Name of permit holder ROGER G. YOUNG
- b) Post office address P. O. Box 430, Mountain Home, Idaho 83647
2. Permit number 02-7222
3. Date of priority that you are prepared to establish March 09, 1976
4. a) Source from which water was appropriated Snake River
- b) Location of the point of diversion: Lot 6 $\frac{1}{4}$ SW $\frac{1}{4}$, Section 31
Township 5 South, Range 6 East Boise Meridian. Other points of diversion: _____
5. a) The amount of water and use to which the water has been applied:

Amount <u>0.8 cfs/200A-ft</u> for <u>Irrigation</u> purposes from <u>March 1</u> to <u>November 1</u> incl.
(cfs &/or acre-feet per annum) (month-day) (month-day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs &/or acre-feet per annum) (month-day) (month-day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs &/or acre-feet per annum) (month-day) (month-day)
- b) Total amount appropriated _____ cfs and/or acre-feet per annum.
- c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement:
Total of 21,000 GPM from 5-600 HP Pumps discharging into 34" pipeline (Measurement by McCrometer Flowmeter). Irrigation application on field measured during 1978 season by counting sprinkler nozzles X flow measurement of nozzle (average) which was 66 nozzles 5/32" X 5.3 GPM = 349.8 Total GPM. By R. G. Young, Idaho P. E. 1470
6. If the means of diversion and conveyance are owned by someone other than the permit holder:
 - a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use:
Edgington Irrigation Association - Tenancy-in-common of which R. G. Young is a part owner.
 - b) Describe the agreement of understanding by which you take water from the works:
Tenancy-in-common agreement
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch):
21,000 GPM total diversion by 5 - 600 HP Pumps discharging into a 34" Pipeline, reducing to 22", pressure boosted by a 100 HP pump into a 14" pipeline reduced to 12"; water being applied by two 3" sprinkler lines.
- b) Describe the provision for making a measurement which you have at your point of diversion (i.e., installed measuring device, access port, other)
McCometer propellor flowmeter installed in the 34" Pipeline

Examined 5/7/79 by [Signature]

NOT RECORDED

c) Give well driller's name and address and the date the well was completed: _____

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use:

9. Irrigation uses: describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision:

T	R	SEC.	NE¼				NW¼				SW¼				SE¼				TOTAL
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
6 S.	5 E.	2	40 (Lot 1)																40

10. Remarks: Additional land irrigated from an existing system.

The above information is a true statement of the extent to which the above numbered permit has been developed.

April 19, 1979
(Date)

Roger G. Young
(Signature)
Roger G. Young

State of _____)
County of _____) ss.

On this _____ day of _____, 19____, personally appeared before me the
signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

My commission expires _____

Notary Public
Residing at _____

YOUNG ENGINEERING

P. O. Box 430 • MOUNTAIN HOME, IDAHO 83647



State of Idaho Department of Water Resources
Statehouse
Boise, Idaho 83720

MICROFILMED

R. G. YOUNG

P. O. BOX 430 • MOUNTAIN HOME, IDAHO 83647

MESSAGE

TO [State of Idaho Department of Water
Resources
Statehouse
Boise, Idaho 83720]

DATE April 2, 1979

SUBJECT Application for Permit No. 02-7222

Dear Sir:

Please send the necessary forms to apply for the Water Right License for the subject permit.

Very truly yours,

R. G. Young
R. G. Young

RECEIVED

APR 3 1979

Department of Water Resources

BY

REPLY

DATE

Sent 4-10-79
Jel

SIGNED

R. G. Young
P. O. Box 430
Mountain Home, Idaho 83647



State of Idaho Department of
Water Resources
Statehouse
Boise, Idaho 83720

April 16, 1976

Re: Permit No. 02-7222

Roger G. Young
P.O. Box 430
Mountain Home, ID 83647

Dear Mr. Young:

Enclosed is a copy of your approved Application for Permit No. 02-7222. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Please be advised that the Idaho Supreme Court has ruled that a water right initiated and/or put to beneficial use by aid of trespass on private property is invalid.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

Enclosure

BDF:mef

March 12, 1976

Re: Application for Permit No. 02-7222 -- Roger G. Young

Vincent S. Strobel
~~Branch~~ of L & H Operations
Bureau of Land Management
Room 398, Federal Building
550 West Fort
Boise, ID 83724

Dear Mr. Strobel:

We are enclosing a copy of the above referenced application for permit which may be of interest to your agency. Please review the application and if you have any comments, please submit them to our department as soon as possible.

We normally complete the processing of an application within a six week period and we are required to take final action shortly thereafter.

If we may be of any assistance to you in the meantime, please do not hesitate to contact this department.

Sincerely,

L. GLEN SAXTON, P.E.
Western Regional Supervisor

LGS:rb

Enc.



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN DISTRICT — ANNEX 3

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse
Boise, Idaho 83720
(208) 384-2190

March 11, 1976

Re: Application for Permit No. 02-7222 -- Roger G. Young
57-7156 -- Robert Flynn =

Owyhee Nugget
Marsing,
Idaho 83639

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear in the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(Signature of Claimant)

Sincerely,

Bill submitted

3-29-76
TJB

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that ELMER C. YOUNG
P. O. Box 430, Mountain Home, ID
has on March 9, 1976 submitted Application No. 02-7222
for a permit to appropriate 0.8 cubic feet per second ~~acre feet~~
~~per annum~~ of water from the Snake River trib. Columbia River
by means of pumping plant and pipeline
within the ~~the~~ Government Lot 6, Sec. 31, T 5 S, R 6 E, B.M. Owyhee County

to be used from March 1 to December 1
for irrigation of 40 acres

within the ~~the~~ Government Lot 1 (NE1/4), Sec. 2, T 6 S, R 5 E,

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, Statehouse, Boise, Idaho, 83720, on or before April 5, 1976.

R. KEITH HIGGINSON

Director

Published in the Owyhee Nugget, Marsing, ID
on March 18, 1976 and March 25, 1976.



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
WESTERN DISTRICT

STATE HOUSE BOISE, IDAHO 83720

March 10, 1976

Roger G. Young
P. O. Box 430
Mountain Home, ID 83647

Dear Mr. Young:

Enclosed is your Receipt No. 3681 in the amount of \$ 25.00
for Application for Permit No. 02-7222 which was received in this
office on March 9, 1976.

Sincerely,

CATHY L. SHAW
Senior Clerk

CLS:cs

Enclosure

March 5, 1976

Re: Application for Permit to Appropriate Public Waters

Mr. Roger G. Young
P. O. Box 430
Mountain Home, ID 83647

Dear Mr. Young:

We are returning your application for permit and check no. 1232 in the amount of \$35.00. The application fee for 0.8 c.f.s. of water is \$25.00.

Please return the application and a check in the amount of \$25.00 to us and we will proceed to process your application.

Sincerely,

ROBERT W. HAMILTON
Supervisor of Water Distribution

RWH:rb

Enc.