


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Triangle Dairy, Inc.

By: M. J. Whitman
(Attorney-in-Fact (see attached Power of Attorney))

PROOF OF PUBLICATION

STATE OF IDAHO

County of Owyhee

} s.s.

I, RODNEY A. HAWES, being first duly sworn, on oath says that he is the Publisher of the OWYHEE NUGGET, a newspaper of general circulation, published weekly by Rodney A. Hawes, publisher and printer thereof, at Marsing, County of Owyhee, State of Idaho;

That the annexed notice was published in said newspaper once each week and every week for 2 consecutive weeks, the first publication being on the 13 day of Nov., 1975, and the last publication being on the 20 day of Nov., 1975;

That the said newspaper has been published continuously and uninterruptedly in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of the attached notice.

Rodney A. Hawes
PUBLISHER

Subscribed and sworn to before me this 20 day of Nov., 1975.

Samuel Shivers
NOTARY PUBLIC

My commission expires 9-10-76

(SEAL)

MICROFILMED

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Triangle Dairy, Inc., 3310 Gekele Lane, Boise, ID has on Oct. 30, 1975, submitted Application No. 02 - 7206 for a permit to appropriate 4.8 cubic feet per second of water from the Snake River, trib. to Columbia River by means of pump, motor, gravity canal, pipeline within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 34, T. 5 S., R. 4 E., B. M., Owyhee County to be used from March 1 to Nov. 30 for irrigation of 240 acres within the SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 2, NW $\frac{1}{4}$ - NE $\frac{1}{4}$, E $\frac{1}{2}$ NW $\frac{1}{4}$, SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 11, NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 14, T. 6 S., R. 3 E., B. M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, Statehouse, Boise, Idaho, 83720, on or before Dec. 1, 1975.

R. KEITH HIGGINSON,
Director.

Published in the Owyhee Nugget, Marsing, ID on Nov. 13, 1975 and Nov. 20, 1975.

OK
cls
11-24-75
NOV 24 1975

C72
21C

40 AC

R3E

G
22.6

H
21.8

M
26.6

L
54.8

Q
30.6

R
34.9

W
20.8

Z
5.2

EE
72.2

FF
4.2

KK
33.8

CC
24.6

PP
27.2

JJ
15.3

DD
46

02-7206 39
V

ok

P
21.5

V
24.2

Y
24.1

X
25.5

CC
26.5

II
44.6

U
42.8

K
43.1

E
10.4


F
42.2

3 2
10 1

T
6
S

0 = notation
only SENW 39 acres
is being irrigated

MICROFILMED



Contract	Amount of Surveys			When Surveyed	Mean Declination
	M.	Ch.	Lk.		
1, 1894	5	49	10	July 30-Aug 5-1894	
	18	19	81	July 31-Aug 5-1894	18° 30' E.
	11	14	08	"	
	2	08	32	"	

The above are
 House
 notes of the survey
 Surveyor
 House G.
 February

MICROFILMED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 02-7206 Priority October 30, 1975 Amount 0.76 cfs

THIS IS TO CERTIFY, that Triangle Dairy, Inc.
of Boise, Idaho, has complied with the terms and conditions of Permit
No. 02-7206 issued pursuant to Application for Permit dated October 30, 1975,
and has submitted proof to the Department of Water Resources on October 3, 1980,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 38.84 cfs of water from Snake River,
tributary to Columbia River, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from <u>March 15</u> to <u>November 15</u> at <u>0.76</u> cfs and <u>190.0</u> acre feet		
	from _____ at _____ cfs and _____		
	from _____ at _____ cfs and _____		

(both dates inclusive)

Subject, however, to the condition that no more than 0.76 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
190.0 acre feet per year, said waters to be diverted within the Government Lot 9 (SE $\frac{1}{4}$ SW $\frac{1}{4}$),
Section 34, Twp. 5S, Rge. 4E in the County of Owyhee

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
6S	3E	11								38					38

Total number of acres irrigated 38
This right when combined with all other rights shall provide no more than 0.02
cfs per acre nor more than 5.0 afa per acre for the lands above.

MICROFILMED

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 9TH day of
MAY, 19 85.

Acting for the Director

Norman C. Young

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 02-7206

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director

MICROFILMED

Identification No. _____
Application No. 02-7206

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Triangle Dairy, Inc. Phone: 342-4601
post office address 3310 Gekeler Lane, Boise, ID 83706
2. Source of water supply Snake River which is a tributary of Columbia
3. a. Location of point of diversion is SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 34 Township 5S
Range 4E B.M. Owyhee County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 4.8 for irrigation purpose from March 1 to Nov. 30 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 4.8 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. pump, motor, gravity canal,
pipeline

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ _____.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
6S	3E	2															40		40
		11		40			40			40				40					160
		14					40												40


Total number of acres to be irrigated 240

c. Describe any other water rights used for the same purposes as described above.

9. a. Who owns the property at the point of diversion U.S. Public Lands - Right-of-Way I-011067
b. Who owns the land to be irrigated or place of use applicant I-011755
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing I-015400

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Triangle Dairy, Inc.

By: *Mary J. Whitman*
 (Attorney-in-Fact (see attached Power of Attorney))

Proposed Priority ~~10-30-1975~~

Received by MB Date 10-30-75 Time 8:35 a.m.

Preliminary check by EEB Fee \$ 65.00

Received by CLS Date 10-30-75 # 1365

Publication prepared by CLS Date 11-7-75

Published in Owyhee Nugget

Publication dates Nov. 13 & 20

Publication approved CLS Date 11-24-75

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by JLS

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 02-7206, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- SUBJECT TO ALL PRIOR WATER RIGHTS.
- Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 19 80.
- Other: A measuring device of a type approved by the Director shall be permanently installed and maintained as part of the diverting works.
The issuance of this permit in no way grants any right-of-way or easement across the land of another person.

2. Denial of said application is for the following reasons: _____

Witness my hand this 5 day of December 19 75.


Director

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
POWER OF ATTORNEY

The undersigned owner (s) of Permit (Application) No. attached
of the Department of Water Administration of the State of Idaho
hereby nominates and appoints Idaho Land & Appraisal Service,
whose address is P. O. Box 1603, Boise, ID, as attorney-
in-fact with full authority to act for and on behalf of the
undersigned in all matters pertaining to Application or Permit.
Such acts shall include, but not be limited to the filing of
applications for extension of time and for amendment of said
Permit, and the submission of proofs of completion of works and
beneficial use of water.

Dated this 21st day of August, 19 75.

Triangle Dairy, Inc-
William D. Tate
William D. Tate

State of Idaho)
 : ss
County of Ada)

On this 26 day of August, 19 75,
personally appeared before me the signer (s) of the above instrument,
who duly acknowledged to me that he (she)(they) executed the same.

Laura J. Spangler
Notary Public

My commission expires:

nonexpiring

MICROFILMED

PROOF OF PUBLICATION

STATE OF IDAHO

County of Owyhee

s.s.

I, RODNEY A. HAWES, being first duly sworn, on oath says that he is the Publisher of the OWYHEE NUGGET, a newspaper of general circulation, published weekly by Rodney A. Hawes, publisher and printer thereof, at Marsing, County of Owyhee, State of Idaho;

That the annexed notice was published in said newspaper once each week and every week for 2 consecutive weeks, the first publication being on the 13 day of Nov, 1975, and the last publication being on the 30 day of Nov, 1975;

That the said newspaper has been published continuously and uninterruptedly in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of the attached notice.

Rodney A. Hawes
PUBLISHER

Subscribed and sworn to before me this 30 day of Nov, 1975.

Lenore Hawes
NOTARY PUBLIC

My commission expires 9-10-76

(SEAL)

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Triangle Dam, 3310 Gekeker Lane, B. M. has on Oct. 30, 1975, submitted Application No. 02 - 7206 for a permit to appropriate 4.8 cubic feet per second of water from the Snake River, trib. to Columbia River by means of pump, motor, gravity canal, pipeline within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 34, T. 5 S., R. 4 E., B. M., Owyhee County to be used from March 1 to Nov. 30 for irrigation of 240 acres within the SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 2, NW $\frac{1}{4}$ NE $\frac{1}{4}$, E $\frac{1}{2}$ NW $\frac{1}{4}$, SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 11, NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 14, T. 6 S., R. 3 E., B. M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, Statehouse, Boise, Idaho, 83720, on or before Dec. 1, 1975.

R. KEITH HIGGINSON,
Director.

Published in the Owyhee Nugget, ID on Nov. 13, 1975 and Nov. 20, 1975.

OK
CLB
11-24-75



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

May 15, 1985

RE: Permit No. 02-7206

Triangle Dairy, Inc.
3310 Gekeler Lane
Boise, ID 83706

Gentlemen:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc

Enclosure

MICROFILMED

RECEIVED

NOV 7 1984

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

02-7206
Permit No.

Department of Water Resources

1. Measurement Calculations

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

Total measurement at G.C. Strike Reservoir

39 cfs. 38 acres $\times 1.02 = 70.655$ 38 $\times 5$ AF = 190 AFA

38.84 cfs -

see annual measurement.

b) Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 38 \times 5 = 190.0 \checkmark$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 38 \times 245 \times 1.9835 = 18466.4$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 190 \checkmark$

c) Volume Calculations for Other Uses:

none

2. Overlap Review

a) Other water rights with same place of use: 57-0186, 57-0187, 57-0188, 57-0189
57-0189, 57-0190 & 57-0191

b) Other water rights with same point of diversion: 02-2308, 02-2152, 02-2153
02-2423

c) Analysis:

MICROFILMED

use letter changing
irrig. season
10 days

4. Permit Holder: Triangle Dairy, Inc.
Address: 3310 Scheler Lane, Boise, Ida 83706 ✓

6. Beneficial Use	Period of Use From To	Rate of Diversion Q (cfs)	Annual Volume (acre-ft)

MICROFILMED

MICROFILMED

irrigation ✓ 3/15 ✓ 11/15 ✓ 0.76 cfs ✓ 190.0 AF

Allowable Maximums: 0.76 CHN 190.0 AF

8. Place(s) of Use ☒ no gov't lots -

9. Recommended Conditions/Remarks: _____

R16 (5.0)

~~2/15~~ NO

10. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None *irrig. season*

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other _____

11. Examiner's Signature John K. Noyes Date 10/29/84
Checked in Regional Office by CHS Date 11/5/84
Approved in State Office by Ray Walker Date 11/30/84



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

January 8, 1985

RE: Permit No. 02-7206

Triangle Dairy, Inc.
3310 Gekeler Lane
Boise, ID 83706

Gentlemen:

A representative of this Department has made an examination of the works covered by your Permit No. 02-7206, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 0.76 cfs Source: Snake River

The maximum quantity diverted shall not exceed 190.0 acre feet
per year.

Point(s) of diversion: Gov. Lot 9(SE $\frac{1}{4}$ SW $\frac{1}{4}$), Sec. 34, Twp. 5S, Rge. 4E,
Owyhee County.

Beneficial use: Irrigation of 38 acres within the SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 11, Twp.
6S, Rge. 3E

Priority date established: October 30, 1975

Conditions (if any): This right when combined with all other rights shall
provide no more than 0.02 cfs per acre nor more than 5.0 afa per acre for the
lands above.

Also, on your permit you proposed an irrigation period of March 1 to November 30.
Our office identifies a period of March 15 to November 15 for your area. If you
do not concur with this and the above findings please contact us within 10 days,
otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:kw

MICROFILMED

NOV 2 1982

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources,

Permit No. 02-7206

Phone No. 342-4603

1. Owner: Triangle Dairy Inc

Current Address: 3310 E Keller Lane, Boise, Ida 83706

2. Accompanied by: Fate

Address: _____ Phone No. _____

EXAM. DATE: 10/28/84

Relationship to Permit Holder: applicant

3. Source: Snake R. tributary to Columbia

Well/Diversion* No.	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
See attached listing pumps from Reservoir to Oyler Canal					

***Code with points of diversion, system diagram & photos on reverse side. Disregard if only one.**

5. System Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

at P.O. 3-100 HP & 1-50 HP motors - lift approx 60 ft into Bybee Canal - Pumps out of Bybee Canal 3-150 HP & 1-75 HP motors - 30" Perstock 1530 ft - Gravity irrigation

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
annubar					29.25	
see attached annubar measurement.						

7. Measurements

☐ Additional data/computation sheets attached

P.D. 39 CFS out of I.C. Stroke Reservoir - $38 \text{ acres} \times .02 = .76 \text{ CFS}$
 $38 \times 5 \text{ RF} = 190 \text{ RFA}$

8. Point(s) of Diversion:

Indicate Method of Determination

[illegible]

9.

Place(s) of Use:

**Irrigation - give acres served by system at time of exam.
Indicate Method of Determination**

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
6S	3E	11								38								38	
Total Acres																		38	

Total Acres 38

10. Other water rights on these lands 57-0186, 57-0187, 57-0188, 57-0189, 57-0190
11. Other water right diverted from same p.d. 02-2308, 02-2152, 02-2153, 02-2423
02-2154
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.

MICROFILMED

Diversion Point
 3-100HP & 1-50HP motors
 30 inch Penstock approx. lift 60 ft.
 access port on top of penstock

Re-diversion point
 3-150HP & 1-75HP motors - pumps out
 of Bybee Canal into triangular delivery
 canal.

13. ☐ Photo of Diversion & System Attached☒ Aerial Photo of Place of Use Attached
or Map of Irrigated Acreage Attached

14. Remarks _____

15. Recommended Amendments

- ☐ Change P.D. as reflected above
- ☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
- ☐ Add P.U. as reflected above

- ☒ None
- ☐ Other

16. Examiner's/Consultant's Signature John K. Moyer Date 10/29/84

Consultant's License Number _____

IDWR Director's Authorization to Conduct

Beneficial Use Examination _____

Date

CONSULTANT SEAL

Measured by: JKN

Date: _____

Owner: TRIANGLE DAIRY

Permit #: 02-7206402-7135
C.J. STRIKE RESV.
PUMP SITE

Description of well &/or measuring site (give distance to restrictions upstream and downstream): APP: 100' OF 30" STEEL PENSTOCK FROM C.J. STRIKE RESV. TO BYBEE

CANAL W/ RPP 50' LIFT SUPPLIED BY 4 ELECT. MOTORS W/ PUMPS. #1-100 H.P. U.S.

MOTORS # HR1031539 W/ VERTILINE PUMP #035267, #2-50 H.P. GE MOTOR # C2YJ1216363
W/ JOHNSON PUMP NO/ #3-100 H.P. G.E. MTR #CAJ324177 W/ VERTILINE PUMP
D11818, #4-100 H.P. G.E. MTR # GKJ717141 W/ VERTILINE PUMP #V76-70355.
Measured inside diameter of pipe in inches 28.750"

Size of Annubar used in test 29.250"

State ID# of Annubar used #091457

Size Eagle Eye Meter used 10-80"

State ID# of Meter used #091477

Date of Last Calibration of Meter 3/26/82

Observed inches of H2O read on Meter 30.0

Adjusted inches of H2O from Last Calibration 30.0

FcF = 1.0

CALCULATION:

$$A^2 = 826.5625$$

$$\sqrt{B} = 5.477$$

$$(3.85) \times (A)^2 \times \sqrt{B}$$

$$\frac{448.8}{3.85 \times 826.5625 \times 5.477} = 38.835$$


$$= 38.835$$

cfs measured

$$= 38.835 \approx 38.84$$

Where A and B are measured in inches
and 3.85 is a constant for the model
75 Annubar

SKETCH:



MICROFILMED

Δ Dairy - Reservoir site 11/18/82 JKN
30 inch Steel Penstock
Annubar 091457 29.25
Meter 0-80 091477 Reading 30

Pumps: Starting at west side
Motor

#1 100 HP U.S. Motors HR1031539

Pump Vertiline 035267

#2 GE 50 HP C2YJ1216363

Johnson Pump no serial #

#3 GE 100 HP C RJ324177

Vertiline D11818

#4 GE 100 HP GKT717141

Vertiline V76-70355

MICROFILMED

C72
21C

4072

R3E

G
22.6

H
21.8

L
54.8

02-7206 39

P
21.5

Vok

Q
30.6

V
24.2

R
34.9

W
20.8

Y
24.1

Z
5.2

X
25.5

CC
26.5

DD
46

EE
72.2

FF
44.2

02-7206

V
0

JJ
15.3

KK
33.8

PP
27.2

0 = notation
only 38 NW 38 acres
is being irrigated

MICROFILMED

Overlap Review for Right 02-7206

OK/ point of diversion overlaps (per examiner) : 02-2308

02-2152

02-2153

02-2423

OK/ plu overlap per micro-fische 11/28/84 :

57-0185

-0186

-0187

-0188

-0189

-0190

-0191

} all groundwater -
Recommend R16(5.0)
for these plu overlaps.

02-2308-Hic., 23.0 cfs, same pld -
no plu overlap.

02-2423-Hic., 1.86 cfs, same pld -
no plu overlap.

02-2152-Hic., 0.96 cfs, same pld -
no plu overlap.

02-2153-Hic., 1.55 cfs, same pld -
no plu overlap


MICROFILMED

Capacity of system measured
10-28-84 : 38.84 cps
already licensed: 27.37
11.47 remaining

OK/ OK to allow 0.76 cps for
Right 02-7206.

tw

MICROFILMED



Total number of Acres 7537.55 (additional:)

Year	Amount of Surveys			When Surveyed	Mean Declination
	M.	Ch.	Lk.		
1894	5	19	10	July 30-Aug 5-1894	
	10	19	01	July 31-Aug 5-1894	18° 30' E.
	11	14	08	"	
	2	08	32	"	

The above is
Boise
notes of the survey

Surveyed
Boise
February



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 92 South Cole Road, Boise, Idaho 83709

JOHN V. EVANS
Governor

(Office at the corner of
Franklin and Cole Roads)

C. STEPHEN ALLRED
Director

(208) 384-2190

October 17, 1980

Triangle Dairy, Inc.
3310 Gekeler Lane
Boise, ID 83706

RE: Permit No. 02-7206

Dear Permitholder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐ A field examination of your system has been scheduled for

If this time and date is not convenient for you, please contact this office as soon as possible.

☒ A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Kay Walker
Secretary

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. ~~7206~~ 02-7206

Name(s) of Permit Holder: Triangle Dairy, Inc.

Post Office Address: 3310 Bekeler Ln.

Boise, ID 83706 Tel. No. 342-4603

Source of Water: Snake River

Extent of Use: ☐ Domestic (number of households)
☐ Stockwater (number and type of stock)
☒ Irrigation 240 (acres)
☐ Other

Measuring Device: Required ☐ Yes ☐ No Installed? ☒ Yes ☐ No
 Access Port: Required ☐ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

12/80
Date

Triangle Dairy, Inc.
William D. Tate, Pres.
 Signature of Permit Holder

Triangle Dairy, Inc.

3310 Sekeler Ln.

Boise, ID 83706

PLACE
TEN CENT
STAMP
HERE

RECEIVED



OCT 3 1980

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

Department of Water Resources

S T A E U F I D A H O
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

TRIANGLE DAIRY INC.
3310 GEKELER LN.
BOISE, ID 83706

138-01

SEPTEMBER 30, 1980

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 02-7206 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE DECEMBER 01, 1980. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. A REQUEST FOR EXTENSION OF TIME FORM IS ENCLOSED FOR YOUR CONVENIENCE. PLEASE NOTE THAT A FEE OF \$15.00 MUST BE SUBMITTED WITH THIS FORM.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENCLOSURES



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

May 16, 1980

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the Regional Office nearest to you.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL JR., P.E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

Northern Region Office
Rt. #5 Box 203, Government Way
Coeur d'Alene, Idaho 83814

Southern Region Office
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301

Eastern Region Office
1515 Lincoln Road
Idaho Falls, Idaho 83401

Western Region Office
92 South Cole Road
Boise, Idaho 83705

December 9, 1975

Re: Permit No. 02-7206

Triangle Dairy, Inc.
3310 Gekeler Lane
Boise, ID 83706

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 02-7206. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Please be advised that the Idaho Supreme Court has ruled that a water right initiated and/or put to beneficial use by aid of trespass on private property is invalid.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:rb

Enc.

MICROFILMED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN DISTRICT — ANNEX 3

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse
Boise, Idaho 83720
(208) 384-2190

November 7, 1975

Owyhee Nugget
Marsing, ID 83639

RE: Application for Permit No. 02-7206 - Triangle Dairy, Inc.
57-7152 - Jay H. Hulet

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear in the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(Signature of Claimant)

Sincerely,

Bill submitted

11-24-75

cls

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Triangle Dairy, Inc.
3310 Gekeler Lane, Boise, ID
has on Oct. 30, 1975 submitted Application No. 02-7206
for a permit to appropriate 4.8 cubic feet per second ~~acres feet~~
~~XXXXXXXXXX~~ of water from the Snake River, trib. to Columbia River
by means of pump, motor, gravity canal, pipeline
within the SE¹SW¹, Sec. 34, T. 5 S. R. 4 E. B.M. Owyhee County

to be used from March 1 to Nov. 30 for irrigation of 240 acres
~~XXXX~~

within the SW¹SE¹, Sec. 2, NW¹NE¹, E¹NW¹, SE¹SW¹, Sec. 11, NE¹NW¹, Sec. 14,
T. 6 S. R. 3 E. B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, Statehouse, Boise, Idaho, 83720, on or before
Dec. 1, 1975.

R. KEITH HIGGINSON

Director

Published in the Owyhee Nugget, Marsing, ID
on Nov. 13, 1975 and Nov. 20, 1975.



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
WESTERN DISTRICT

STATE HOUSE BOISE, IDAHO 83720

November 6, 1975

Mervin J. Christensen
(Triangle Dairy Inc.)
Idaho Land & Appraisal Service
P.O. Box 1603
Boise, ID 83701

Dear Mr. Christensen:

Enclosed is your Receipt No. 1365 in the amount of \$ 65.00
for Application for Permit No. 02-7206 which was received in this
office on Oct. 30, 1975.

Sincerely,

CATHY L. SHAW
Senior Clerk

CLS:cs

Enclosure