


✓ Show point of Diversion

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Charles C Young
(Applicant)

PROOF OF PUBLICATION

STATE OF IDAHO

County of Owyhee

{ S.S.

I, RODNEY A. HAWES, being first duly sworn, on oath says that he is the Publisher of the OWYHEE NUGGET, a newspaper of general circulation, published weekly by Rodney A. Hawes, publisher and printer thereof, at Marsing, County of Owyhee, State of Idaho;

That the annexed notice was published in said newspaper once each week and every week for 2 consecutive weeks, the first publication being on the 28 day of Nov, 1974, and the last publication being on the 5 day of Dec, 1974;

That the said newspaper has been published continuously and uninterruptedly in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of the attached notice.

Rodney A. Hawes
PUBLISHER

Subscribed and sworn to before me this 5 day of Dec, 1974.

Louise L. Hawes
NOTARY PUBLIC

My commission expires 9-10-76

(SEAL)

MICROFILMED

RECEIVED

DEC 11 1974

Department of Water Resources

DEC 11 1974

NOTICE OF APPLICATION FOR WATER PERMIT



Notice is hereby given that CHARLES C. & OR MURIEL B. YOUNG Star Rt., Melba, ID has on Nov. 18, 1974 submitted Application No. 02 - 7177 for a permit to appropriate 2.1 cubic feet per second of water from Snake River, trib. to Columbia River by means of pumps, pipelines, ditches, holding pond, and sprinkler system within Lot 3, Sec. 8, T. 1 N., R. 3 W., Owyhee County to be used from March 15 to Nov. 15 for irrigation of 105 acres within the N $\frac{1}{2}$ NE $\frac{1}{4}$, Sec. 18, SE $\frac{1}{4}$ -SW $\frac{1}{4}$, S $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 7, T. 1 N., R. 3 W., B. M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, Statehouse, Boise, Idaho, 83720, on or before Dec. 16, 1974.

R. KEITH HIGGINSON,
Director.

Published in the Owyhee Nugget, Marsing, ID., on Nov. 28, 1974, and Dec. 5, 1974.

Ok
12-11-74
ca




TIN

N

TIN RBW

colored map
in 02-7179
RA 3/13/81



Key

02-7179 = • / / / /

02-7177 = • / / / /


02-7297 = • / / / /


02-7089 = • / / / /


02-2072 = • / / / / } Opaline IRR District

Plu = All sec. 8, 7, 6


02-7140 = • / / / / -







Township N. 1 North Range



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 02-7177 Priority November 18, 1974 Amount 1.90 cfs

THIS IS TO CERTIFY, that CHARLES C. &/or MURIEL B. YOUNG
of Melba, Idaho, has complied with the terms and conditions of Permit
No. 02-7177 issued pursuant to Application for Permit dated November 18, 1974,
and has submitted proof to the Department of Water Resources on December 26, 1979,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 7.48 cfs of water from Snake River,
tributary to Columbia River, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from March 15 to November 15	at 1.90 cfs and	427.5 acre feet
	from	cfs and	
	from	at cfs and	
	(both dates inclusive)		

Subject, however, to the condition that no more than 1.90 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
427.5 acre feet per year, said waters to be diverted within the Lot 3 (NW $\frac{1}{4}$ SW $\frac{1}{4}$), Sec. 8,
Twp. 1N, Rge. 3W, B.M. in the County of Owyhee

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
1N	3W	7													25			26	61
		18	8	26															34

Total number of acres irrigated 95

This right when combined with all other rights shall provide no more than .02 cfs
per acre nor more than 4.5 afa per acre for the lands above.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 29 day of
May, 19 81.

Director

DRT

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 02-7177

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,


WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director

RECEIVED

Identification No. _____

Application No. 02-7177

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

APPROVED

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho

(TYPE OR PRINT IN INK)

1. Name of applicant Charles C. &/or Muriel B. Young Phone: 896-4425
post office address Star Route, Melba, ID 83624
2. Source of water supply Snake River which is a tributary of Columbia River
3. a. Location of point of diversion is Gov't Lot 3 $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 8 Township 1 N
Range 3 W B.M. Owyhee County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 2.1 for Irrigation purpose from March 15 to Nov. 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 2.1 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. 150 HP pump with 3000'x20" pipe with
150' vertical (Lift) into a 2600' concrete and earth ditch into holding pond with
150 HP relift pump and sprinkler system

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$10,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____
(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
1 N	3 W	18	7	28															35
		7											35				30	5	70

Total number of acres to be irrigated 105


c. Describe any other water rights used for the same purposes as described above. groundwater right
Lic. #57-2240

9. a. Who owns the property at the point of diversion Frank Blick
 b. Who owns the land to be irrigated or place of use Applicant
 c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing Agreement has been made with Mr. Blick for R/W to river.

10. Remarks Same system as covered by permit applications filed by Michael C. Young & Norvel &/or Donna Goodloe

✓ Show point of diversion

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X *Charles C Young*
(Applicant)

Proposed Priority 11-18-1974

Received by SW Date 11-18-74 Time 9:45 am
Preliminary check by R.W.H. Fee \$ 45.00
Receipted by SW Date 11-18-74 # 15328
Publication prepared by Ca Date 11-21-74
Published in Owyhee Nugget
Publication dates Nov. 28 & Dec. 5
Publication approved Ca Date 12-11-74
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by de DDF

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES


This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 02-7177, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 19 80.
- c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 2 day of January 19 75.


Director

PROOF OF PUBLICATION

STATE OF IDAHO

County of Owyhee

s.s.

I, RODNEY A. HAWES, being first duly sworn, on oath says that he is the Publisher of the OWYHEE NUGGET, a newspaper of general circulation, published weekly by Rodney A. Hawes, publisher and printer thereof, at Marsing, County of Owyhee, State of Idaho;

That the annexed notice was published in said newspaper once each week and every week for 2 consecutive weeks, the first publication being on the 28 day of Dec, 1974, and the last publication being on the 5 day of Dec, 1974;

That the said newspaper has been published continuously and uninterruptedly in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of the attached notice.

Rodney A. Hawes
PUBLISHER

Subscribed and sworn to before me this 5 day of Dec, 1974.

Louise S. Hawes
NOTARY PUBLIC

My commission expires 9-10-76

(SEAL)

DEC 11 1974



OK-
12-11-74
CS



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

~~A. KENNETH DUNN~~

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

June 2, 1981

Charles & Muriel Young
Star Route
Melba, Idaho 83641

Dear Mr & Mrs. Young,

RE: License No. 02-7177

Enclosed is a copy of the Water Right License issued on the above referenced Permit.

Please be advised that one of the conditions of your permit was that a measuring device be installed as part of your diversion works. That requirement has been waived with issuance of the enclosed license. However, in the event that water supply shortages become a problem installation of measuring devices may be required.

Sincerely,

JIM JOHNSON

Water Distribution Supervisor

JJ:mr

Enclosure

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

CASTERMAN WILSON DUNN
XXXXXXXXXXXX

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

April 23, 1981

Charles & Muriel Young
Star Route
Melba, Idaho 83641

Dear Mr. & Mrs. Young,

A representative of this Department has made an examination of the works covered by your Permit No. 02-7177, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 1.90 cfs Source: Snake River

The maximum quantity diverted shall not exceed 427.5 acre feet per year.

Point(s) of diversion: Lot 3 (NE $\frac{1}{4}$ SW $\frac{1}{4}$), Sec. 8, Twp. 1N, Rge. 3W, B.M.

Beneficial use: Irrigation of 61 acres within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 7; 34
acres within the N $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 18, Twp. 1N, Rge. 3W.

Priority date established: November 18, 1974

Conditions (if any): This right when combined with all other rights shall provide
no more than .02 cfs per acre nor more than 4.5 afa per acre
for the lands above.

If you do not concur with these findings please contact us within 10 days, otherwise
a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

RECEIVED

Young, Charles C./Muriel

just beyond
9 mile

P/D Gov't Lot 3, SW
CES S. 8 T. 1N R. 3W

95.3

02 - 7177

Permit No. _____

	DATE	INITIALS	REMARKS
☒ ^{NO} Appointment letter mailed:			
☐ Telephone call made: (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)			

Date 12 Sept. 1980 Accompanied by Young & GNEETING Total Q measured 7.98
If source is surface water, estimate total flow of source 10,000 cfs
Methods of measurement ANALYSIS Meets Permit requirements? YES

5.5" H₂O 19.25" PROLC $\in 7.48$ CFS capacity

Allow .02 cfs per acre = $95 \times .02 = 1.9 \text{ cfs}$
 $V = 95 \times 4.5 = 427.5$ or $1.9 \times 1.9835 \times 245 = 923.3$

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
Pump 2	100	GE	LA51109357	Wellline	45938	35/48 12T A	Worn	Fail meter # 65806
Pump 2	75	GE	HA580347	"	45967	" "		

System Description Two Turbine pumps From River into 20" MAINLINE,
into pond with Siphon Tubes And sprinkler system

**Code with map on reverse side. Disregard code if only one.*

Irrigation requirement =	<u>4.5</u>	AFA/Acre	
Q (cfs)	V (afa)	FROM	TO
<u>1-90</u>	~~428.85~~	<u>3/15</u>	<u>11/15</u>
	<u>427.5</u>		
	<u>427.5</u>		
<u>1-90</u>	~~428.85~~		

Remarks FROM SNARE RIVER. TWO APPS & EXAMS WERE AVE FOR
THIS SAME P.D. OTHER IS #02-7179.

Recommended Beneficial Use For Irrigation

MICROFILMED

{ See Overlap Review attached

[illegible]

SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable)

Place(s) of Use[illegible]

☐ Change P.D. as reflected above



☐ Change P.U. as reflected above

☒ None
☐ Other

Date 18 Sept. 1980

Date 10/8/80

Date 3/13/81



TIN

Overlap Review for 02-7179 & 02-7177

57-7097 > Spring source
57-7156

02-7177 Same source & pumps
P/U see attached map (No Overlapping lands)

$$\frac{1.91 \text{ cfs}}{95.3 \text{ AC}} = .02 \text{ cfs/AC}$$

02-7179 Same source & pumps
P/U see attached map (No Overlapping lands)

$$\frac{3.05}{153 \text{ AC}} = .0199 \text{ cfs/AC}$$

02-7297 > different P/D & P/U
02-7089

02-2072 - Opaline Irr Dist. Overlaps 61 acres in
Sec 7 on right 02-7177

02-7140 different P/D & P/U

In reviewing this overlap it seems that
no overlap of acreage appears. 02-7177 &
02-7179 are the same 2 pump system
with a capacity of 7.48 cfs. Both rights
~~are~~ when licensed at .02 cfs/AC is
less than the capacity.

$$\begin{array}{r} 02-7177 \quad 1.91 \text{ cfs} \\ 02-7179 \quad + \quad 3.05 \text{ cfs} \\ \hline 4.96 \text{ cfs total} \end{array}$$


Recommend R10, R15(4.5)
conditions on ~~R15~~ right 02-7179
& R10, R16(4.5) on right 02-7177

~~RA~~ 3/13/81

Colored map
in 02-7179
R# 31381

N

TIN RBW



Key

02-7179 = • / / /

02-7177 = • / / / /


02-7297 = • / / /


02-7089 = • / / / /


02-2072 = • / / / / { Opaline Irr District

Plu = All sec. 8, 7, 6

02-7140 = • / / / /







Charles E Young
Star Rt Melba, Idaho

PLACE
TEN CENT
STAMP
HERE

83 024
RECEIVED

DEC 26 1979



Department of Water Resources
Western Regional Office

**IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720**

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 02-7177.

Name(s) of Permit Holder: Charles E & Muriel B Young

Post Office Address: Star Rt Melba, ID 83624

Tel. No. 896-4425

Source of Water: _____

Extent of Use:

- | | | |
|--|------------|----------------------------|
| ☐ Domestic | _____ | (number of households) |
| ☐ Stockwater | _____ | (number and type of stock) |
| ☒ Irrigation | <u>109</u> | (acres) |
| ☐ Other | _____ | |

Measuring Device:	Required?	☒ Yes ☐ No	Installed?	☒ Yes ☐ No
Access Port:	Required?	☐ Yes ☐ No	Installed?	☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

12/26/74

Date

Charles C Young
Signature of Permit Holder

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

October 31, 1979

Charles C. and/or Muriel B. Young
Star Route
Melba, ID 83624

101517


Dear Mr. and Mrs. Young:

One of the conditions of approval of your water Permit No. 02-7177 was that evidence of the extent of development must be submitted to this office on or before January 1, 1980. (See last page of your approved permit). Enclosed is a post card which may be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use post card or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise, the permit will lapse and be of no further force or effect within 60 days.

Sincerely,


RITA FLECK
Sr. Secretary

Enc: 1

RECEIVED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

June 20, 1979

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the Regional Office nearest to you.

Sincerely,

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosures

Northern Region Office
Rt. #5, Box 203 Government Way
Coeur d'Alene, Idaho 83814

Eastern Region Office
1515 Lincoln Street
Idaho Falls, Idaho 83401

Southern Region Office
1041 Blue Lake Blvd. North
Twin Falls, Idaho 83301

Western Region Office
92 S. Cole Road
Boise, Idaho 83705



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
WESTERN DISTRICT

STATE HOUSE BOISE, IDAHO 83720

August 27, 1975

Mr. Young
Box, Star Rt.
Melba, ID 83641

Dear Mr. Young:

Please find enclosed an Assignment of Permit Form. We have typed out the necessary information to approve the deeded 160 acres. The only information you need to fill out is who the assignment is for.

Either you or your son may sign the form and have it notarized. If you have any additional questions, please contact this department.

Sincerely,

A handwritten signature in cursive script, reading "George L. Sisco".

GEORGE L. SISCO
Sr. Water Resource Agent

GLS:jg

Enclosure

IDENT. . . . 02-7177

WATER RIGHT
DATA ENTRY LOG

[illegible]

January 3, 1975

Re: Permit No. 02-7177

Mr. & Mrs. Charles Young
Star Route
Melba, Idaho 83624

Dear Mr. & Mrs. Young:

Enclosed is a copy of your approved Application for Permit No. 02-7177. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jfr

Enclosures

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

Cecil D. Andrus
Governor
R. Keith Higginson
Director

Statehouse Annex 2
Boise, Idaho 83707
(208) 384-2215
Western District Office



Water Rights Administration
Water Resource Information
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

November 22, 1974

Owyhee Nugget
Marsing, ID 83639

Re: Application for Permit No. 02-7175 - Snake River Potatoe Farmers, Inc.
02-7177 - Charles C. &/or Muriel B. Young
02-7178 - Michael C. Young &/or Charles C. Young
02-7179 - Norval &/or Donna Goodloe
57-7128 - J. W. Englebert &/or Carrol Englebert

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

Sincerely,

MICROFILMED

Bill submitted
12-11-74
an

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that ~~CHARLES C. & OR MURIEL B. YOUNG~~
~~Star Rt., Malba, ID~~
has on ~~Nov. 18, 1974~~ submitted Application No. ~~02-7177~~
for a permit to appropriate ~~2.1~~ cubic feet per second ~~acre feet~~
~~XXXXXXXXXX~~ of water from ~~Snake River, trib. to Columbia River~~
by means of ~~pumps, pipelines, ditches, holding pond, and sprinkler system~~
within the ~~Lot 3, Sec. 8, T. 1 N, R. 3 W, Owyhee County~~

to be used from ~~March 15 to Nov. 15~~
for ~~irrigation of 105 acres~~

within the ~~N¹/₂NE¹/₄, Sec. 18, SE¹/₄SW¹/₄, S¹/₂SE¹/₄, Sec. 7, T. 1 N, R. 3 W, B.M.~~

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, Statehouse, Boise, Idaho, 83720, on or before

~~Dec. 16, 1974~~

R. KEITH HIGGINSON

Director

Published in the ~~Owyhee, Nugget, Marsling, ID~~
on ~~Nov. 28, 1974~~ and ~~Dec. 5, 1974~~

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
WESTERN DISTRICT OFFICE



Cecil D. Andrus
Governor
R. Keith Higginson
Director

614 State Street
Statehouse -- Annex 2
Boise, Idaho 83707
(208) 384-2190

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection
Geothermal Resources

November 19, 1984

MR. Charles C. Young
Star Route
Melba, ID 83624

Dear Mr. Young:

Enclosed is your Receipt No. 15328 in the amount of \$ 45.00 for
Application for Permit No. 02-7177 which was received in this office
on Nov. 18, 1974.

Sincerely,

CATHY L. ATKINSON
Stenographer

CLA:c

Enclosure

30