

PROOF OF PUBLICATION

STATE OF IDAHO

County of Owyhee

s.s.

I, RODNEY A. HAWES, being first duly sworn, on oath says that he is the Publisher of the OWYHEE NUGGET, a newspaper of general circulation, published weekly by Rodney A. Hawes, publisher and printer thereof, at Marsing, County of Owyhee, State of Idaho;

That the annexed notice was published in said newspaper once each week and every week for 2 consecutive weeks, the first publication being on the 6 day of June, 1974, and the last publication being on the 13 day of June, 1974;

That the said newspaper has been published continuously and uninterruptedly in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of the attached notice.

Rodney A. Hawes
PUBLISHER

Subscribed and sworn to before me this 13 day of June, 1974.

Lena S. Shreve
NOTARY PUBLIC

My commission expires 9-10-76

(SEAL)

RECEIVED

JUN 27 1974
Department of Water Administration

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that ROBERT FLYNN &/or MILTON H. PRICE, P. O. Box 66, Melba, ID., has on May 24, 1974 submitted Application No. 02-7140 for a permit to appropriate .06 cubic feet per second of water from Snake River, trib. to Columbia River by means of pump, pipeline & sprinkler system within Lot 3, S. 8, T. 1 N., R. 3 W., B. M., Owyhee County to be used from March 15 to Nov. 15 for irrigation of 3 acres within the NE $\frac{1}{4}$ SE $\frac{1}{4}$, S. 7, T. 1 N., R. 3 W., B. M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before June 24, 1974.

R. KEITH HIGGINSON,
Director


Published in the Owyhee Nugget, Marsing, Idaho on June 6, 1974 and June 13, 1974.

MICROFILMED

OK
SW
6-27-74

02-7140

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

8008

Point(s) of diversion: SW NW 1/4 3 | TIN R3W

Place(s) of Use

TWP.	RGE.	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
1N	3W	7													1.7				1.7
															3	See Memo Dated 4/27/81			3

Recommended Amendments:

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☒ None
☐ Other

Examiner's Signature

John X. Noyes

Checked by

NBS

Approved by

Joni Johns

Date

3/24/81

Date

3/25/81

Date

4/23/81

UNCLASSIFIED
UNRESTRICTED





Diagram of System

HIP N° 1 NORTH, RANGE N° 3



RECORDED

c. 13

24

WATER RIGHT LICENSE

of Melba, ID , has complied with the terms and conditions of Permit No. 02-7140 issued pursuant to Application for Permit dated 5/24/1974 , and has submitted proof to the Department of Water Resources on 7/2/1979 , that he has applied water to a beneficial use; an examination by the Department indicates that the works have a capacity for the diversion of 0.22 cfs of water from Snake River , tributary to Columbia River , and that the permit holder has applied to a beneficial use and established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from 3/15 to 11/15	at 0.06 cfs and	13.5 AF
	from	cfs and	
	from	at cfs and	

Subject, however, to the condition that no more than 0.06 cfs of water be diverted at any one time, and that the amount of water so diverted and to which such right is entitled and confirmed for the purpose aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed 13.5 acre feet per year, said waters to be diverted within the Lot 3 (SWW), Sec. 8,
T1N, R3W in the County of Owyhee

Description and location of place of use:

Twsp.	Range	Section	NE 1/4	NW 1/4	SW 1/4	SE 1/4	Totals
1N	3W	7					3

Total number of acres irrigated 3

This right when combined with all other rights shall provide no more than 4.5 afa per acre for the lands above.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 29th day of May, 19 81.

Director

MICROFILMED

 DZ^+

Identification No. _____

Application No. 02-7140

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

APPROVED
APPROVED

1. Name of applicant ROBERT FLYNN &/or MILTON H. PRICE
post office address P. O. Box 66, Melba, ID 83641
2. Source of water supply Snake River which is a tributary of Columbia River
3. a. Location of point of diversion is Lot 3 $\frac{1}{4}$ of $\frac{1}{4}$ of Section 8 Township 1 N.
Range 3 W. B.M. Owyhee County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount .06 for Irrigation purpose from March 15 to Nov. 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. .06 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Electric pump & pipeline with sprinkler system

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years.
b. Estimated construction cost is \$5000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

MICROFILMED

02-7140

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated_____3_____

c. Describe any other water rights used for the same purposes as described above. None


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Robert H. Hines
(Applicant)
Mellon Hines

22-7140

Proposed Priority 5-24-1974

Received by ref Date 5/24/74 Time 1:15 pm
Preliminary check by es Fee \$ 10.00
Receipted by ref Date 6/24/74 Lic # 14494
Publication prepared by df Date 5-31-74
Published in Owyhee Nugget
Publication dates 6-6 & 6-13-74
Publication approved SW Date 6-27-74
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for (approval) denial by SW BDF

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 02-7140, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1979.
- c. Other: _____

2. Denial of said application is for the following reasons: _____

Witness my hand this 15 day of July 19 74.

R. Kirk Hjinen
Director

02-7140

DEPARTMENT OF WATER ADMINISTRATION
- STAFF ANALYSIS -

Item	Initial	Date	
(1)	<u>ESP</u>	<u>31 May 74</u>	Application No. <u>02 7140</u>
(2)			☒ Source ☒ Point of Diversion ☒ County ☒ Quantity of Water and Period of Use ☒ Description of Diverting Works ☒ Time required for B/U of water ☒ Place of Use or Acres Irrigated ☒ Map ☒ Signature ☒ Fee
(3)	<u>ESP</u>		In form to receipt
			Send Copies to: ☐ Idaho State Health Department ☐ Idaho Fish and Game Department ☐ Bureau of Land Management
(4)			☐ Request Special Use Permit from U. S. F. S. ☐ Request Easement from B. L. M. ☐ Request Information from Applicant
(5)	<u>ESP</u>	<u>31 May</u>	In form for advertising
(6)	<u>NA</u>		Located within Water District No. _____
(7)	<u>NA</u>		Critical groundwater area: yes _____ no _____
(8)	<u>NA</u>		Groundwater levels: ☐ Decline (comment) _____ ☐ Stable (comment) _____ ☐ Increasing (comment) _____
(9)			Comments: _____
(10)	<u>SW</u>	<u>6-27-74</u>	Affidavit of Publication received (date) <u>OK 6-27-74</u>
(11)			Final date for protests <u>6/24/74</u> Protests received: yes _____ no ☒
(12)	<u>NA</u>		Date and Place of hearing _____ Decision reached at hearing _____
(13)			All requested information received from agencies or applicant yes ☒ no _____
(14)	<u>CG</u>	<u>6/27</u>	Action recommended: ☒ Approve Priority <u>5/29/74</u> ☐ Deny Reason for Reduction _____ ☒ No Measuring device required ☐ See attached sheet for additional conditions of approval ☒ No additional conditions for approval

(15) District Western By W. Clayton Date 6/27/74

RECEIVED
 JUNE 25 1974
 Department of Water Administration
 02-7140

MICROFILMED

PROOF OF PUBLICATION

STATE OF IDAHO

County of Owyhee

s.s.

I, RODNEY A. HAWES, being first duly sworn, on oath says that he is the Publisher of the OWYHEE NUGGET, a newspaper of general circulation, published weekly by Rodney A. Hawes, publisher and printer thereof, at Marsing, County of Owyhee, State of Idaho;

That the annexed notice was published in said newspaper once each week and every week for 2 consecutive weeks, the first publication being on the 6 day of June, 1974, and the last publication being on the 13 day of June, 1974;

That the said newspaper has been published continuously and uninterruptedly in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of the attached notice.

Rodney A. Hawes
PUBLISHER

Subscribed and sworn to before me this 13 day of June, 1974.

Lawrence H. Hume
NOTARY PUBLIC

My commission expires 9-10-76

(SEAL)

Department of Water Administration

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that ROBERT FLYNN &/or MILTON H. PRICE, P. O. Box 66, Melba, ID., has on May 24, 1974 submitted Application No. 02-7140 for a permit to appropriate .06 cubic feet per second of water from the Snake River, trib. to Colusa, by means of pump, pipeline, and sprinkler system within BLM S. 8, T. 1 N., R. 3 W., B. M., Owyhee County to be used from March 15 to Nov. 15 for irrigation of 3 acres within the NE 1/4 SE 1/4, S. 7, T. 1 N., R. 3 W., B. M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before June 24, 1974.

R. KEITH HIGGINSON,
Director

Published in the Owyhee Nugget, Marsing, Idaho on June 6, 1974 and June 13, 1974.

MICROFILMED

02-7140



State of Idaho
DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

~~XXXXXXXXXXXX~~
~~XXXXXXXXXXXX~~

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

June 4, 1981

Robert Elynn &
Milton H. Price
P.O. Box 66
Melba, Idaho 83641

Dear Sirs,

RE: License No. 02-7140

Enclosed is a copy of the Water Right License issued on the above
referenced Permit.

Sincerely,

JIM JOHNSON

Water Distribution Supervisor

JJ:mr

Enclosure

MICROFILMED

A. KENNETH DUNN
XXXXXXXXXXXX

April 28, 1981

Robert Flynn &
Milton H. Price
P.O. Box 66
Melba, Idaho 83641

Dear Sirs,

RE: Permit No. 02-7140

On April 23, 1981, we sent you a letter which highlighted the results of our re-examination of Permit No. 02-7140.

Please be advised that this letter was in error.

We are proposing to issue a license with the following findings:

Amount of water that can be recognized as beneficially used under Idaho Law: .06 cfs
Source: Snake River

The maximum quantity diverted shall not exceed 13.5 acre feet per year.

Point(s) of diversion: Lot 3 (SW $\frac{1}{4}$ NW $\frac{1}{4}$), Sec. 8, Twp. 1N, Rge. 3W, B.M.

Beneficial use: Irrigation of 3 acres within the NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 7, Twp. 1N, Rge. 3W.

Priority date established: May 24, 1974

Conditions (if any): This right when combined with all other rights shall provide no more than 4.5 afa per acre for the lands above.

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

MICROFILMED

CONVERSATION MEMORANDUM

DATE 4/27/81FILE 02-7140

NAME OF PARTY

John Noyes

EMPLOYEE

Jimi JohnsonRE: licensing of Permit 02-7140

On 3/24/81 John Noyes did an reexamination on this permit in response to Mr. Price request. - John found the first exam to be in error and prepared second exam. The acreage however, was determined by John from an old SCS map showing 1.7 acres. Mr. Flynn, however, had expanded this to 3 acres as allowed under this permit.

In discussing this with John he thought that more than 1.7 acres were irrigated, however, he used the map anyway.

Based upon this situation I am recommending that 3 acres be allowed on the license rather than make another reexamination.

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
XXXXXXXXXXXX
Director

Mailing address:
Storehouse
Boise, Idaho 83720
(208) 334-4440

April 23, 1981

Robert Flynn &
Milton H. Price
P.O. Box 66
Melba, Idaho 83641

Dear Sirs,

A representative of this Department has made an examination of the works covered by your Permit No. 02-7140, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: .05 cfs Source: Snake River

The maximum quantity diverted shall not exceed 7.6 acre feet per year.

Point(s) of diversion: Lot 3 (SW $\frac{1}{4}$ NW $\frac{1}{4}$), Sec. 8, Twp. 1N, Rge. 3W, B.M.

Beneficial use: Irrigation of 1.7 acres within the NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 7, Twp. 1N,
Rge. 3W.

Priority date established: May 24, 1974

Conditions (if any): This right when combined with all other rights shall provide
no more than 4.5 afa per acre for the lands above.

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

APR 23 1981
MICHAEL J. HARRIS

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

02-7140
Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:			
☐ Telephone call made: (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)	3/24/81	JKV	Re-examination

EXAMINATION

Date 3/24/81 Accompanied by Robert Flynn Total Q measured ESTIMATED
If source is surface water, estimate total flow of source SEE CALCULATIONS
Methods of measurement ESTIMATED Meets Permit requirements? YES

Measurement calculations: $\frac{7.5(8.8)(.8)}{20' + 40(2.3)} = \frac{52.8}{112} = 0.47 \text{ cfs}$ $V = .22 \times 1.9835 \times 245 = 655.3$
Ases photo 1.7 acre irrigated $1.7 \times 4.5 \text{ AFA} = 7.65 \text{ AFA}$ Capacity
 $3 \text{ ac} \times .02 = .06$ ALLOW Per permit $3 \times 4.5 = 13.5 \text{ AFA}$
 $1.7 \times .03 = .05 \text{ cfs}$ (11 9/16" SPRINKLERS) $3.63 \text{ gpm @ 40 psi} \times .002228 = .022$

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
	7.5		2150Z001881	MB		NONE	N/A	

System Description Pumping plant - 2 laterals (3" x 2") 11- 9/16" nozzles

*Code with map on reverse side. Disregard code if only one.


RECOMMENDED AMOUNTS USE	Irrigation requirement =		AFA/Acre	
	Q (cfs)	V (afa)	FROM	TO
irrigation	.06 .05	7.65 13.5	3/15	11/15
Total	.06 .05	13.5 7.65	3/15	11/15

Remarks Supplemental to on-pipeline irrigation
District

MICROFILMED

June 4/27/81

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

8008

Point(s) of diversion: SW NW 7-3 T1N R3W

Place(s) of Use

TWP.	RGE.	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
1N	3W	7													1-7				1-7
															3	See Memo Dated 4/27/81			3

Recommended Amendments:

- ☐ Change P.D. as reflected above
 ☐ Add P.D. as reflected above
 ☒ None
- ☐ Change P.U. as reflected above
 ☐ Add P.U. as reflected above
 ☐ Other

Examiner's Signature John K. Noyes

Checked by WBS

Approved by Jim Johns


Date 3/24/81

Date 3/25/81

Date 4/23/81

To Whom It May Concern:

I received a letter from your Department asking for an amendment to Permit No. 02-7140. I request a re-examination of this permit as I feel there are approximately 3 acres in the NESE, Section 7, T. 1N, R. 3W, being irrigated as on the permit.


Robert Flynn
Box 66
Melba, ID 83641

RECEIVED
MAR 23 1981

Department of Water Resources
Western Regional Office

MICROFILMED

Dave, got

applicant on permit 02-7140 requested a re examination as he thought place of use was in error on field exam. Re exam agrees with permit on place of use. Talked with Jim Johnson concerning this & he said to complete field exam form and rough draft license.

Note: Diversion rate will have to be included on rough draft & field exam from prior exam

RECEIVED

JKN

3/24/81

MAR 26 1981

Department of Water Resources



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

March 2, 1981

Robert Elynn & Milton Price
P.O. Box 66
Melba, Idaho 83641

Dear Sirs,

A representative of this Department made an examination of the works covered by your Permit No. 02-7140 on August 20, 1979, and has found the following:

Amount of water that can be recognized as beneficially used under Idaho law: .06 cfs Source: Snake River

The maximum quantity diverted shall not exceed 15 acre feet per year.

Point of diversion: SW $\frac{1}{4}$ NW $\frac{1}{4}$ (Lot 3), Sec. 8, Twp. 1N, Rge. 3W, B.M.

Beneficial use: Irrigation of 3 acres within the NW $\frac{1}{4}$ SW $\frac{1}{4}$ (Lot 3), Sec. 8, Twp. 1N, Rge. 3W.

Priority date established: May 24, 1974

In order for the Department to issue the above license, it will be necessary for you to amend the permit to correspond with the findings of the field examiner. We are enclosing a partially completed amendment form for your use in this matter.

Please sign the amendment application and return it to this office along with a \$20.00 filing fee within 30 days in order that we might issue your license as set forth above. If you do not concur with these findings or have any questions, please contact us within the 30-day period.

Sincerely,

CONDITION: Water shall not be diverted under this license unless the flow of the Snake River at the U.S. Geological Survey stream gaging station at Murphy exceeds 3,300 cubic feet per second and at Weiser exceeds 4,750 cubic feet per second.

JAY GOWEN
Water Rights Supervisor

JG:j
Enclosure

PURSUANT TO THIS LETTER MR. PRICE
REQUESTED A REEXAMINATION - SEE
NOTE FROM JKN DATED 3/24/81 Jm

FIELD REPORT

- TOTAL ACREAGE**

Permit No. 02-7140
Examination for b/c 8/20/79 @ 1:00 pm

MICROFILMED

5





Diagram of System

NORTH, RANGE No 1



c.13

24

DATE OF EXAM 8/20/79

ACREAGE
Found 3 ✓
Recommended 3 ✓

Irrigation Requirement 5.0 Ac Ft/Ac

USE
Irrigation Q = .06 c.f.s. V = 15.0 AF/Ann. from 3/15 to 11/15
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no ✓

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no ✓

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured .22 cfs Method of measurement CALCULATION

Total Q recommended .06 cfs Meter No. _____ Type _____ Condition _____

Total V recommended 15 AF/Ann

Recommended Amendments:

P.D. _____
Place of Use NW 1/4 SW 1/4 Sec 8, T1N, R3W
Other _____
None _____

MEASUREMENT CALCULATION:
 $Q = 7 \frac{1}{2} \text{ hp } (8.8) (80\% \text{ EFF}) / 40 \text{ psi } (1.433) + 20' \text{ LIFT} = .47 \text{ cfs}$
 $Q = (27 - \frac{1}{4} \text{ SPRINKLER } 3.63 \text{ gpm } @ 40 \text{ psi}) (1.002228) = .22 \text{ cfs}$ CAPACITY
Allow .06 AS PER PERMA
 $V = (.22 \text{ cfs}) (1.98) (295 \text{ gal/min}) = 106.72$
 $V = 3 \text{ ACRES } (5.0 \text{ AF/ACR}) = 15.0 \text{ AF/Ann} ✓$

SYSTEM DESCRIPTION:
7 1/2 hp PUMP #21502 OD 1861 MB, 4" LINE FROM RIVER TO PUMP - 6" LINE FROM PUMP TO SPRINKLER LINES. 27-1/4" NOZZLE SPRINKLERS, 20' LIFT

REMARKS:
MR. FLYNN IS FILING NEW APPLICATION FOR PERMIT TO COVER 20 MORE ACRES.
PLACE OF USE SHOULD BE NW 1/4 SW 1/4, Sec 8, T1N, R3W.

Examiner's Signature Charles W. Bryan Jr. Date 8/21/79
Checked by DBS Date 1/30/80
Approved by R. Ryan Date 2/25/1981

MICROFILMED
No Overlapping Rights



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 92 South Cole Road, Boise, Idaho 83709

JOHN V. EVANS
Governor

(Office at the corner of
Franklin and Cole Roads)

C. STEPHEN ALLRED
Director

(208) 384-2190

August 9, 1979

Robert Flynn &/or Milton H. Price
P. O. Box 66
Melba, ID 83641

RE: Permit No. 02-7140

Dear Sirs:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☒ A field examination of your system has been scheduled for

Monday, August 20th at 1:00 pm.

If this time and date is not convenient for you, please contact this office as soon as possible.

☐ A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Kay Walker
Secretary

MICROFILMED

DEPARTMENT OF WATER RESOURCES

OK

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 02-7140.

Name(s) of Permit Holder: ROBERT FLYNN & MILTON H. PRICE

Post Office Address: P.O. Box 66, MELBA, ID. 83641

Source of Water: SNAKE RIVER

Extent of Use: ☐ Domestic _____ (number of households)
☐ Stockwater _____ (number and type of stock)
☒ Irrigation 3 _____ (acres)
☐ Other _____

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No
Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

☒ above information is a true statement of the extent to which the above numbered permit has been developed.

7/1/79
Date

Robert Flynn
Signature of Permit Holder

PLACE
TEN CENT
STAMP
HERE

RECEIVED

MAY 8 1979



Department of Water Resources
Western Regional Office

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

May 1, 1979

10-849

Robert Flynn &/or Milton H. Price
P. O. Box 66
Melba, ID 83641


Gentlemen:

One of the conditions of approval of your water Permit No. 02-7140 was that evidence of the extent of development must be submitted to this office on or before July 1, 1979. (See last page of your approved permit). Enclosed is a post card which may be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use post card or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise, the permit will lapse and be of no further force or effect within 60 days.

Sincerely,


RITA FLECK
Sr. Secretary

Enc: 1

July 16, 1974

Re: Permit No. 02-7140

Robert Flynn &/or Milton Price
P. O. Box 66
Melba, Idaho 83641

Dear Sirs:

Enclosed is a copy of your approved Application for Permit No. 02-7140 . We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF/bjg

Enclosure

MICROFILMED

02-7140

June 25, 1974

Owyhee Nuggett
Marsing, Idaho 83639

Re; Application for Permit No. 02-7140 - Robert Flynn &/or Milton H. Price

Gentlemen:

Would you please submit an affidavit of publication and certified bill in connection with the above referenced item. The legal notice was to have been published in your paper on June 6 and June 13, 1974.

Your cooperation in this matter is greatly appreciated.

Sincerely,

SUSAN WHALEY
Clerk-Typist

SW:s

MICROFILMED

02-7140

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
WESTERN DISTRICT OFFICE



Cecil D. Andrus
Governor
R. Keith Higginson
Director

614 State Street
Statehouse - Annex 2
Boise, Idaho 83707
(208) 384-2190

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection
Geothermal Resources

June 3, 1974

Milton H. Price
P. O. Box 66
Malba, ID 83641

Re: Application for Permit No. 02-7140

Dear Mr. Price:

Enclosed is your Receipt No. 24494 in the amount of \$ 10.00 for

Application for Permit No. 02-7140 which was received in this office

on May 24, 1974.

Sincerely,

DEANNA E. FELDT
Secretary

DEF:d

Enclosure

RECORDED

02-7140

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse - Annex 2
Boise, Idaho 83707
(208) 384-2215
Western District Office



Water Rights Administration
Water Resource Investigation
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

May 31, 1974

Owyhee Nugget
Marsing, ID 83639

Re: Application for Permit No. 02-7140 - Robert Flynn &/or Milton H. Price

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

Sincerely,

MICROFILMED

*Bill submitted
6-27-74
sw*

02-7140

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that ROBERT FLYNN &/or MILTON H. PRICE, P. O. Box 66,
Melba, ID
has on May 24, 1974 submitted Application No. 02-7140
for a permit to appropriate .06 cubic feet per second ~~XXXXXXXXXX~~
~~XXXXXXXXXX~~ of water from Snake River, trib. to Columbia River
by means of pump, pipeline & sprinkler system
within ~~the~~ Lot 3, S. 8, T. 1 N., R. 3 W., B.M., Owyhee County

to be used from March 15 to Nov. 15
for irrigation of 3 acres

within the NE 1/4, S. 7, T. 1 N., R. 3 W., B.M.

If issued, this permit will be subject to all prior water rights. Pro-
tests against the granting of the permit must be filed with the Idaho Depart-
ment of Water Administration, Statehouse, Boise, Idaho, 83707, on or before
June 24, 1974.

NOT RECORDED

R. KEITH HIGGINSON

Director

Published in the Owyhee Nugget, Marsing, Idaho
on June 6, 1974 and June 13, 1974.

02-7140