


Complete the following map by showing land and point of diversion as proposed by this amendment.

Show 40-acre subdivisions, townships, ranges and ditches.

Township 3S, Range 1E, B.M.



Scale: 2 inches equal 1 mile. Each square $\approx$ 10 acres

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at Thoro Utah, this 27th day of March, 19 82.

Alfred L. Heywood
(Signature)

FOR DEPARTMENT USE ONLY

Preliminary check by JW Fee = \$20.00

Received by sq Date 4-22-82 #22746

Publication prepared by W/A Date _____

Published in _____

Publication dates _____


ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, A. KENNETH DUNN, of the Department of Water Resources hereby
APPROVE the above Application for Amendment of Permit No. 02-7086.

Witness my hand this 2th day of March, 19 83.

A. Kenneth Dunn
Director

Complete the following map by showing land and point of diversion as proposed by this amendment. Show 40-acre subdivisions, townships, ranges and ditches.



Scale: 2 inches equal 1 mile

That no one will be injured by such change, and that such change will be made at permit holders own risk.

Signed at Boise, this 19th day of July, 19 76.

Alfred L. Heywood
(signature)

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Administrator, Operations Division

I, A. KENNETH DUNN, ~~Director~~ of the Department of Water Resources


hereby APPROVE the above application for amendment on Permit No. 02-7086

Witness my hand this 22 day of July, 19 76

A. Kenneth Dunn
Director

Administrator, Operations Division

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: ~~0.5 inch = 1 mile~~

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Alfred L. Heywood
(Applicant)

PROOF OF PUBLICATION

STATE OF IDAHO
County of Owyhee } s.s.

I, RODNEY A. HAWES, being first duly sworn, on oath says that he is the Publisher of the OWYHEE NUGGET, a newspaper of general circulation, published weekly by Rodney A. Hawes, publisher and printer thereof, at Marsing, County of Owyhee, State of Idaho;

That the annexed notice was published in said newspaper once each week and every week for 2 consecutive weeks, the first publication being on the 19 day of August, 1971, and the last publication being on the 26 day of August, 1971;

That the said newspaper has been published continuously and uninterruptedly in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of the attached notice.

Rodney A. Hawes
PUBLISHER

Subscribed and sworn to before me this 26 day of Aug, 1971.

Louise L. Hawes
NOTARY PUBLIC

My commission expires 9-10-72

(SEAL)

RECEIVED

AUG 30 1971

Department of Water Administration

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Alfred L. Heywood, Oreana, Idaho, has on July 28, 1971 submitted Application No. 02-7086 for a permit to appropriate 8.0 cubic feet per second of water from Snake River by means of existing diversion system within Lot 7, Sec. 36, T. 3 S., R. 1 E., B. M., Owyhee County, to be used from March 15 to Nov. 15 for the irrigation of 548 acres within the S $\frac{1}{2}$, Sec. 35; S $\frac{1}{2}$, Sec. 36, T. 3 S., R. 1 E., B. M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before September 6, 1971.

R. KEITH HIGGINSON,
Director,

Published in the Owyhee Nugget, Marsing, Idaho, on August 19 and August 26, 1971.

2 7086

RON PERRINE - SCS


BLM Photo 4-12-44

SCS-CONS-16
OCTOBER 1974

P.S.U. 140702G
CONSERVATION PLAN MAP

U. S. DEPARTMENT OF AGRICULTURE
SOIL CONSERVATION SERVICE

Owner Alfred Haywood Operator _____
County Owyhee State Idaho Date _____
Approximate acres 160 AC. Approximate scale 1 in. = 660 ft.
Cooperating with _____ Conservation District _____
Plan identification _____ Photo number 677-604
Assisted by _____ USDA Soil Conservation Service





Point #1 = 9A. Dors fine sandy loam, 0-4% slopes
K = .2 T = 2

Points #2 + 3

32C - Turby fill, fine sandy loam, 8-12% slope
K = .28 T = 5 1.9" / FT (5' profile)

2" = 1320'





STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

TRANSFER OF WATER RIGHT

TRANSFER NO. 4119
WATER RIGHT NO(S). 02-02100A/02-07086

This is to certify that: **ALFRED L HEYWOOD**
HC 79 BOX 2310
OREANA ID 83650

has requested a change to the above captioned water right(s). This change in water right(s) is authorized pursuant to the provisions of Section 42-222, Idaho Code, provided the conditions listed below are met.

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL VOLUME</u>
Right No. 02-02100A :			
IRRIGATION	03/15 to 11/15	2.80 CFS	630.0 AF
Priority: 07/15/1952			
Right No. 02-07086 :			
IRRIGATION	03/15 to 11/15	4.64 CFS	1044.0 AF
Priority: 07/28/1971			

SOURCE

SNAKE RIVER

TRIBUTARY OF

COLUMBIA RIVER

LOCATION OF POINT(S) OF DIVERSION: Lot 7(NESE), Sec. 35, Township 03S, Range 01E
Lot 8(NWSE), Sec. 35, Township 03S, Range 01E
Lot 7(NWSE), Sec. 36, Township 03S, Range 01E
OWYHEE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03S	01E	35	Lot 9(NESW) 33	NWSW 36	SWSW 25	
			SESW 35	Lot 7(NESE) 21	Lot 8(NWSE) 27	
			SWSE 23	SESE 32		232
		36	Lot 6(NESW) 27	Lot 5(NWSW) 25	SWSW 22	
			SESW 25	Lot 8(NESE) 1	Lot 7(NWSE) 19	
			SWSE 21			140
				Total number of acres irrigated:		372

CONDITIONS/REMARKS:

1. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

MICROFILMED


OCT 27 1993

TRANSFER NO. 4119
WATER RIGHT NO(S). 02-02100A/02-07086

CONDITIONS/REMARKS:

2. The change authorized by this transfer shall be accomplished within one (1) year of the date of this approval.
3. Approval of this transfer does not preclude the opportunity for review of the validity of the water right(s) in the ongoing Snake River Basin Adjudication.
4. Failure to comply with the conditions of this transfer is cause for the director to issue an order to show cause why the approval of the transfer should not be rescinded.
5. Prior to diversion of water under Right Nos. 02-02100A and 02-07086, flow measurement ports or other devices approved by the Department shall be installed on all points of diversion.
6. Right No. 02-02100A is limited to the irrigation of 140 acres in the place of use described above in a single irrigation season.
7. Right No. 02-07086 is limited to the irrigation of 232 acres in the place of use described above in a single irrigation season.

Dated this 21st day of October, 1993.


Chief, Water Alloc. Bureau

OCT 27 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 02-7086 Priority July 28, 1971 Amount 4.64 cfs

THIS IS TO CERTIFY, that Alfred L. Heywood
of Murphy, Idaho, has complied with the terms and conditions of Permit
No. 02-7086 issued pursuant to Application for Permit dated July 28, 1971,
and has submitted proof to the Department of Water Resources on August 27, 1981,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 10.47 cfs of water from Snake River,
tributary to Columbia River, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from <u>March 15</u> to <u>November 15</u> at <u>4.64</u> cfs and <u>1160.0</u> acre feet		
	from _____ at _____ cfs and _____		
	from _____ at _____ cfs and _____		

(both dates inclusive)

Subject, however, to the condition that no more than 4.64 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
1160.0 acre feet per year, said waters to be diverted within the Government Lot 8(NW $\frac{1}{4}$ SE $\frac{1}{4}$),
Section 35, Government Lot 7(NW $\frac{1}{4}$ SE $\frac{1}{4}$), Section in the County of Owyhee
36, Twp. 3S, Rge. 1E

Description and location of place of use:

Twp.	Range	Sec.	NEW				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
3S	1E	35									GL9								
											17	36	23	27	12	13	23		153
3S	1E	36									GL8	GL5							
											5			2			21		79

Total number of acres irrigated 232

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 7th day of

March, 19 83.

Director

STATE OF IDAHO

LICENSING

APPLICATION FOR AMENDMENT OF A PERMIT

To change the point of diversion and/or the place of use.

Comes now Alfred L. Heywood Phone 834-2716
of (address) Star Route Oreana, Murphy, ID 83650, and represents to the
Director of the Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho
No. 02-7086, and requests that the permit and permit map be changed as follows:

1. Point of diversion: NW 1/4 SE 1/4, Section 35, Township 3S, Range 1E, B.M.,
County of Owyhee. Other points of diversion: Lot 7 (NW 1/4 SE 1/4), Sec. 36, Twp. 3S, Rge. 1E

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)

Amount 4.64* for irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

3. Place of use or land to be irrigated:

TWP	RGE	SEC	NE%				NW%				SW%				SE%				TOTALS
			NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	
3S	1E	35								17	~~15~~ ¹⁹	36	25	27	~~27~~	L.8	13	23	153 *
3S	1E	36									L.6	L.5			L.8	~~17~~			79 *
											~~27~~	~~425~~	22	25	1	~~19~~	21	~~8~~	~~148~~


Total number of acres to be irrigated = 380 *

4. a. Who owns the property at the point of diversion? ALFRED L. HEYWOOD & PHYLLIS S. HEYWOOD
(Applicants)
b. Who owns the land to be irrigated or the place of use? ALFRED L. HEYWOOD & PHYLLIS S. HEYWOOD
(Applicants)
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the
applicant to make this filing: _____

Complete the following map by showing land and point of diversion as proposed by this amendment.

Show 40-acre subdivisions, townships, ranges and ditches.

Township 35, Range 1 E, B.M.



Scale: 2 inches equal 1 mile. Each square $\approx$ 10 acres

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at Phone 2246, this 27th day of March, 19 82.

Alfred L. Reynolds
(Signature)

FOR DEPARTMENT USE ONLY

Preliminary check by Jm Fee = \$20.00

Received by sq Date 4-22-82 # 22746

Publication prepared by N/A Date _____

Published in _____

Publication dates _____

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, A. KENNETH DUNN, of the Department of Water Resources hereby
APPROVE the above Application for Amendment of Permit No. 02-7086.

Witness my hand this 2th day of March, 19 83.

A. Kenneth Dunn
Director

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 02-7086

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,


WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director

RECEIVED
AUG 21 1978
WATER RESOURCES
DIVISION

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED
JUL 19 1976

APPLICATION FOR EXTENSION OF TIME

Department of Water Resources

State of Idaho)

County of Owyhee)

Permit No. 02-7086

Alfred Heywood of Oreana, Id.
(name) (address)

State of Idaho, being first duly sworn, upon his oath deposes and says:

That he is the holder, or the duly authorized agent of the holder *, of Permit to Appropriate the Public Waters of the State of Idaho No. 02-7086.

That under the terms and conditions of said permit, work thereunder was required to be completed on or before September 1, 19 76.

That he has heretofore performed the following work described under said permit:

Installed 2 pumps of 125 HP, All mainline, and
65% of the sprinkling systems. Water has been applied
to beneficial use for 2 years.

Costing \$ 72,000

That he is unable to complete the remainder of the work within the required time for the following reasons, to-wit: Production of the pumps installed
to date is below expected. Another point of diversion
is necessary - an amendment has been filed.

Wherefore, he asks that the Department of Water Resources extend the time for the completion of obligations under said permit to September 1, 19 81.

Alfred L. Heywood
(signature) *

Subscribed and sworn before me this 19th day of July, 19 76.

seal

Marcia L. Brown
Notary Public residing at
Boise, Idaho

My commission expires 8-10-79

ACTION OF THE DIRECTOR OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above application for extension of time be APPROVED
and the time within which to submit proof of beneficial use of water
under Permit No. 02-7086 be extended to September 1, 1981.

Witness my hand this 22 day of July, 19 76


S. Kenneth Dunn
Administrator, Operations Division

* IF OTHER THAN HOLDER, Power of Attorney must be supplied. Forms are available through the Department of Water Resources, Statehouse, Boise, Idaho 83720.

Receipt # 5265

Total number of acres to be irrigated

Complete the following map by showing land and point of diversion as proposed by this amendment. Show 40-acre subdivisions, townships, ranges and ditches.



Scale: 2 inches equal 1 mile

That no one will be injured by such change, and that such change will be made at permit holders own risk.

Signed at Boise, this 19th day of July, 19 76.

Alfred L. Heywood
(Signature)

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Administrator, Operations Division

I, A. KENNETH DUNN, ~~Director~~ of the Department of Water Resources

hereby APPROVE the above application for amendment on Permit No. 02-7086

Witness my hand this 22 day of July, 19 76

A. Kenneth Dunn
~~Director~~

Administrator, Operations Division

Identification No. 03-7086
Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Alfred Heywood
post office address Oreana, Idaho
2. Source of water supply Snake River which is a tributary of _____
3. a. Location of point of diversion is _____ $\frac{1}{4}$ of Lot 7 $\frac{1}{4}$ of Section 36 Township 3S
Range 1 E B.M. Owyhee County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 8.0 for Irrigation purpose from March 15 to Nov. 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 8.0 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Existing diversion system

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ _____.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]


Total number of acres to be irrigated 548

c. Describe any other water rights used for the same purposes as described above. License No. 02-2100
Part 5.42 c.f.s. (2.96 c.f.s. for 148 acres)

9. a. Who owns the property at the point of diversion _____
b. Who owns the land to be irrigated or place of use _____
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale:

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Alfred J. Stewart
(Applicant)

Received by D Date 7-28-71 Time 3:15 PM
Preliminary check by D Fee \$ 25.00
Received by ej Date 7-29-71
Publication prepared by cr Date 8-10-71
Published in Owyhee Nugget
Publication dates 8-19 & 8-26-71
Publication approved cr Date 9-1-71
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by R. J. [unclear]

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION


This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 02-7086, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 1976.
- c. Other: The permit holder shall permanently install and maintain as part of the diverting works a measuring device at the point of diversion of a type approved by this Department.

2. Denial of said application is for the following reasons: _____

Witness my hand this 22 day of September 1971.


Director

DEPARTMENT OF WATER ADMINISTRATION

STAFF ANALYSIS

Application No. 02-7086 Name Alfred L. Heywood

Source Snake River

Point of Diversion Lot 7, Sec. 36, T. 3S, R. 1E, B.M., Owyhee County

Quantity 8.0 Use Irrigation Period March 15 - Nov. 15

Quantity Use Period

Quantity Use Period

Well Size Diameter Proposed Depth Feet

Use 548 acres

Date Forwarded 8-11-71 Date Returned 8-31-71 Received by S.S.

COMMENTS: Based on a statement and series of diagrams presented to the W.R.B. by Steve Allred, consumptive uses from the Snake in the reach between King Hill & Murphy are approximately 1/2 of the minimums monthly flows.

RECOMMENDED:

Applied: Qty. Use Period AF/A AF

Qty. Use Period AF/A AF

Qty. Use Period AF/A AF

Maximum: Qty. Use Period AF/A AF

Qty. Use Period AF/A AF

Qty. Use Period AF/A AF

ACTION: Approved ✓ Denied

Conditions of approval or reason for denial:

INVESTIGATION

By Paul M. Castelan

Title W.R.I. - I

Date August 31, 1971

PROOF OF PUBLICATION

STATE OF IDAHO

County of Owyhee

s.s.

I, RODNEY A. HAWES, being first duly sworn, on oath says that he is the Publisher of the OWYHEE NUGGET, a newspaper of general circulation, published weekly by Rodney A. Hawes, publisher and printer thereof, at Marsing, County of Owyhee, State of Idaho;

That the annexed notice was published in said newspaper once each week and every week for 2 consecutive weeks, the first publication being on the 19 day of August, 1971, and the last publication being on the 26 day of August, 1971;

That the said newspaper has been published continuously and uninterruptedly in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of the attached notice.

Rodney A. Hawes
PUBLISHER

Subscribed and sworn to before me this 26 day of Aug, 1971.

Leonard J. Hawes
NOTARY PUBLIC

My commission expires 9-10-72

(SEAL)

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Alfred L. Heywood, Oreana, Idaho, has on July 28, 1971 submitted Application No. 02-7086 for a permit to appropriate 8.0 cubic feet per second of water from Snake River by means of existing diversion system within Lot 7, Sec. 36, T. 3 S., R. 1 E., B. M., Owyhee County, to be used from March 15 to Nov. 15 for the irrigation of 548 acres within the S½, Sec. 35; S½, Sec. 36, T. 3 S., R. 1 E., B. M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before September 6, 1971.

R. KEITH HIGGINSON,
Director.

Published in the Owyhee Nugget, Marsing, Idaho, on August 19 and August 26, 1971.

2 7086

MEMORANDUM

TO: FILE 02-07086

FROM: PAM SKAGGS

RE: TRANSFER # 4119

DATE: 10-15-93

=====

Original Transfer Application, Form and correspondence regarding the above referenced Transfer is located within file # 02-02100A.

RECORDED

OCT 27 1993

WR0749NP
No. T02-07086

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 10/19/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	ALFRED L HEYWOOD HC 79 BOX 2310 OREANA ID 83650 (208) 834-2716	07/28/1971	IRRIGATION	03-15 11-15	4.64 CFS	1044.0 AFA
TOTAL DIVERSION:					4.64 CFS	1044.0 AFA

Water Source: SNAKE RIVER

Tributary to: COLUMBIA RIVER

Stage: LICENSE

Point(s) of Diversion: T03S R01E S35 Lot 07(NE SE) Lot 08(NW SE)
S36 Lot 07(NW SE)

Place of use Legal Description for: IRRIGATION

NE																NW								SW								SE								
T	R	S	: Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	: Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	: Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	: SUM											
03S	01E	35	:								:										:	09-33	36	25	35	:	07-21	08-27	23	32	: 232.0									
03S	01E	36	:								:										:	06-27	05-25	22	25	:	08-01	07-19	21	: 140.0										
																												TOTAL ACRES	372.0											

Pou County: OWYHEE

Other Water Rights with Same Point(s) of Diversion and Source:
02-07086 T02-02100A

Other Water Rights Listing Overlapping Place(s) of use:
02-02100A 02-021008 02-07086 57-00139 57-00142 57-00144 57-00154 57-00156 57-00164 57-00234
T02-02100A

Conditions of Approval:

- R32 - This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
- T07 - The change authorized by this transfer shall be accomplished within one (1) year of the date of this approval.
- T09 - Approval of this transfer does not preclude the opportunity for review of the validity of the water right(s) in the ongoing Snake River Basin Adjudication.
- T08 - Failure to comply with the conditions of this transfer is cause for the director to issue an order to show cause why the approval of the transfer should not be rescinded.

Remarks: Prior to diversion of water under Right Nos. 02-02100A and 02-07086, flow measurement ports or other devices approved by the Department shall be installed on all points of diversion. Right No. 02-07086 is limited to the irrigation of 232 acres in the place of use described above in a single irrigation season.

WR0749NP
No. T02-07086

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 10/19/93
PAGE: 2

=====

Dates:	App. Received:	Priority Date:	07/28/1971
	Proof Due Date:	Proof Made Date:	
	Exam Made Date:	Exam Sent to S.O.:	
	Licensed Date:	04/11/1983	
Misc:	Water District Number:	Field Exam Fee:	
Comments:	Date: 10/15/1993	User-ID: SKAGGS	Subject: TRANSFER NO. 4119
	Transfer No. 4119 was filed to change and add points of diversion under Right Nos. 02-02100A and 02-07086.		
Audit:	10/19/93 SKAGGS		

March 29, 1983

RE: Permit No. 02-7086

Alfred L. Heywood
Star Route Oreana
Murphy, ID 83650

Dear Mr. Heywood:

Enclosed herewith is a copy of your Water Right License issued on the above referenced permit along with a copy of your approved application for amendment. Also enclosed is Departmental Receipt No. 22746 in the amount of \$20.00.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosures



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

November 4, 1982

RE: Permit No. 02-7086

Alfred L. Heywood
Star Route Oreana
Murphy, ID 83650

Dear Mr. Heywood:

Enclosed are calculations and memo by Verl King of our staff in reference to your request for a rate of diversion in excess of 0.02 cfs per acre. Based upon Mr. King's conclusion I have prepared a license for Right No. 02-7086 that contains the following information.

Amount of water that can be recognized under Idaho Law: 4.64 cfs
Maximum volume diverted: 1160.0 acre feet per year
Acres irrigated under this right: 232
Acres located within the Gov. Lot 9(N $\frac{1}{4}$ SW $\frac{1}{4}$), W $\frac{1}{2}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$ SE $\frac{1}{4}$, Gov. Lot 8(NW $\frac{1}{4}$ SE $\frac{1}{4}$), S $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 35, Twp. 3S, Rge. 1E, Gov. Lot 6(N $\frac{1}{4}$ SW $\frac{1}{4}$), Gov. Lot 5(NW $\frac{1}{4}$ SW $\frac{1}{4}$), S $\frac{1}{2}$ SW $\frac{1}{4}$, Gov. Lot 8(N $\frac{1}{4}$ SE $\frac{1}{4}$), SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 36, Twp. 3S, Rge. 1E

If you have additional information which you feel would alter our findings, please let us know within 15 days, otherwise the license will be issued as set forth. Also, if you have any questions on this matter feel free to contact me. It has been a pleasure working with you and your sons on this. Thank you for your cooperation.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

33:kw
Enclosure

FROM: Jim

10-29-82

TO: File

SUBJECT: OVERLAP REVIEW OF RIGHT 02-7086

SEE overlap review made by RC 8/9/82
AND MAP OF OVERVIEW.

~~TO COMPLETE~~ THE ADJUSTMENTS NECESSARY
FOR LICENSE TO BE ISSUED ARE AS FOLLOWS.

ACRES IRRIGATED w/o overlap w/ other rights
232

Calculated Volume:

$$232 \times 5 = 1160 \text{ AF/ANN} \leftarrow \text{USE ON LICENSE}$$

$$232 \times .02 \times 1.9835 \times 245 = 2254.8 \text{ AF/ANN}$$

Determine CFS:

$$232 \times .02 = 4.64 \text{ cfs} \leftarrow \text{USE ON LICENSE}$$

$$\text{Capacity} = 10.47 \text{ cfs}$$

$$\text{Permit} = 8.0 \text{ cfs}$$

Note, the above review and recommendations
are based upon the permit holder's request for
0.03 cfs/ac for 102 acres not being approved.
see memo dated 8-2-82

State of Idaho
License and Certificate of Water Right

Water License No. 22916

Amount 5.42 c.f.s.

Water District No.

Priority July 15, 1952

THIS IS TO CERTIFY that

JAMES W. NETTLETON

of Oreana, Idaho, made application for a permit to appropriate the public waters of the State of Idaho, dated July 15, 1952; that Permit No. 22916 was issued under said application: that Certificate of Completion of works, with a carrying capacity of 0.0 second feet, was issued thereunder on December 9, 1957, showing that said works were completed on the 25th day of June, 1957; and that on the 13th day of July, 1962,

JAMES W. NETTLETON

of Oreana, State of Idaho, made proof to the satisfaction of the State Reclamation Engineer of Idaho, of the right to use the waters of Snake River, a tributary of Columbia River, for the purpose of irrigation & domestic use, under Use Permit No. 22916 of the Department of Reclamation and that said right to the use of said waters has been perfected in accordance with the laws of Idaho, and is hereby confirmed by the State Reclamation Engineer of Idaho and entered of record in Volume 12 of Licenses at page 7589, on the 5th day of June, 1963;

The right hereby confirmed dates from July 15, 1952;

The Point of Diversion is located Lot 7

in the SW 1/4 NE 1/4, Sec. 36, Tp3 S., R. 1 E., B. M. Owyhee County

That the amount of water to which such right is entitled and hereby confirmed, for the purposes aforesaid, is limited to an amount actually needed and beneficially used for said purposes, and shall not exceed 5.42 cubic feet per second.

Description and location of use:

Twp.	Range	Sec.	Forty-acre Tract	No. Acres Described in Permit	No. Acres Actually Irrigated
3 S.	1 E.	35	NE 1/4 SE 1/4 (L. 7)	34.40	21 + 21 = 42
			NW 1/4 SE 1/4 (L. 8)	26.60	15 + 27 = 42
			SW 1/4 SE 1/4	40.00	10 + 23 = 33
			SE 1/4 SE 1/4	40.00	9 + 32 = 41
			NE 1/4 SW 1/4 (L. 9)	36.30	16 + 33 = 49
		36	SE 1/4 SW 1/4	40.00	8 + 35 = 43
			NE 1/4 SE 1/4 (L. 8)	14.00	16
			NW 1/4 SE 1/4 (L. 7)		19
			SE 1/4 SE 1/4	20.00	13
			NE 1/4 SW 1/4 (L. 6)	32.30	21
3 S.	2 E.	31	NW 1/4 SW 1/4 (L. 5)	32.10	21
			NW 1/4 SW 1/4 (L. 4)	13.00	24
			SW 1/4 SW 1/4 (L. 5)	53.00	48
4 S.	1 E.	1	NE 1/4 NE 1/4 (L. 1)	20.00	2
4 S.	2 E.	6	NW 1/4 NW 1/4 (L. 3)	46.0	28

Total number of acres to be irrigated: 271

The right to the use of the water aforesaid hereby confirmed is restricted to the lands or place herein described, as provided by the laws of Idaho.

WITNESS the seal and signature of the State Reclamation Engineer, affixed at Boise, Idaho, this

5th day of June, 1963.

RALPH M. THOMAS

Deputy State Reclamation Engineer.

(SEAL)



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

August 2, 1982

MEMO

TO: Jim Johnson through Dave Tuthill *det*
FROM: Verl G. King
SUBJECT: IRRIGATION REQUIREMENTS FOR WATER RIGHT #02-7086

I have reviewed permit request #02-7086 and find no need exists for using in excess of 0.02 cfs/acre for the crops grown and on the land identified in this request.

Water in excess of .02 cfs/ac is not required to meet the consumptive use requirements of the crop and would add to existing irrigation erosion and excess leaching of the soils.

VGK:mb

RECEIVED
AUG 10 1982
STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

ALFRED L. HEYWOOD

02-7086

7/28/82

I DATA:

CROPS = GRAIN, ALF., POTATOES (DIVIDED EQUAL)

SOILS = FINE SANDY LOAM (TURBIDFILL) - 5 FT. +

AWHC = 1.9"/FT.

PK MONTHLY C.U. (JULY) = ALF. POT. GR.
(CLIMATIC AREA I) 8.19" 8.64 6.93

II CALCULATIONS:

$$\text{AVE PK MONTHLY USE} = \frac{8.19 + 8.64 + 6.93}{3} = 7.753" \\ = 0.25"/\text{DAY}$$

$$\text{AWHC (LIMIT ROOT ZONE - POT @ 3.0 FT.)} \\ = 3(1.9) = 5.7"$$

$$\text{MAX. IRR. USE BETWEEN IRR.} = 60\%(5.7) = 3.42"$$

$$\text{PK. C.U. (T.R. 21, TABLE 5)} = \text{USE } 0.29"/\text{DAY}$$

$$\text{IRR. FREQ.} = \frac{3.42}{0.29} = 11.79 \text{ DAYS; USE 7 DAYS}$$

$$\text{TRY REPLACING 70\%} = .70(7 \times .29) = 1.42"$$

	<u>USED</u>	<u>AVAIL</u> <u>REMAINING</u>	<u>REPL.</u>	<u>BAL.</u>
--	-------------	----------------------------------	--------------	-------------

3.42

1. 7(.29)	2.03	1.39	1.42	2.81
2. 7(.27)	1.89	0.92	1.42	2.39
3. 7(.25)	1.75	0.59	1.42	2.01
4. 7(.23)	1.61	0.40	1.42	1.82
5. 7(.21)	1.47	0.35	1.42	1.77
6. 7(.19)	1.33	< REPL. &		

1ST 0.29
2ND 0.27
3RD 0.25
4TH 0.23
5TH 0.21

MICROFILMED

CROP NEED IS 1.42"/7 DAYS = 0.203"/DAY

THEN $\frac{0.203}{24} = 0.0085 \text{ CFS/AC.}$

= 0.4229 M-I/AC.

THIS WILL ALLOW FOR ^{AN} OVERALL EFFICIENCY AS
LOW AS 42.29% IF 1.0 M-I/AC DIVERSION IS
ALLOWED. OVERALL EFFICIENCY SHOULD BE GREATER
THAN THIS.

RECEIVED

INTER-DEPARTMENT MEMO — 1

FROM Jim Johnson *Jim*

DATE June 29, 1982

TO Verl King through Dave Tuthill *DET*

SUBJECT Irrigation requirements for Right 02-7086.

Verl, the permit holder has provided data on soil types as sampled by SCS. He is requesting that more than 0.02 cfs/acre be allowed on about 102 acres.

Please review and advise as to the rate of diversion needed. If you have any questions, please let me know.

SIGNATURE

CONVERSATION MEMORANDUM

DATE 6-24-82

FILE 02-7086

NAME OF PARTY ALFRED HAYWOOD & SONS

EMPLOYEE Jim Johnson

RE: Mr Haywood came in the office today to
discuss the licensing of this permit.

He brought with him informational data
on the soil type that was in the area covered
by this permit. He requested that license be
issued for more than 0.02 cfs/ac for 102 acres
that were identified on the data sheets he provided.

(This information is being forwarded to Technical
Studies PEOPLE FOR evaluation)

Also per memo of 4-26-82 this right
has been adjusted so that no overlap occurs
with 02-2100. Mr Haywood was present during
the adjustment and concurs with the changes.

06/24/82

INTER-DEPARTMENT MEMO — 1

FROM Jim

DATE 4-26-82

TO File

SUBJECT Roger Haywood visited the office today concerning this right - during the meeting it was discovered that the license had been prepared in error and needed adjustment. Mr. Haywood felt that some of the acres reported on the field exam were less than what was actually irrigated. He requested 30 days to review this, which I agreed.

The license should be prepared so that there is no overlap when combined w/ 02-2100.

SIGNATURE

RECEIVED

APR 16 1982

Department of Water Resources

Roger L. Heywood
Star Route Oreana
Murphy, Id. 83650

April 13, 1982

Mr Jim Johnson
Department of Water Resources
450 W. State Street
Boise, Id. 83720

Dear Mr. Johnson:

I am helping my father, Alfred L. Heywood, with his water permit and license. I am enclosing a check for our filing fee.

However, we question the priority date of the license or permit. We already have lic. No. 02-2100 or old lic. No. 22912, which has a July 15, 1952 priority date. Naturally, we want to make sure that everything is in order with respect to that priority date and that this new license will not affect the earlier license with respect to the priority date.

We are amending permit no. 02-7086. The items in red indicate the water that was allocated under the prior license. The items in black show the water as allocated under this permit and include the items or water allocated under the earlier license.

Please let us know whether we need to do anything further. Thank you!

Sincerely,
Roger Heywood

RECEIVED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Storehouse
Boise, Idaho 83720
(208) 334-4440

March 22, 1982

RE: Permit No. 02-7086

copy

Alfred L. Heywood
Star Route Oreana
Murphy, ID 83650

Dear Mr. Heywood:

A representative of this Department made an examination of the works covered by your Permit No. 02-7086 and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 7.6 cfs Source: Snake River

The maximum quantity diverted shall not exceed 1900.0 acre feet
per year.

Point of diversion: NW $\frac{1}{4}$ SE $\frac{1}{4}$ (Lot 8), Sec. 35, NW $\frac{1}{4}$ SE $\frac{1}{4}$ (Lot 7), Sec. 36,
Twp. 3S, Rge. 1E, Owyhee County

Beneficial use: Irrigation of 380 acres within the NE $\frac{1}{4}$ SW $\frac{1}{4}$ (Lot 9), W $\frac{1}{2}$ SW $\frac{1}{4}$,
SE $\frac{1}{4}$ SE $\frac{1}{4}$, NE $\frac{1}{4}$ SE $\frac{1}{4}$ (Lot 7), NW $\frac{1}{4}$ SE $\frac{1}{4}$ (Lot 8), S $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 35; NE $\frac{1}{4}$ SW $\frac{1}{4}$ (Lot 6), NW $\frac{1}{4}$ SW $\frac{1}{4}$
(Lot 5), S $\frac{1}{2}$ SW $\frac{1}{4}$, NE $\frac{1}{4}$ SE $\frac{1}{4}$ (Lot 8), NW $\frac{1}{4}$ SE $\frac{1}{4}$ (Lot 7), S $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 36; Twp. 3S, Rge. 1E

Priority date established: July 28, 1971

In order for the Department to issue the above license, it will be necessary for you to amend the permit to correspond with the findings of the field examiner. We are enclosing a partially completed amendment form for your use in this matter.

Please sign the amendment application and return it to this office along with a \$20.00 filing fee within 30 days in order that we might issue your license as set forth above. If you do not concur with these findings or have any questions, please contact us within the 30-day period.

Sincerely,

JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure

Ident. No. 02-7086

FACT SHEET
for
Excessive Irrigation Flows

This information is to be submitted with any application for permit for which the irrigation rate of flow requested is more than .02 cfs per acre. One exception is that .03 cfs per acre is allowed for up to five (5) acres.

Soil type and soil profile: SEE ATTACHED

Soil water holding capacity: " "

Soil intake family (if known): " "

Field slope: " "

Anticipated crops: GRAN, ALFAFA, POTATOES

Method of irrigation: GRAVITY ON APPROX. 100 ACRES

Remarks Soil samples taken in SW 1/4 Sec 36 soil ^{is the} same
as in SW 1/4 sec 35

MICROFILMED

RON PEERINE - SCS


BLM Photo 4-12-44

SCS-CONS-18
OCTOBER 1974

U. S. DEPARTMENT OF AGRICULTURE
SOIL CONSERVATION SERVICE

P.S.U. 1407026
CONSERVATION PLAN MAP

Owner Alfred Hayward Operator _____
County Owyhee State Idaho Date _____
Approximate acres 160 AC. Approximate scale 1 in. = 660 ft.
Cooperating with _____ Conservation District _____
Plan identification _____ Photo number 477-604
Assisted by _____ USDA Soil Conservation Service



Point #1 = 9A. Dors fine sandy loam, 0-4% slopes
 $K = .2$ $T = 2$

Points #2 + 3

32C - Turby fill fine sandy loam, 8-12% slope
 $K = .28$ $T = 5$

SECTION II - POINT DATA

- A. Ownership.
- B. Soil Information
1. Soil map symbol.
2. Soil map unit

Point
#1Point
#2Point
#3

1	1	1
9A	32C	32C

	Soil name	Seq.	Record number	Texture	Slope class (%)	Flooding class	Other phases
Point #1	DORS	1st	ID0799	FSL	C-4	NONE	
		2nd					
		3rd					
Point #2	TURBYFILL	1st	ID0153	FSL	8-12	NONE	
		2nd					
		3rd					
Point #3	TURBYFILL	1st	ID0153	FSL	8-12	NONE	
		2nd					
		3rd					

	Point #1	Point #2	Point #3
3. Land capability class and subclass.	6E	4E	6E
4. Soil loss tolerance "T" (tons/acre)	2	5	5
5. Prime farmland?	NO	NO	NO
C. Other Soil Information			
1. Degree of erosion	1	1	1
2. Nonarable because of past erosion?	NO	NO	NO
3. Formerly prime farmland (for built-up and water)?	0	0	0
4. Saline and/or alkali?	NO	NO	NO
D. Irrigation			
1. Type.	0	2	0
2. Source of water	0	3	0
3. Irrigation provides > 1/2 water requirements?	NO	YES	NO
E. Is point a flood-prone	NO	NO	NO
F. Land use	401	011	221
G. Use of land	14	11	12

- H. Cropping History: 1 yr. prior.
- 2 yr. prior.
- 3 yr. prior.

- J. Double-cropped?
- K. Conservation Practices

- Practice 1.
- Practice 2.
- Practice 3.

- L. Treatment Needs

- M. U.S.L.E. Data

1. "K" erodibility
2. "R" rainfall.
3. "C" cropping and management or cover
4. "P" erosion-control practice.
5. Slope length (feet)
6. Slope (%)

Point #1	Point #2	Point #3
401	114	221
401	011	221
401	153	221
NO	NO	NO
000	430	000
000	449	000
000	000	000
04	02	06
.20	.28	.28
25	25	25
.02	.20	.03
1	1	1
200	1100	800
.5	5	10

YES

7

401 * Greasewood flat


Slope of Fields Irrigated by Gravity

Field One -

57 acres -

Rise = 23.5'

N 1/2 SW 1/4, NW 1/4 SE 1/4 - SEC 36



$$(23.5)^2 + b^2 = (620)^2$$

$$552.25 + b^2 = 384,400$$

$$b^2 = 383,847.75$$

$$b = 619.55447$$

$$\frac{0 - 23.5}{619.55} = .037930$$

$$619.55$$

$$\text{Slope} = 3.79\%$$

SEE REVERSE SIDE FOR FIELD # 2

Microfilm


Field # 2

45 acres -

Rise = 37.5'

Distance = 840'

SE 1/4 SW 1/4, SW 1/4 SE 1/4 SEC 35 T3N R1E



$$(37.5)^2 + b^2 = (840)^2$$

$$1406.25 + b^2 = 705,600$$

$$b^2 = 704,193.75$$

$$b = 839.16253$$


$$\frac{0 - 37.5}{839.1625} = .0446874$$

$$\text{slope} = 4.468\%$$

$$= 4.47\%$$

MICROFILM

2" = 1320'



Overlap Review for 02-7086

License 02-2100 A Snake R P/D NESE S. 36 T35 R1E
T1937

$$\frac{2.62}{131} = .02 \text{ ds/ac}$$

P/U see attached copy
map

No Overlap in P/D

Overlap in P/U with Sec 36 T35 R1E
Combination of both right do not
exceed 40 acres per tract.

License 02-2100 Snake R P/D SWNE Sec 36 T35 R1E


$$\frac{2.8}{140} = .02 \text{ ds/ac}$$

P/U see attached copy
map

No Overlap in P/D

Overlap in P/U with Sec. 35 T35 R1E
See attached map

RC $\frac{8/9}{82}$



Transfer No. 1937
Application No. 02-2100A

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR TRANSFER OF WATER RIGHT
To Change the Point of Diversion and/or the Place of Use

APPROVED

Name of applicant NICK S. NETTLETON Phone 342-5780
Post office address Oreana, ID

A. DESCRIPTION OF RIGHT AS RECORDED

1. Right evidenced by:

a. Decree to _____ (Name)
in case of _____ VS _____
dated _____ in _____ county of _____
(Name of court)

b. License No. 02-2100 issued by the Idaho Department of Water Resources

c. Claim No. _____ on file with the Idaho Department of Water Resources

2. If applicant is not the original holder of this right, explain how it was acquired and attach a copy of the deed or other evidence of ownership of the land to which the right is appurtenant _____

Copy of deed attached

3. Source of water SNAKE RIVER tributary to COLUMBIA RIVER

4. Date of priority 7-15-52

5. Water is used for the following purposes:

amount 5.42 for IRRIGATION purposes from MAR. 15 to OCT. 31

amount _____ for _____ purposes from _____ to _____

amount _____ for _____ purposes from _____ to _____
(month/day - both dates inclusive)

6. Total amount of water under right: a. 5.42 cubic feet per second
&/or
b. _____ acre feet per annum

7. Location of original point of diversion is SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 36
Township 3S Range 1E, B.M., in Owyhee County
Additional points of diversion, if any _____

8. Lands irrigated or place of use:

TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
3S	1E	35									L. 3 16			8	L. 7 21	L. 8 15	10	9	79
		36									L. 6 21	L. 5 21			L. 8 16	L. 7 19		13	90
3S	2E	31									L. 4 24	L. 5 48							72
4S	1E	1	L. 1 2																2
4S		6						L. 3 28											28

Total number of acres to be irrigated 271
131
140

B. DESCRIPTION OF PORTION OF RIGHT FOR WHICH THE CHANGE IS REQUESTED (If the entire right is requested changed, omit part B)

1. Amount of water: a. 2.62 cubic feet per second
&/or
b. _____ acre feet per annum
2. Point of diversion SW $\frac{1}{4}$ NE $\frac{1}{4}$, Section 36 Township 3 S
Range 1 E, B.M., Owyhee County
Additional points _____

3. Place of use:

TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
3 S	2 E	31									L.4 24	L.5 48							72
4 S	2 E	6					L.3 28												28
4 S	1 E	1	L.1 2																2
3 S	1 E	36												L.8 16				13	29
			THIS IS A PORTION OF THE LAND ORIGINALLY IRRIGATED ON THE LICENSED RIGHT																131

C. DESCRIPTION OF RIGHT OR PORTION THEREOF, AFTER THE REQUESTED CHANGE

1. Change in point of diversion

- a. Amount of water to be diverted 2.62 c.f.s. &/or _____ acre feet
- b. Point(s) of diversion NE $\frac{1}{4}$ SE $\frac{1}{4}$, Section 36 Township 3S
Range 1E, B.M., Owyhee County
Additional points _____

c. Description of diverting works Pump and pipeline into existing ditches

d. Describe the reasons for applying for a change in the point(s) of diversion

To have pump on own property

2. Change in place of use

- a. Describe the lands or place of use to which the right will be transferred:

TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	

Total number of acres to be irrigated _____

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

02-7086

Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:			
☐ Telephone call made: (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)			

EXAMINATION

Date 10/14/81 Accompanied by Haywood Total Q measured 10.47 cfs
If source is surface water, estimate total flow of source _____
Methods of measurement Flow meters & ✓ Meets Permit requirements? yes

Measurement calculations:

Sec 8 herl shayman, Registered Professional biologist flow measurements.
380 acres x .02 = 7.60 cfs 380 x 5 AFA = 1900 AFA ✓

10.47 capacity

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
	125	Newman	V1137501					
	125	Newman	V1137502					
	60			Berkely	7739305			Diesel

System Description 2-125 HP electrical motors at NWSE(48) Sec 36 T35R1E - mainline through center of farm - gravity + sprinkler irr. 1-60 HP diesel motor NWSE(48) Sec 35 sprinkler system.

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

USE	Irrigation requirement =		AFA/Acre	
	Q (cfs)	V (afa)	FROM	TO
<u>Irrigation</u>	<u>7.6</u>	<u>1900.0</u>	<u>3/15</u>	<u>11/15</u>
Total	<u>7.6</u>	<u>1910.0</u>	<u>3/15</u>	<u>11/15</u>

Remarks


* This if when combined with it - 02-2100A shall not provide no more than .02 cfs per acre nor more than 5 AFA for the lands above.

02-2100A- different P/O same place of use on part of the land.

No flkr over lapping rights.

Jan 2/12/82

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

★ See memos to file as to why this Exam was changed

Point(s) of diversion: NWSE(48) 800 35; NWSE(47) 800 36 T 3 S R 1 E

Place(s) of Use

TWP.	RGE.	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
35	1E	35									49				47	48			
											33	36	25	35	21	27	23	52	232
35	1E	36									46	45			48	47			
											27	25	22	25	1	19	21	8	148

Recommended Amendments:

- ☒ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☒ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☒ None
☐ Other

Examiner's Signature John H. Meyer Date 10/16/81
Checked by DBS Date 10/27/81
Approved by _____ Date _____



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 92 South Cole Road, Boise, Idaho 83709

JOHN V. EVANS
Governor

(Office at the corner of
Franklin and Cole Roads)

A. Kenneth Dunn
Director

(208) 334-2190

January 13, 1982

Alfred L. Heywood
Oreana, Idaho 83659

RE: 02-7086

Dear Mr. Heywood:

We acknowledge receipt of your statement submitted as proof as beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☒ A field examination of your system has been scheduled for
_____ no appointment made _____.

If this time and date is not convenient for you, please contact this office as soon as possible.

☐ A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense

Judy Pense
Secretary

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit 02-7086.

Name(s) of Permit Holder: Alfred Heywood

Post Office Address: Star Route Oreana, Murphy, ID 83650

Tel. No. 834-2716

Source of Water: Snake River

Extent of:

☐ Domestic	(number of households)
☐ Stockwater	(number and type of stock)
☒ Irrigation <u>548</u>	(acres)
☐ Other	

Measuring Device:	Required?	☐ Yes ☒ No	Installed?	☐ Yes ☒ No
Access Port:	Required?	☒ Yes ☐ No	Installed?	☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

August 20, 1981

Date

Alfred L. Heywood

Signature of Permit Holder

PLACE
TEN CENT
STAMP
HERE

RECEIVED

AUG 27 1981

Department of Water Resources
Western Regional Office



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

RECEIVED

AUG 27 1981

Department of Water Resources

MICROFILM

Sherl L. Chapman

CONSULTANT

921 S. ORCHARD / SUITE N / BOISE, IDAHO 83705 / PHONE 344-6690

August 21, 1981

RECEIVED
AUG 27 1981

Mr. Dave Shaw
Idaho Department of Water Resources
92 S. Cole Road
Boise, Idaho 83709

Department of Water Resources
Western Regional Office

Dear Dave:

Attached you will find the certified measurement of water produced by two electric powered pumps located in Lot 7, Section 36, T3S, R1E; and a diesel powered pump installed in Lot 4, Section 35, T3S, R1E. These pumps were installed in the Snake River under the auspices of permit 02-7086 in the name of Mr. Alfred Heywood, Star Route Oreana, Murphy, Idaho 83650. The quantity of water under this permit is 8.0 cfs for the irrigation of 548 acres. The total flow measured from the three pumps was 10.47 cfs. I have advised Mr. Heywood that an additional permit should be filed for the water over and above the 8.0 cfs for irrigation of additional acreage on his ranch which will bring the total water diverted up to one miners inch per acre.

I measured the flow from the electric pumps on June 2, 1981 with a Collins air/water manometer in a section of straight discharge pipe approximately 20 feet in length. The velocity was very stable and I feel measurement accuracy is excellent. The diesel powered pump was measured in a section of 12 inch mainline which also gave excellent accuracy. My purpose for providing you this water measurement is that Mr. Heywood has retained me to measure the water for him for his proof of beneficial use submission. You will find enclosed his proof of beneficial use card requesting that the measurement be made for this permit. If it is necessary to measure the land irrigated, please let us know as far in advance as possible since Mr. Heywood is often not at the ranch. If you have any questions, please don't hesitate to contact me.

Sincerely yours,



Sherl L. Chapman
Consultant

SLC:kje
enclosures

SPECIALIST IN

GROUND-WATER HYDROLOGY / WATER RIGHTS / WATER WELL DESIGN / GEOTHERMAL RESOURCES

Sherl L. Chapman

CONSULTANT

921 S. ORCHARD / SUITE N / BOISE, IDAHO 83705 / PHONE 344-6690

RECEIVED

AUG 27 1981

Department of Water Resources

WATER MEASUREMENT
HEYWOOD RANCH
OWYHEE COUNTY, IDAHO

The flow from the two 125 horsepower pumps located on the Heywood Ranch, Star Route Oreana, Murphy, Idaho 83650 was measured on June 2, 1981 by Sherl L. Chapman, Consultant. The measurement was made using a Collins air/water manometer and standard water measuring procedures with average velocity being obtained by a ten point measurement through the 14 inch diameter discharge pipe. The discharge section is over 20 feet in length without obstruction and measurement accuracy is to be considered excellent. Serial numbers for the Newman electric motors are V1137501 and V1137502. Both are operating on 480 volt, three phase electrical power and the water pumped as measured was 8.32 cfs which equals 3,744 gallons per minute or 416 miners inches. Operating pressure of the system was 60 psi and the pumps were operating at 72 and 76 percent efficiency respectively.

Subsequent to the measurement of the two 125 horsepower pumps as described above, an additional measurement was made on August 7, 1981 of water produced from a diesel pumping plant installed on the Snake River. This pumping plant discharged water to a common irrigation system with the two 125 horsepower pumps through a 12 inch portable mainline. The diesel pump was a 60 horsepower unit equipped with a Berkeley centrifugal pump head, serial number 7739305. The pump was rated for production of 1,250 gallons per minute at 60 psi total dynamic head. The measurement conducted utilized a calibrated portable inline flow meter installed in the mainline. The flow measured on this date was 968 gallons per minute or 2.15 cubic feet per second. The efficiency of the diesel pumping plant was not measured at this time.

If any questions arise regarding these measurements, please contact Sherl L. Chapman, Consultant.



SPECIALIST IN

GROUND-WATER HYDROLOGY / WATER RIGHTS / WATER WELL DESIGN / GEOTHERMAL RESOURCES

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

HEYWOOD, ALFRED L.
OREANA, ID 83659

138281

JUNE 30, 1981

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 02-7086 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE SEPTEMBER 01, 1981. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. A REQUEST FOR EXTENSION OF TIME FORM IS ENCLOSED FOR YOUR CONVENIENCE. PLEASE NOTE THAT A FEE OF \$15.00 MUST BE SUBMITTED WITH THIS FORM.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENCLOSURES





State of Idaho
DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

September 29, 1980

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the Regional Office nearest to you.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL JR., P.E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

Northern Region Office
Rt. #5 Box 203, Government Way
Coeur d'Alene, Idaho 83814

Eastern Region Office
1515 Lincoln Road
Idaho Falls, Idaho 83401

Southern Region Office
1045 Blue Lake Boulevard North
Twin Falls, Idaho 83301

Western Region Office
92 South Cole Road
Boise, Idaho 83705

July 23, 1976

Re: Permit No. 02-7086

Mr. Alfred Heywood
Oreana,
Idaho 83659

Dear Mr. Heywood:

Enclosed is a copy of the approved application for extension of time in connection with the above referenced permit. The time within which to submit proof of beneficial use has been extended to September 1, 1981.

Also enclosed for your records is a copy of the approved application for amendment.

Sincerely,

D. Dahlene Reich
Water Rights Supervisor

Enc: Copy of extension
Copy of amendment

June 30, 1976

CERTIFIED MAIL

13827

Re: Permit No. 02-7086


Alfred L. Heywood
443 N. Macdonald
Mesa, Arizona 85201

Dear Mr. Heywood:

One of the conditions of approval of your water Permit No. 02-7086 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before September 1, 1976. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

RKH:jg

Enc: Proof affidavit

RECEIVED
MAR 15 1976
OK

March 15, 1976

Department of Water Resources
1000 S. Capitol Blvd., Boise, Idaho 83720

Re: Permit No. 02-7086

R. Keith Higginson, Director
Department of Water Resources
Statehouse
Boise, Idaho 83720

Dear Mr. Higginson:

I, Alfred L. Heywood, hereby withdraw proof of beneficial use submitted on March 10, 1975, on Permit No. 02-7086.

I am not presently pumping the amount of water allowed on my permit and, therefore, need the additional time originally allowed to install another pumping plant.

Sincerely,


Alfred L. Heywood

March 10, 1975

Re: Permit No. 02-7086

Alfred L. Heywood
443 N. Maddonald
Mesa, Arizona 85201

Dear Mr. Heywood:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell during which part of the irrigation season this examination will be made, however, our examiner will try to contact you at the time he makes the exam so that you may show him the system.

If you have any questions concerning the field exam, please contact our District Office in Boise.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

DDR:JG

RECEIVED

Identification No. _____

Permit No. 02-7086

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

RECEIVED
Mar 10 1975
Department of Water Resources *jk*

1. a) Name of Permit Holder Alfred L. Heywood 443 N. Macdonald
b) Post Office Address Oreana, ID Mesa, Arizona 85201
2. Permit Number 02-7086
3. Date of Priority that you are prepared to establish 7-28-1971
4. a) Source from which water was appropriated Snake River
b) Location of the point of diversion: Gov. Lot 7, Section 36
Township 3 S, Range 1 E Boise Meridian, Other points of diversion: _____

5. a) The amount of water and use to which the water has been applied:
Amount 8.0 for Irrigation purposes from March 15 to Nov. 15 incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 8.0 cfs and/or acre-feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: _____

6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____
b) Describe the agreement or understanding by which you take water from the works: _____

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 2 pumps with 14" perstock & mainline with lateral sprinkler lines & open gravity ditch system.
b) Describe the type and size of measuring device which you have installed at your point of diversion: 14" Inline flow meter
c) Give well driller's name and address and the date the well was completed: _____

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use: _____

Exam typed 3/10/75 by *jk*

MICROFILMED

Alfred L. Heywood
443 North Macdonald
Mesa, Arizona 85201

RECEIVED

MAR 10 1975

Department of Water Resources

March 7, 1975

Department of Water Resources

Boise, Idaho

Gentlemen:

Enclosed is the completed application for proof of water to beneficial use. Please inform us as to other necessary procedures in order to obtain our water license.

Sincerely yours,

Alfred L. Heywood

ALH:ps

MICROFILMED

02-7086

September 22, 1971

Re: Permit No. 02-7086 - Alfred L. Heywood

Alfred L. Heywood
Greene,
Idaho 83659

Dear Mr. Heywood:

Enclosed is a copy of your approved Application for Permit No. 02-7086. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Very truly yours,

BOBBY D. FLEENOR
Assistant Director

BDF:cr

Enclosures

2 7086

August 10, 1971

Re: Application No. 02-7086 - Alfred L. Heywood

Owyhee Nugget
Marsing,
Idaho 83639

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for our review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

Bill submitted _____ By _____

DWM:CR

Enc: Legal Notice

2 7086

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Alfred L. Heywood, Oreana, Idaho
has on July 28, 1971 submitted Application No. 02-7086
for a permit to appropriate 8.0 cubic feet per second ~~acres feet per year~~
of water from Snake River
by means of existing diversion system
within ~~the~~ Lot 7, Sec. 36, T. 3S, R. 1E, B.M., Owyhee County
to be used from March 15 to Nov. 15
for the irrigation of 548 acres
within the S $\frac{1}{2}$, Sec. 35; S $\frac{1}{2}$, Sec. 36, T. 3W, R. 1E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before September 6, 1971.

R. KEITH HIGGINSON

Director

Published in the Owyhee Nugget, Marsing, Idaho
on Aug. 17 and Aug. 24, 1971.

July 29, 1971

Alfred L. Heywood
Oreana, Idaho 83659

Dear Mr. Heywood:

Attached herewith is your receipt No. 6999 in the amount of \$ 95.00
for your application for permit
which was received in this office.

Very truly yours,

M. RUSSELL BOSCH
Administrative Assistant

MRB:ejw

Enclosure