


Complete the following map by showing land and point of diversion as proposed by this amendment. Show 40-acre subdivisions, townships, ranges and ditches.



Scale: 2 inches equal 1 mile

That no one will be injured by such change, and that such change will be made at permit holders own risk.

Signed at Boise, Ida, this 18 day of MAY, 19 77.

Stephen E. Webb
(signature)

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Chief, Operations Bureau

I, BOBBY D. FLEENOR, ~~Director~~ of the Department of Water Resources

hereby APPROVE the above application for amendment on Permit No. 02-7077


Witness my hand this 26 day of May, 19 77.

Bobby D. Fleenor
Director

Chief, Operations Bureau

RECEIVED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x Stephen E. Webb
(Applicant)

MICROFILMED

2 7077

PROOF OF PUBLICATION

STATE OF IDAHO
County of Owyhee } s.s.

I, RODNEY A. HAWES, being first duly sworn, on oath says that he is the Publisher of the OWYHEE NUGGET, a newspaper of general circulation, published weekly by Rodney A. Hawes, publisher and printer thereof, at Marsing, County of Owyhee, State of Idaho;

That the annexed notice was published in said newspaper once each week and every week for 2 consecutive weeks, the first publication being on the 25 day of February, 1971, and the last publication being on the 4 day of March, 1971;

That the said newspaper has been published continuously and uninterruptedly in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of the attached notice.


PUBLISHER

Subscribed and sworn to before me this 4 day of March, 1971.


NOTARY PUBLIC

My commission expires 9-10-72

(SEAL)

MICROFILMED

RECEIVED

MAR 9 1971

Department of Water Administration

NOTICE OF APPLICATION FOR WATER PERMIT


Notice is hereby given that Stephen E. Webb, P. O. Box 319, Marsing, Idaho, has on February 10, 1971, submitted Application No. 02 - 7077 for a permit to appropriate 1.6 cubic feet per second of water from the Snake River by means of pumps within Lot 1, Sec. 23, T. 2 N., R. 4 W., B. M., Owyhee County, to be used from March 1 to October 15 for the irrigation of 80 acres within the E $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 16, T. 2 N., R. 4 W., B. M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before March 15, 1971.

R. KEITH HIGGINSON,
Director

Published in the Owyhee Nugget, Marsing, Idaho, on February 25, and March 4, 1971.

02-7077



CURVE

Sec. 9.

Sec. 10.

Sec. 11.

Sec. 12.

Sec. 16.

Sec. 15.

Sec. 14.

Sec. 13.

Sec. 21.

Sec. 22.

Sec. 23.

Sec. 24.

Sec. 28.

Sec. 27.

Sec. 26.

Sec. 25.

SNARE

RIVER

Road to Caldwell and Varnum

MICROFILMED

MICROFILMED

A hand-drawn map on a grid showing a coastline and several labeled points. The map includes a coastline with a bay area labeled '39.8' and a point labeled '39'. Other labels include '2W', '4W', and '36'. A red stamp in the top left corner reads 'MICROFILMED'.

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: 2N 44 S.23 NW NW (LOT #2)

Place(s) of Use

[illegible]☐ Change P.D. as reflected above☐ Add P.D. as reflected above☒ None

☒ Change P.U. as reflected above

☐ Add P.U. as reflected above☐ Other

~~ADD 16 ACRES OF SE SE S1/4~~

Examiner's Signature Carl E Brown

Checked by DBS

Approved by Robyn

Date 10 Sep 7. 1980

Date 10/15/80

Date 2/11/81

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 02-7077 Priority February 10, 1971 Amount 1.6 cfs

THIS IS TO CERTIFY, that Richard A. Symms & James P. Mertz
of Caldwell, Idaho, has complied with the terms and conditions of Permit
No. 02-7077 issued pursuant to Application for Permit dated February 10, 1971,
and has submitted proof to the Department of Water Resources on April 7, 1980,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 7.70 cfs of water from Snake River,
tributary to Columbia River, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from <u>March 15</u> to <u>November 15</u>	at <u>1.6</u> cfs and	<u>400.0</u> acre feet
	from _____	_____ cfs and	_____
	from _____	_____ cfs and	_____
(both dates inclusive)			

Subject, however, to the condition that no more than 1.6 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
400.0 acre feet per year, said waters to be diverted within the Gov. Lot 1 (NW $\frac{1}{4}$ NW $\frac{1}{4}$)
Section 23, Twp 2N, Rge 4W in the County of Owyhee

Description and location of place of use:

Twp.	Range	Sec.	NEW				NW¼				SW¼				Totals		
			NW¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼		NE¼	
2N	4W	16														40	80

Total number of acres irrigated 80

This right when combined with Right No. 02-2392 shall not exceed 7.70 cfs.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 10TH day of September, 19 84.

RECORDED

Acting for the Director

Norman Cyron

DET

WATER RIGHT SPLIT
SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
Orginial Permit	02-7077	Stephen E. Webb	1.6 cfs
Full Assignment	02-7077	Richard A. Symms & James P. Mertz	1.6 cfs

MICROFILMED

State of Idaho
Department of Water Resources

ASSIGNMENT OF PERMIT

into process
RC 3/1/83
MAR 3 1983

I, Stephen E. Webb, hereby assign to as equal tenants in common
of Route #4, Box 775, Caldwell, Idaho 83605
Address

CHECK ONE

☒ All my right, title, and interest in and to Permit No. 02-7077
to appropriate the public waters of the State of Idaho.

☐ The following described portion of my right, title, and interest in and to Permit
No. _____ to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

Made this 21st day of December, 19 82.

Stephen E. Webb
Permit Holder

Izora May Webb
Spouse of Permit Holder

State of Idaho)
County of CANYON) ss.

On this 21st day of December, 19 82, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that he (she) (they) executed the same.

Edward D. Ahrens

Notary Public residing at

Nampa, Idaho

My commission expires:

N/A

MICROFILMED

e a l

RECEIVED
MAY 18 1977

MAY 18 1977

Department of Water Resources

Permit No. 02-7077

Marsing, Idaho, Post Office Box 319 83629, and represents to the Director of the Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 02-7077, and requests that the permit and permit map be changed as follows:

Lot #1

1. Point of diversion: ~~1~~¹/₂ ~~1~~¹/₂ Sec. 23 Twp. 2N

Rge. 4W, B.M., County of Owens. Other points of diversion:

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)

Amount 1.6 for Wmg. purposes from MAR 1 to OCT 15 (both dates inclusive)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre feet per annum)

3. Place of use or land to be irrigated:


[illegible]

Total number of acres to be irrigated

80

MICROFILMED

Complete the following map by showing land and point of diversion as proposed by this amendment. Show 40-acre subdivisions, townships, ranges and ditches.



Scale: 2 inches equal 1 mile

That no one will be injured by such change, and that such change will be made at permit holders own risk.

Signed at Boise, Ida, this 18 day of MAY, 19 77.

Stephen E. Webb
(signature)

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Chief, Operations Bureau

I, BOBBY D. FLEENOR, ~~Director~~ of the Department of Water Resources

hereby APPROVE the above application for amendment on Permit No. 02-7077

Witness my hand this 26 day of May, 19 77.

Bobby D. Fleenor
Director

Chief, Operations Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR EXTENSION OF TIME

RECEIVED
JAN 21 1976

Department of Water Resources

State of Idaho)
County of _____)

Permit No. 02-7077

Stephen E. Webb of Marsing
(name) (address)

State of Idaho, being first duly sworn, upon his oath deposes and says:

That he is the holder, or the duly authorized agent of the holder *, of Permit to
Appropriate the Public Waters of the State of Idaho No. 02-7077.

That under the terms and conditions of said permit, work thereunder was required
to be completed on or before March 1, 1976.

That he has heretofore performed the following work described under said permit:

Pump and pipeline has been installed and the land
has been irrigated.

Costing \$104,000

That he is unable to complete the remainder of the work within the required time for
the following reasons, to-wit: An additional pump and pipeline is

necessary to obtain an adequate supply of water

Wherefore, he asks that the Department of Water Resources extend the time for the
completion of obligations under said permit to March 1, 1981.

Stephen E. Webb
(signature) *

Subscribed and sworn before me this 27 day of January, 1976.

seal

Marcia L. Brown
Notary Public residing at
Boise, Idaho

My commission expires 8-10-79

ACTION OF THE DEPARTMENT OF WATER RESOURCES

Administrator, Operations Division

I, A. KENNETH DUNN, ~~Director~~ of the Idaho Department of Water Resources,
hereby APPROVE the above application for extension of time and the time within
which to submit proof is extended to March 1, 1981.

Witness my hand this 27 day of January, 1976.

A. Kenneth Dunn
Director A. KENNETH DUNN, Administrator
Operations Division

* IF OTHER THAN HOLDER, Power of Attorney must be supplied. Forms are available
through the Department of Water Resources, State Capitol, Boise, Idaho 83720.

Identification No. 02-7077
Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Stephen E. Webb
post office address Marsing, Idaho, Post Office Box #319 83639
2. Source of water supply Snake River which is a tributary of _____
3. a. Location of point of diversion is Lot #1 $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section 23 Township 2N
Range 4W B.M. Owyhee County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 1.6 for irrigation purpose from March 1 to October 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 1.6 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. _____
existing pumps from Snake River

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ _____.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

MICROFILMED

2 7077

W-00071 MET

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2N	4W	16													40			40	80

Total number of acres to be irrigated 80 TOTAL

c. Describe any other water rights used for the same purposes as described above.
none


9. a. Who owns the property at the point of diversion Bureau of Land Management

b. Who owns the land to be irrigated or place of use applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing see agreement and easement in permit No. 02-2392

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Stephen E. Webb
(Applicant)

RECORDED

2 7077

MICROFILM

2-10-71

Received by JA Date 2-10-71 Time 2:00
Preliminary check by JA Fee \$ 25.00
Receipted by JA Date 2-11-71
Publication prepared by dr Date 2-17-71
Published in Owyhee Nugget
Publication dates 2-25 & 3-04, 71
Publication approved dr Date 3-16-71
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by JA **DDF**

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 02-7077, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 76.
- c. Other: The permit holder shall permanently install and maintain as part of the diverting works a measuring device at the point of diversion of a type approved by this Department.

2. Denial of said application is for the following reasons: _____

Witness my hand this 30th day of March 19 71.


Deputy Director

2 7077

DEPARTMENT OF WATER ADMINISTRATION

STAFF ANALYSIS

Application No.	02-7077	Name	Stephen E. Webb
Source	Snake River		
Point of Diversion	Lot 1, Sec. 23, T. 2N, R. 4W, B.M., Owyhee County		
Quantity	1.6	Use	irrigation
		Period	March 1 - Oct. 15
Quantity		Use	
		Period	
Quantity		Use	
		Period	
Well Size		Diameter	
		Proposed Depth	
Use	80 acres		
Date Forwarded	2-17-71	Date Returned	2-18-71
		Received by	

COMMENTS: ALLRED'S STATEMENT TO THE WATER BOARD
(1968?) INDICATED ADEQUATE FLOWS TO ALWAYS FILL
CONSUMPTIVE USES, BUT POWER USE RIGHTS OFTEN
EXCEED AVERAGE MONTHLY FLOWS.

RECOMMENDED:

Applied: Qty.	1.6 cfs	Use	IRRIG.	Period	3-15 to 10-15	AF/A	4.5	AF	360
Qty.		Use		Period		AF/A		AF	
Qty.		Use		Period		AF/A		AF	
Maximum: Qty.	1.6 cfs	Use	IRRIG.	Period	3-15 to 11-15	AF/A	4.5	AF	360
Qty.		Use		Period		AF/A		AF	
Qty.		Use		Period		AF/A		AF	

ACTION: Approved X Denied _____

Conditions of approval or reason for denial: ACCEPTANCE OF LATER
IRRIGATION SEASON OR WRITTEN JUSTIFICATION OF THE
EARLIER SEASON REQUESTED. Subject to prior
rights.

INVESTIGATION By Norman C. Young Title W. R. Engr.
Date February 18, 1971

MICROFILMED

PROOF OF PUBLICATION

STATE OF IDAHO

County of Owyhee

} s.s.


I, RODNEY A. HAWES, being first duly sworn, on oath says that he is the Publisher of the OWYHEE NUGGET, a newspaper of general circulation, published weekly by Rodney A. Hawes, publisher and printer thereof, at Marsing, County of Owyhee, State of Idaho;

That the annexed notice was published in said newspaper once each week and every week for 2 consecutive weeks, the first publication being on the 25 day of February, 1971, and the last publication being on the 4 day of March, 1971;

That the said newspaper has been published continuously and uninterruptedly in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of the attached notice.


PUBLISHER

Subscribed and sworn to before me this 4 day of March, 1971.


NOTARY PUBLIC

My commission expires 1971

(SEAL)

RECORDED

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Stephen E. Webb, P. O. Box 319, Marsing, Idaho, has on February 10, 1971, submitted Application No. 02 - 7077 for a permit to appropriate 1.6 cubic feet per second of water from the Snake River by means of pumps within Lot 1, Sec. 23, T. 2 N., R. 4 W., B. M., Owyhee County, to be used from March 1 to October 15 for the irrigation of 80 acres within the E $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 16, T. 2 N., R. 4 W., B. M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before March 15, 1971.

R. KEITH HIGGINSON,
Director

Published in the Owyhee Nugget, Marsing, Idaho, on February 10, and March 4, 1971.

02-7077

September 12, 1984

RE: Permit No. 02-7077

Richard A. Symms & James P. Mertz
Rt. 4, Box 775
Caldwell, ID 83605

Dear Permit Holders:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,



JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure

NOT RECORDED

State of Idaho
DEPARTMENT OF WATER RESOURCES
WATER RIGHT BENEFICIAL USE FIELD REPORT

02-7077
Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:			
☐ Telephone call made (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)			

JUL 31 1984
Department of Water Resources

EXAMINATION

Date 5/10/83 Accompanied by Richard Symons Total Q measured 7.70
Source Grook R. Tributary to Columbia R. Supp. annubar measurement sheet used?
If source is surface water, estimate total flow of source
Methods of measurement annubar Meets permit requirements?

Measurement calculations: See annubar measurements -
80 acres x .02 = 1.6 cfs
V = 5 x 80 = 400 AF ✓
V = 1.6 x 1.9835 x 245 = 777.5 AF

WELL/DIV. NO.*	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEVICE	REMARKS
	200	National Elec	18014	Bould	224B-370	annubar	good	
	350	Hestings	2-5-60	11	262B-201	"	"	

System Description 2 pumps - 470 ft lift sprinkler irrigation

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

USE	Irrigation requirement = <u>5 ✓</u> AFA/Acre	Q (cfs)	V (afa)	FROM <u>245 days</u>	TO
<u>irrigation ✓</u>		<u>1.6 ✓</u>	<u>400 ✓</u>	<u>3/15 ✓</u>	<u>11/15 ✓</u>
Total		<u>1.6 ✓</u>	<u>400 ✓</u>	<u>3/15</u>	<u>11/15</u>

Remarks System was measured 4/14/80 - farmer requested another measurement. Pump were over hauled after 1st measurement.

MICROFILMED

DECLASSIFIED

RECEIVED

RAW

T

2

40

40

40

21

22

23

41

P.D.

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion:

Place(s) of Use

[illegible]

80

☐ Change P.D. as reflected above☐ Add P.D. as reflected above☒ None☐ Change P.U. as reflected above☐ Add P.U. as reflected above☐ Other

Examiner's Signature

Checked by

Approved by

Date 6/24/83

Date 7/27/84

Date 8-22-84

State of Idaho
DEPARTMENT OF WATER RESOURCES
SUPPLEMENTAL FIELD REPORT FOR ANNUBAR MEASUREMENT

Measured by: JKN
Owner: SYMM'S RANCH - WEBB FARM

Date: 6/24/83
Permit No. 02-2392
02-7077

Description of well &/or measuring site

- Include any clarifications of the sketch
- Include legal description if more than one p.d. is described in the Field Report

#1 Pump, Gould 224B-370 W/200 H.P. NAT'L. ELECT. MTR. #18014 & 12^{3/8}" I.D. PENSTOCK APPROX. 1/2 MILE LONG W/APPROX. 470' LIFT, CONCRETE BOX AT TOP OF PENSTOCK FOR RE-PRESSURIZATION. #2 Pump, Gould 262B-201 W/350 H.P. WESTINGHOUSE MTR #2-5-60 & 13^{3/4}" I.D. PENSTOCK TO SAME CONCRETE BOX PREVIOUSLY MENTIONED. ACCESS PORTS BOTH PENSTOCKS, APPROX. 60' FROM TOP END.

Measured inside diameter of pipe in inches

#1 - 12.0"

Size of Annubar used in test #2 - 13.25"

Model No. of Annubar Model Used #75

(Model No. = 75 for 6" and larger)

(Model No. = 73 for 4")

Size Eagle Eye Meter Used 0-10"

Date of Last Calibration of Meter 4/27/83

Observed inches of H₂O read on Meter

Flow Correction Factor (From Calibration Graph)
(Use 1 if Error is $\pm 2\%$ at observed pressure)

Select C based on Annubar Model No.

If Model No. = 75, then C = 3.85

If Model No. = 73, then C = 4.14

CALCULATION: $\frac{K (A^2) (\sqrt{B}) C}{448.8} =$

SKETCH (If not shown on Field Report):

#1 FCF = .75 (.967 - .947) + .947 = .962

#2 FCF = .962 (FROM CALIBRATION TABLE 4/27/83)

$$K = .962 \quad \#1 Q = \frac{(.962)(12.375^2)(\sqrt{6.75})(3.85)}{448.8} = 3.283 \text{ CFS}$$

$$Z = 153.14063$$

$$\bar{B} = 2.59807$$

$$C = 3.85$$

$$ZK = .962$$


$$Z A^2 = 189.0625$$

$$Z \sqrt{B} = 2.82842$$

$$ZC = 3.85$$

$$\#2 Q = \frac{(.962)(13.750^2)(\sqrt{8.0})(3.85)}{448.8} = 4.413 \text{ CFS}$$

(C) $\frac{3.85}{\#1 = 3.283}$
 $\#2 = 4.413$ CFS measured
 TOTAL = 7.696 CFS $\approx 7.70 \text{ cfs}$



MICROFILMED

177
861
313A


161
E 45
127
C 11.1
1.2
5.1
D 1.0
E 36.2
G 20.6
R 4W

15.7
G

1615
1615

97.7

K 45.1



Overlap Review for 02-7077

per examiner: 02-2392 (same system)
per permit: none

per micro-fische 8/22/84:
p/u - none
p/d - none

02-2392 - also being licensed -
same system - no p/u
overlap - allow 1.6 cps per
permit - condition w/ R17
(02-2392, 7.70 cps)

kw

REFERENCES

INDEXED

MICROFILMED

4W

2W

36

39

39.8

16

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: 2N 44 S. 23 NW NW (CO7 #1)

round eyes

[illegible]☐ Change P.D. as reflected above

Change P.U. as reflected above

☐ Add P.D. as reflected above☐ Add P.U. as reflected above☒ None☐ Other

~~ADD 16 ACRES OF SE 3/4 S16~~

Examiner's Signature Carl E. Brown

Checked by DBS

Approved by [Signature]

Date 10 Sep 7. 1980

Date 10/15/80

Date 2/11/81

March 9, 1983

RE: Permit Nos. 02-7077 and 02-2392

Richard A. Symms & James P. Mertz
Route #4, Box 775
Caldwell, ID 83605

Dear Sirs:

This office acknowledges receipt of the Assignment of the above referenced permits to you.

Enclosed for your records are copies of the permits. Be sure to note the special conditions of approval on the fourth pages that identify requirements necessary for developing the permits into licensed water rights.

If you have any questions on this matter, please feel free to contact us.

Sincerely,

ROBYN CARLSON
Chief Clerk

RC:kw
Enclosures

MICROFILMED

TERRENCE R. WHITE
EDWARD D. AHRENS
PHILIP A. PETERSON

WHITE, AHRENS & PETERSON, P. A.
ATTORNEYS AT LAW
104 9TH AVENUE SOUTH
P. O. BOX 247
NAMPA, IDAHO 83651

RECEIVED

MAR 2 1983
TELEPHONE
AREA CODE 208
466-9272
Department of Water Resources

March 2, 1983

State of Idaho
Department of Water Resources
ATTENTION: ROBERTA GARRETT
450 W. State Street
Boise, Idaho 83720

Re: Webb/Symms-Mertz

Dear Ms. Garrett:

Enclosed please find two Assignments of Water Permits transferring water rights from Stephen E. Webb to Richard A. Symms and James P. Mertz.

Also enclosed please find our check in the amount of \$3.50 for payment of the enclosed billing.

Thank you very much. If you have any questions, please advise.

Very truly yours,

WHITE, AHRENS, PETERSON & PERRY

Edward D. Ahrens

Edward D. Ahrens

EDA:cs
Enclosures

MICROFILMED

INTER-DEPARTMENT MEMO — 1

FROM

Jmi

DATE

2/11/81

TO

File 02-7077

SUBJECT

Hotel - licensing until 30 day
letter is responded to in file
02-2392

MICROFILMED

SIGNATURE



ate of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

February 11, 1981

Stephen E. Webb
Box 319
Marsing, ID 83639

RE: Water Right No. 02-7077

Dear Mr. Webb,

A representative of this Department has made an examination of the works covered by your Permit No. 02-7077, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 1.58 cfs Source: Snake River

The maximum quantity diverted shall not exceed 395.0 acre feet per year.

Point(s) of diversion: Lot 1 (NWNW) Sec. 23, T2N, R4W, B.M. Owyhee County

Beneficial use: Irrigation of 70 acres in the SE $\frac{1}{4}$ of Sec. 16, T2N, R4W.

Priority date established: February 10, 1971

Conditions (if any): This right when combined with right 02-2392 shall provide
no more than a total diversion of 6.31 cfs.

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 02-7077.

Name(s) of Permit Holder: Stephen E. Webb

Post Office Address: P.O. Box 319 Marsing, Idaho
83639

Source of Water: Snake River

Extent of Use: ☐ Domestic _____ (number of households)
☐ Stockwater _____ (number and type of stock)
☒ Irrigation 80 _____ (acres)
☐ Other _____

Measuring Device: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No
Access Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

1/7/80
Date

Stephen E. Webb
Signature of Permit Holder

Idaho Department of Water Resources
Western Regional Office



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

Department of Water Resources

APR 8 1980

PLACE
TEN CENT
STAMP
HERE

RECEIVED



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 92 South Cole Road, Boise, Idaho 83709

JOHN V. EVANS
Governor

(Office at the corner of
Franklin and Cole Roads)

C. STEPHEN ALLRED
Director

(208) 384-2190

April 14, 1980

Stephen E. Webb
P. O. Box 319
Marsing, ID 83639

RE: Permits 02-2392 & 02-7077

Dear Mr. Webb:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐ A field examination of your system has been scheduled for

If this time and date is not convenient for you, please contact this office as soon as possible.

☒ A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Kay Walker
Secretary

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

June 27, 1980

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the Regional Office nearest to you.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL JR., P.E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

Northern Region Office
Rt. #5 Box 203, Government Way
Coeur d'Alene, Idaho 83814

Southern Region Office
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301

Eastern Region Office
1515 Lincoln Road
Idaho Falls, Idaho 83401

Western Region Office
92 South Cole Road
Boise, Idaho 83705

MICROFILMED

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 02-7077

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,


WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director

RECORDED

May 31, 1977

Re: Permit No. 02-7077

Stephen E. Webb
Box 319
Marsing, Idaho 83639

Dear Mr. Webb:

Enclosed is a copy of the approved application for amendment issued on the above referenced permit.

Sincerely,

JAN GROVER
Water Rights Supervisor

JG:JFR

Encl.

UNRECORDED

January 29, 1976

Re: Permit No. 02-7077

Stephen E. Webb
Box 319
Marsing, Idaho 83639

Dear Mr. Webb:

Enclosed is a copy of the approved application for extension of time. The time within which to submit proof of beneficial use of water has been extended to March 1, 1981.

Sincerely,

D. DARLENE REICH
Water Rights

BDF:JFR

Enclosure

PS Form 3811, Jan. 1975

RETURN RECEIPT, REGISTERED, INSURED AND CERTIFIED MAIL

● SENDER: Complete items 1, 2, and 3.
Add your address in the "RETURN TO" space on reverse.

1. The following service is requested (check one).

- ☐ Show to whom and date delivered..... 15¢
☐ Show to whom, date, & address of delivery.. 35¢
☐ RESTRICTED DELIVERY.
 Show to whom and date delivered..... 65¢
☐ RESTRICTED DELIVERY.
 Show to whom, date, and address of delivery 85¢

2. ARTICLE ADDRESSED TO:

3. ARTICLE DESCRIPTION:

REGISTERED NO. CERTIFIED NO. INSURED NO.

138175

(Always obtain signature of addressee or agent)

I have received the article described above.

SIGNATURE ☐ Addressee ☐ Authorized agent

4. DATE OF DELIVERY

5. ADDRESS (Complete only if requested)

6. UNABLE TO DELIVER BECAUSE:

UNITED STATES POSTAL SERVICE
OFFICIAL BUSINESS

SENDER INSTRUCTIONS

Print your name, address, and ZIP Code in the space below.

- Complete items 1, 2, and 3 on reverse side.
- Moisten gummed ends and attach to back of article.

**PENALTY FOR PRIVATE
USE TO AVOID PAYMENT
OF POSTAGE, \$300**



**RETURN
TO**



DEPARTMENT OF WATER RESOURCES
DEPARTMENT OF VETERANS AFFAIRS
STATEHOUSING
BOISE, IDAHO 83722

December 31, 1975

CERTIFIED MAIL

138175

02-7077

Re: Permit No.

Stephen E. Webb
Box 319
Marsing, Idaho 83639

Dear MR. Webb:

02-7077

One of the conditions of approval of your water Permit No. _____ (see last page of your approved permit) was that evidence of the extent of development be submitted ~~Marphod~~ ~~3976~~ application of water to beneficial use to this office on or before _____. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.

R. KEITH HIGGINSON
Director

RKH:jg
Enc: Proof affidavit

March 30, 1971

Re: Permit No. 02-7077

Stephen E. Webb
P.O. Box 319
Marsing, Idaho 83639

Dear Mr. Webb:

Enclosed is a copy of your approved Application for Permit No. 02-7077. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Very truly yours,

BOBBY D. FLEENOR
Assistant Director

EDF:kh
Enclosures

2 7077

February 17, 1971

Re: Application No. 02-7077 - Stephen E. Webb
51-7060 - LaVerla Cordon

Owyhee Nugget
Marsing,
Idaho 83639

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for our review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM:DR
Enc: Legal notices (2)

MIC

2 7077

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Stephen E. Webb, P.O. Box 319,
Marsing, Idaho,
has on February 10, 1971, submitted Application No. 02-7077
for a permit to appropriate 1.6 cubic feet per second ~~1.666 1/3~~
of water from the Snake River
by means of pumps
within ~~the~~ Lot 1, Sec. 23, T. 2N, R. 4W, B.M., Owyhee County,

to be used from March 1 to Oct. 15 for the irrigation of 80 acres

~~the~~

within the E1/2 Sec. 16, T. 2N, R. 4W, B.M.

issued

If ~~any~~, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before March 15, 1971.

R. KEITH HIGGINSON
Director

Published in the Owyhee Nugget, Marsing, Idaho,
on February 25 and March 4, 1971.

2 70

2 70 77

February 11, 1971

Stephen E. Webb
Marsing, Idaho 83639

Dear Mr. Webb:

Attached herewith is Departmental Receipt No. 5617 in the amount of
\$25.00 for Application for Permit,
which was received in this office under the above date.

Very truly yours,

M. RUSSELL BOSCH
Administrative Assistant

MRB:ejw

Enclosure