

PROOF OF PUBLICATION

STATE OF IDAHO }
County of Owyhee } S.S.

I, RODNEY A. HAWES, being first duly sworn, on oath says that he is the Publisher of the OWYHEE NUGGET, a newspaper of general circulation, published weekly by Rodney A. Hawes, publisher and printer thereof, at Marsing, County of Owyhee, State of Idaho;

That the annexed notice was published in said newspaper once each week and every week for two consecutive weeks, the first publication being on the 3rd day of August, 1967, and the last publication being on the 10th day of August, 1967;

That the said newspaper has been published continuously and uninterruptedly in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of the attached notice.

Rodney A. Hawes
PUBLISHER

Subscribed and sworn to before me this 10 day of August, 1967.

Leona S. Hawes
NOTARY PUBLIC

My commission expires 9-10-68

(SEAL)

RECEIVED
AUG 15 1967
Department of Reclamation

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that Jay H. Hulet has on July 13, 1967 applied for permit to (store) 235 (acre feet) of water from Snake River under application No. 02-7001. Water will be diverted by dam and pumps within the Lot 3, Sec. 6, T. 3 S., R. 1 E., B. M. and is to be used from April 1 to October 15 for irrigation in Portions of land in the following sections: Sec. 2, 3, 4, 5, 7, 8, 9, 10, 11, 15, 17, 18, 20, T. 3 S., R. 1 W., B. M.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON,
State Reclamation Engineer
Published in the Owyhee Nugget, Marsing, Idaho, on August 3 and August 10, 1967.

02-7001

Jay Hulet 02-7001

610.0

B-190

(53 H)

02-7001

1 6
12 7

7 8

12 7
13 18

7 8
18 17

26.5

80.0

78.0

B-190
(570)

02-7001



31 32

4 5

33 34

6 7

120.0

6 5

7 8

5 4

8 9

02-7001

12 | 7
13 | 18

8
19

37.4

79.5

B-190

(575)

39.4

80.2

39.6

80.7


19.9

B-145

13 | 18
24 | 19

18 | 17
19 | 20


02-7001



B-190

386

02-7001



00-7001

13-190

1381


20 950

85-5

1150

62

02-7001



B-190


4 3
9 10

3 2
10 11

02-7001

5
4
q

B.190



5
4
q

3 2
70 41

243.7

B-190

10 11
15 14

02-7001

2-5

3-5

34 35

3 2

26.7

B-190

92.8

3 2

10 11

243.4

243.7

B-190

02-7001

R. 1w.

R. 1 A

P.D. in L07

T.

3

S.



4



⑦

8

9

10

18

17

15

20

State of Idaho
Department of Water Administration

WATER RIGHT LICENSE

License of Water Right No. 02-7001 Priority July 15, 1967 Amount 235 acre feet

THIS IS TO CERTIFY, that JAY H. HULET
of Murphy, Idaho, has complied with the terms and conditions of Permit
No. 02-7001 issued pursuant to Application for Permit dated July 13, 1967,
and has submitted proof to the Department of Water Administration on September 3, 1970
(late proof)
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 235 acre feet of water from the Snake River,
tributary to the Columbia River, and that the permit holder has applied to a beneficial use &
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Storage for Irrigation	from <u>April 1</u> to <u>Oct. 15</u>	at <u>66.04</u> cfs and	<u>235 acre feet</u>
	from _____ to _____	at _____ cfs and	_____
	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 235 acre feet of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
235 acre feet per year, and waters to be diverted within Lot # 3 of Sec. 6,
Twp. 3 S, Rge. 1 E, B. M. in the County of Owyhee

Description and location of place of use:


Twp.	Range	Sec.	NE¼				NW¼				SW¼				SE¼				Totals
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
See	Land	List	Attachment																

Total number of acres irrigated _____

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 20 day of
February, 19 74.


Director

02-7001

Receipt # 1.2716

Department of Water Administration

02-7007

Complete the following map by showing land and point of diversion as proposed by this amendment. Show 40-acre subdivisions, townships, ranges and ditches. *See map in folder*

Scale: 2 inches equal 1 mile

That no one will be injured by such change, and that such change will be made at permit holders own risk.

Signed at Bonita, Idaho, this 19 day of Feb, 19 74.
Jay H. Hurlst
(signature)

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

I, R. KEITH HIGGINSON, Director of the Department of Water Administration, hereby approve the above application for amendment for Permit No. 02-7001.

Witness my hand this 20 day of February, 19 74.

R. Keith Higginson
Director

[illegible]

Identification No. 02-7001
Application No. 41945

LICENSE ISSUED FOR 235 acre feet
LIC.

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

APPROVED

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho

1. Name of applicant Jay H. Hulet
post office address 1000 Falls Avenue, American Falls, Idaho
2. Source of water supply Snake River which is a tributary of _____
3. a. Location of point of diversion is Lot 3 ~~1/4~~ of Section 6 Township 3 S
Range 1 E B.M. Owyhee County; additional points of diversion if any: _____

- b. If water is not consumed, it will be discharged into _____ at a point in _____ 1/4
of _____ 1/4 of Section _____ Township _____ Range _____ B.M.
4. Quantity to be appropriated:
a. _____ cubic feet per second and/or
b. 235 acre feet per annum will be stored.
5. Water will be used for the following purposes:
Irrigation purpose from April 1 to October 15 (both dates inclusive)
_____ purpose from _____ to _____ (both dates inclusive)
_____ purpose from _____ to _____ (both dates inclusive)
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. 36" Pipe Line
7 200 H. P. Pumps

- b. Height of storage dam 24 feet; active reservoir capacity 235 acre feet; total reservoir
capacity 235 acre feet; materials used in storage dam: Earth

- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 3 years.
b. Estimated construction cost is \$ 50,000.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ 1/4 of _____ 1/4 of Section _____ Township _____
Range _____ B.M.
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3 S	1 W	Sections 2, 3, 4,					5, 7, 8, 9, 10,				11, 15, 17, 18,				20				
		As shown on Application No. 40308																	

See other filing for use of water

Total number of acres to be irrigated 4,460

c. Describe any other water rights used for the same purposes _____

See application No. 40308

9. a. Who owns the property at the point of diversion United States

b. Who owns the land to be irrigated or place of use Jay H. Hulet

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks Jay H. Hulet is successor to Pacific Land Co.

Protests filed by: none


Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DW


State Reclamation Engineer

11. Map of proposed project: See Separate Maps



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Jay H. Hulet
(Applicant)

02-7001

Receipt No. 135
for \$5.00
11-2-67

Permit No. 02-7001

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho, No. 02-7001, and requests that the permit be changed as follows:

2. Point of diversion: _____¹_____¹, Sec. _____, T. _____, R. _____, B.M.
Other points of diversion _____

4. Other: _____

(signature) Jay H. Hulit

02-7001 Form 11

PROOF OF PUBLICATION

STATE OF IDAHO }
County of Owyhee } s.s.

I, RODNEY A. HAWES, being first duly sworn, on oath says that he is the Publisher of the OWYHEE NUGGET, a newspaper of general circulation, published weekly by Rodney A. Hawes, publisher and printer thereof, at Marsing, County of Owyhee, State of Idaho;

That the annexed notice was published in said newspaper once each week and every week for ^{two} consecutive weeks, the first publication being on the 3rd day of August, 1966, and the last publication being on the 10th day of August, 1967;

That the said newspaper has been published continuously and uninterruptedly in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of the attached notice.


PUBLISHER

Subscribed and sworn to before me this 10 day of August, 1967.


NOTARY PUBLIC

My commission expires 9-10-68

(SEAL)

RECEIVED
JUL 15 1967
Department of Reclamation

NO. [REDACTED] FOR WATER
Notice is hereby given that Jay H. Hulet has on July 13, 1967 applied for permit to (store) 235 (acre feet) of water from Snake River under application No. 02-7001. Water will be diverted by dam and pumps within the Lot 3, Sec. 8, T. 3 S., R. 1 E., B. M. and is to be used from April 1 to October 15 for irrigation in Portions of land in the following sections: Sec. 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, T. 3 S., R. 1 W., B. M.
Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.
R. KEITH HIGGINSON,
State Reclamation Engineer
Published in the Owyhee Nugget, Marsing, Idaho, on August 3 and August 10, 1967.

02-7001

THE OWYHEE NUGGET

Established 1891 - "Official Newspaper of Owyhee County"

Rodney A. Hawes, Publisher - Phone 896-4393

MARSING, IDAHO

Registration

Dept. of Reclamation

1967

Aug. 3-10 Notice of Application for Water-
Jay Hulet

\$5.98

I hereby certify that the above service
has been rendered and that I have not
received payment therefor.

R. A. Hawes publisher

"NUGGET" Advertising Pays: Deduct This Account From Your Income Tax!

02-7001

Jay Hulet 02-7001

610.0

B-190

(5.1)

8

8

9

17

17

02-7001



80.0

26.5

78.0

B-190

(5.4)


12.7

13.18

02-7001



120-0



12

13

14

15

18	18
24	19

18	17
19	16

F7001

8 9
16

B-190

12

17

19

7001

9 10

10
5 14

00-700

3-190

B-190

02-7001

B-190

3 2

13-190

10 11
15 14

02-7001



STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
STATE OFFICE



Cecil D. Andrus
Governor
R. Keith Higginson
Director

614 State Street
Statehouse -- Annex 2
Boise, Idaho 83720
(208) 384-2215

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection
Geothermal Resources

February 21, 1974

Re: Permit No. 32230/02-2361
32347/02-2370
02-7001

Mr. Jay H. Hulet
Murphy Flats
Murphy, Idaho 83650

Dear Mr. Hulet:

Enclosed herewith are copies of the water licenses issued on the above referenced permits.

We are also enclosing a copy of the approved amendment for Permit No. 02-7001 along with Receipt #13710 in the amount of \$10.00.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

jfr

Enclosures

02-7001

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION



Cecil D. Andrus
Governor

R. Keith Higginson
Director

614 State Street
Statehouse — Annex 2
Boise, Idaho 83720
(208) 384-2190

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

January 30, 1974

Re: Permits No. 02-2361 (32230)
02-2370 (32347)
02-7001

Mr. Jay H. Hulet
Murphy Flats
Murphy, Idaho 83650

Dear Mr. Hulet:

We acknowledge receipt of your affidavits submitted as proof of beneficial use for Permits 02-2361 and 02-2370.

A representative of this Department has made an examination of the works covered by the above referenced permits and has found the following:

Permit 02-2361

Quantity of water diverted: 66.04 cfs

Amount of water that can be recognized as beneficially used under Idaho law: * 66.04 cfs

The maximum quantity diverted shall not exceed 22,300 acre feet per year.

Beneficial use: Irrigation of 4,460 acres (see enclosed copy of land list)

Point of diversion: Lot # 3 of Sec. 6, Twp. 3 S, Rge. 1 E, B. M.

Priority date established: Jan. 8, 1965

* Subject to the condition that the maximum rate of diversion shall not exceed 66.04 cfs when combined with License No. 32347/02-2370.

Permit 02-2370

Quantity of water diverted: 66.04 cfs

Amount of water that can be recognized as beneficially used under Idaho law: * 1.60 cfs

The maximum quantity diverted shall not exceed 400 acre feet per year.

02-7001

Page 2

Mr. Jay H. Hulet

Re: 02-2361, 23-2370, 02-7001

January 30, 1974

Beneficial use: Irrigation of 80 acres within the N $\frac{1}{2}$ NW $\frac{1}{4}$, Sec. 9,
Twp. 3 S, Rge. 1 W, B. M.

Point of diversion: Lot # 3 of Sec. 6, Twp. 3 S, Rge. 1 E, B. M.

Priority date established: April 30, 1965

* Subject to the condition that the maximum rate of diversion shall not
exceed 66.04 cfs when combined with License No. 32230/20-2361.

Permit 02-7001

Quantity of water stored: 235 acre feet

Amount of water that can be recognized as beneficially used under
Idaho law: 235 acre feet

Beneficial use: Storage for irrigation of 4,540 acres (see land list
under 02-2361 and 02-2370)

Point of diversion: Lot # 3 of Sec. 6, Twp. 3 S, Rge. 1 E, B. M.

Priority date established: July 15, 1967

As Permit 02-7001 now stands, it does not cover all the land presently irrigated as
listed under 02-2361 and 02-2370. Therefore, it will be necessary to amend 02-7001
to include the 72 acres in the S $\frac{1}{2}$ NW $\frac{1}{4}$ of Sec. 20 before a water license can be issued.
We have enclosed a partially completed application for amendment for your use in this
matter. Please sign the application and return it to this office with a \$10.00 filing fee
within 20 days of the date of this letter in order that licenses may be issued for all
three permits as set forth above.

If you do not concur with these findings or have any questions, please contact us within
the 20-day period.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:DR
Enc: App for amend
Land list for 02-2361

02-7001

DATE OF EXAM August 20, 1973

ACREAGE
Found 4460
Recommended 4460

Irrigation Requirement 5.0 Ac Ft/Ac

USE (Storage for)
Irrigation Q = _____ c.f.s. V = 235 AF/Ann. from 4/1 to 10/31
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no ☒

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no ☒

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured 66.04 cfs Method of measurement Trapezoidal Flume

Total Q recommended _____ Meter No. _____ Type (USDA) Condition good

Total V recommended 235 A/F

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None ☒

MEASUREMENT CALCULATION:

Q = 66.04 cfs (3.15' Vert. depth of water in flume)

SYSTEM DESCRIPTION:

Seven 700 HP Holloshaft Pumps & Motors at River Pumping station. Penstock lifts (36")
water approx. 700 ft. into concrete canal w/ trapezoidal flume measuring
device. Four holding reservoirs at intermediate points along canal with
relift pumps & sprinkler systems. (Five 150 HP pumps lift from P2 to P3,
& two 75 HP pumps lift from P3 to P4).

REMARKS:

This permit covers several holding reservoirs for a large irrigation
system. The system is covered by Permits 02-2370 & 02-2361.
abc

Examiner's Signature W. Clayton Barron Date Aug 20, 1973

Checked by _____ Date _____

Approved by _____ Date _____

02-7001

DEPARTMENT OF WATER ADMINISTRATION
FIELD REPORT

1. Name of permit holder Jay H. Hulet
Post office address 1000 Falls Avenue, American Falls, Ida. Phone _____
Person to contact _____ Phone _____

2. Source of water supply: Groundwater ☐ Surface water ☒ Snake River
(name spring, stream, etc.)
Tributary to _____

3. Water will be used for the following purposes:

Amount 235 c.f.s. for Irrigation
AF/Annum (nature of use)

Period of Use: from April 1 to October 15
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Other uses: _____

Permit No. 41945/02-7001
Examination for B/U

4. Total amount to be appropriated:

Max Rate of Diversion _____ cubic feet per second and annual volume 235 AF/Annum.

5. Location of Point(s) of Diversion:

Township 3 S N/S, Range 1 E E/W, B.M., Section 6, Subdivision Lot 3 1/4 1/4, Owyhee County
Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 1/4, _____ County
Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 1/4, _____ County

Other Points of Diversions: _____

Description of diverting works: 7 ea. 700 h.p. motors and pump at river to 24' high, then
7 ea. 200 h.p. pumps out of reservoir.

Measuring device required: yes ☒ no ☐

6. Lands to be irrigated or place of use.

Twp.	Range	Sec.	NE¼				NW¼				SW¼				SE¼				Total
			NE¼	NW¼	S¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
38	1W	2	30				37				40	39	35						181
		3					39				88 38				39	40	39	38	271
		4	40 39				38 40				40	39	38	39	39	40	39	38	469
		5	38								40	39				38			193
		7									39				39	40	39	38	195
		8	38	39	40	39	39	38	39	40	40	39	38	39	39	40	39	38	624
		9	38	39	40	39	XX	XX	39	40	40	39	38	39	39	40	39	38	547
		10	38	39	40	39	39	38	39	40	40	39	38	39	39	40	39	38	624
		11					38	38	39	39	39	39							232
		15	37				39												76
		17	38	39	40	39	39	38	39	40	40	39	38	39	40 39				547
		18	38	39	40	39	39	39				39					39	40	352
		20					39	38	37	39									
Total number of acres to be irrigated																			
																			4460

07-7001

TOTAL ACREAGE _____

R. 1 W.


R. 1



R.D. IN L.

T.

3

S.





DEPTH FT. (VERTICAL)	Q CFS
.500	1.642
1.000	5.998
1.500	13.40
2.000	24.35
2.500	39.32
3.000	58.75
3.500	83.06
4.000	112.7

3.15' = 66.04 cfs



TRAPAZOIDAL FLUME
for

MURPHY FLATS IRRIG. CO.
MURPHY, IDAHO

Designed By: USDA-ARS-SWC
Kimberly, Idaho
30 Oct. 1970

J.E. Bonkura

02-7001



NO SCALE

DEPTH FT. (VERTICAL)	Q CFS
.500	1.642
1.000	5.998
1.500	13.40
2.000	24.35
2.500	39.32
3.000	58.75
3.500	83.06
4.000	112.7

TRAPEZOIDAL FLUME
for

MURPHY FLATS IRRIG. CO.

MURPHY, IDAHO 2 7001

Designed By: USDA-ARS-SWC
Kimberly, Idaho
30 Oct. 1970
J.E. Bonduant

February 19, 1971

Re: Permit No. 02-7001

Mr. Jay H. Hulet
Murphy,
Idaho 83650

Dear Mr. Hulet:

We have received, from Mr. Bondurant, the plan and the rating table of your measuring device. A field examiner from our department will be verifying the amount of water used and the number of acres being irrigated. You have taken all of the necessary steps and the only remaining item to be completed before this permit can be licensed is the field examination.

Very truly yours,

BOBBY D. FLEENCER
Assistant Director

BDF/kh

2 7001

February 16, 1971

Att. Bobby D. Fleenor
State of Idaho
Dept. of Water Adm.
State House Annex 2
Boise, Idaho 83707

Dear Mr. Fleenor,

Your letter of Jan. 19-71 states that my project is scheduled for examination during the coming season. Are there any points other than the water measuring device that I should have completed that would be of concern on this visit?

You should be in receipt of a letter from Mr. Bondurant which included a plan and rating table for my measuring device.

Sincerely,

Jay H. Hulet
Jay H. Hulet
Murphy, Idaho 83650

2 70 1

UNITED STATES DEPARTMENT OF AGRICULTURE
AGRICULTURAL RESEARCH SERVICE
SOIL AND WATER CONSERVATION RESEARCH DIVISION
SNAKE RIVER CONSERVATION RESEARCH CENTER
ROUTE 1, BOX 186
KIMBERLY, IDAHO 83341

February 9, 1971

Department of Agriculture
Snake River Conservation Research Center


Mr. Bobby B. Fleenor
Assistant Director
Dept. of Water Administration
Statehouse Annex #2
Boise, Idaho 83707

Dear Mr. Fleenor:

Enclosed is one copy of the plan and rating table of the trapezoidal flume for Mr. J. ~~Hewlett~~ ^{HULET} of Murphy Flats Irrigation Company at Murphy, Idaho. I hope that this will be satisfactory for your purposes.

We intend to assist Mr. Hewlett in installing this structure as soon as the weather is suitable.

Sincerely yours,


James A. Bondurant
Agricultural Engineer

cc: Mr. J. ~~Hewlett~~ ^{HULET}
Murphy, Idaho

Encl.

2 7031

January 19, 1971

Re: Permit No. 03-7001

Mr. Jay H. Hulet
Murphy,
Idaho 83650

Dear Mr. Hulet:

Your project is scheduled for examination during the coming irrigation season. We cannot tell the exact date of this examination, but our examiner will try to contact you at the time he makes his inspection. Before this examination is made, we must have the plan and the rating table of your measuring device, unless it is a standard type of device. We would expect you to send this information to us, by February 19, 1971, so that your permit will remain in good standing.

Let us hear from you soon concerning this matter.

Very truly yours,

BOBBY D. FLEENOR
Assistant Director

BDF:kh

October 6, 1970

RECEIVED

OCT 9 1970

Department of Water Administration

Attention:
C. Steven Allred
State of Idaho
Dept. of Water Administration
Statehouse Annex 2
Boise, Idaho

Dear Mr. Allred,

As follow up on my telephone conversation made on Monday Oct. 5th-1970 I will give you the following information for your file.

A Trapezoidal flume will be installed within the cement ditch where the water is discharged from the penstock into the cement canal.

James A. Bondurant Agricultural Engineer at the Snake River Conservation Research Center, Kimberly, Idaho will furnish the plans and the calibrations of the flume.

The dimensions of the canal at the point of installation will be:

- a-4-foot bottom
- b-1 to 1 slope on the sides
- c-top of the canal is $3\frac{1}{2}$ feet from the bottom
- d-normal high waterline is 2.8 feet
- e-top of canal is 11 feet across.

The grade is $5\frac{3}{4}$ inches of drop in 583.3 feet of straight canal.

Sincerely,

Jay H. Hulet
Jay H. Hulet
Murphy, Idaho 83650

2 7001

September 10, 1970

Mr. Jay H. Hulet
Murphy Flats
Murphy, Idaho 83650

Re: Permit 02-7001

Dear Mr. Hulet:

Thank you for your letter of September 7, 1970 regarding the above-numbered permit.

I can see no reason why the location you describe for a measuring device would not be acceptable. We want the device to be as useful as possible and if such a location would enable you to obtain the most benefit and use, we would be most agreeable. We would require that the measuring device be located so that it measures all water diverted from the river.

We would appreciate being advised before October 5 of the type of device you intend to install and the estimated date of completion.

If you have any questions, please do not hesitate to contact me.

Very truly yours,

C. STEPHEN ALLRED
Deputy Director

CSA:cc

2 7001

RECEIVED *af*

SEP 9 1970

September 7, 1970

Department of Water Administration

C. Stephen Allred
Deputy Director
State of Idaho
Department of Water Administration
Statehouse Annex 2
Boise, Idaho 83707

Dear Mr. Allred,

In answer to your letter dated Sept. 1, 1970 in regard to permit #02-7001.

I would like to ask permission to have the measuring device put at the top of the rim rock where we discharge into an open canal. This would be the first discharge of water after leaving the pumps, and would make it more convenient for anyone who was checking the facility or the amount of water used; thus saving a long detour to the pump station.

Sincerely,

Jay H. Hulet
Jay H. Hulet
Murphy, Idaho 83650

2 7001

September 4, 1970

Re: Permit No. 02-7001

Mr. Jay H. Hulet
Murphy
Idaho 83650

Dear Mr. Hulet:

We are in receipt of your affidavit submitted as proof of beneficial use for permit 02-7001. However, in reviewing that affidavit, it appears that you have failed to install the measuring device as required by the conditions of approval of your permit and by Section 42-701 of the Idaho Code.

We cannot accept your proof and issue a license unless you have installed a measuring device of a type approved by the Department. We will hold your affidavit until you can supply us with information as to the type of measuring device installed. You should be aware that failure to install the device and supply information as to the type of device installed may result in the loss of your permit. We will withhold action regarding your permit until October 5, 1970.

We are enclosing a list of the types of devices approved by the Department of Water Administration. If you have any questions, please contact us.

Very truly yours,

C. STEPHEN ALLRED
Deputy Director

CSA:DR
Enc: Information letter

2 7001

Identification No. _____

Permit No. _____

**STATE OF IDAHO
DEPARTMENT OF RECLAMATION**

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

RECEIVED

SEP 3 1970 *late*

Department of Water Administration

1. a) Name of Permit Holder Jay H. Hulet
b) Post Office Address Murphy, Idaho 83650
2. Permit Number 02-7001
3. Date of Priority that you are prepared to establish 7-13-67
4. a) Source from which water was appropriated Snake River ✓
b) Location of the point of diversion: Lot 3 1/4 1/4, Section 6
Township 3 S, Range 1 E ✓ Boise Meridian, Other points of diversion: _____
5. a) The amount of water and use to which the water has been applied:
amount 2100gpm for irrigation purposes from 4-1 to 11-1 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount 235 for irrigation purposes from 4-1 to 11-1 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 235 AF ✓ cfs and/or acre feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: estimated
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____
b) Describe the agreement or understanding by which you take water from the works: _____
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) _____
7 ea 700 Hp motors and pump at river to 24' high, then 7 ea 200 HP pumps
out of reservoir
b) Describe the type and size of measuring device which you have installed at your point of diversion: _____
none other than knowing capacity of pumps
c) Give well drillers name and address and date the well was completed _____

Exam typed 4-26-71. (CR)

2 7001

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use _____

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: _____

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3S	1W	2			40				40		40	40				40			200
		3							40			40	40		40	40	40	40	350
		4			40	40			40	40	40	40	40	40	40	40	40	40	480
		5				40					40			40	40			40	200
		7												40	40	40	40	40	200
		9	ALL																640
		8			40	40	40	40	40	40	40	40	40	40	40	40	40	40	640
		10	ALL																640
		11					40	40	40	40	40	40							240
		15			40		40												80
		17		40	40	40	40	40	40	40	40	40	40			40	40		560
		18		40	40	40	40			40	40				40	40			360
		20					40	40											80
Total number of acres irrigated																			4,460

10. Remarks: _____

The above information is a true statement of the extent to which the above numbered permit has been developed.

9-3-70 (Date) Jay H. Huslet (Signature)

State of Idaho ss. County of Ada

On this 3 day of Sept., 1970, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Notary Public residing at

My commission expires 2-18-1974

INSTRUCTIONS TO DELIVERING EMPLOYEE

☐ Show to whom, date, and
address where delivered

☐ Deliver ONLY
to addressee

(Additional charges required for these services)

RECEIPT

Received the numbered article described below.

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE *(Must always be filled in)*

CERTIFIED NO.

1

Mr. J. H. Hulet

2

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

INSURED NO.

Dorothy Hester

DATE DELIVERED

SHOW WHERE DELIVERED *(only if requested)*

3

7-270

POST OFFICE DEPARTMENT
OFFICIAL BUSINESS

PENALTY FOR PRIVATE USE TO AVOID
PAYMENT OF POSTAGE, \$300

PS-16-71448-10

POD Form 3811 Apr. 1967

INSTRUCTIONS: Show name and address below and complete instructions on other side, where applicable. Moisten gummed ends, attach and hold firmly to back of article. Print on front of article RETURN RECEIPT REQUESTED.



NAME OF SENDER

STREET AND NO. OR P.O. BOX

Department of Education
Annex #2

POST OFFICE, STATE, AND ZIP CODE

Boise, Idaho 83707

June 30, 1970

Re: Permit No. 02-7001

Mr. Jay H. Hulet
1000 Falls Ave.
American Falls, Idaho 83211

Dear Mr. Hulet:

One of the conditions of the approval of your permit no. 02-7001 was that proof of application of the water to beneficial use be submitted to this office on or before September 1, 1970.

Enclosed is an affidavit form which must be used to submit this proof. You may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code Amended.

Either the proof or a request for extension of time must be received by this department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



State Reclamation Engineer

Enc: Proof form
dr

CERTIFIED MAIL

#22004

02-7001

Folder No. 02-7001 has six maps in it that were too large to be filmed. They are as listed:

Map showing survey to accompany application for right of way for irrigation facilities through Sec. 6, 35 1E, 3.M. Sections 1 and 2, 35 1W, 3.M. In Owyhee County, Idaho. Drawn by OLG. Date: 6-23-67. Original map drawn by MVD, 11-28-64 (Davenport Engineers, Caldwell, Ida.)

Map to accompany application to construct a reservoir and to store and appropriate the public waters of the State of Ida. For Jay H. Hulet, 1000 Falls Ave., American Falls, Ida. Section 1 and 2, 3S 1W. Revision Date: 6-30-67 (Davenport Engineers, Box 131, Caldwell, Idaho)

Map of the Hulet Project, formerly the Pacific Land Co. Melvin Davenport and Harold J. Cox, Box 131, Caldwell, Ida. Oct. 28, 1964.

Rev. 1-2-65 MVD

Rev. 5-7-65 MVD

Rev. 2-28-67 MVD

02-7001

Map showing survey to accompany application for right of way for irrigation facilities through section 6, 35, 1E. Sections 1 and 2, 35 1W in Owyhee County, Idaho. Drawn by OLG, June 23, 1967. Original map drawn by MUD, Nov. 28, 1964. By Davenport Engineers.

Map of spillway plans for Jay H. Hulet. Sections 1 and 2, 35 1W. Drawn by OLG. 6-30-67. Davenport Engineers, Caldwell, Ida. (Box 131)

Map to accompany application to construct a reservoir and to store and appropriate the public waters of the State of Idaho for: Jay H. Hulet, 1000 Falls Ave., American Falls, Ida. The map consists of test holes, Reservoir topography, and elevation Capacity Curve Davenport Engineers, Caldwell, Ida. (Box 131)

02-7001

August 29, 1967

Re: Permit 02-7001

Jay H. Hulet
1000 Falls Avenue
American Falls, Idaho 83211

Dear Mr. Hulet:

We enclose a copy of your approved application for permit 02-7001 in which we direct your attention to the limitations and conditions as given on the fourth page under approval of the State Reclamation Engineer.

Very truly yours,

Donald W. McEldowney
Water Rights Clerk

DWM:nw

Enclosure: Departmental Receipt No. 33861 for \$30.00
Copy of application

02-7001
Form 4

November 6, 1967

RE: Permit 02-7001

Jay H. Hulet
1000 Falls Avenue
American Falls, Idaho 83211

Dear Mr. Hulet:

Enclosed is a copy of the amendment to land list which has been recorded in this office under the above referenced permit.

Departmental Receipt No. 135 in the amount of \$5.00 was given to you at the time you were in this office. This amount covers the recording fee.

Very truly yours,

M. RUSSELL BOSCH
Office Manager

MRBtejw

Encl. Copy of permit amendment

02-7001

02-7001

August 16, 1967

Mr. Melvin Davenport
Davenport Engineers
Box 131
Caldwell, Idaho 83605

Dear Mr. Davenport:

We have received your letter of August 2, 1967, with which you forwarded engineering surveys of the dam on Murphy Flat Project of Mr. Jay R. Hulet.

As indicated to you earlier, this office will require that the dam have a minimum of 3 feet of freeboard when the spillway is flowing water at its designed capacity. We will also require rip-rap to be placed on the upstream face of the dam, and will give only provisional approval until such time as the dam has been observed through one full season of operation.

Please keep us advised of your progress in this matter.

Very truly yours,

R. KEITH HIGGINSON
State Reclamation Engineer

RKH:ev

02-7001

MELVIN V. DAVENPORT, P.E.
1215 FILLMORE STREET
CALDWELL, IDAHO
PHONE 489-2121

DAVENPORT ENGINEERS
BOX 131
CALDWELL, IDAHO

CONSULTING ENGINEERS
SURVEYORS AND DRAFTSMEN
PHONE 489-3158

August 2, 1967

Mr. R. Keith Higginson
State Engineer
Department of Reclamation
Room 107, Statehouse
Boise, Idaho

Dear Sir:

In regard to the application of Jay H. Hulet of 1000 Falls Avenue, American Falls, Idaho for the completion of the Reservoir and spillway in Sections 1 and 2, Township 3 South, Range 1 West in Owyhee County; we are submitting herewith revised plans.

We have determined that it is more practical to lower the spillway 1.6 feet rather than install a flap gate on the canal. The elevation of the top of the concrete canal is 22.4 where the canal comes past the West end of the dam. This is 1.6 feet lower than the top of the dam. By making the cut-off wall in the spillway at elevation 17.4, the effective depth of the spillway of 2 feet and 3 feet of freeboard would be below the top of the concrete canal, making the flap gate unnecessary.

Respectfully submitted,

Melvin V. Davenport
Melvin V. Davenport, P.E.

MVD:at

Enclosures

02-7001

MELVIN V. DAVENPORT, P.E.
1215 Fillmore Street
Caldwell, Idaho
Phone 459-2121

DAVENPORT ENGINEERS
P. O. BOX 131
CALDWELL, IDAHO 83605

CONSULTING ENGINEERS
SURVEYORS and DRAFTSMEN
Phone 459-3158

August 2, 1967

Mr. Jay H. Hulet
1000 Falls Avenue
American Falls, Idaho

Dear Sir:

I have decided it would be better to construct the spillway at your reservoir in Owyhee County in such a way that a flap gate will not be necessary.

Enclosed is a copy of our letter to the State Reclamation Engineer.

We are sending you under separate cover; 2 copies of the right of way survey, 2 copies of the map filed with the State Engineer, and 2 copies of the plan for the spillway. Additional copies can be supplied if required.

We will be available to check the construction of the spillway and to check the rip-rap when it is placed on the upper side of the dam, and we will report to the State Reclamation Engineer when the construction is completed.

Also enclosed is a statement for our services to date. The maps paid for on a separate statement are not included in this statement.

Very truly yours,

Melvin V. Davenport
Melvin V. Davenport, P.E.

MVD:at

Enclosure

Copy To: R. Keith Higginson ✓

02-7001

July 28, 1967

Re: 02-7001

U. S. Bureau of Land Management
P. O. Box 2237
Boise, Idaho 83701

Gentlemen:

This letter is to advise that Mr. Jay H. Hulet, 1000 Falls Avenue, American Falls, has filed an application with this department to store 235 acre feet of water in the reservoir constructed as part of the old Pacific Land Corporation on Murphy Flats. Notice of this proposed appropriation will be published in the Owyhee Nugget on August 3 and August 10, 1967, and the law requires we wait 10 days following the last publication for the filing of protests before any action is taken by this office. We anticipate, if no protests are filed, a permit will be issued.

If you have any further questions concerning this matter please let me know.

Very truly yours,

R. KEITH HIGGINSON
State Reclamation Engineer

RKH:ew

02-7001

THE OWYHEE NUGGET

Established 1891 - "Official Newspaper of Owyhee County"

Rodney A. Hawes, Publisher - Phone 896-4393

MARSING, IDAHO 83639

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that Jay H. Hulet has on July 13, 1967 applied for permit to (store) 235 (acre feet) of water from Snake River under application No. 02-7001. Water will be diverted by dam and pumps within the Lot 3, Sec 6, T. 34S., R. 1 E., B. M. and is to be used from April 1 to October 15 for irrigation in Portions of land in the following sections: Sec 2, 3, 4, 5, 7, 8, 9, 10, 11, 13, 17, 18, 20, T. 2 S., R. 1 W., B. M.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON,
State Reclamation Engineer
Published in the Owyhee Nugget, Marsing, Idaho, on August 3 and August 10, 1967.

02-7001

July 20, 1967

J. H. Hulett
Murphy, Idaho

Dear Mr. Hulett:

Enclosed is the copy of our letter of January 25, 1967, that was promised to you in our telephone conversation of July 19, 1967. It should be of help to you in understanding this department's position in the matter.

Very truly yours,

Donald J. Watts
Engineer

DJW:nw

Enclosure

02-7001

July 20, 1967

Re: Application 02-7001

Owyhee Nuggett
Marsing,
Idaho 83639

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for proofing before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you can not publish the notice on the proposed dates, please contact us immediately.

The expense of this publication is to be paid by the Department of Reclamation to whom you must furnish an affidavit of publication with the bill as soon as the publication is completed.

Very truly yours,

Donald W. McElDowney
Water Right Clerk

DW:ks

Enclosures: legal notice

P.S. Please send a certified bill in order to receive prompt payment.

Form 3

02-7001

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that Jay H. Hulet
has on July 13, 1967 applied for permit to ~~(divert)~~ (store 235
XXXXXX XXXXXXXXXX (cubic feet per second) (acre feet) of water from Snake
River under application No. 02-7001. Water will be
diverted by dam and pumps within the Lot 3, Sec. 6, T. 3S, R.
1E, B.M. and is to be used from April 1
to October 15 for irrigation
in Portions of land in the following sections: Sec. 2, 3, 4, 5, 7,
8, 9, 10, 11, 15, 17, 18, 20, T. 3S, R. 1W, B.M.

Any protest against this application must be filed with the Department
of Reclamation within ten days from the last date of publication of this
notice.

R. KEITH HIGGINSON

State Reclamation Engineer

Published in the Owyhee Nuggett Marsing
August 3 August 10
Idaho, on _____ and _____.