


Complete the following map by showing land and point of diversion as proposed by this amendment.

Show 40-acre subdivisions, townships, ranges and ditches.

MICROFILMED



Scale: 2 inches equal 1 mile.

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at Boise, Ida, this 31 day of July, 1984.

Elias Jara
(Signature)

FOR DEPARTMENT USE ONLY

Preliminary check by kw 2KN Fee = \$20.00 #28812 5/10/1983 #24536 Received by 2KN Date 7/31/84

Publication prepared by N/A Date _____ Published in Owyhee Nugget

Publication dates _____

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, A. KENNETH DUNN, of the Department of Water Resources hereby

Approve the above Application for Amendment for Permit No. 02-2266.

Witness my hand this 10TH day of October, 19 84.

Norman C. Young
Director

RECEIVED

MAR 4 1969

Department of Reclamation

PROOF OF PUBLICATION

STATE OF IDAHO }
County of Owyhee } s.s.

I, RODNEY A. HAWES, being first duly sworn, on oath says that he is the Publisher of the OWYHEE NUGGET, a newspaper of general circulation, published weekly by Rodney A. Hawes, publisher and printer thereof, at Marsing, County of Owyhee, State of Idaho;

That the annexed notice was published in said newspaper once each week and every week for 2 consecutive weeks, the first publication being on the 28 day of Nov, 1968, and the last publication being on the 5 day of Dec, 1968;

That the said newspaper has been published continuously and uninterruptedly in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of the attached notice.

Rodney A. Hawes
PUBLISHER

Subscribed and sworn to before me this 5 day of Dec, 1968.

Leona L. Hawes
NOTARY PUBLIC

My commission expires 9-10-72

(SEAL)

NOTICE OF APPROVED APPLICATION FOR WATER

Notice is hereby given that James Agenbroad, & Sons, partnership, Route 3, Nampa, Idaho, has received an approved permit No. 31661 to divert 6.0 cubic feet per second of water from Snake River tributary of Columbia River. The priority to be established under this permit is January 16, 1964. Water will be diverted by pump, pipe and ditch within the NW 1/4 SE 1/4, Sec. 27, T. 1 N., R. 3 W., B. M., Owyhee County, and is to be used for irrigation in the SW 1/4 NE 1/4, NW 1/4, N 1/2 SW 1/4, NW 1/4 SE 1/4, Sec. 28, T. 1 N., R. 3 W., B. M.


Any protests against the intent of the permit must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON,
State Reclamation Engineer
Published in the Owyhee Nugget, Marsing, Idaho, on November 28, 1968 and December 5, 1968.

31661

Complete the following map by showing land and point of diversion as proposed by this amendment.

Show 40-acre subdivisions, townships, ranges and ditches.



Scale: 2 inches equal 1 mile.

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at Marsing, Idaho, this 10th day of May, 1983.

Eliar Jara
(Signature)

FOR DEPARTMENT USE ONLY

Preliminary check by 20th Fee Fee = \$20.00 #25512 Received by gkn Date 5/10/83

Publication prepared by _____ Date _____ Published in _____

Publication dates _____

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, _____, of the Department of Water Resources hereby


VOID

Witness my hand this _____ day of _____, 19____.

fee applied to
amendment submitted
on 7/31/1984. kw

R3W

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: 42 SW NE Sec. 27 T1N R3W

Place(s) of Use

TWP.	RGE.	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
141	34	28			17		5	36	39	33	39	39				39			249 ✓
		20															26		26 ✓
		29	24																24 ✓

Recommended Amendments:

- ☒ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☒ Add P.U. as reflected above

- ☐ None
☐ Other

NOT TO EXCEED 320-per permit

Examiner's Signature

John K. Noyes

Checked by

DBS

Approved by

Ray WalkerDate 3/10/83Date 7/14/83Date 6-20-84

297

IDWR SUPPLEMENTAL FIELD REPORT
FOR ANNUBAR MEASUREMENT

Measured by: JKN & FEL

Date 6/3/82

Owner: ELIAS* by INEC JACA

Permit No. 02-2266

Description of well &/or measuring site (give distance to restrictions upstream and downstream): PUMP #1, 125 H.P., GE MOTOR MOD. #12F5990U, SER. #PEJ6759010, JOHNSTON VERT. PUMP #JW14048, 10" DISCH. ACCESS PORT APPROX. 5' ABOVE DISCH. PORT & APPROX. 5' BELOW ELBOW IN LINE. ELBOW AT DISCH. PORT & ABOVE ACCESS PORT APPROX 45°. USED IN UNISON W/PUMP #2 DESCRIBED ON ACCOMPANYING SHEET.

Measured inside diameter of pipe in inches (A) 13.250 (A)

Size of Annubar used in test 10.020

State ID# of Annubar ~~meter~~ used #191151

Size Eagle Eye Meter used 10-80

State ID# of Meter used #091476

Date of Last Calibration of Meter 3/26/82


Observed inches of H2O read on Meter 15"

Adjusted inches of H2O from Last Calibration (B) 15 x 1.030 = 15.45 (B)

CALCULATION:
$$\frac{(3.85) \times (A)^2 \times \sqrt{B}}{448.8} = \frac{(3.85)(175.56)(3.93)}{448.8} = 5.92 \text{ cfs measured}$$

$A^2 = 175.56$
 $\sqrt{B} = 3.93$

Where A and B are measured in inches and 3.85 is a constant for the model 75 Annubar.



MICROFILMED

IDWR SUPPLEMENTAL FIELD REPORT
FOR ANNUBAR MEASUREMENT

Measured by: JKN & FEL

Date 6/3/82

Owner: ELIAS & INEZ JACA

Permit No. 02-2266

Description of well &/or measuring site (give distance to restrictions upstream and downstream): PUMP #2, 150 H.P., U.S. VERTICAL MTR. MOD # C 2684-01-381
SER # 84-06076, WELLLINE PUMP # 45955-2-STAGE, 10" DISCH. ACCESS
PORT APP. 5' ABOVE DISCH. PORT & APP. 5' BELOW ELBOW IN LINE. ELBOW AT
DISC PORT AND ABOVE ACCESS PORT APP. 45°. USED IN UNISON W/ PUMP
#1 DESCRIBED ON ACCOMPANYING SHEET.

Measured inside diameter of pipe in inches (A) 13.250 (A)

Size of Annubar used in test 10.020

State ID# of Annubar ~~Meter~~ used # 191151

Size Eagle Eye Meter used 10-80

State ID# of Meter used # 091476

Date of Last Calibration of Meter 3/26/82

Observed inches of H2O read on Meter 15"


Adjusted inches of H2O from Last Calibration (B) 15 x 1.030 = 15.45 (B)

CALCULATION:
$$\frac{(3.85) \times (A)^2 \times \sqrt{B}}{448.8} = \frac{(3.85)(175.56)(3.93)}{448.8} = 5.92 \text{ cfs measured}$$

$$A^2 = 175.56$$


$$\sqrt{B} = 3.93$$

Where A and B are measured in inches and 3.85 is a constant for the model 75 Annubar.




MICROFILMED


amended
~~5/1/1874~~
2/21/1955



5/29/1935



MICROFILMED



Permit No. 31661 **63** **B.O.**

Name of Applicant James Agenbroad & Sons, Partnership, 804 East State St.,

Source of Water Snake River Boise, Idaho

a tributary of Columbia River

Location of P.D. NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 27, T. 1 N, R. 3 W, B.M., Owyhee County.

Water is used for Irrigation

Quantity of water claimed: Permit 6.0 c.f.s. Depositions 6.0 c.f.s.

Type of measuring device installed or method of measurement and general description
of diversion works pump, 1400 feet of 14" pipe with 7' fall per
mile; ditch, no measuring device

Land to be irrigated or place of use:

TWP.	RGE.	SEC.	Description
1N	3W	28	SW $\frac{1}{4}$ NE $\frac{1}{4}$, NW $\frac{1}{4}$, N $\frac{1}{2}$ SW $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$

Filed - January 16, 1964 Total acreage 320

Due - January 17, 1975

Made - November 22, 1968


Priority - January 16, 1964

Other rights and acreage covered: (Indicate amounts, source, licensed or decreed, and
acreage covered by subdivision; also show land covered on the map.

None

31661
02-2266

29



27

26

Permit Map No. 31661
As Approved JAN 17 1964
CARL E. TAPPAN
State Reclamation Engineer

Office copy

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 02-2266 Priority January 16, 1964 Amount 5.94 cfs

THIS IS TO CERTIFY, that Elias Jaca
of Murphy, Idaho, has complied with the terms and conditions of Permit
No. 02-2266 issued pursuant to Application for Permit dated January 16, 1964,
and has submitted proof to the Department of Water Resources on December 17, 1979,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 11.84 cfs of water from Snake River,
tributary to Columbia River, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	from <u>March 15</u> to <u>November 15</u> at <u>5.94</u> cfs and <u>1485.0</u> acre feet		
	from _____ at _____ cfs and _____		
	from _____ at _____ cfs and _____		

(both dates inclusive)

Subject, however, to the condition that no more than 5.94 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
1485.0 acre feet per year, said waters to be diverted within the Gov. Lot 2 (SW $\frac{1}{4}$ NE $\frac{1}{4}$)
Section 27, Twp 1N, Rge 3W in the County of Owyhee

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
1N	3W	28		17		5	36	39	33	39	39								247
		20																26	26
		29	24																24

Total number of acres irrigated 297

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 10TH day of
OCTOBER, 19 84.

MICROFILMED

Director

STATE OF IDAHO

Licensing Amendment
APPLICATION FOR AMENDMENT OF A PERMIT

To change the point of diversion and/or the place of use.

APPROVED

Comes now Elias Jaca Phone 495-2570
of (address) Murphy, ID 83650, and represents to the
Director of the Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho
No. 02-2266, and requests that the permit and permit map be changed as follows:

1. Point of diversion: ^{LT2} SW $\frac{1}{4}$ NE $\frac{1}{4}$, Section 27, Township 1N, Range 3W, B.M.,
County of Owyhee. Other points of diversion: _____

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)
Amount 5.94 for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

3. Place of use or land to be irrigated:

TWP	RGE	SEC	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
1N	3W	28			17		5	36	39	33	39	39				39			247
		20																26	26
		29	24																24

Total number of acres to be irrigated = 297

4. a. Who owns the property at the point of diversion? Applicant
b. Who owns the land to be irrigated or the place of use? Applicant
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the
applicant to make this filing: _____


MICROFILMED

Complete the following map by showing land and point of diversion as proposed by this amendment.

Show 40-acre subdivisions, townships, ranges and ditches.

MICROFILMED

R3W



Scale: 2 inches equal 1 mile.

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at Boise, Ida, this 31 day of July, 1984.

Elias Jara
(Signature)

FOR DEPARTMENT USE ONLY

Preliminary check by kw 2KN Fee = \$20.00 #28812 5/10/1983 #24536 Received by 2KN Date 7/31/84

Publication prepared by N/A Date _____ Published in Owyhee Nugget

Publication dates _____

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, A. KENNETH DUNN, of the Department of Water Resources hereby

Approve the above Application for Amendment for Permit No. 02-2266.

Witness my hand this 10TH day of OCTOBER, 19 84.

Norman C. Young
Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR EXTENSION OF TIME

State of Idaho)
County of Owyhee)

Permit No. 31661/02-2266

Elias Jaca of Murphy Idaho
(name) (address)

State of Idaho, being first duly sworn, upon his oath deposes and says:

That he is the holder, or the duly authorized agent of the holder *, of Permit to
Appropriate the Public Waters of the State of Idaho No. 31661/02-2266.

That under the terms and conditions of said permit, work thereunder was required
to be completed on or before January 17, 19 75.

That he has heretofore performed the following work described under said permit:

Irrigation system is installed and 250 acres of land irrigated.

70 acres remain to be irrigated.

Costing \$ _____

That he is unable to complete the remainder of the work within the required time for
the following reasons, to-wit: Rising costs have made financing difficult.

Land to south is higher and will require additional pump equipment to get water to land.

New owner will proceed to develop this land with diligence.

Wherefore, he asks that the Department of Water Resources extend the time for the
completion of obligations under said permit to January 17, 19 80.

Elias Jaca
(signature) *

Subscribed and sworn before me this 17th day of January, 19 75.

seal

Calvin L. Atkinson
Notary Public residing at

Boise, Idaho

My commission expires 12-26-78

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. KEITH HIGGINSON, Director of the Idaho Department of Water Resources,
hereby approve the above application for extension of time for Permit No. 31661/
02-2266 to January 17, 1980.

Witness my hand this 27 day of January, 19 75.

R. Keith Higginson
Director

* IF OTHER THAN HOLDER, Power of Attorney must be supplied. Forms are available
through the Department of Water Resources, State Capitol, Boise, Idaho 83720.

MICROFILMED

RECEIVED

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
ASSIGNMENT OF PERMIT

NOV 18 1969

Department of Reclamation

I, James Agnew + Son hereby assign to Elias Jaca
of Murphy Idaho Name
Address

CHECK ONE

☒ All my right, title, and interest, in and to Permit No. 31661
to appropriate the public waters of the State of Idaho.

☐ The following described portion of my right, title, and interest in and to
Permit No. _____ to appropriate the public waters of the State
of Idaho. (Give that portion of the permit being assigned by describing
the land list and the point of diversion - describe by acreage within each
40-acre subdivision.)

Made this 18th day of Nov., 1969.

James Agnew
Permit Holder
Donna Agnew

Wife of Permit Holder

State of Idaho)
County of Ada) ss.

On this 18th day of November, 1969, personally ap-
peared before me the signer(s) of the above instrument, who duly acknowledged to me
that he (she) (they) executed the same.

John L. Began
Notary Public residing at _____
Boise, Idaho

My commission expires 8-25-70

31661

02-2266

02-2286-31661

Application For Permit
To Appropriate the Public Waters of the State of Idaho

APPLICATION No. 39774
PERMIT No. 31661
DISTRICT No.

1. Name of Applicant: James Agenbroad & Sons, Partnership
Postoffice address: R. #3, Nampa County: Canyon State: Idaho
I. If applicant is a corporation, give:
(a) Date and place of incorporation:
(b) Amount of capital stock:
(c) Amount paid in:
(d) Names and addresses of directors:
II. The financial resources of the applicant are:
(a) Cash on hand:
(b) Treasury stock:
(c) Bond to be issued:
(d) Other resources:
2. Quantity of water claimed: 6.0 cubic feet per second.
3. Source of water supply: Snake River which is a tributary of
4. Location of point of diversion: 2400 feet distant from the S.E.
corner of Section 27, T. 1 N., R. 3 W., B.M., and is in the NW 1/4 SE 1/4
of section 27, T. 1 N., R. 3 W., B. M., County of Owyhee
5. Water is to be used for Irrigation
6. If for mining, milling, power or manufacturing purposes, give:
(a) Point of use of water: feet distant from corner of Section
T., R., B.M., in the of Section of, T., R., B.M.
(b) Amount of power generated: H.P., under feet head.
(c) Water is to be returned to at a point feet
distant from the corner of Section, T., R., B.M., in the
of Section, T., R., B.M.
7. Estimated cost of works: \$12,000.00
8. Kind of works: Pump, pipe and ditch
9. Height of dam feet; length of dam at top feet; length of dam at bottom
feet; material used in dam:
10. Size of headgate: Width feet; height feet.
11. Ditch: Width at bottom 3 fee; width at water line 7 feet; depth of water 1.3 feet;
dimensions of flume:
Diameter of pipe 14" inches; length of conduit Pipe 1400 feet miles.
Average grade per mile 7' Fall Per Mile feet.
12. The time required for the completion of such work is 5 years.
13. The time required for the complete application of the water to the proposed use is 6 additional years.
14. The land to be irrigated is described in the following tabulation: See remarks.
15. Existing water rights and/or valid permits appurtenant to the lands to be irrigated are: None

16. (a) Is reservoir to be used? None If so, fill in (b) and (c) below:
 (b) Name of Reservoir and number of Storage Permit:
 (c) Date of filing of Application for Storage Permit and Name of Applicant:

BE IT KNOWN THAT The undersigned hereby makes application for permit to appropriate the public water of the State of Idaho as herein set forth.

James Agenbroad & Sons *Applicant.*

By s/ James D. Agenbroad Agent.

Date of first receipt at Department of Reclamation: 11:00 A.M. January 16, 1964

Returned to applicant for correction:

Corrected application received:

Approval of State Reclamation Engineer

The number of this permit is 31661

The number of this permit is 31661
Recorded in Book 111 Page 31661 Approved January 17, 1964

This is to certify that I have examined the within application for a permit to appropriate the public waters of the State of Idaho, and hereby approve the same, subject to the following limitations and conditions:

Bond in the sum of \$ _____ to be filed on or before _____

Work to begin on or before March 17, 1964 and to continue diligently and uninterruptedly to completion, unless temporarily interrupted by circumstances over which permit holder has no control.

One-fifth of the work above specified to be completed on or before July 17, 1966

The whole of said work to be completed on or before January 17, 1969

The whole of said work to be completed on or before January 17, 1975
Beneficial use of water appropriated in accordance herewith, to be made on or before January 17, 1975

WITNESS My hand this 17th day of January, 1964

s/ CARL E. TAPPAN
State Reclamation Engineer.

IN TESTIMONY WHEREOF, WE, ROBERT E. SMYLIE, Governor of the State of Idaho,
and ARNOLD WILLIAMS, Secretary of State of the State of Idaho, have caused this instrument to
be executed in the name of the State of Idaho, and caused the Great Seal of the State of Idaho to be hereunto affixed, this 17th
day of January, 1964. STATE OF IDAHO

Countersigned:

(SEAL) By s/ ARNOLD WILLIAMS
Secretary of State.

By s/ ROBERT E. SMYLLIE
Governor.

REMARKS:

14.

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
1 N	3 W	28	40				40	40	40	40	40	40	40				320		

PROOF OF PUBLICATION

STATE OF IDAHO }
County of Owyhee } s.s.

I, RODNEY A. HAWES, being first duly sworn, on oath says that he is the Publisher of the OWYHEE NUGGET, a newspaper of general circulation, published weekly by Rodney A. Hawes, publisher and printer thereof, at Marsing, County of Owyhee, State of Idaho;

That the annexed notice was published in said newspaper once each week and every week for 2 consecutive weeks, the first publication being on the 28 day of Nov, 1968, and the last publication being on the 5 day of Dec, 1968;

That the said newspaper has been published continuously and uninterruptedly in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of the attached notice.

Rodney A. Hawes
PUBLISHER

Subscribed and sworn to before me this 5 day of Dec, 1968.

Leona L. Hawes
NOTARY PUBLIC

My commission expires 9-10-72
(SEAL)

Department of Reclamation

NOTICE OF APPROVED APPLICATION FOR WATER

Notice is hereby given that James A. [redacted] Sona partnership, [redacted]ampa, Idaho, has received approved permit No. 31661 for 6.0 cubic feet per second water from Snake River to [redacted] of Columbia River. This permit is established January 16, 1961. Water will be diverted by pump, pipe and ditch within the NW 1/4, Sec. 27, T. 1 N., R. 3 W., B. M., Owyhee County, and is to be used for irrigation in the SW 1/4, NE 1/4, NW 1/4, N 1/2 SW 1/4, NW 1/4 SE 1/4, Sec. 28, T. 1 N., R. 3 W., B. M.

Any protests against the intent of the permit must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON,
State Reclamation Engineer
Published in the Owyhee Nugget, Marsing, Idaho, on November 28, 1968 and December 5, 1968.

31661

November 6, 1984

RE: Permit No. 02-2266

Elias Jaca
Murphy,
Idaho 83650

Dear Mr. Jaca:

Enclosed herewith is a copy of your Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc
Enclosures

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

August 7, 1984

RE: Permit No. 02-2266

Elias Jaca
Murphy,
Idaho 83650

Dear Mr. Jaca:

While preparing your Permit, No. 02-2266, for licensing, we discovered that you have submitted two licensing amendment forms. One of them was submitted on May 10, 1983, and received Departmental Receipt No. 28812. The second amendment is the one you filed on July 31, 1984, and received Departmental Receipt No. 34536.

We are going to void the form you submitted on May 10, 1983, and use that fee for the form you submitted on July 31. You will be receiving a refund of \$20.00, under separate cover, for the monies you paid on July 31.

We hope this error has not caused you any inconvenience. You will be receiving your license for this permit shortly.

If we can be of any assistance to you, please feel free to contact us.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc

✓cc: Ranae Sanders, IDWR

MICROFILMED

STATE OF IDAHO

Licensing

Licensing

APPLICATION FOR AMENDMENT OF A PERMIT

Void

To change the point of diversion and/or the place of use.

Comes now Elias Jaca Phone 495-2570of (address) Murphy, ID 83650, and represents to the

Director of the Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 02-2266, and requests that the permit and permit map be changed as follows:

1. Point of diversion: Lot 2 SW 1/4 NE 1/4, Section 27, Township 1N, Range 3W, B.M., County of Owyhee. Other points of diversion: _____

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)

Amount 5.94 AKN for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

3. Place of use or land to be irrigated:

TWP	RGE	SEC	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
1N	3W	28			17		5	36	39	33	39	39				39			247.9KN
		20														8KN		26	26
		29	24																24

Total number of acres to be irrigated = 290 297


9KN

4. a. Who owns the property at the point of diversion? applicant
- b. Who owns the land to be irrigated or the place of use? applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

MICROFILMED

Complete the following map by showing land and point of diversion as proposed by this amendment.

Show 40-acre subdivisions, townships, ranges and ditches.



Scale: 2 inches equal 1 mile.

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at Marsing, Idaho, this 10th day of May, 1983.

Eliar Jara
(Signature)

FOR DEPARTMENT USE ONLY

Preliminary check by 20th Fee Fee = \$20.00 #28812 Received by JKV Date 5/10/83

Publication prepared by _____ Date _____ Published in _____

Publication dates _____

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, _____, of the Department of Water Resources hereby


VOID

Witness my hand this _____ day of _____, 19 _____.

fee applied to
amendment submitted
on 7/31/1984. kw

R3W

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: 42 SW NE Sec. 27 T1N R3W

Place(s) of Use

TWP.	RGE.	SEC.	NE%				NW%				SW%				SE%				TOTALS
			NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	
T1N	R3W	28			17		5	36	39	33	39	39			32				249 ✓
		20															26		26 ✓
		29	24																24 ✓

297

Recommended Amendments:

- ☒ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☒ Add P.U. as reflected above

- ☐ None
☐ Other

NOT TO EXCEED 320-per permit

Examiner's Signature John K. MeyerDate 3/10/83Checked by OBSDate 7/14/83Approved by Ray WalkerDate 6-20-84

IDWR SUPPLEMENTAL FIELD REPORT
FOR ANNUBAR MEASUREMENT

Measured by: JKN & FEL
Owner: ELIAS⁴ by INC JACA

Date 6/3/82
Permit No. 02-2266

Description of well &/or measuring site (give distance to restrictions upstream and downstream): PUMP #1, 125 H.P., GE MOTOR MOD. #12F5990U, SER. #PEJ6759010, JOHNSTON VERT. PUMP #JW14048, 10" DISCH. ACCESS PORT APPROX. 5' ABOVE DISCH. PORT & APPROX. 5' BELOW ELBOW IN LINE. ELBOW AT DISCH. PORT & ABOVE ACCESS PORT APPROX 45°. USED IN UNISON W/ PUMP #2 DESCRIBED ON ACCOMPANYING SHEET.

Measured inside diameter of pipe in inches (A) 13.250 (A)

Size of Annubar used in test 10.020

State ID# of Annubar ~~XXXX~~ used *191151

Size Eagle Eye Meter used 10-80

State ID# of Meter used *091476

Date of Last Calibration of Meter 3/26/82


Observed inches of H2O read on Meter 15"

Adjusted inches of H2O from Last Calibration (B) 15 x 1.030 = 15.45 (B)

CALCULATION: $\frac{(3.85) \times (A)^2 \times \sqrt{B}}{448.8} = \frac{(3.85)(175.56)(3.93)}{448.8}$ cfs measured
= 5.92 CFS.

$$A^2 = 175.56$$
$$\sqrt{B} = 3.93$$

Where A and B are measured in inches and 3.85 is a constant for the model 75 Annubar.



MICROFILMED

IDWR SUPPLEMENTAL FIELD REPORT
FOR ANNUBAR MEASUREMENT

Measured by: JKN & FEL

Date 6/3/82

Owner: ELIAS & INEZ JCA

Permit No. 02-2266

Description of well &/or measuring site (give distance to restrictions upstream and downstream):

Pump # 2, 150 H.P., V.S. VERTICAL TRA. Mod # C 2684-01-381
SEA # 84-06076, Wellline Pump # 45955-2-STAGE, 10" DISCH. Access
Port App. 5' ABOVE DISCH. Port & App. 5' BELOW ELBOW IN LINE. ELBOW AT
DISC PORT AND ABOVE ACCESS PORT APP. 45°. USED IN UNISON W/ PUMP
1 DESCRIBED ON ACCOMPANYING SHEET.

Measured inside diameter of pipe in inches (A) 13.250 (A)

Size of Annubar used in test 10.020

State ID# of Annubar ~~XXXX~~ used # 191151

Size Eagle Eye Meter used 10-80

State ID# of Meter used # 091476

Date of Last Calibration of Meter 3/26/82

Observed inches of H2O read on Meter


15"
15 x 1.030 = 15.45 (B)

Adjusted inches of H2O from Last Calibration (B)

CALCULATION:
$$\frac{(3.85) \times (A)^2 \times \sqrt{(3.85)(175.56)(3.93)}}{448.8} = \text{cfs measured}$$

$$A^2 = 175.56$$
$$\sqrt{B} = 3.93$$

Where A and B are measured in inches and 3.85 is a constant for the model 75 Annubar.



MICROFILMED

Overlap Review for 02-2266

per permit - none

per micro-fische 4/12/84 -

✓ p/d - none

p/u - Sec. 20 - 02-7108 Snake R.

Sec. 29 - 02-7108


Sec. 28 - 02-2072 Snake R.

02-2072 - License - Opaline Str. District
(SAME SOURCE) different p/d - ~~p/u overlap~~
~~Recommend R16(5.0)~~. no
overlap per maps of district bound-
aries
02-7108 - permit - proof was
withdrawn - no overlap
because of stage. proof
due 5/1/85. kw 6-19-84


kw 6/20/84
7-26-84

MICROFILMED

amended
~~5/1/1974~~
2/21/1955



5/29/1935



CONTAINED FROM THE OFFICIAL RECORDS OF

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 02-2266

Name(s) of Permit Holder: Elias Jara

Post Office Address: 817 Blaine Ave

Donipha, Idaho Tel. No. 466-88

Source of Water: Snake River

Extent of Use: ☐ Domestic (number of households)
☐ Stockwater (number and type of stock)
☒ Irrigation 320 (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No
Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

Dec. 17, 1979
Date

Elias Jara
Signature of Permit Holder

MICROFILMED

PLACE
TEN CENT
STAMP
HERE

RECEIVED

DEC 17 1981



IDAHO DEPARTMENT OF WATER RESOURCES

STATEHOUSE

BOISE, IDAHO 83720

Department of Water Resources
Western Regional Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 384-2215

JACA, ELIAS
MURPHY, IO 83650

101421

OCTOBER 31, 1979

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 02-2266 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JANUARY 01, 1980. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

MICROFILMED

January 28, 1975

Re: Permit No. 31661/02-2266

Elias Jaca
Murphy,
Idaho 83650

Dear Mr. Jaca:

Enclosed is a copy of the approved application for extension of time submitted in connection with the above referenced permit.

The time within which to submit proof of beneficial use of water has been extended to January 17, 1980.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

DDR:JG
Enclosure

MICROFILMED

- **SENDER:** Complete items 1 and 2.
Add your address in the "RETURN TO" space on reverse.

1. The following service is requested (check one).

- ☐ Show to whom and date delivered..... 15¢
☐ Show to whom, date, & address of delivery.. 35¢
☐ DELIVER ONLY TO ADDRESSEE and show to whom and date delivered..... 65¢
☐ DELIVER ONLY TO ADDRESSEE and show to whom, date, and address of delivery 85¢

2. ARTICLE ADDRESSED TO:

3. ARTICLE DESCRIPTION:

REGISTERED NO.	CERTIFIED NO.	INSURED NO.
	26161	

(Always obtain signature of addressee or agent)

I have received the article described above.

SIGNATURE

4.

DATE OF DELIVERY

5. ADDRESS (Complete only if requested)

6. UNABLE TO DELIVER BECAUSE:

CLERK'S INITIALS

UNITED STATES POSTAL SERVICE
OFFICIAL BUSINESS

SENDER INSTRUCTIONS

Print your name, address, and ZIP Code in the space below.

- Complete items 1 and 2 on reverse side.
- Moisten gummed ends and attach to back of article.

**RETURN
TO**



**DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720**

PENALTY FOR PRIVATE
USE TO AVOID PAYMENT
OF POSTAGE, \$300



MICROFILMED

November 1, 1974

CERTIFIED MAIL

#26161

Re: Permit No. 31661/02-2266

Elias Jaca
Murphy,
Idaho 83650

Dear Mr. Jaca:

One of the conditions of approval of your water Permit No. 31661/02-2266 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before January 18, 1975. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

RKH:jg
Enc: Proof affidavit

RECEIVED

February 16, 1970

Re: Permit No. 31661 (New No. 02-2266)

Mr. Elias Jaca
Murphy,
Idaho 83650

Dear Mr. Jaca:

Enclosed please find a copy of the assignment of the above referenced permit to you. The assignment has been recorded and the original placed in our files. We are also enclosing a copy of the permit for your records.

Please be advised that proof of application of the water to beneficial use is due on or before January 17, 1975. You will be notified 60 days prior to this date that proof of beneficial use is due. However, if you wish to submit the proof affidavit previous to that time, please advise and we will forward the necessary forms.

If you have any questions or if we may be of assistance in any way, please feel free to contact us at any time.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:DR
Enc: Copy of assignment
Copy of permit

31661

02-2266

November 20, 1969

Mr. R. Keith Higginson
State Reclamation Engineer
Department of Reclamation
Statehouse - Annex 2
Boise, Idaho 83707

RE: Permit 31661, James Agenbroad & Sons, a
partnership


Dear Mr. Higginson:

I refer to the above designated water permit on which I submitted proof last November, 1968. It is my understanding that Ernest Agenbroad has now requested that the proof be withdrawn and the permit assigned to another party.

The request made by Ernest Agenbroad does have my approval and he is quite within his authority to do so since he is one of the partners in this partnership.

Please proceed with the action requested by Ernest Agenbroad. If you require anything further from me or if I can expedite the matter in any way, do not hesitate to let me know.

Very truly yours,


Carl Agenbroad
804 East State Street
Boise, Idaho 83702

31661

02-2266

On this 18th day of Nov. 1969 I
hereby withdraw proof of beneficial use to
Permit No 31661.

Signed
Ernest Agnewbroad,

RECEIVED

NOV 18 1969

Department of Reclamation

02-2266

31661

November 6, 1969

Re: Permit No. 31661/02-2266

Earnest Agenbroad
804 East State St.
Boise, Idaho

Dear Mr. Agenbroad:

Be informed that you must submit a letter requesting the proof to be withdrawn before we can take such action.

We are also enclosing an Assignment Form for your use. If you have any questions or need assistance, feel free to contact this department.

Very truly yours,

Dennis J. Timoskevich
Water Rights Administer

DJT:MH

Enclosure

2-10-70

R 3 W

T₁

28

27

1

N

0

Permit No. 31661

63

S.W.

Box 345 GRANDVIEW

Name of Applicant James Agenbroad & Sons, Partnership, 804 East State St.,

Source of Water Snake River Boise, Idaho

a tributary of Columbia River

Location of P.D. NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 27, T. 1 N, R. 3 W, B.M., Owyhee County.

Water is used for Irrigation

Quantity of water claimed: Permit 6.0 c.f.s. Depositions 6.0 c.f.s.

Type of measuring device installed or method of measurement and general description of diversion works pump, 1400 feet of 14" pipe with 7' fall per mile; ditch, no measuring device

Land to be irrigated or place of use:

TWP.	RGE.	SEC.	Description
1N	3W	28	SW $\frac{1}{4}$ NE $\frac{1}{4}$, NW $\frac{1}{4}$, N $\frac{1}{2}$ SW $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$

Filed - January 16, 1964

Total acreage 320

Due - January 17, 1975

Made - November 22, 1968

Priority - January 16, 1964

Other rights and acreage covered: (Indicate amounts, source, licensed or decreed, and acreage covered by subdivision; also show land covered on the map.)

None

31661
05-31661

Source of supply Snake River
a tributary of Columbia River
Location of P.D.(s) _____

Water is used for irrigation
Quantity of water found 286" 5.74 cfs 5.72
How was the measurement made? SPARLY meter
Measurement calculations _____

Q₁: 1009Pm 17.4sec. 5.74 cfs 286"
Q₂: 1009Pm 17.7sec 5.65 cfs 284"
Q₃ 1009Pm 18.0 sec 5.5 cfs 278
ALLOW ^{5.72} 5.74 cfs 286"

Diversion works description and diagram
125 H.P General Electric ^{Ser.} RE 16759010, Johnston
Vertical Pump Ser. # JW140480 14" Discharge Pipe
1400' Long. Concrete diversion with earth ditches

Indicate area irrigated in each subdivision on the map.

Total acreage irrigated _____

If water is used for purposes other than irrigation, fully describe how the water is used and what is done with it after the use.

Who represented the permit holder at the examination?

Recommended allowance for licensing _____

Description of required amendments. Comments. _____

Report checked? _____

Examination date _____

Signature _____

17.4 - 100

17.7 - 100

18.0 - 100

18 $\sqrt{100}$

5.55

50%
277.5

286 " 5.5 cfs

JOHNSTON Vertical Pump

Ser. # JW1404P

General Electric

Mod. # 12F5990 125 HP

Ser. # RE 16759010

12" Discharge with Butterfly Valve

10" INTAKE

5' 7 1/2"

5.65

5.15

284"



286"

31661

02-2266

March 5, 1969

C
O
P
Y
Re: Permit No. 31661

James Agenbroad and Sons,
Partnership
Route 3,
Nampa, Idaho

Gentlemen:

We acknowledge receipt of the affidavit of publication submitted in connection with the above referenced permit. Since proof of the application of the water to beneficial use is not required to be submitted to January 17, 1975, the Department will notify you sixty days in advance of this date as to further requirements. Please be advised, however, that you may submit proof anytime prior to this date if you have failed the requirements of the permit.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:TG

31661

3-3-69

We just now received payment for the
publication, hence late sending of the
affidavit!

Owyhee Nugget

f. [signature]

3 1661

February 4, 1969

Re: Permit No. 31661

James Agenbroad and Sons
Route 3
Nampa, Idaho

Dear Mr. Agenbroad:

Before a license can be issued on the above referenced permit the Department must be in receipt of the affidavit of publication from the Owyhee Nugget, Marsing, Idaho, for the legal notice which was published on November 28, and December 5, 1968. Please submit this item promptly.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:TG

31661

DON SAMUELSON
GOVERNOR



R. KEITH HIGGINSON
State Reclamation Engineer

Department of Reclamation

STATE OF IDAHO

DEPARTMENT OF RECLAMATION
STATEHOUSE - ANNEX 2
BOISE, IDAHO 83707

December 16, 1968

Re: Permit No. 31661

James Agenbroad & Sons,
Partnership
Route 3
Nampa, Idaho

Gentlemen:

We acknowledge receipt of your affidavit submitted as proof of beneficial use for permit 31661.

Before a license can be issued a field examination must be made by a representative from this department and the affidavit obtained from the Owyhee Nugget, Marsing, Idaho.

We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system. If someone other than yourself should be contacted, please advise.

Also advise the department as to your present address and request a change be made in our records so that we may address all correspondence to you at your proper residence.

Very truly yours,

A handwritten signature in dark ink, reading "Donald W. McEldowney".

Donald W. McEldowney
Appropriation Examiner

DWM:TG

*My address is 804 E. State - Boise - 83702
Please contact My brother Ernest who put in the installation.
His address is Box 345 - Grandview - Phone 834-2469.
Thank you
Carl Agenbroad*

31661

December 16, 1968

Re: Permit No. 31661

James Agenbroad & Sons,
Partnership
Route 3
Nampa, Idaho

Gentlemen:

We acknowledge receipt of your affidavit submitted as proof of beneficial use for permit 31661.

Before a license can be issued a field examination must be made by a representative from this department and the affidavit obtained from the Owyhee Nugget, Marsing, Idaho.

We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system. If someone other than yourself should be contacted, please advise.

Also advise the department as to your present address and request a change be made in our records so that we may address all correspondence to you at your proper residence.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:TG

RECEIVED

NOV 23 1968

Department of Reclamation

NOTICE OF APPROVED APPLICATION FOR WATER

Notice is hereby given that James Agenbroad & Sons, partnership, Route 3, Nampa, Idaho, has received an approved permit No. 31661 to divert 6.0 cubic feet per second of water from Snake River tributary of Columbia River. The priority to be established under this permit is January 16, 1964. Water will be diverted by pump, pipe and ditch within the NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 27, T. 1 N., R. 3 W., B. M., Owyhee County, and is to be used for irrigation in the SW $\frac{1}{4}$ NE $\frac{1}{4}$, NW $\frac{1}{4}$, N $\frac{1}{2}$ SW $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 28, T. 1 N., R. 3 W., B. M.

Any protests against the intent of the permit must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON,
State Reclamation Engineer
Published in the Owyhee Nugget, Marsing, Idaho, on November 23, 1968 and December 5, 1968.

31661

Identification No. _____

Permit No. 31661

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

RECEIVED

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

DEC 6 1964

Department of Reclamation

1. a) Name of Permit Holder James Agenbroad & Sons, Partnership
b) Post Office Address 804 East State St., Boise, Idaho
2. Permit Number 31661
3. Date of Priority that you are prepared to establish January 16, 1964
4. a) Source from which water was appropriated Snake River
b) Location of the point of diversion: NW 1/4 SE 1/4, Section 27
Township 1 N, Range 3 W, Boise Meridian, Other points of diversion:
5. a) The amount of water and use to which the water has been applied:
amount 6 cfs for irrigation purposes from April 1 to October 31 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 6 cfs cfs and/or acre feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: This is an estimate from actual use
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____
b) Describe the agreement or understanding by which you take water from the works: _____
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) pump, 1400 feet of 14" pipe with 7' fall per mile; ditch
b) Describe the type and size of measuring device which you have installed at your point of diversion: no measuring device
c) Give well drillers name and address and date the well was completed: _____

*Withdrawn
per note of
11-18-69*

02-2266
31661

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use irrigation only

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision:

TWP.	RANGE	SEC.	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
1 N	3 W	28			40		40	40	40	40	40	40				40			320

Withdrawn

Total number of acres irrigated 320

10. Remarks:

The above information is a true statement of the extent to which the above numbered permit has been developed.

JAMES AGENBROAD & SONS, PARTNERSHIP

11/22/68
(Date)

BY: *Carl Agenbroad*
(Signature) Carl Agenbroad, a partner

State of Idaho)
County of Ada) ss.

On this 22nd day of November, 19 68, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Laura Henderson
Notary Public residing at Boise, Idaho

My commission expires 8/12/70

November 18, 1968

Re: Permit No. 31661

James Agenbroad & Sons
partnership
Route 3,
Nampa, Idaho

Gentlemen:

We have forwarded the forms necessary for making proof of beneficial use to Idaho Land and Appraisal Service. You may fill out these forms any time that it is convenient for you.

We are advertising your permit's existence in the Owyhee Nugget of Marsing, Idaho. You as the permit holder will be required to obtain an affidavit of publication from this newspaper after the last date of publication and to submit it to the Department at once.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:TG

5/6/68

November 18, 1968

Re: Permit No. 31661
James Agenbroad & Sons

Idaho Land and Appraisal Service
P. O. Box 1603
224 Idaho Building
Boise, Idaho

Gentlemen:

Enclosed are the forms necessary to make proof of beneficial use on the above referenced permit.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:tg

Enc: Affidavit and instructions

31661

November 18, 1968

Re: Permit No. 31661
James Agenbroad & Sons

Owyhee Nugget
Marsing, Idaho

Gentlemen:

Enclosed is a legal notice which we wish to have published for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for our review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you can not publish the notice on the proposed dates, please contact the Department of Reclamation immediately.
James

The expense of the publication is to be paid by _____
Agenbroad & Sons, partnership, Route 2, Nampa, Idaho

to whom you should furnish an affidavit of publication.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

BWM:tg

Enc: Legal Notice

cc: James Agenbroad & Sons

NOTE: The permit holder is required to obtain an affidavit of publication from the above referenced newspaper and to submit it to the Department at once.

316.61

NOTICE OF APPROVED APPLICATION FOR WATER

Notice is hereby given that James Agenbroad, & Sons, partnership,
Route 3, Nampa, Idaho
has received an approved permit No. 31561 to divert store/
6.0 cubic feet per second acres/feet of water from
Snake River tributary of Columbia River
The priority to be established
under this permit is January 16, 1964.
Water will be diverted by pump, pipe and ditch
within the NW1/4, Sec. 27,
T. 1 N., R. 3 W., B. M., Owyhee County
and is to be used for irrigation
in the SW1/4, NW1/4, NW1/4, NW1/4, Sec. 28, T. 1 N., R. 3 W., B. M.

Any protests against the intent of the permit must be filed with the
Department of Reclamation within ten days from the last date of publication
of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer

Published in the Owyhee Nugget, Marsing, Idaho
on November 28 and December 5, 1968.

State Reclamation Engineer:

Permit No. 31661

You are hereby authorized to have the attached notice published at my expense
in the Owyhee Nugget of Marsing, Idaho;
published in the county in which the works are situated.

James Agenbroad & Sons
(signature)
804 East State - Boise, Idaho 83702
(address)
11/13/68
(date)
31661

IDAHO LAND & APPRAISAL SERVICE

HARLEY M. McDOWELL
E. J. McDOWELL
MGR. OWNERS

MERVIN J. CHRISTENSEN
(LICENSED SURVEYOR)

JOSEPH J. THACKABERRY

ROBERT W. SMITH

224 IDAHO BLDG.

BOISE, IDAHO 83701

P. O. Box 2180 1603

PHONE 344-2547

ALL PROPERTY APPRAISALS
CUSTOM DRAFTING, MAPPING
LAND PURCHASES
OIL AND GAS LEASES

GRAZING MANAGEMENT
FEDERAL LAND APPLICATIONS
WATER FILINGS & PROOF
STATE LAND LEASES & ASSIGNS

November 8, 1968

RECEIVED

Mr. R. Keith Higginson
State Reclamation Engineer
Idaho Department of Reclamation
Statehouse - Annex 2
Boise, Idaho 83707

RE: Permit No. 31661, James Agenbroad & Sons, Partnership

Dear Mr. Higginson:

Mr. Carl Agenbroad, a partner in the above designated partnership, was in the office today and requested that we obtain the necessary papers to take proof of beneficial use for permit 31661. Mr. Agenbroad requested that the papers be mailed to our office, P. O. Box 1603, Boise, Idaho 83701, he will then come in and sign before our Notary and get these back to you. If there is any reason why the papers can not be mailed here as requested please let us know.


If you have any questions, please advise.

Very truly yours,

IDAHO LAND & APPRAISAL SERVICE

Harley M. McDowell

lh



31661

November 4, 1968

Re: Permit No. 31661

James Agenbroad & Sons,
partnership
Route 3
Nampa, Idaho 83651

Gentlemen:

During the 1967 session of the Idaho Legislature, certain amendments were made in the law pertaining to the procedures for making proof of beneficial use of water. In order for the Department to comply with these changes, Rules of Practice and Procedure were adopted on August 1, 1968. Generally, these procedures and the amended law make it simpler for a person to make proof and relieve the permit holder from making separate proofs of completion of works and beneficial use of water.

The enclosed order modifies your permit to comply with those rules and regulations. As a part of the new procedure, you will be required to publish a notice at your expense for two consecutive weeks in a paper as prescribed by the Department, stating that you have been issued a permit ~~which entitles you to use the water for the purpose of the permit.~~ Previously, a permit holder had to publish a notice for four weeks when he submitted proof under his permit.

If you will complete the enclosed forms, we will cause the notice to be published. Should you require additional forms or information, we will be glad to supply it upon request at any time.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:tg
Enc: Order
Advertising package

31661

BEFORE THE STATE RECLAMATION ENGINEER

OF THE

STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 31661)

in the name of James Agenbroad, & Sons,)

Route 3, Nampa, Idaho)

ORDER MODIFYING REQUIREMENTS
FOR COMPLETION OF PERMIT TO
APPROPRIATE WATER

WHEREAS, the 39th Idaho Legislature made certain amendments to the Idaho Water Law; and,

WHEREAS, these changes raised questions as to the procedures to be followed by holders of permits issued prior to the effective date of the amendments, May 31, 1967; and,

WHEREAS, on August 1, 1968, the Department of Reclamation adopted Rules of Practice and Procedures for the processing of such permits issued prior to May 31, 1967; and,

WHEREAS, Permit No. 31661 was issued previous to that date;

NOW THEREFORE, the requirements for completion of the above-numbered permit are hereby modified to conform to the adopted Rules of Practice and Procedures as follows:

1. The above-numbered permit will be completed under the terms of Title 42, Chapter 2, Idaho Code, as amended by the 39th Idaho Legislature.
2. The conditions of the above-numbered permit are modified as follows:
 - a. Notice of the issuance of the permit will be published at the permit holders expense for two weekly issues in the official newspaper of the county in which the point of diversion lies.
 - b. The permittee will not be required to submit proof of completion of works as originally specified, but will be required to submit proof to the Department of Reclamation of the application of the water to beneficial use on or before January 17, 1975. The permit holder should be aware that failure to complete one-fifth (1/5) of the works within one-half (1/2) of the time originally set for Completion of Works may be grounds for cancellation at the instance of the Department.

Dated this _____ day of _____, 19____.

R. KEITH HIGGINSON
State Reclamation Engineer

31661

February 7, 1968

Mr. Robert I. Troxell
Attorney at Law
First Security Bank Bldg.
Boise, Idaho 83702

Dear Mr. Troxell:

Enclosed is Department of Reclamation Receipt
No. 481, covering a \$1.00 fee for copies of Permit 31661.

Very truly yours,

M. RUSSELL BOSCH
Administrative Assistant

MRB:ew

Enclosure Re. 481

531661

February 26, 1964

RE: Permit No. 31661
James Agenbroad & Sons

Harley H. McDowell
Idaho Land & Appraisal Service
Box 2161
Boise, Idaho

Dear Mr. McDowell:

Enclosed is departmental receipt No. 32102 in the amount of
\$2.50 covering the fee for the certified copy of the above
numbered permit which was mailed to you previously.

Thank you.

Very truly yours,

CARL E. TAPPAN
State Reclamation Engineer
By

(Mrs.) Edna P. Rule
Chief Clerk

ELR:mr

Enc. receipt

31661

February 25, 1964

RE: Permit No. 31661
James Agenbroad & Sons

Harley M. McDowell
Idaho Land & Appraisal Service
Box 2161
Boise, Idaho

Dear Mr. McDowell:

Enclosed is the certified copy of the above numbered permit
you requested.

The fee is \$2.50.

Very truly yours,

CARL E. TAPPAN
State Reclamation Engineer
By

(Mrs.) Edna P. Rule
Chief Clerk

EPR:mr

Enc. copy of permit

31661

February 10, 1964

Re: Permit No. 31661

James Agenbroad & Sons,
Rt. #3,
Nampa, Idaho.

Gentlemen:

We enclose Permit No. 31661 in which we direct your attention to the limitations and conditions as given on the fourth page under approval of the State Reclamation Engineer.

~~Enclosed~~ We also enclose Departmental Receipt No. 32030 which was issued covering payment in the amount of \$ 6.25 for the filing fee of the above mentioned permit, ~~was given to~~ you while in our office.

Very truly yours,

CARL E. TAPPAN
State Reclamation Engineer
By

(MRS.) EDNA P. RULE
Chief Clerk

Encl.
EPR:pmk


31661

JAMES AGENDRUP & SONS *Partnership*

NAME OF APPLICANT

J. L. A. R. 3 W. 3077

Form No. 0



31561
JAN 7 1964
CARL E. HARRIS
State Reclamation Engineer

Office copy

SCALE: 2 Inches Equal 1 Mile. Draw Plan In Ink.

531641