

WEISER

Patch
Island

Long
Island

plu

10

plu
Lot 4


TION SEC 8 - P/M
R5W SEC 17 - P/D
SWSE-20 ac SESE-10 ac

Min

25 1993

03-07053

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
ID# E401-50-X04X	US Motor	7.5		Hostile Duty High Efficiency	8"
060R085M					

*Code to correspond with No. on map and aerial photo


D. FLOW MEASUREMENTS


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: ASCS aerial maps show 8.8 (9 acres) in the SSESE & 19.1 (19) acres in SWSW. This is the same acreage as shown for WR 62-07574 **MICROFILMED**


DEC 18 1996





MICROFILMED
DEC 18 1968

PERMIT	03-07053	INIT	S.H.
T. R. S.	Q/Q		
P/D	10N SW 17	NW/4	
SCALE	7.5 USGS	Topo.	
PHOTO ID.	V-3		



03-07053
6/20/95 S.H.

P/D: 7.5 HP
Hostile Duty High
Efficiency Pump
US Motors 381980
ID# E401-50-X04X
060R085M
8"

P/D:
flow measurement
port
shut off

8" discharge



MICROFILMED

P/u DEC 18 1996
28 acres

cement ditches
siphon irrigation w/
gravity flow

- ditches goes east-west
flows south
- another ditch comes off
of it going north-south
w/ gravity flow going
west



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 03-07053

Priority: May 18, 1993

Maximum Diversion Rate: 0.56 CFS

Maximum Diversion Volume: 126.0 AF

This is to certify, that CLYDE R KEITHLY

1907 W FLAMINGO #100

NAMPA ID 83651

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 18, 1993; and has submitted Proof of Beneficial Use on September 30, 1994. An examination indicates that the works have a diversion capacity of 0.630 cfs of water from:

SNAKE RIVER

tributary to COLUMBIA RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.56 CFS	126.0 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 4(NWNW), Sec. 17, Township 10N, Range 05W
WASHINGTON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
10N	05W	8	SWSE 19	SESE 9		28

Total number of acres irrigated: 28

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Water shall not be diverted under this right unless the flow of the Snake River exceeds established downstream minimum stream flows.
6. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

RECORDED
DEC 1 1996

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 03-07053

CONDITIONS OF APPROVAL AND REMARKS

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 13th
day of December, 1996.


Acting for KARL J. DREHER, Director

Microfilm
2000-1-17

RECEIVED

SEP 30 1994

FOR OFFICE USE ONLY
Amt. of Fee \$: 100
Receipt No. WD18172
Receipt By: g
Date Received: 9

STATE OF IDAHO Department of Water Resources

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 03-07053 Telephone No. 208-466-0508

2. Name(s) of Permit Holder(s): Clyde R Keithly

3. Mailing Address: 1407 W Flamingo #100, Nampa 83651

4. Source of Water: Snake R If GROUNDWATER (well), Date Drilled: mo. / yr.

a. Well Driller: Drilling Permit Number: - -

b. **OPTIONAL:**

Pump Horsepower: 5 Pressure (psi): Dynamic pumping level (ft): 12'

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): Stockwater (No. and type of stock):

Irrigation (No. of acres): 30 Other:

6. Total rate of diversion and/or volume for which proof is submitted: .60 cfs OR acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes ☒ or No ☐
Has the measuring device been installed? Yes ☒ or No ☐

Flow Measurement Port: Is a flow measurement port required? Yes ☐ or No ☐
Has the measurement port been installed? Yes ☐ or No ☐

8. Fee Enclosed: \$ 100 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: RICK MICHAELS Telephone Number: 208-549-3059

Address: WEISER, Scholcher Rd

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Clyde R Keithly Date: 9-27-94

(Include your title, if on behalf of company or organization)

NOV 28 1994

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 03-07053

Proposed Priority: May 18, 1993 Maximum Diversion Rate: 0.60 CFS

This is to certify, that **CLYDE R KEITHLY**
1907 W FLAMINGO #100
NAMPA ID 83651

has applied for a permit to appropriate water from:

SNAKE RIVER tributary of **COLUMBIA RIVER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	04/01 to 10/31	0.60 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: Lot 4(NENWNW), Sec. 17, Township 10N, Range 05W
WASHINGTON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
10N	05W	8	SWSE 20	SESE 10		30

Total number of acres irrigated: 30

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1996.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. A flow measurement port or other device as specified by the Department shall be installed by the right holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
5. Water shall not be diverted under this right unless the flow of the Snake River exceeds prior rights and established downstream minimum stream flows.
6. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

APPROVED

AUG 25 1993


State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 03-07053

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

22ND day of JULY, 1993.


R. Keith Higginson, Director

AUG 11 1993

RECEIVED

JUL 12 1993

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

Ident. No.

03-07053

67-07919

change by
JUL 5 1993
S.G. 5/25/93
-- JZ

To appropriate the public waters of the State of Idaho

1. Name: CLYDE R KETHLY
Address: 1907 W FLAMINGO #100
NAMPA ID 83651

208-466-0508

2. Source: SNAKE RIVER Trib. to: COLUMBIA RIVER
3. Location of Point of Diversion: Lot 4 (NENWNW), Sec. 17, Township 10N, Range 05W
WASHINGTON County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	04/01	10/31	0.600		

5. Total quantity to be appropriated is:
0.600 CFS (and/or) AF

6. Proposed diverting works:

- Description of ditches, flumes, pumps, headgates, etc.
PUMP, PIPE, GRAVITY IRRIGATION
- Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
- Proposed well diameter is inches; proposed depth of well is
feet.
- Is groundwater with a temperature greater than 85F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 3 year(s).

8. Place of Use: IRRIGATION

TWN	RGE	SEC	ACRES	ACRES	ACRES	TOTAL
10N	05W	8	SWSE 20	SESE 10		30

Total number of acres irrigated: 30

9. a. Who owns the property at the point of diversion?

SKYWAY ENTERPRISES

b. Who owns the land to be irrigated or place of use?

APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.
EASEMENT AGREEMENT

AUG 25 1993

Ident. No.
Page

65-02053
~~67-07919~~
2

10. Remarks:

11. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Chad R. Keith
Applicant

Received by G Date 5/18/93 Time 4 P Preliminary check by SC

Fee \$ 45 Receipted by G # W016270 Date 5/18/93

Publication prepared by ST Date 5-27-93 Published in Ureiner Signal

Publication approved ST Date 7-7-93 6/3 + 6/10/93

RECEIVED

AUG 25 1993

WEISER

Patch
Island

10

Lot 4

TION SEC 8 - P/M
R5W SEC 17 - P/D
SWSE-20 ac SESE-10 ac


2-5 1993

03-07053

10N
SW

5.17 Lat. 4

AUG 25 1993



NE	SW	27.0	01	03-02032	IMADA	C	L	12/15/1952	SNAKE RIVER
NE	SW	20.0	01	67-02226	IMADA	C	L	12/15/1952	GROUNDWATER
NW	SW	18.0	01	67-02226	IMADA	C	L	12/15/1952	GROUNDWATER
NW	SW	2	12.0	03-02032	IMADA	C	L	12/15/1952	SNAKE RIVER
SW	SW	1	24.0	03-02016	E.W. LONG & SONS	C	L	07/17/1947	SNAKE RIVER
SE	SW	4.0	01	03-02032	IMADA	C	L	12/15/1952	SNAKE RIVER
SE	SW	34.0	01	67-02185	WHITTET	C	L	02/07/1948	GROUNDWATER
SE	SW	34.0	01	67-02396	MACKAY	C	L	03/07/1957	UNNAMED SLOUGH
NE	SE	15.0	01	03-07008	ANDERSON	C	L	09/08/1972	SNAKE RIVER
					ANDERSON	C			
NE	SE		43	67-04251	QUIGLEY	C	S	06/01/1940	GROUNDWATER
					QUIGLEY	C			
NE	SE	6.0	01	67-04252	QUIGLEY	C	S	06/01/1942	GROUNDWATER
					QUIGLEY	C			
NE	SE	13.0	01	67-07709	ODOMS	C	P	09/03/1986	GROUNDWATER
NW	SE	32.0	01	03-02029	WRAY	C	L	09/15/1970	SNAKE RIVER
					ANDERSON	C			
NW	SE	6.0	01	67-04518	ANDERSON	C	S	07/01/1910	GROUNDWATER
					WINSLOW	C			
SW	SE	20.0	01	67-02185	WHITTET	C	L	02/07/1948	GROUNDWATER
SW	SE	8.0	01	67-02396	MACKAY	C	L	03/07/1957	UNNAMED SLOUGH
SW	SE		43	67-04195	KYLE	C	S	06/01/1917	GROUNDWATER
					KYLE	C			
SW	SE	12.0	01,04	67-04196	KYLE	C	S	06/01/1948	GROUNDWATER
					KYLE	C			
SW	SE		43	67-07328	KYLE	C	L	07/10/1977	GROUNDWATER
					KYLE	C			
SW	SE	19.0	01	67-07574	OLSON	C	L	06/24/1982	GROUNDWATER
					KEITHLY	C			
SE	SE	30.0	01	67-04424	OLSON	C	S	06/01/1928	GROUNDWATER
SE	SE	15.0	01	67-04518	WINSLOW	C	S	07/01/1910	GROUNDWATER
					WINSLOW	C			

AUG 25 1993

D 02

WR4001NP (0D-21)		IDAHO DEPARTMENT OF WATER RESOURCES WATER RIGHTS MICROFICHE BY PLACE OF USE										DATE: 01/11/92 PAGE: 3517	
TWP	RNG	SECT	TRACT 1/4 1/4	LOT	ACRES	WATER-USE-CODE	WATER RIGHT NO.	LAST NAME	O	STG	PRIORITY DATE	WATER SOURCE	
TOW	05W	8	SE SE	9.0	01		67-07574	OLSON	O	L	06/24/1982	GROUNDWATER	
		9	NE NE	38.0	01		65-00165X	KEITHLY LOWER PAYETTE DITC	C	D	06/01/1882	PAYETTE RIVER	
			NE NE	38.0	01		65-11413	LOWER PAYETTE DITC	C	J	05/07/1945	GRAVEYARD GULCH WASTEWAY	
			NW NE	38.0	01		65-00165X	LOWER PAYETTE DITC	C	D	06/01/1882	PAYETTE RIVER	
			NW NE	38.0	01		65-11413	LOWER PAYETTE DITC	C	J	05/07/1945	GRAVEYARD GULCH WASTEWAY	
			SW NE	36.0	01		65-00165X	LOWER PAYETTE DITC	C	D	06/01/1882	PAYETTE RIVER	
			SW NE	36.0	01		65-11413	LOWER PAYETTE DITC	C	J	05/07/1945	GRAVEYARD GULCH WASTEWAY	
			SE NE	37.0	01		65-00165X	LOWER PAYETTE DITC	C	D	06/01/1882	PAYETTE RIVER	
			SE NE	37.0	01		65-11413	LOWER PAYETTE DITC	C	J	05/07/1945	GRAVEYARD GULCH WASTEWAY	
			SE NE	10.0	01		67-07104	ALDER	C	L	06/12/1972	GROUNDWATER	
			NE NW	24.0	01		65-00165X	LOWER PAYETTE DITC	C	D	06/01/1882	PAYETTE RIVER	
			NE NW	24.0	01		65-11413	LOWER PAYETTE DITC	C	J	05/07/1945	GRAVEYARD GULCH WASTEWAY	
			NE NW	20.0	01		67-02249	HETRICK	C	L	06/27/1955	GROUNDWATER	
			NE NW	2.0	01		67-04578	DILLON	C	S	04/01/1955	GROUNDWATER	
								DILLON	C				



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

December 13, 1996

CLYDE R KEITHLY
1907 W FLAMINGO #100
NAMPA ID 83651

RE: WATER RIGHT NO. 03-07053

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Also, please note that as of July 1, 1996, water right owners are required to report any change of water right ownership and any change of mailing address to the department. If you have acquired a water right or have changed your mailing address PRIOR TO July 1, 1996, you have until July 30, 1998, to notify the department. If you acquire a water right or change your mailing address AFTER July 1, 1996, you must notify the department within 120 days of the change.

Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department to obtain the proper reporting form.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

MICROFILMED
DEC 18 1996

MEMORANDUM

TO: File 03-07053

FROM: Sharla

DATE: December 12, 1996

RE: Recommendation Adjustment(s)

The final license recommendations for Right 03-07053 are based on the following:

H. RECOMMENDATIONS

Irrigation	3/15 - 11/15	0.56 cfs	126.0 afa
------------	--------------	----------	-----------


The irrigation season of use for this area is 3/15 - 11/15 and the volume is 4.5 af/acre.

Examiner: Sandy Hemenway

Exam Date: June 20, 1995

MICROFILMED
DEC 18 1996

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
ID# E401-50-X04X 060R085M	US Motor	7.5		Hostile Duty High Efficiency	8"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: ASCS aerial maps show 8.8 (9 acres) in the SESE + 19.1 (19) acres in SWSW. This is the same acreage as shown for WE 62-07574 MICROFILMED

DEC 18 1996

E. NARRATIVE/REMARKS/COMMENTS

- Gov't lot 4 (where P/D was located).
- Other water source is WR # 67-07574 groundwater source. Rick Michaels leases the property from Clyde Keithley, & because of the high salt content in the groundwater source, this water source is only a supplemental source & they might cap it off, & not use it at all because the high salt content ~~crusts~~ crusts the soil & kills the plants.
- Overlap 67-07574 is same P/U but different P/D & different source. All other overlaps for P/U were other land &/or other uses.
- Overlaps for P/D were other sources.
- The system consists of a 7.5 HP ~~Hostile Duty~~ High Efficiency Pump/US Motor with an 8" discharge size PVC (3168' of 8" buried pipe) converting to 6" PVC (528' buried) to open discharge into cement laterals. A trapezoidal cement ditch volume & diversion rate calculation of .63 cfs, & a pumpback computation spreadsheet estimating the rate of flow at .64 cfs. The cement ditch runs west (gravity flow by siphon tubes going south), & then the cement ditch "T's off" to run north & south, with the gravity flow by siphon tubes running west (a flow measurement port was on the system).
- Use is for irrigation of 28 acres of sugar beets & corn.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
DEC 18 1996

F. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

Measured Method:

Trapezoidal cement ditch volume + diversion
rate calculate (see attachment) = .63 cfs
Pumpback Computation Spreadsheet (see attachment) = .64 cfs
28 acres x .02 cfs = .56 cfs max. allowable

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 28 \text{ acres} \times 4.0 = 112 \text{ Afa}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .56 \text{ cfs} \times 214 \times 1.9835 = 237.7$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 112 \text{ Afa}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	4/1	10/31	.56	112
Totals:			.56	112

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name

Paul Henning Date 6/20/95

Reviewer

Date

SEAL

MICROFILMED

DEC 18 1996

Pumpback Computation Spreadsheet (DRT 1/24/1995)

Data Entered By: Sandy Hemenway
06/20/95
Project: Flow Computation for Permit No. 03-07053

Given: See Data Table

Compute head losses with the Williams and Hazen Formula:
 $f = 0.2083 \cdot (100 / \text{roughness})^{1.85} \cdot ((\text{cfs} \cdot 448.8)^{1.852} / \text{ID}^4 \cdot 8.655 \cdot \text{Length} / 100)$

To Find: Compute Rate of Flow for a Pumpback System

Data Table

Vertical Lift: 5.00 feet

Pressure Req'd: 25.00 psi - estimated psi

Required Head: 62.75 feet

Pump Horsepower: 7.50 horsepower

Pipe Roughness: 150.00 Note: pvc = 150, smooth and straight pipe = 140
aluminum - joint length 20' = 125, joint length
30' = 130, joint length 40' = 132, joint length
50' = 134, new riveted steel = 100
old riveted steel = 100, old cast iron = 95,
old pipes in poor condition = 60 to 80

Inside Diameter in Inches	Equivalent Length in Feet	Unit Head Loss	Total Friction Head Loss from Pipe Friction
7.75	3168.00	5.24	
5.75	528.00	3.73	
1.00	0.00	0.00	

8.97

Initial Estimate of Rate of Flow: 0.640 CFS

Computation of Rate of Flow: 0.64

MICROFILMED
DEC 18 1996

① Permit: irrigation 4/1-10/31 .60 cfs
30 acres

② B/u proof: \$100.00 pd 9/25/94 .21-1.0 cfs
irrigation 30 acres

③ max. allowable


$$28 \text{ acres (per ASCS map)} \times .02 \text{ cfs} = .56 \text{ cfs}$$

④ Measurements:

Trapezoidal (see attachment) = .63 cfs


Pumpback Computation spreadsheet
(see attachment) = .64 cfs

MICROFILMED
DEC 18 1996





PERMIT 03-07053 INIT 5H
T. R. S. Q/Q
P/D 10N SW 17 NW NW
SCALE 7.5 USGS Topo.
PHOTO ID. V-3




03-07053
6/20/95 S.H.

P/D: 7.5 HP
Hostile Duty High
Efficiency Pump
US Motors 381980
ID# E401-50-X04X
060R085M

8"

P/D:
flow measurement
port
shut off

8" discharge



MICROFILMED

P/u DEC 18 1975
28 acres

cement ditches
siphon irrigation w/
gravity flow

- ditches goes east-west
flows south
- another ditch comes off
of it going north-south
w/ gravity flow going
west

October 13, 1994

CLYDE R KEITHLY
1907 W FLAMINGO #100
NAMPA ID 83651

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 03-07053

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

NOV 28 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

July 26, 1993

CLYDE R KEITHLY
1907 W FLAMINGO #100
NAMPA ID 83651

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 03-07053

Dear Permit Holder(s):

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Be sure to note the special condition requiring you to install a measuring device. Enclosed, for your reference, is a list of measuring device options.

Note also that water shall not be diverted under this permit unless the flow of the Snake River exceeds established downstream minimum stream flows. In addition, there are many applications for permit for the use of Snake River water that are prior to your permit. These applications have been filed for the irrigation of lands that the applicants are attempting to obtain under the Federal Land laws such as Desert Entry and Carey Act.

RECEIVED

AUG 3 1993

If these lands are developed, and if the established minimum stream flows are maintained, then no water would be available for this permit. Therefore, you should carefully consider these facts before making any expenditures for the construction of your system.

Sincerely,



JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosures

AUG 25 1993

APPLICATION FOR PERMIT STATE OFFICE REVIEW

Application #: 03-7053 Date: 7/15/93 Reviewer: Cindy Zimmerman

AREA OF CONCERN? - No/Yes _____

SYSTEM COMPLETED:

No - 26A-P17

Complete in 1 year - P16

Yes

Proof not submitted - P16

Proof submitted - N/A

GROUNDWATER:

+ 0.2 cfs <flo-ch> - 01G-P03, 01C-P03 (existing), NMR

- 0.2 cfs - NMR <flow chart>

Drilling Permit:

Included w/permit - P99 Permit No.

Existing well - N/A (if drilled before 7/1/87)

No WD permit? - 046-46B-P23 (if drilled after 7/1/87)

SURFACE WATER: not in WD - 01G-P03 (+.2 w/pump), NMR <flow chart>

LOCATION:

Water District - WD No.

Surface water - 005 or 005-01J-P08(+.2)
or 005-01H-P01(-.2 w/pump); NMR

Groundwater - P05 (if well has not been drilled)

Irrigation Dist. - 023

Canal Co. Areas - 023

Drainage Districts - 024

Flood Control Dist. - 063

Boise Front (63) - 058 (Groundwater temperature)

Swan Falls Flag - B (1, Blank or Other)

Trust - 051-052-053-P74 (Consumptive Uses)

Non Trust <1> - 048-049

RIVER BASINS (Surface): Water District Control Condition (005) &....

Boise (63) - 05A (req), 11E (non-domestic use)

Payette (65) - 047-P04, -P

Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

USE:

Fish Propagation - 06A, 09E-P10 (WQ/Choose One) & 010
042 (req), 002-P06(MD), 07A(Special),
044(Policy 5G)

Power - 08A, 17K, 025, 027 (req); 01F-P19; 09E-P10;
+25 cfs-P18; 17G or 17M; 18B-P09

Mining - 06A, 010, or 09E-P10 & 054 (req)

Storage(✓ 3 compo.) - 18A-for multi MD in WD, 18B-P09 (+10'Size)

Rec/Wildlf/Aes - 027-if +½ A. pond (Non-Consumptive)

Domestic (surface restricted areas) - 021 - Boise River upstream from L Peak
27A - Payette River & main tributaries

OWNERSHIP:

Non land owner - 004

PROTESTED:

Hearing agreement - 020

REMARKS:

OTHER CONDITIONS: - _____

BENEFICIAL USE DUE: - 7-1-1996

COMMENTS: - _____

WR0749NP
No. P03-07053

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 07/15/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	CLYDE R KEITHLY 1907 W FLAMINGO #100 NANPA ID 83651 (208) 466-0508	05/18/1993	IRRIGATION	04-01 10-31	0.60 CFS	
TOTAL DIVERSION:					0.60 CFS	

Water Source: SNAKE RIVER

Tributary to: COLUMBIA RIVER

Stage: PERMIT

Point(s) of Diversion: T10N R05W S17 Lot 04(NE NW NW)

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE				
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	SUM
10N	05W	8	:															20	10	30.0
TOTAL ACRES																				30.0

Pou County: WASHINGTON

Other Water Rights with Same Point(s) of Diversion and Source:
03-02016 03-07034 03-07053

Other Water Rights Listing Overlapping Place(s) of use:
03-07053 67-02185 67-02396 67-04196 67-04424 67-04518 67-07574

Conditions of Approval:

- 26A - Project construction shall commence within one year from the
- date of permit issuance and shall proceed diligently to
- completion unless it can be shown to the satisfaction of the
- Director of the Department of Water Resources that delays were
- due to circumstances over which permit holder had no control.
- 01C - A flow measurement port or other device as specified by the
- Department shall be installed by the right holder to provide for
- the installation of measuring equipment and the determination of
- the rate of diversion by the Department.
- 061 - Water shall not be diverted under this right unless the flow
- of the Snake River exceeds prior rights and established
- downstream minimum stream flows.
- 03A - The rate of diversion of water for irrigation under this right
- and all other water rights on the same land shall not exceed 0.02
- cubic feet per second for each acre of land.

Dates: App. Received: 05/18/1993 Priority Date: 05/18/1993
Proof Due Date: 07/01/1996 Proof Made Date:
Exam Made Date: Exam Sent to S.O.:
Licensed Date:

Misc: Water District Number: Field Exam Fee:

WR0749WP
No. P03-07053

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 07/15/93
PAGE: 2

=====

Comments: Date: 07/15/1993 User-ID: ZIMMERMA Subject: DIVERSION DESCRIPTION
 Pump, pipe, gravity irrigation

Audit: 07/15/93 ZIMMERMA

03-07053
~~67-97919~~

FL

5/25/93

~~6797919~~

Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
Address:
Source: (See USGS Quad for names of water sources)
Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
County:
Quantity: (flow and/or volume)
Period of use: *Requested shorter season than standard so ok.*
Nature of proposed use: (Include description of use)
Description of diverting works:
Time required for beneficial use of water:
Place of use or acres irrigated:
Map:
Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
Fee:
Yes _____ No* _____ In form to receipt:

Gov't. Lots:
Y P/D
N P/U

YES **NO**

✓ Overlapping place of use: (Describe source & relationship to present application on the back.)
✓ Overlapping point of diversion:
Field check required: Field check by: _____
Field report attached:
Critical groundwater area:
Groundwater management area:
1992 moratorium
Copy to SCA staff (perennial stream, non-pump diversion):
Send dam safety information:
Send power requirement letter:
Send fish farm requirement letter:
Power residency affidavit:
Power efficiency form:
Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
*REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

Additional information on reverse side:

RECEIVED
JUL 13 1993

Department of Water Resources

PROCESSING

APPLICATION NO.

~~67-07053~~ 03-07053

YES NO

☒ ☐
☐ ☒
☒ ☐

In form for advertising:

Statewide advertising: (> 10 cfs &/or 1000 af)

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. # _____

Other _____

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☐
☒ ☐

Affidavit of publication received:

Application published correctly: If not, record action taken.

☐ ☒
☐ ☒
☐ ☒
☐ ☒
☐ ☒
☐ ☒
☐ ☒
☒ ☐

Publication dates and paper recorded on application:

Protests received. Final date for protest

Protest dates, resolution of protest recorded on application:

Recommendations attached: *approve, OK*

Measuring device required:

Measuring port required:

Water delivered by water master? District # _____

Special conditions of approval or cover letter: _____

01A, 031

See below for additional information

Recommended Date or Priority *5/18/1993*Recommended by: *OK*Date *7/9/93*

STATE OFFICE REVIEW

See below for additional information. By _____ Date _____

ADDITIONAL INFORMATION

*Overlap.**Pl 67-04019 Weiser R.**Pl 67-07574 wells, appears to be same area (same name).**67-02185 -04195 -04196 -07328 -04424 -04518 - well(s)**for what appears to be other area.**67-02396 same slough for other (?) area.*

03-07053

KEITHLY, CLYDE R
1907 W FLAMINGO #100
NAMPA, ID 83651

Source: SNAKE RIVER

Tributary: COLUMBIA RIVER

Diversion Pt: LOT 4 (NENWNW) Sec 17 T 10N R 05W in WASHINGTON County.

Use: IRRIGATION (.600 CFS)
Total Diversion: (.600 CFS)

Date Filed: 5/18/1993

In: WASHINGTON County
T10N R05W S08 SWSE SESE

30.0 ACRES TOTAL

MIDDOCH MED

AUG 25 1993

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, } ss.
County of Washington }Sarah Bales, being duly sworn,
deposes and says:That he is the Clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-lished in said newspaper once a week for two consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.Such notice was published in the issue beginning with
June 2, 1993, and ending
with the issue of June 9, 1993.Sarah Bales
Fees, \$ 173.48

MICROFILMED

AUG 25 1993

Subscribed and sworn to before me this
day of June, 1993.[Signature]
Notary Public, Residing at Weiser, Idaho.My Commission Expires 1-2, 1995.The Following application(s) have been filed to appro-
priate the public waters of the State of Idaho:

03-07053 ✓

KEITHLY, CLYDE R.
1907 W. FLAMINGO #100
NAMPA, ID 83651
Source: SNAKE RIVER
Tributary: COLUMBIA RIVER
Diversion Pt: LOT 4 (NENWNW) Sec 17 T 10N R
05W in WASHINGTON County.
Use: IRRIGATION (.600 CFS)
Total Diversion: (.600 CFS)
Date Filed: 5/18/1993
In: WASHINGTON County
T10N R05W S08 SWSE SESE
30.0 ACRES TOTAL

67-07901

RISENHOOVER, ROBERT
RISENHOOVER, SUE
P.O. BOX 576
WEISER, ID 83672
Source: GROUNDWATER
Diversion Pt: SESW Sec 1 T 10N R 04W in WASH-
INGTON County.
Use: IRRIGATION (.400 CFS)
Total Diversion: (.400 CFS)
Date Filed: 7/7/1992
In: WASHINGTON County
T10N R04W S01 NESW NWSW SWSW SESW
20.0 ACRES TOTAL

67-07908

FORD RANCH INC.
RT. 1 BOX 236
CAMBRIDGE, ID 83610
Source: BEAVER CREEK
Tributary: RUSH CREEK
Diversion Pt: NWSE Sec 4 T 15N R 03W in WASH-
INGTON County.
Use: IRRIGATION STORAGE (80.00 AF)
IRRIGATION FROM STORAGE (80.00 AF)
IRRIGATION (.900 CFS)
Total Diversion (.900 CFS)
Date filed: 8/25/1992
In: WASHINGTON County
T15N R03W S09 NENE NWNE SWNE SENE
NENW NESE
S10 NWSW SWSW SESW
S15 NENW
200.0 ACRES TOTAL

67-07909

WB PROPERTIES
PO BOX 110
WEISER, ID 83672
Source: GROUNDWATER
Diversion Pt: NWSE Sec 29 T 11N R 05W in WASH-
INGTON County.
Use: COMMERCIAL (.135 CFS)
Total Diversion: (.135 CFS)
Date Filed: 1/29/1993
In: WASHINGTON County
T11N R05W S29 NWSE

67-07920

WAKAGAWA, SHO
WAKAGAWA, CHISATO
1595 W. 7TH
WEISER, ID 83672
Source: GROUNDWATER
Diversion Pt: NENWNW Sec 36 T 11N R 06W in
WASHINGTON County.
Use: IRRIGATION (.100 CFS)
Total Diversion (.100 CFS)
Date Filed: 5/10/1993
In: WASHINGTON County
T11N R06W S36 NWNWPermits will be subject to all prior water rights. Pro-
tests may be submitted based on the criteria of Sec. 42-
203A, Idaho Code. Protests must be filed with the
Director, Dept. of Water Resources, Western Region,
2735 Airport Way, Boise, Idaho 83705 on or before
JUNE 21, 1993.R. KEITH HIGGINSON, Director
Published: 6/2/1993 & 6/9/1993