


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

City of Weiser - Robert L. Hogg
(Applicant)

CITY OF WEISER BY ROBERT L. HOGG

CITY ADMINISTRATOR

MICROFILMED

Proposed Project

Nº 871

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, } ss.
County of Washington }

Parathy A. Smith, being duly sworn,
deposes and says:

That he is the Owner of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-
lished in said newspaper once a week for 2 consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with
May 24, 1984 and ending
with the issue of May 31, 1984

Parathy A. Smith
Fees, \$ 19.60

Subscribed and sworn to before me this 31
day of May, 1984

Parathy A. Smith
Notary Public, Residing at Weiser, Idaho.


My Commission Expires 1-1, 1987

MICROFILMED

No. 871
NOTICE OF APPLICATION FOR WATER RIGHT
The following application has been filed to appropriate the
public waters of the State of Idaho: 1 SP
03-7034
CITY OF WEISER
55 W. IDAHO ST., WEISER, ID 83672
Source: SNAKE RIVER trib. to COLUMBIA RIVER
Date Filed: 05/03/1984
Diversion Pt: NWNW Sec 17 T 10N R 05W
Use: IRRIGATION (2.82 CFS)
In: NWNE SWNE NENW SENW Sec 17 T 10N R 05W FOR
141 ACRES
The permit will be subject to all prior water rights. Protests
must be filed with the Director, Dept. of Water Resources,
Western Region, Statehouse, Boise, Idaho 83720 on or before
JUNE 11, 1984.
KEN DUNN, Dir.
Published 05/24 & 05/31/84.
24-2s

RECEIVED
JUN 4 1984

Department of Water Resources
Western Regional Office



F-247
F-247
T1184

F-228
F-228
T1172

F-227
F-18
T1171

F-52 F-43
F-53
T1095

F-54
F-54
T1097

F-55
A 7.4
T1098

F-86 F-5
F-86
T1100

CITY OF WEISER
AIRPORT
WATER RIGHT
03-7034

SEP 20 1988

Department of Water Resources
Beneficial Use Field Report
Form 219
Attachment



Pump location and discharge
piping.
Showing slough and electrical
service



City of Weiser Airport Well
12-87 040487

Department of Water Resources
Beneficial Use Field Report
Form 219
Attachment




Pump A
Cornell pump with Century
motor 10 h.p.



Pump A
Parma Water Lifter with
General Electric 7.5 h.p.

The City of Weiser owns All Property inside Blue line



PARCEL NO. 1 — City of Weiser owned in fee simple 141 Acres more or less. Lots 29, 30, 31, 32, 33, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 83, 84, 85, 86, 87, 88, 89, 90 and the North or Northerly one acre of Lot 91. All being in Sunnyside Orchard Tract, Section 17, T.10N, R.5W, B.M. 40' Road Right-of-Way from center of Sec. 17 to N. 1/4 cor. Sec. 17 included.

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 03-07034

Priority: May 3, 1984 Amount: 1.30 CFS 432.0 AFA

This is to certify, that CITY OF WEISER
55 W. IDAHO ST.
WEISER, ID 83672

has complied with the terms and conditions
of the permit issued pursuant to Application for Permit dated May 3, 1984, and
has submitted proof to the Department of Water Resources on March 5, 1985, that
water has been applied to a beneficial use; an examination by the Department indicates
that the works have a diversion capacity of 1.300 cfs of water from:

SNAKE RIVER tributary to COLUMBIA RIVER

source and that a water right has been established as follow:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
IRRIGATION	03/15 to 11/15	1.30 CFS	432.0 AFA

LOCATION OF POINT OF DIVERSION(S): NWNW , Sec. 17, Township 10N, Range 05W
WASHINGTON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
10N	05W	17	NWNE 16	SWNE 24	NENW 20	
			SENE 36			96

Total number of acres irrigated: 96

CONDITIONS/REMARKS:

1. The right to the use of water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Water shall not be diverted under this license unless the flow of the Snake River at the U.S. Geological Survey stream gaging station at Murphy exceeds 3,300 cubic feet per second and at Weiser exceeds 4,750 cubic feet per second.


SEP 20 1988

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 03-07034

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 16th
day of August, 19 88.


Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant CITY OF WEISER Phone 1-208-549-1965Post office address 55 WEST IDAHO STREET, WEISER, IDAHO, 836722. Source of water supply SNAKE RIVER which is a tributary of Columbia River3. Location of point of diversion is N.W. 1/4 of N.W. 1/4 of Section 17 Township 10NRange 5W B.M. WASHINGTON County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 2.82 for IRRIGATION purposes from APRIL 1 to OCT. 15 (both dates inclusive)
(cfs or acre-feet per annum)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated: *kw 6/13/1984

a. 2.82 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. A PUMP WILL BE PLACED IN THE N.W. 1/4, OF THE N.W. 1/4. OPEN DITCHES WILL SUPPLY WATER TO S.W. SIDE OF PROPERTY. ALL OTHER PROPERTY WILL BE SPRINKLE IRRIGATED.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ 1/4 of _____ 1/4 of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
10N	5 WBM	17		32	29		40			40									141

Total number of acres to be irrigated 141

c. Describe any other water rights used for the same purposes as described above.


9. a. Who owns the property at the point of diversion THE CITY OF WEISER

b. Who owns the land to be irrigated or place of use THE CITY OF WEISER

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

City of Weiser - Robert L. Hogg
(Applicant)

CITY OF WEISER BY ROBERT L. HOGG

CITY ADMINISTRATOR

Proposed Priority 5/3/84

Received by _____ Date 5-3-84 Time 10:00 am

Preliminary check by GLS Fee \$ 85.00
1957 34413

Receipted by JS Date 5/7/84

Publication prepared by jp Date 5/10/84

Published in The Weiser Signal

Publication dates 5/24 & 5/31/84

Publication approved JS Date 6/1/84

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by kw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 03-7034, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 19 85.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: A flow measurement port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Water shall not be diverted under this permit unless the flow of the Snake River at the U.S. Geological Survey stream gaging station at Murphy exceeds 3,300 c.f.s. and at Weiser exceeds 4,750 c.f.s.

Witness my hand this 15th day of June, 1984.

J. Glen Saxton
Chief, Operations Bureau

No 871

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, } ss.
County of Washington }

Patrick A. Smith, being duly sworn,
deposes and says:

That he is the Editor of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-
lished in said newspaper once a week for 2 consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with
May 24, 1984 and ending
with the issue of May 31, 1984.
Patrick A. Smith
Fees, \$ 19.60

Subscribed and sworn to before me this 31
day of May, 1984.
Patrick A. Smith
Notary Public, Residing at Weiser, Idaho.
My Commission Expires 1-1, 1987

No. 871

NOTICE OF APPLICATION FOR WATER RIGHT

The following application has been filed to appropriate the
public waters of the State of Idaho:
03-7034 / SP

CITY OF WEISER

55 W. IDAHO ST., WEISER, ID 83672

Source: SNAKE RIVER trib. to COLUMBIA RIVER

Date Filed: 05/03/1984

Diversion Pt: NWNW Sec 17 T 10N R 05W

Use: IRRIGATION

(2.82 CFS)

In: NWNE SWNE NENW SENW Sec 17 T 10N R 05W FOR
141 ACRES

The permit will be subject to all prior water rights. Protests
must be filed with the Director, Dept. of Water Resources,
Western Region, Statehouse, Boise, Idaho 83720 on or before
JUNE 11, 1984.

KEN DUNN, Dir.

Published 05/24 & 05/31/84.

24-2s



Deposited in the files of the
Weiser, Idaho, Office

August 17, 1988

CITY OF WEISER
55 W. IDAHO ST.
WEISER, ID 83672

RE: PERMIT NO. 03-07034

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

SEP 20 1988

July 8, 1988

CITY OF WEISER
55 W. IDAHO ST.
WEISER, ID 83672

RE: PERMIT NO. 03-07034

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

CC: Michael Holladay

SEP 20 1988

FIELD EXAM REVIEW

TO: File 03-7034

FROM: Jim Johnson

DATE: 7-5-88

Review of Compliance with Beneficial Use Rules & Regulations

Rule 3. Authority of Representative

NO 3,1. OK 3,2.

Rule 4. Qualification

OK 4,1.

Rule 5. Examination for Beneficial Use

5,1. Field Report:

OK 5,1,2. OK 5,1,3. N/A 5,1,4. N/A 5,1,5. OK 5,1,6.
OK 5,1,7. OK 5,1,8. N/A 5,1,9. * 5,1,10. N/A 5,1,11.
N/A 5,1,12. OK 5,1,13. OK 5,1,14. * 5,1,15. OK 5,1,16.
OK 5,1,17.

5,2. Field Report Acceptability:

OK 5,2,1. OK 5,2,2. OK 5,2,3. OK 5,2,4.

5,3. General:

OK 5,3,1. OK 5,3,2. N/A 5,3,3. N/A 5,3,4. N/A 5,3,5.

Rule 6. Water Measurement

6,1. Measurement Terminology:

OK 6,1,1. * 6,1,2. OK 6,2. OK 6,3. N/A 6,4.
OK 6,5.

Remarks:

* Volume not included on EXAM REPORT. However,
I have made the calculations and added it to
the proposed license.

AN ADJUSTMENT WAS MADE TO P/U DESCRIPTION
CHANGING THE 36 AC. IN SWNW TO SENW.



HOLLADAY ENGINEERING CO.

ENGINEERS • CONSULTANTS

1431 Bus. Alf.-Hwy. 95

P.O. Box 211

Payette, ID 83661

(208) 642-3304

RECEIVED

APR 13 1988

Department of Water Resources

April 12, 1988

Mr. John Beal
Department of Water Resources
Statehouse
Boise, ID 83720

Re: City of Weiser Water Right Airport 03-7034

Dear Mr. Beal:

Attached for your review and approval, is the Beneficial Use Field Report for the above noted right. We have held up on filing the report due to a proposed change that the renter was to make. The renter has not made the changes, so the report is being filed based on the existing equipment.

Sincerely,
HOLLADAY ENGINEERING CO.

Michael E. Holladay
Michael E. Holladay, P.E.

MEH/db

cc: City of Weiser, Mayor R. Dale Thomason
Nate Marvin

RECEIVED

SEP 20 1988

RECEIVED
APR 13 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT Department of Water Resources

A. GENERAL INFORMATION

Permit No. 03-7034

1. Owner: City of Weiser Phone No. 549-1964

Current Address: 55 West Idaho St., Weiser

2. Accompanied by: _____ EXAM. DATE: _____

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Snake River tributary to Columbia River

B. OVERLAP REVIEW

1. Other water rights with same place of use: N/A

☐ Copies Attached


2. Other water rights with same point of diversion: N/A

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

SEP 20 1988

System Description (continue)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)
 Using Collins Flow Meter on 6" & 4" pipes - open discharge into ditch - Pump A -
 4" discharge to ditch - 30" differential reading gives Q = 0.80 cfs
 Pump B - 6" discharge to open ditch - 2 1/4"
 Differential reading gives Q = 0.50 cfs

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Pump A	Century	10	9-305687	Cornell	2W10-2-22401
Pump B	G.E.	7.5	UNK	Parma Water Lifter	UNK

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
A		NE	NW	NW	17	10N	5W	Wash	USGS
B		NE	NW	NW	17	10N	5W	Wash	USGS

6. Place(s) of Use:

Indicate Method of Determination Airphoto

Twp.	Rge.	Sec.	NE¼				NW¼				SW¼				SE¼				Totals
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
10N	5W	17		16	24		20		36	36								96	
									J.I.										

RECEIVED

SEP 20 1988

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Collins Flow Gage		Collins	Type K	UNK	N/A	UNK
Impact Tube & Water-Air Manometer						

2. Measurements:

Pump A - 4" Discharge 30" = $Q = 0.80$ cfs

Pump B - 6" Discharge 2 $\frac{1}{4}$ " = $Q = 0.50$ cfs

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$Q_t = Q_a + Q_b = 0.80 + 0.50 = 1.30 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) $\div$ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{i,r} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{d,r} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{i,r} \text{ and } V_{d,r} =$ _____

2. Volume Calculations for Other Uses:

SEP 20 1988

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Land to be irrigated is adjacent to airport, see attached sketch - the renter uses combination of sprinkler lines and ditches to irrigate fields

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3-15	11-15	1.30	432.0 JS.
Totals:				


2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

☒ None



J. AUTHENTICATION

Field Examiner's Name Michael E. Holladay
Signature Michael E. Holladay
Certification Date 11-7-87
Field Report Preparation Date 12-29-87



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

SEP 20 1988



SEP 20 1988




**HOLLADAY
ENGINEERING CO.**
ENGINEERS • CONSULTANTS

1431 HWY. 95, BUS. ALT.
PAYETTE, IDAHO 83661
208-642-3304

AIRPORT WELL
CITY OF WEISER

JOB NO.	040487
DATE	DEC. 1987
DN	WR
CK	MEH



 HOLLADAY ENGINEERING CO. <u>ENGINEERS • CONSULTANTS</u>	1431 HWY. 95, BUS. ALT. PAYETTE, IDAHO 83661 208-642-3304	AIRPORT WELL		JOB NO. 040487	
		CITY OF WEISER		DATE DEC. 1987	
				DN	WR

F-247
(F-247)
T1184

A
13.6

F-228
(F-228)
T1172

A
10.1

D
83
F-227
(F-227)
T1171

F-52 F-43
(F-52)
T1095

37.5

F-54
(F-54)
T1097

A
12.1

F-55
(F-55)
T1099

A
7.4

F-56 F-5
(F-56)
T1100

B
57

3.3

CITY OF WEISER
AIRPORT
WATER RIGHT
03-7034

16.2

E
32.3

A
15.8

D
22.7

E
11.9

SEP 20 1988

Department of Water Resources
Beneficial Use Field Report
Form 219
Attachment



Pump location and discharge
piping.
Showing slough and electrical
service



City of Weiser Airport Well
12-87 040487

Department of Water Resources

Beneficial Use Field Report

Form 219
Attachment



Pump A
Cornell pump with Century
motor 10 h.p.



Pump A
Parma Water Lifter with
General Electric 7.5 h.p.

Plg. file in 03-7034



HOLLADAY ENGINEERING CO.

ENGINEERS • CONSULTANTS

1431 Bus. Alt.-Hwy. 95

P.O. Box 211

Payette, ID 83661

(208) 642-3304

RECEIVED

SEP 01 1987

Department of Water Resources

April 15, 1987

Honorable R. Dale Thomason, Mayor
City of Weiser
55 West Idaho St.
Weiser, Idaho 83672

Re: Water Rights For Snake River, Irrigation Supply For
Airport-03-7034 Project No. 040487

Dear Mayor Thomason:

Thank you for the opportunity to perform the water rights examination for the City of Weiser on the above noted right.

We will perform the examination and submit the required form work as soon as we are able to arrange for a pump test with Mr. Marvin and Mr. Hansen.

If you have any questions, please call.

Sincerely,
HOLLADAY ENGINEERING CO.

Michael E. Holladay
Michael E. Holladay, P.E.

MEH/db

RECEIVED

SEP 20 1988

RECEIVED

APR 20 1987

Department of Water Resources
Western Regional Office

4/S
RECEIVED
APR 20 1987

Department of Water Resources
Western Regional Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by _____
Sent to S.O. _____

RECEIVED
SEP 01 1987

1. Permit No. 03-7034

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE: Department of Water Resources

☐ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: City of Weiser

3. Post Office Address: 55 W. Idaho St.

Weiser, Idaho

Telephone No. 549-1965

4. Source of Water: Snake River

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 141 (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted 2.82 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

8. Person to contact to accompany the department representative during the field examination:

(Name)

(Address)

(Telephone Number)

☒ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

4-17-87
Date

R. L. Thompson, Mayor
Signature of Permit Holder (and title, if appropriate)



Cecil D. Andrus
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

03-7034
CITY OF WEISER
55 W. IDAHO ST.
WEISER, ID 83672

138020

April 3, 1987

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.


House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information set showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

RECEIVED

SEP 20 1988

The City of Weiser owns All Property inside blue line



PARCEL NO. 1 — City of Weiser owned in fee simple 141 Acres more or less. Lots 29, 30, 31, 32, 33, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 83, 84, 85, 86, 87, 88, 89, 90 and the North or Northerly one acre of Lot 91. All being in Sunnyside Orchard Tract, Section 17, T10N, R5W, B.M. 40' Road Right-of-Way From center of Sec. 17 to N. 1/4 cor. Sec. 17 included.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

OCTOBER 10, 1985

CITY OF WEISER
55 W. IDAHO ST.
WEISER ID 83672

RE: Permit No. 03-7034

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 334-2190 or in person in the third floor State Towers Building, 450 West State Street, Boise.

Sincerely,
s/Judy Pense
Secretary

MICROFILMED

SEP 20 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

RECEIVED
MAY 3 1985

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below:

Permit No. 03-7034

Name(s) of Permit Holder: CITY OF WEISER

Post Office Address: 55 WEST IDAHO STREET, Weiser, Idaho 83672

Telephone No. (208) 549-1965

Source of Water: SNAKE RIVER

Extent of Use:

Domestic _____ (number of households)

Stockwater _____ (number and type of stock)

Irrigation 141 _____ (acres)

Other/Remarks _____

Indicate the date water was first diverted and beneficially used under this permit: 6/13/84

Measuring Device: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☐ No

Flow Measurement Port: Required? ☒ Yes ☐ No
Installed? ☒ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

R.L. (BOB) HOGG

(Name)

55 WEST IDAHO STREET, WEISER, IDAHO 83672

(Address)

208-549-1965

(Telephone Number)

The above information is a true statement of the extent to which the above numbered permit has been developed.

5/2/85
Date

R.L. Hogg - City Administrator
Signature of Permit Holder (and Title, if appropriate)

MICROFILMED


City of Weiser

55 West Idaho Street

Weiser, Idaho 83672

GATEWAY
TO
HELLS CANYON

BOISE, ID 837
PM
2 MAY
1985



Idaho Department of Water Resources
Statehouse Mail
Boise, ID 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138911

CITY OF WEISER
55 W. IDAHO ST.
WEISER, ID 83672

PROOF DUE NOTICE

APRIL 30, 1985

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 03-7034 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JULY 01, 1985. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A FORM WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE FORM OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED

July 6, 1984

RE: Permit No. 03-7034

City of Welser
55 West Idaho St.
Welser, ID 83672

Dear Permit Holder:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

Note also that water shall not be diverted under this permit unless a base flow of the Snake River at the U.S. Geological Survey stream gaging station at Murphy exceeds 3,500 cfs and at Welser exceeds 4,750 cfs. In addition, there are many applications for permit for the use of Snake River water that are prior to your permit. These applications have been filed for the irrigation of lands that the applicants are attempting to obtain under the Federal Land Laws such as Desert Entry and Carey Act. If these lands are developed, and if the base flow is maintained, then no water would be available for this permit. Therefore, you should carefully consider these facts before making any expenditures for the construction of your system.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is the statement of beneficial use postcard that must be submitted when your project is completed.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Supervisor, Water Allocation Section

DRT:sc
Enclosures

MICROFILMED

INTER-DEPARTMENT MEMO — 1

FROM Western Region/jp


DATE 6/6/84

TO Ranae


SUBJECT REFUND

The City of Weiser sent us in \$20 more than is needed, the filing fee for 2.82 cfs is \$85. They sent us \$105, please send \$20 refund to the City of Weiser, 55 West Idaho Street, Weiser, ID 83672

MICROFILMED



Senior Water Resource Agent
SIGNATURE



THE CITY OF WEISER, IDAHO

55 WEST IDAHO 83672 • (208)549-1965

OFFICE OF THE CLERK

May 1 1984

G.L. Sisco
State of Idaho
Department of Water Resources
Western Region
450 W. State Street
Boise, ID 83720

Dear Sir;

Enclosed is an application from the City of Weiser, for a water right for irrigation water from the Snake River.

A Plat of the area is also enclosed and is platted in Five acre tracts. The City owns all the property shown on the plat that is inside the Blue line.

If further information is needed, please feel free to contact me.

Sincerely,

R.L. Hogg,
City Administrator

rlh/lr

Enclosures

RECEIVED
MAY 3 1984

Department of Water Resources
Western Regional Office

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

MAY 17, 1984

The Weiser Signal
Box 709
Weiser, ID 83672

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JUNE 11, 1984.

Yours truly,

JUDY PENSE
Secretary

Encl.

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on or before JUNE 11, 1984.

KEN DUNN, Dir.

Published 05/24 & 05/31/84.

MICROFILMED

03-2034-

CITY OF WEISER

55 W. IDAHO ST., WEISER, ID 83672

Source: SNAKE RIVER trib. to COLUMBIA RIVER

Date Filed: 05/03/1984

Diversion Pt: NWNW Sec 17 T 10N R 05W

Use: IRRIGATION (2.82 CFS)

In: NWNE SWNE NENW SENW Sec 17 T 10N R 05W FOR 141 ACRES

MICROFILMED

IDENT. NO. 03-7034

WATER RIGHT
DATA ENTRY LOG

<u>Initials</u>	<u>Date</u>	<u>Item</u>
jp	5/17/84	Original form entered
		Edit Report Correct
		Date Protested
		Date of Hearing
		Date Approved/Denied (Proof due date, stage and/or status, conditions of approval, water district)
		Record Verified
		Amendment Approved
		Extension Approved
		Partial Proof
		Proof Complete
		Field Exam Received
		Field Exam Accepted and changes entered
		License Updated
		Transfer Updated
CW	9-8-85	Key punched by State Office <i>Proof Made</i>