

PURCHASE ORDER—INVOICE—VOUCHER

DATE OF ORDER

24 Feb 77

ORDER NO.

DACW68-77-M-0341

PRINT NAME AND ADDRESS OF SELLER (Number, Street, City, and State) *

Idaho Department of Water Resources
 Northern District Office
 4055 Government Way - Suite #1
 Coeur d'Alene, ID 83814

FURNISH SUPPLIES OR SERVICES TO (Name and address) *

U.S. Dept. of Army, Corps of Engineers
 City-County Airport, Walla Walla, WA 99362
 ATTN: Real Estate Division

SUPPLIES OR SERVICES	QUANTITY	UNIT PRICE	AMOUNT
1 JOB: Payment of Statutory Examination Fee for appropriation of Public Waters, Lower Granite Project, Hxxs Hells Gate Park Recreational Area.			\$35.00

RECEIVED

MAR 8 1977

Department of Water Resources
 Northern District Office

AGENCY NAME AND BILLING ADDRESS *

U.S. Dept. of Army, Corps of
 Engrs, City-County Airport,
 Walla Walla, WA 99362
 ATTN: Real Estate Division

TOTAL \$35.00
 DISCOUNT TERMS
 Net % DAYS
 DATE INVOICE RECEIVED
 28 Feb 77

ORDERED BY (Signature and title)

Darlene M. Stewart

DARLENE M. STEWART
 Ordering Officer

PURPOSE AND ACCOUNTING DATA

96x3122 Const Gen
 BFLA072M2E0000

PURCHASER—To sign below for over-the-counter delivery of items

RECEIVED BY

Darlene M. Stewart

DARLENE M. STEWART

TITLE

Realty Clerk

DATE

28 Feb 77

SELLER—Please read instructions on Copy 2

☐ PAYMENT RECEIVED \$☐ PAYMENT REQUESTED \$

NO FURTHER INVOICE NEED BE SUBMITTED

SELLER

BY

REMARKS

IDAHO DEPT. OF WATER RESOURCES

BY Robert D. Samples

(Signature)

2-25-77

DIFFERENCES

ACCOUNT VERIFIED: CORRECT FOR

BY

FORWARD TO PAYEE

3. RECEIVING REPORT—ACCOUNTING COPY

* PLEASE INCLUDE ZIP CODE

1976-214-976

PUBLISHER'S AFFIDAVIT OF PUBLICATION

RECEIVED
MAR 11 1977
Department of Water Resources
Northern District

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that U.S. Department of Army, Corps of Engineers, Bldg. 602, City-County Airport, Walla Walla, Washington has on February 25, 1977, submitted Application No. 103-7020 for a permit to appropriate 1.30 cubic feet per second of water from Reservoir behind Dam, tributary of the Snake River by means of collection system, pipeline and pump within the NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 26, T. 35N, R. 6W, B.M., Nez Perce County to be used from March to October for the irrigation of 55 acres within the S $\frac{1}{2}$ NE $\frac{1}{4}$, SW $\frac{1}{4}$, Sec. 23, T. 35N, R. 6W, B.M.; N $\frac{1}{2}$ NW $\frac{1}{4}$, Sec. 26, T. 35N, R. 6W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814 on or before March 21, 1977.

R. KEITH HIGGINSON
Director

STATE OF IDAHO, }
County of Nez Perce } ss.

DeAnna D. Kincart, being duly sworn

deposes and says, I am the Classified Bookkeeper of the Tribune Publishing Company, a corporation organized and existing under and by virtue of the laws of the State of Idaho, publishers of the LEWISTON MORNING TRIBUNE, a newspaper of general circulation published at Lewiston, Nez Perce County, Idaho; That the said Lewiston Morning Tribune is an established paper and has been published regularly and issued regularly at least once a day for more than 20 consecutive years immediately preceding the first publication of this notice, and has been so published uninterruptedly for said period; that the Notice of Application for attached hereto and which is made a part of this affidavit was published in the said Lewiston Morning Tribune, once a week for 2 consecutive weeks, the first publication thereof being on the 3rd day of March

77, A. D. 1977, and the last publication thereof being on the 10th day of March, 77, Water Permit

A. D. 1977, and said Water Permit was so published in the regular and entire issue of the said newspaper and not in a supplement thereof and was so published in every issue and number of the said paper, during the period and times of publication as set forth above.

DeAnna D. Kincart

SUBSCRIBED AND SWORN TO BEFORE ME THIS THE

10th day of March, 1977.

Paul G. Gorth
Notary Public in and for the State of Idaho,
residing at Lewiston, therein.

MICROFILMED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 03-7020 Priority February 25, 1977 Amount 1.07 cfs

THIS IS TO CERTIFY, that U. S. Dept. of Army, Corps of Engineers, Walla Walla Dist.
of Walla Walla, Washington, has complied with the terms and conditions of Permit
No. 03-7020 issued pursuant to Application for Permit dated February 25, 1977,
and has submitted proof to the Department of Water Resources on April 16, 1980,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 1.07 cfs of water from Snake River,
tributary to Columbia River, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	from <u>March 1</u> to <u>October 1</u>	at <u>1.07</u> cfs and	<u>165.0</u> acre feet
	from _____ to _____	at _____ cfs and	_____
	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 1.07 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
165.0 acre feet per year, said waters to be diverted within the NE $\frac{1}{4}$ NW $\frac{1}{4}$, Section 26, Twp.
35N, Rge. 6W in the County of Nez Perce

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
35N	6W	23			7	2					3	16	14	4					46
		26					4	5											9

Total number of acres irrigated 55

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 30th day of
December, 19 81.

Director

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 03-7020

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,


WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR EXTENSION OF TIME

RECEIVED

APR 3 1978

Department of Water Resources

State of Idaho)

County of Nez Perce)

Permit No. 03-7020

U.S. Army, Walla Walla District, of Bldg. 602, City-County Airport,
Corps of Engineers Walla Walla, WA 99362
(name) (address)

United States Government, being first duly sworn, upon his oath deposes and says:

That he is the holder, or the duly authorized agent of the holder *, of Permit to
Appropriate the Public Waters of the State of Idaho No. 03-7020.

That under the terms and conditions of said permit, work thereunder was required
to be completed on or before 1 May, 19 78.

That he has heretofore performed the following work described under said permit:
Gravel filter collection system piped to irrigation water pump sump on the riverbank
is completed along with all underground lines and sprinkler heads for irrigation of
the park

Costing \$50,000.00

That he is unable to complete the remainder of the work within the required time for
the following reasons, to-wit: According to State of Idaho water code, we are to
install a permanent measuring device on the system as a part of the diverting
works. This is the reason for the extension of time.

Wherefore, he asks that the Department of Water Resources extend the time for the
completion of obligations under said permit to 1 May, 1978.

HAROLD BUERSTATTE
Chief, Real Estate Division
Walla Walla District, Corps of Engineers

(signature) *

Subscribed and sworn before me this 28th day of March, 19 78?

seal

Notary Public residing at

Walla Walla, Washington

My commission expires 17 Oct 1981

ACTION OF THE DIRECTOR OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above application for extension of time be APPROVED
and the time within which to submit proof of beneficial use of water is extended
to May 1, 1979.

Witness my hand this 11th day of April, 1978

J. Glen Sayton
Chief, Operations Bureau

* IF OTHER THAN HOLDER, Power of Attorney must be supplied. Forms are available
through the Department of Water Resources, Statehouse, Boise, Idaho 83720.

FILED MED

Identification No. 03-7020

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant U.S. Department of Army, Corps of Engineers, Walla Walla District
post office address Bldg. 602, City-County Airport, Walla Walla, Washington 99362
2. Source of water supply Reservoir behind dam which is a tributary of Snake River
3. a. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 26 Township 35N
Range 6W B.M. Nez Perce County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into Tammany Creek at a point in SW $\frac{1}{4}$
of NE $\frac{1}{4}$ of Section 23 Township 35N Range 6W B.M. Nez Perce
4. Water will be used for the following purposes:
Amount Allow 1.1 cfs ~~1.1 cfs~~ for irrigation purpose from March 77 to October 77 (both dates inclusive)
(cfs or acre-feet per annum) and repeated every year after _____
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. Allow 1.1 cfs ~~1.1 cfs~~ cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Gravel filter collection system piped
to irrigation water pump sump on the riverbank.

b. Height of storage dam -- feet, active reservoir capacity -- acre feet; total reservoir
capacity -- acre feet, materials used in storage dam: --
Period of year during which storage will occur -- to -- inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is -- inches; proposed depth of well is -- feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 1 years.
b. Estimated construction cost is \$ 50,000.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: N/A $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: N/A hp under _____ feet of head.
(3) List number of each kind of livestock to be watered N/A

(4) Name of municipality to be served Hells Gate State Park, or number of families to be
supplied with domestic water N/A.
(5) If water is to be used for other purposes describe: N/A

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
		23			7	2					3	16	14	4					46
		26					4	5											9

Total number of acres to be irrigated 55

c. Describe any other water rights used for the same purposes as described above. Water right and Permit No. 85-7058, Hells Gate Recreation Marina water well, NE¼, NW¼, Sec. 23, T35N, R6W, BM. Water for this well is used for domestic purposes only.

9. a. Who owns the property at the point of diversion U.S. Government.

b. Who owns the land to be irrigated or place of use U.S. Government

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks Hells Gate Recreation intake structure. An intake structure was designed and built for obtaining irrigation water from the reservoir (Snake River) behind Lower Granite Lock and Dam. The structure is located approximately one-half mile north of Asotin, Washington. The coordinates are Lambert, Washington South, N390,786.62, E2,868,599.26.

[illegible]

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

application for permit to appropriate the public


(Applicant)

HAROLD BUERSTATTE
Chief, Real Estate Division
Walla Walla District, Corps of Engineers

Proposed Priority 2/25/77

Received by CP Date 2-25-77 Time 11:30 AM

Preliminary check by WMT Fee \$ 35.00

Receipted by CP Date 3-8-77 (Rec. #4936)

Publication prepared by CP Date 2-25-77

Published in Lewiston Morning Tribune

Publication dates 3-3 & 3-10-77

Publication approved CP Date 3-15-77

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 03-7020, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 19 78.
- c. Other: A measuring device of a type approved by the Director shall be permanently installed and maintained as part of the diverting works.

Witness my hand this 29 day of April 1977.


for Director

U.S. GOVERNMENT
CHASE ORDER—INVOICE—VOUCHER

DATE OF ORDER

ORDER NO.

24 Feb 77

DACW68-77-M-0341

PRINT NAME AND ADDRESS OF BUYER (Number, Street, City, and State) *

**Idaho Department of Water Resources
Northern District Office
4005 Government Way - Suite #1
Coeur d'Alene, ID 83814**

FURNISH SUPPLIES OR SERVICES TO (Name and address) *

**U.S. Dept. of Army, Corps of Engineers
City-County Airport, Walla Walla, WA 99362
ATTN: Real Estate Division**

SUPPLIES OR SERVICES	QUANTITY	UNIT PRICE	AMOUNT
1. JOB: Payment of Statutory Examination Fee for appropria- tion of Public Waters, Lower Granite Project, Hxxk Hells Gate Park Recreational Area.			\$35.00
RECEIVED			
MAR 8 1977			
Department of Water Resources Northern District Office			

AGENCY NAME AND BILLING ADDRESS *

**U.S. Dept. of Army, Corps of
Engineers, City-County Airport,
Walla Walla, WA 99362
ATTN: Real Estate Division**

TOTAL **\$35.00**

DISCOUNT TERMS

Net % DAYS

DATE INVOICE RECEIVED

28 Feb 77

ORDERED BY (Signature and title)

Darlene M. Stewart

**DARLENE M. STEWART
Ordering Officer**

PURPOSE AND ACCOUNTING DATA

**9623122 Const Gen
WFLA072M2E0000**

PURCHASER—To sign below for over-the-counter delivery of items

RECEIVED BY

Darlene M. Stewart

DARLENE M. STEWART

TITLE

Realty Clerk

28 Feb 77

SELLER—Please read instructions on Copy 2

☐ PAYMENT
RECEIVED \$

☐ PAYMENT
REQUESTED \$

NO FURTHER INVOICE NEED BE SUBMITTED

SELLER

DEPT. OF WATER RESOURCES

BY

[Signature]

2-25-77

REMARKS

DIFFERENCES

ACCOUNT VERIFIED

CORRECT FOR

BY

3. RECEIVING REPORT—ACCOUNTING COPY

* PLEASE INCLUDE ZIP CODE

1976 214-976

PURCHASE ORDER—INVOICE—VOUCHER

DATE

R

ORDER NO.

DACW68-77-M-0341

PRINT NAME AND ADDRESS OF SELLER (Number, Street, City, and State) *

P Idaho Department of Water Resources

A Northern District Office

Y 4055 Government Way - Suite #1

E ~~Coeur d'Alene~~ Coeur d'Alene, ID 83814

FURNISH SUPPLIES OR SERVICES TO (Name and address) *

U.S. Dept. of Army, Corps of Engineers

City-County Airport, Walla Walla, WA 99362

ATTN: Real Estate Division

SUPPLIES OR SERVICES	QUANTITY	UNIT PRICE	AMOUNT
1 JOB: Payment of Statutory Examination Fee for appropriation of Public Waters, Lower Granite Project, ~~XXXX~~ Hells Gate Park Recreational Area.			\$35.00

AGENCY NAME AND BILLING ADDRESS *

P U.S. Dept. of Army, Corps of

A Engrs, City-County Airport,

Y Walla Walla, WA 99362

O ATTN: Real Estate Division

TOTAL \$35.00

DISCOUNT TERMS

% DAYS

DATE INVOICE RECEIVED

ORDERED BY (Signature and title)

Darlene M. Stewart

DARLENE M. STEWART

Ordering Officer

PURPOSE AND ACCOUNTING DATA

96x3122 Const Gen

BFLLA072M2E0000

PURCHASER—To sign below for over-the-counter delivery of items

RECEIVED BY

DARLENE M. STEWART

TITLE

Realty Clerk

DATE

SELLER—Please read instructions on Copy 2

☐ PAYMENT RECEIVED \$☐ PAYMENT REQUESTED \$

NO FURTHER INVOICE NEED BE SUBMITTED

SELLER IDAHO DEPT. OF WATER RESOURCES

BY *Robert D. Hays*

(Signature)

INSTRUCTIONS TO SELLER

After satisfactory identification of the Government representative presenting this purchase order, verify the itemization, including quantity, unit price, amount, total and amount sections.

This form is so designed that Copy 1 may be used as a cash payment receipt or as your invoice by completing, as appropriate, either the Payment Received or Payment Request blocks and signing the Seller Section.

If you would rather submit your own invoice, DO NOT SIGN COPY 1, but attach it unsigned to your invoice to expedite verification and processing for payment.

ENGINEERING DIVISION E&M BRANCH SURVEY SECTION


PROJECT LOWER GRANITE RESERVOIR, HELLSGATE PARK

SUBJECT WATER INTAKE STRUCTURE

BY DATE CHECKED PART PAGE OF

SECTION 26 TOWNSHIP 35 N, RANGE 6 W., BOISE MERIDIAN

NEZ PERCE COUNTY, IDAHO



Scale 1"=1000'

MICROFILMED

DESCRIPTION: THE WATER INTAKE STRUCTURE IS LOCATED IN THE NW 1/4 OF THE NW 1/4 OF SECTION 26, TOWNSHIP 35 NORTH, RANGE 6 WEST, BOISE MERIDIAN, NEZ PERCE COUNTY, IDAHO. BEING S.62-11-09.1 W, A DISTANCE OF 1619.70 FT. FROM THE NORTH QUARTER CORNER OF SECTION 26, LAMBERT, WASHINGTON SOUTH ZONE COORDINATES ARE: N. 390,786.62 E. 2,863,599.26

PUBLISHER'S AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that U.S. Department of the Interior, Bureau of Engineers, Boise, Idaho, County Engineer, has on February 17, 1977, submitted Application for a permit to divert 100 cubic feet per second of water from the Snake River, tributary of the Snake River for the purpose of collection system, pipeline and pump within the NE 1/4, Sec. 26, T. 35N. R. 6W, B.M., Nez Perce County to be used from March to October for the irrigation of 55 acres within the S 1/4, Sec. 29, T. 35N, R. 6W, B.M., N 1/4, Sec. 26, T. 35N, R. 6W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814 on or before March 21, 1977.

R. KEITH HIGGINSON
Director

STATE OF IDAHO,

County of Nez Perce }

ss.

DeAnna D. Kincart

Department of the Interior
Bureau of Engineers
Boise, Idaho
being duly sworn

deposes and says, I am the ~~Classified Bookkeeper~~ of the Tribune Publishing Company, a corporation organized and existing under and by virtue of the laws of the State of Idaho, publishers of the LEWISTON MORNING TRIBUNE, a newspaper of general circulation published at Lewiston, Nez Perce County, Idaho; That the said Lewiston Morning Tribune is an established paper and has been published regularly and issued regularly at least once a day for more than 20 consecutive years immediately preceding the first publication of this notice, and has been so published uninterruptedly for said

period; that the Notice of Application for attached hereto and which is made a part of this affidavit was published in the said Lewiston Morning Tribune, once a week for 2 consecutive weeks, the first publication thereof being on the 3rd day of March

1977, A. D. 1977, and the last publication thereof being on the 10th day of March, 1977, Water Permit

A. D. 1977, and said Water Permit was so published in the regular and entire issue of the said newspaper and not in a supplement thereof and was so published in every issue and number of the said paper, during the period and times of publication as set forth above.

SUBSCRIBED AND SWORN TO BEFORE ME THIS THE

10th day of March, 1977.

Paul D. Smith
Notary Public in and for the State of Idaho,
residing at Lewiston, therein.

January 28, 1982

RE: Permit No. 03-7020

U.S. Dept. of Army
Corps of Engineers
Bldg. 602, City-County Airport
Walla Walla, WA 99362

Gentlemen:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,



JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

December 7, 1981

RE: Permit No. 03-7029

U. S. Dept. of Army
Corps of Engineers
Bldg. 602, City County Airport
Walla Walla, WA 99362

Gentlemen:

A representative of this Department has made an examination of the works covered by your Permit No. 03-7020, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 1.07 cfs Source: Snake River trib. to Columbia River

The maximum quantity diverted shall not exceed 165.0 acre feet per year.

Point(s) of diversion: NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 26, Twp. 35N, Rge. 6W, Nez Perce County

Beneficial use: Irrigation of 55 acres within the S $\frac{1}{2}$ NE $\frac{1}{4}$, SW $\frac{1}{4}$, Sec. 23;
N $\frac{1}{2}$ NW $\frac{1}{4}$, Sec. 26, Twp. 35N, Rge. 6W

Priority date established: February 25, 1977

Conditions (if any):

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor



DEPARTMENT OF THE ARMY

WALLA WALLA DISTRICT, CORPS OF ENGINEERS
BUILDING 602, CITY-COUNTY AIRPORT
WALLA WALLA, WASHINGTON 99362

REPLY TO
ATTENTION OF:

NPWRE
Lower Granite L&D
Water Permit 03-7020
Hells Gate State Park

19 November 1981

RECEIVED

NOV 23 1981

Department of Water Resources

DTR
Mr. David R. Tuthill, Jr., P.E.
Supervisor, Water Allocation Section
Department of Water Resources
State of Idaho
Statehouse
Boise, ID 83720

Dear Mr. Tuthill:

Reference your letter of 14 October 1981 concerning State of Idaho Water Permit No. 03-7020.

The maximum rate of flow diverted during the 1981 season was 480 gpm derived from the installed Fischer and Porter Company Liquid Vortex Rate-of-Flow Meter, Model No. 10LV1211-1DB1.

Sincerely,

Allen L. Baim

ALLEN L. BAIM
Chief, Real Estate Division

$$\frac{480 \text{ gpm}}{448.8} = 1.07 \text{ cfs}$$

RC 11/24/81

RECEIVED

DEPARTMENT OF THE ARMY
WALLA WALLA DISTRICT, CORPS OF ENGINEERS
BLDG 602, CITY-COUNTY AIRPORT
WALLA WALLA, WASHINGTON 99362

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, \$300

NPWRE

AN EQUAL OPPORTUNITY EMPLOYER



POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY
DOD-314



Mr. David R. Tuthill, Jr., P.E.
Supervisor, Water Allocation Section
Department of Water Resources
State of Idaho
Statehouse
Boise, ID 83720

MICROFILMED

October 14, 1981

U.S. Army Corps of Engineers
Walla Walla District
Mr. Bob Ox
Bldg. 602, City-County Airport
Walla Walla, Washington 99362

Dear Mr. Ox:

RE: Permit No. 03-7020

Per our telephone conversation in January of this year you indicated that you would attempt to submit to us records documenting the 1981 maximum rate of flow diverted pursuant to the above referenced permit.

If you will please send the records to my attention I will insure that issuance of the License is expedited.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Supervisor, Water Allocation Section

DRT:jg

INTER-DEPARTMENT MEMO — 1

FROM Dave Tutthell

DATE 1/16/81

TO 03-7020

SUBJECT

Bob Ox of Corps of Eng, Walla-Walla called to say that the state parks personnel who monitor this irrigation system will submit a letter to this office this irr. season documenting the max rate of flow based on % of meter reading.

Hold until ¹⁰⁻~~10-~~ 1-81, or until we receive the Parks letter, whichever is first.

Dave T SIGNATURE

INTER-DEPARTMENT MEMO — 1

FROM Dave

DATE 1/16

TO Jim

SUBJECT

I called Fred Miklancic on this one to obtain a little more info. His letter dated 30 Dec 80 says they need more than .67 cfs, but does not say that more than that amt is pumped. What we still need from him is evidence that

(1) the pumps^{or meter} were malfunctioning when Tom made the exam, or (2) the pumps were not operating at full capacity at that time. We can live on the larger amt based on a letter from Miklancic or based on another exam. Please return this one to me to fold. Dave

SIGNATURE

INTER-DEPARTMENT MEMO — 1

FROM Robyn

TO File

SUBJECT 03-7020

MICROFILMED

DATE 1/13/81

I feel as though justification has been shown in letter dated 12/30/80 from Dept. of the Army.

$$Q = \frac{495 \text{ gpm}}{448.8} = 1.10 \text{ cfs}$$

$$V = 55 \text{ ac} \times 3.0 \text{ in req} = 165.0 \text{ AF}$$

OK Jim

Robyn
SIGNATURE



REPLY TO
ATTENTION OF:

DEPARTMENT OF THE ARMY

WALLA WALLA DISTRICT, CORPS OF ENGINEER
BUILDING 602, CITY-COUNTY AIRPORT
WALLA WALLA, WASHINGTON 99362

Department of Water Resources

NPWEN-FM

30 December 1980

State of Idaho
Department of Water Resources
450 West State Street
Boise, Idaho 83720

Gentlemen:

In reply to your letter dated 18 December 1980, we request that our permit No. 03-7020 remain unchanged allowing 1.1 cfs of irrigation water to be used.

This water is for irrigating recreational turf at a state operated park. Day use areas can only be irrigated during a short period at night to allow public use during daylight hours. Camp sites can only be irrigated when vacated; therefore, the subject irrigation system was designed to use a larger quantity of water during shorter time intervals than most agricultural applications.

The present system consists of two pumps; one 400 gpm pump and one 95 gpm pump. Normally both pumps operate during the irrigation cycle, pumping a total of 495 gpm or 1.1 cfs. Present operations can continue and still be held within the stated 165 acre feet per year total flow limitation. Lowering the 1.1 cfs pumping level to 0.67 cfs (301.5 gpm) would require a major system and operational modification, which we would like to avoid if at all possible.

It is therefore requested that the amount of water recognized as beneficially used under Idaho Law covered by permit 03-7020, be maintained at 1.1 cfs with the maximum quantity diverted not to exceed 165 acre feet per year.

Sincerely,

FRED J. MIKLANCIC

Chief, Foundations and Materials Branch

REC-10
DEC 31 1980
10

NPWEN-FM

30 December 1980

State of Idaho
Department of Water Resources
450 West State Street
Boise, Idaho 83720

Gentlemen:

In reply to your letter dated 18 December 1980, we request that our permit No. 03-7020 remain unchanged allowing 1.1 cfs of irrigation water to be used.

This water is for irrigating recreational turf at a state operated park. Day use areas can only be irrigated during a short period at night to allow public use during daylight hours. Camp sites can only be irrigated when vacated; therefore, the subject irrigation system was designed to use a larger quantity of water during shorter time intervals than most agricultural applications.

The present system consists of two pumps; one 400 gpm pump and one 95 gpm pump. Normally both pumps operate during the irrigation cycle, pumping a total of 495 gpm or 1.1 cfs. Present operations can continue and still be held within the stated 165 acre feet per year total flow limitation. Lowering the 1.1 cfs pumping level to 0.67 cfs (301.5 gpm) would require a major system and operational modification, which we would like to avoid if at all possible.

It is therefore requested that the amount of water recognized as beneficially used under Idaho Law covered by permit 03-7020, be maintained at 1.1 cfs with the maximum quantity diverted not to exceed 165 acre feet per year.

Sincerely,

FRED J. MIKLANCIC
Chief, Foundations and Materials Branch

RECEIVED
DEC 31 1980
FEDERAL BUREAU OF INVESTIGATION
U.S. DEPARTMENT OF JUSTICE

INTER-DEPARTMENT MEMO — 1

FROM Jim

DATE 12/30/80

TO File

SUBJECT Telecom w/ FRED McCLANCEY

MICROFILMED

MR. McCLANCEY WANTED MORE TIME
to contact the park manager to
confirm that sprinkler system was operating
at full capacity when Tom King to
measurement of .67. We should have
response by Jan 30 1981.

SIGNATURE



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

December 18, 1980

U.S. Dept. of Army
Corps of Engineers
Walla Walla Dist.
Bodg. 602
City-County
Walla Walla, Washington 99362

Dear Sirs,
A representative of this Department has made an examination of the works covered by your Permit No. 03-7020, and has found the following:

Amount of water that can be recognized as beneficially used under Idaho law: .67 cfs Source: Snake River

The maximum quantity diverted shall not exceed 165 acre feet per year.

Point(s) of diversion: NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 26, Twp. 35N, Rge. 6W, B.M.

Beneficial use: Irrigation of 46 acres within the S $\frac{1}{2}$ NE $\frac{1}{4}$, SW $\frac{1}{4}$, Sec. 23; 9 acres within the N $\frac{1}{2}$ NW $\frac{1}{4}$, Sec. 26, Twp. 35N, Rge. 6W.

Priority date established: February 25, 1977

Conditions (if any):

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JAN GROVER
Water Rights Supervisor

MICROFILM

50% of output
6000

Hellegato Park

RECEIVED

-JUN 26 1980

Department of Water Resources

Permit No. 03-7080

Unit No. 03-7046

UNCLASSIFIED

55

DATE OF EXAM 6-10-80

ACREAGE

Found 55
Recommended 55

Irrigation Requirement 3.0 Ac Ft/Ac

USE

Irrigation Q = 0.67 c.f.s. V = 165 AF/Ann. from 3-1 to 10-1
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no ☒

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no ☒

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured 300 gpm Method of measurement Meter

Total Q recommended 0.67 cfs Meter No. 7807A204A2 Type Fisher & Porter mod 55 PD 11218112 Condition good

Total V recommended 165.0 AF/Ann

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None ☒

MEASUREMENT CALCULATION:

Meter @ 100% = 600 gpm. ∴ 50% = 300 gpm = 0.67 cfs 3 AF/Ann (55 Acres) = 165.0 AF

0.67 X 1.9835 X 214 days = 284.3

See attached letter dated 11/19/81

SYSTEM DESCRIPTION:

40 hp triple phase US Motor Type RU # R6229-02-130 # R2109409
with pressure pump and pipe lines to 50 PB60PS 1/2 nozzle
and one PB Gun

REMARKS:

Account by Asst manager Hellgate State Park Idaho Dept P&R

Examiner's Signature [Signature] Date 6-10-80

Checked by Bob Haynes Date 6/23/80

Approved by Robyn Date 12/18/80

11/24/81

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
C. STEPHEN ALLRED
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

July 25, 1979

Mr. Harold Buerstatte
U.S. Army Corps of Engineers
Bldg. 602, City-County Airport
Walla Walla, Washington 99362

RE: 03-7020

Dear Mr. Buerstatte:

We acknowledge receipt of your statement of completion of water development and use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination, however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office.

Very truly yours,


TOM D. KING
Senior Water Resource Agent

TDK/pms

cc: IDWR - State Office

RECEIVED
JUL 27 1979
WALLA WALLA



DEPARTMENT OF THE ARMY
WALLA WALLA DISTRICT, CORPS OF ENGINEERS

BLDG. 602, CITY-COUNTY AIRPORT
WALLA WALLA, WASHINGTON 99362

*This is a statement
of beneficial use*

NPWRE-AQ
Lower Granite Lock & Dam
Well Permit No. 03-7020
Hells Gate Park

7 May 1979

RECEIVED

Department of Water Resources
Northern District

RECEIVED

MAY 10 1979

Department of Water Resources

Mr. David R. Tuthill, Jr.
Supervisor, Water Allocation Section
State of Idaho
Department of Water Resources
Statehouse
Boise, ID 83720

Dear Mr. Tuthill:

Reference your letter of 26 April 1979 regarding proof of beneficial use of water on Permit No. 03-7020 at Hells Gate Park.

In response to your letter, the following information is furnished:

1. The name and post office address of the permit holder is:

U. S. Department of Army
Corps of Engineers
Walla Walla District
Bldg. 602, City-County Airport
Walla Walla, WA 99362

RECEIVED

JUL 9 1979

Department of Water Resources
Western Regional Office

2. The permit number is 03-7020.
3. The use of the water is to irrigate 55 acres of park area.
4. The Snake River is the source of the water used.
5. The required flow meter has been installed.

We trust that proof of beneficial use has now been furnished, as required, and that processing of the requested water right will continue.

Sincerely yours,

HAROLD BUERSTATTE
Chief, Real Estate Division

RECEIVED



DEPARTMENT OF THE ARMY
WALLA WALLA DISTRICT, CORPS OF ENGINEERS

BLDG. 602, CITY-COUNTY AIRPORT
WALLA WALLA, WASHINGTON 99362

RECEIVED

APR 18 1980

Department of Water Resources

NPWRE-1

Lower Granite Lock & Dam
Water Well Permits 85-7181,
85-7182, 85-7184, 85-7185,
03-7020, and 03-7023

RECEIVED

15 April 1980

APR 16 1980

Department of Water Resources
Northern District Office

State of Idaho
Department of Water Resources
Northern Region
4055 Government Way
Coeur d'Alene, ID 83814

Gentlemen:

Inclosed are completed Proof of Application of Water to Beneficial Use
forms for Permits Nos 85-7181, 85-7182, 85-7184, 85-7185, 03-7020, and
03-7023.

Sincerely,

WILLIAM K. HENRY
Acting Chief, Real Estate Division

6 Incl
As stated

MICROFILMED

APR 18 1980

Identification No. 03-7020

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF APPLICATION
OF WATER TO BENEFICIAL USE

RECEIVED
APR 18 1980
Department of Water Resources
Northern District Office

1. a) Name of permit holder U. S. Army Corps of Engineers, Walla Walla District
b) Post office address Bldg. 602, City-County Airport - Walla Walla, WA 99362
2. Permit number 03-7020
3. Date of priority that you are prepared to establish 1 May 1980
4. a) Source from which water was appropriated Snake River
b) Location of the point of diversion: NE 1/4 NW 1/4, Section 26
Township 35N, Range 6W Boise Meridian. Other points of diversion:
5. a) The amount of water and use to which the water has been applied:
Amount 1.1 cfs for irrigation purposes from March 1 to Oct 31 incl.
(cfs &/or acre-feet per annum) (month-day) (month-day)
Amount for purposes from to incl.
(cfs &/or acre-feet per annum) (month-day) (month-day)
Amount for purposes from to incl.
(cfs &/or acre-feet per annum) (month-day) (month-day)
b) Total amount appropriated 1.1 cfs ~~and/or acre-feet per annum.~~
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement:
How: Flow meter, enhanced vortex shedding type, Fishchor and Portor 10LV1211-IDB1.
by Robert Ochsner, Mechanical Engineer
6. If the means of diversion and conveyance are owned by someone other than the permit holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use:
N/A

b) Describe the agreement of understanding by which you take water from the works:
N/A
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch):
Gravel filter collection system piped from Snake River to irrigation water
pump sump on the riverbank.

b) Describe the provision for making a measurement which you have at your point of diversion: (i.e., installed measuring device, access port, other)
Enhanced vortex shedding type flow meter, Fisher and Porter 10LV1211-IDB1
on pump discharge

c) Give well driller's name and address and the date the well was completed: Intake structure constructed under Contract DACW68-75-C-0099 by Clearwater Construction Engineering, 2026 2nd Ave. North, Lewiston, ID 83501 and a pump test conducted by Farmore Distributing Co., Pendleton, Oregon.

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use:
N/A

9. Irrigation uses: describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision:
Irrigate recreation site, 55 acres total

T	R	SEC.	NE¼				NW¼				SW¼				SE¼				TOTAL
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
		23			7	2					3	16	14	4					46
		26					4	5											9

Total number of acres irrigated _____

10. Remarks: HellsGate Recreation Intake Structure, located approximately one-half mile north of Asotin, Washington. The coordinates are Lambert Washington South, N390, 786.62 E 2,868,599.26

The above information is a true statement of the extent to which the above numbered permit has been developed.

15 Apr 80
(Date)

William K. Henry
(Signature)
WILLIAM K. HENRY
Actg Ch, Real Estate Div
Walla Walla District, Corps of Engineers

State of Washington)
County of Walla Walla) ss.

On this 15th day of April, 19 80, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Nob Crooks
Notary Public
Residing at Walla Walla, Wa

My commission expires 6 April 82

NOTARY PUBLIC



DEPARTMENT OF THE ARMY
WALLA WALLA DISTRICT, CORPS OF ENGINEERS

BLDG. 602, CITY-COUNTY AIRPORT
WALLA WALLA, WASHINGTON 99362

NPWRE-AQ
Lower Granite Lock & Dam
Well Permit No. 03-7020
Hells Gate Park

7 May 1979

RECEIVED

MAY 10 1979

Department of Water Resources

Mr. David R. Tuthill, Jr.
Supervisor, Water Allocation Section
State of Idaho
Department of Water Resources
Statehouse
Boise, ID 83720

Dear Mr. Tuthill:

Reference your letter of 26 April 1979 regarding proof of beneficial use of water on Permit No. 03-7020 at Hells Gate Park.

In response to your letter, the following information is furnished:


1. The name and post office address of the permit holder is:

U. S. Department of Army
Corps of Engineers
Walla Walla District
Bldg. 602, City-County Airport
Walla Walla, WA 99362

2. The permit number is 03-7020.
3. The use of the water is to irrigate 55 acres of park area.
4. The Snake River is the source of the water used.
5. The required flow meter has been installed.

We trust that proof of beneficial use has now been furnished, as required, and that processing of the requested water right will continue.

Sincerely yours,


HAROLD BUERSTATTE
Chief, Real Estate

MICROFILMED

DEPARTMENT OF THE ARMY
WALLA WALLA DISTRICT, CORPS OF ENGINEERS
BLDG. 602, CITY-COUNTY AIRPORT
WALLA WALLA, WASHINGTON 99362

OFFICIAL BUSINESS

PENALTY FOR PRIVATE USE, \$300

AN EQUAL OPPORTUNITY EMPLOYER

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY
DoD 214



Mr. David R. Tuthill, Jr.
Supervisor, Water Allocation Section
State of Idaho
Department of Water Resources
Statehouse
Boise, ID 83720

April 26, 1979

Harold Buerstatte
Chief, Real Estate Division
Department of the Army
Walla Walla District, Corps of Engineers
Bldg. 602, City-County Airport
Walla Walla, WA 99362

Dear Mr. Buerstatte:

We are in receipt of your letter of April 18, 1979, in which you request an extension of time for proof of beneficial use of water on Permit No. 03-7020.

As mentioned in your letter, one extension of time has already been approved for the permit, extending the proof due date to May 1, 1979. In the absence of a few rare extenuating circumstances described in Section 42-204, Idaho Code, only one such extension is allowed. Therefore, the request for extension of the proof due date will not be approved.

However, the extension of time should not be necessary. The 1979 Idaho Legislature passed a law that dramatically changed the requirements for submitting proof of beneficial use. Under the revised Section 42-217, Idaho Code, a measurement of the water used need not be made by the permit holder. Only the following items of information are necessary:

1. The name and post office address of the permit holder.
2. The permit number.
3. A description of the extent of use (e.g. acres irrigated).
4. The source of water used.
5. Other information required by the Department. (Has the measuring device been installed?)

Forms requesting this information are currently being printed. In the meantime, the above information submitted in any format will be satisfactory.

Your previous correspondence has indicated that the use proposed in the Permit No. 03-7020 has been initiated. Now that the measuring device has been installed, please send the Department a letter answering the five (5)

PROFILMED

Mr. Harold Buersta
April 26, 1979
Page 2

questions outlined on page one. Your request for an extension of time has ceased a lapsing action on the permit for twenty (20) days. If the proof of beneficial use is returned to this office by May 16, 1979, no delay in priority will result. If you have any further questions on this matter, please contact me.

Sincerely,

DAVID R. TUTHILL, JR.
Supervisor, Water Allocation Section

DRT:rf



DEPARTMENT OF THE ARMY
WALLA WALLA DISTRICT, CORPS OF ENGINEERS

BLDG. 602, CITY-COUNTY AIRPORT
WALLA WALLA, WASHINGTON 99362

NPWRE-AQ
Lower Granite Lock & Dam
Hells Gate Park
Water Well #03-7020

18 April 1979

03-7020

1979

Mr. Norman C. Young
State of Idaho
Department of Water Resources
Statehouse
Boise, ID 83720

Department of Water Resources

Dear Mr. Young:

Reference your letter of 11 April 1978 transmitting an approved extension of time for proof of beneficial use of water until 1 May 1979 for our Hells Gate Park Well Permit No. 03-7020.

In the summer of 1978, we ordered a water flowmeter, enhanced vortex shedding type, Fischer and Portor Company 10LV1211-1DB1 with rate-of-flow indicator. The meter was not received until this February. The meter is now installed, but the park irrigation system is still drained and in the winter mode.

We cannot have the system operating with the meter prior to 1 May 1979 to meet the proof of beneficial use. It is requested that the Department of Water Resources extend the time for the completion of obligations under Permit No. 03-7020 to 1 May 1980.

Sincerely yours,


HAROLD BUERSTATTE
Chief, Real Estate Division

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

CERTIFIED MAIL

February 28, 1979

Re: Permit No. 03-7020

10604

U.S. Department of Army
Corps of Engineers, Walla Walla District
Bldg. 602, City-County Airport
Walla Walla, Washington 99362

Gentlemen:

One of the conditions of approval of your water Permit No. 03-7020 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before May 1, 1979. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise, the permit will lapse and be of no further force or effect.


RITA FLECK
Water Rights

Encl: Proof affidavit

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

7902 21, 1998

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition should be less restrictive and provide more flexibility to you in the development of your water right system. The specifications related to the size and location of the access port will be available upon request from the Department, as soon as the Department's measuring equipment is obtained.

If you have questions regarding this matter, please contact this office or our regional offices.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

LGS:JG:kw

Enclosure

RECEIVED

April 11, 1978

Re: Permit No. 02-7020

U.S. Army, Corps of Engineers
Bldg. 602, City-County Airport
Walla Walla, Washington 99362

Gentlemen:

Enclosed is a copy of the approved application for extension of time in connection with the above referenced permit.

The time within which to submit proof of beneficial use of water has been extended to ~~May~~ 1, 1979.

Sincerely,

Jan Grover
Water Rights Supervisor

MICROFILMED



DEPARTMENT OF THE ARMY
WALLA WALLA DISTRICT, CORPS OF ENGINEERS

BLDG. 602, CITY-COUNTY AIRPORT
WALLA WALLA, WASHINGTON 99362

NPWRE-AQ
Lower Granite Lock & Dam
Hells Gate Park Rec Site
Permit 03-7020

29 March 1978

RECEIVED

APR 3 1978

Department of Water Resources

Mr. Norman C. Young
State of Idaho
Department of Water Resources
Statehouse
Boise, ID 83720

Dear Mr. Young:

In reply to your letter dated 23 February 1978, inclosed is Application
for Extension of Time for Permit No. 03-7020.

Sincerely yours,


HAROLD BUERSTATTE
Chief, Real Estate Division

1 Incl
As stated



DEPARTMENT OF THE ARMY
WALLA WALLA DISTRICT, CORPS OF ENGINEERS

BLDG. 602, CITY-COUNTY AIRPORT
WALLA WALLA, WASHINGTON 99362

NPWRE-AQ

15 March 1978

RECEIVED

MAR 17 1978

Mr. Norman C. Young
State of Idaho
Department of Water Resources
Statehouse
Boise, ID 83720

Department of Water Resources

Dear Mr. Young:

In response to your letter of 23 February 1978, this office requests a one-year extension, until 1 May 1979, for permit No. 03-7020.

The additional time is required to provide time for installation of a metered measuring device required by your agency.

Your cooperation will be appreciated.

Sincerely yours,


HAROLD BUERSTATTE
Chief, Real Estate Division

DIRECTOR	
DEPUTY DIR.	
RESO. ADMIN.	
RESO. ADMIN.'S	
OPER. BUREAU	
TECH. SER. DIV.	
PROD. SUB. DIV.	
LEGAL	
FISCAL	
PERSONNEL	
FILES	

March 23, 1978

Re: Permit No. 03-7020

U. S. Dept. of Army--Corps of Engineers
Walla Walla District
Bldg. 602, City-County Airport
Walla Walla, WA 99362

Gentlemen:

In order to process your extension request we need more information concerning the amount of work done on this project.

The enclosed application for Extension of Time will give us this information. Please complete the application and return it to this office as soon as possible in order that this permit remain in good standing.

If you have any questions, please contact us.

Sincerely,

JAN GROVER
Water Rights Supervisor

JG/kw
Enclosure



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse
Boise, Idaho 83720
(208) 384-2215

February 28, 1978

CERTIFIED MAIL

138513

Re: Permit No. 03-7020


U. S. Dept. of Army-Corps of Engineers
Walla Walla District
Bldg. 602, City-County Airport
Walla Walla, Washington 99362

Gentlemen:

One of the conditions of approval of your water Permit No. 03-7020 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before May 1, 1978. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.


NORMAN C. YOUNG
Administrator,
Resources Administration Division

NCY:jfr

Encl: Proof affidavit

May 6, 1977

Re: Permit No. 03-7020

U. S. Department of Army, Corps of Engineers
Walla Walla District
Bldg. 602
City-County Airport
Walla Walla, WA 99362

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 03-7020. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

Enclosure: Copy of permit



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

NORTHERN DISTRICT

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

March 25, 1977

Re: Application for Permit No. 03-7020

U.S. Army, Corps of Engineers
Walla Walla District
Bldg. 602, City-County Airport
Walla Walla, WA 99362

Gentlemen:

We have completed the processing of your Application for Permit No. 03-7020 for water from the Snake River for Hells Gate State Park.

The application is filed for 1.30 cubic feet per second of water for the irrigation of 55 acres. Section 42-202 of the Idaho Code provides that applications may not be approved for more than 0.02 cubic feet per second of water per acre of irrigated land unless it can be shown to the satisfaction of the Director of the Department of Water Resources that an amount in excess of that quantity is needed.

We will take action to reduce the amount from 1.30 c.f.s. to 1.10 c.f.s. unless we have received a justification of the excessive amount by April 8, 1977.

If there are any questions in this matter, please contact us.

Very truly yours,

ROBERT G. HAYNES, P.E.
Regional Supervisor

RGH:c

RECEIVED

March 8, 1977

Re: Application for Permit No. 03-7020

U.S. Department of Army
Corps of Engineers - Walla Walla Dist.
Bldg. 602, City-County Airport
Walla Walla, WA 99362

Gentlemen:

Attached is your receipt No. 4936 in the amount of \$35 for the filing fee on the above referenced application which was received in this office.

Very truly yours,

Corda M. Patterson
Secretary

CP

Attachment

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN DISTRICT

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

February 25, 1977

Re: ⁰³⁻⁷⁰²⁰
~~65-4794~~ - Corps of Engineers

Lewiston Morning Tribune
505 C Street
Lewiston, ID 83501

Gentlemen:

Enclosed is a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to our office along with the publication bill. Your cooperation in this matter is appreciated.

Very truly yours,

ROBERT G. HAYNES, P.E.
District Supervisor

RMH:cp

Enc: Legal Notice(s)

RECEIVED
FEB 28 1977
FBI

Bill: 3-15-77.4

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that U.S. Department of Army, Corps of Engineers,
Bldg. 602, City-County Airport, Walla Walla, Washington
has on February 25, 1977 submitted Application No. 03-1027
for a permit to appropriate 1.30 cubic feet per second ~~acre feet per annum~~
of water from Reservoir behind Dam, tributary of the Snake River
by means of collection system, pipeline, and pump
within the NE1/4, Sec. 26, T. 35N, R. 6W, B.M., Nez Perce County

to be used from March to Oct.
for the irrigation of 55 acres

within the S1/4 NE1/4, SW1/4, Sec. 23, T. 35N, R. 6W, B.M.; NE1/4, Sec. 26, T. 35N,
R. 6W, B.M.

If issued, this permit will be subject to all prior water rights. Protests
against the granting of the permit must be filed with the Idaho Department of
Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before
March 21, 1977.

R. KEITH HIGGINSON
Director

FILED

Published in the Lewiston Morning Tribune, Lewiston, Idaho

on March 3 and March 10, 1977

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that U.S. Department of Army, Corps of Engineers, Bldg. 602, City-County Airport, Walla Walla, Washington has on February 25, 1977, submitted Application No. 103-7020 for a permit to appropriate 1.30 cubic feet per second of water from Reservoir behind Dam, tributary of the Snake River by means of collection system, pipeline and pump within the NE 1/4, NW 1/4, Sec. 26, T. 35N, R. 6W, B.M., Nez Perce County, Idaho. The water is to be used from March to October for the irrigation of 54 acres within the S 1/2 NE 1/4, SW 1/4, Sec. 23, T. 35N, R. 6W, B.M.; N 1/2 NW 1/4, Sec. 26, T. 35N, R. 6W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814 on or before March 21, 1977.

**R. KEITH HIGGINSON
Director**

C.L.
3-7-77
CP



DEPARTMENT OF THE ARMY
WALLA WALLA DISTRICT, CORPS OF ENGINEERS

B.D.G. 602, CITY-COUNTY AIRPORT
WALLA WALLA, WASHINGTON 99362

NPWRE-AQ
Lower Granite Project
Water Well
Hells Gate Park

23 February 1977

RECEIVED

FEB 25 1977

Idaho Department of Water Resources
Northern District Office
4055 Government Way - Suite #1
Coeur d'Alene, ID 83814

Department of Water Resources
Northern District Office

Gentlemen:

It is requested that a permit be issued for appropriation of water in the quantity and for the purpose indicated on the attached application.

Inclosed is a Standard Form 44 in the amount of \$35.00 to be signed by and returned to this office for payment of the fee.

Sincerely yours,

- 2 Incl
1. Application
2. SF 44 (77-M-0341)

for Allen S. Buerstatte
HAROLD BUERSTATTE
Chief, Real Estate Division

RECEIVED