

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Map grid showing township and range information:

- Range: R. 6W
- Township: T. 11N
- Section: 29
- Quarter Section: NW 1/4, NE 1/4

Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Dorothy H. Anderson
(Applicant)

Nº 1031

AFFIDAVIT OF PUBLICATION

RECEIVED

MAR 1

Department of Water Resources

STATE OF IDAHO, } ss.
County of Washington

Dorothy A. Butch, being duly sworn,
deposes and says:

That he is the Clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-
lished in said newspaper once a week for 2 consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with
Feb. 19, 1976 and ending
with the issue of Feb. 26, 1976
Dorothy A. Butch
Fees, \$ 12.24

Subscribed and sworn to before me this 26
day of Feb., 1976
Donald
Notary Public, Residing at Weiser, Idaho.
My Commission Expires 5-1, 1977.

No. 1031
NOTICE OF APPLICATION
FOR WATER PERMIT


Notice is hereby given that
Dorothy H. Anderson, Rt. 1,
Box 110, Weiser, ID 83672,
Has on Feb. 9, 1976 submit-
ted Application No. 03-7019
for a permit to appropriate
0.8 cubic feet per second of
water from the Snake River,
trib. to Columbia River by
means of pumping plant and
pipeline within the SW¼
NW¼, Sec. 29, T. 11 N, R. 6
W B.M. Washington
County to be used from
March 15 to Nov. 15 for
irrigation of 40 acres within
the NW¼NE¼, Sec. 29, T.
11 N, R. 6 W, B.M.

If issued, this permit will
be subject to all prior water
rights. Protests against the
granting of the permit must
be filed with the Idaho
Department of Water Re-
sources, Statehouse, Boise,
Idaho, 83720, on or before
March 8, 1976.

R. Keith Higginson
Director
Published in the Weiser
Signal, Weiser, ID on Feb.
19, 1976 and Feb. 26, 1976.

98-25

ok
3-1-76
wb



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 03-7019

Priority: February 9, 1976 Amount: .76 CFS 171.0 AFA

This is to certify, that DORTHY H. ANDERSON
RT. 1 BOX 110

WEISER, ID 83672 has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated February 9, 1976, and has submitted proof to the Department of Water Resources on January 22, 1980, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .83 cfs of water from;

SNAKE RIVER

tributary to COLUMBIA RIVER

and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Irrigation	03/15 to 11/15	.76 cfs	171.0 afa

LOCATION OF POINT OF DIVERSION(S): LOT 4(SWNW), Sec. 29, Township 11N, Range 6W
Washington County

PLACE OF USE: Irrigation

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
11N	6W	29	NWNE	38			38

Total number of acres irrigated: 38

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 18TH day of JUNE, 1987.

RECORDED

JUL 01 1987

Acting for the Director

Norman C. Young

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF EXTENDING THE PROOF DUE
DATE IN CONNECTION WITH PERMIT NO. 03-7019
IN THE NAME OF DORTHY H. ANDERSON

ORDER

WHEREAS, on February 9, 1976, Dorthy H. Anderson filed with the Department of Water Resources for a permit to appropriate 0.80 cubic feet per second of water from the Snake River from a point within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 29, Twp. 11N, Rge. 6W B.M., Washington County, to be used for irrigation purposes; and,

WHEREAS, on March 11, 1976, the Department approved said application and issued Permit No. 03-7019 with the condition that proof of construction of works and application of water to beneficial use be submitted to the Department on or before April 1, 1979; and,

WHEREAS, on March 20, 1979, the permit holder submitted a request for an extension of time; and,

WHEREAS, it appears that under the circumstances, the permit holder has been proceeding with reasonable diligence and has given good cause for delay;

IT IS, THEREFORE, HEREBY ORDERED that the time within which to submit proof of beneficial use of water under Permit No. 03-7019 be extended to April 1, 1980.

Dated this 23 day of March, 1979.

L. GLEN SAXTON
Chief, Operations Bureau

by David R. Tuthill
DAVID R. TUTHILL, JR.
Acting Chief, Operations Bureau

rf

RECEIVED
MARCH 27 1979

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF REMOVAL OF THE MEASURING }
DEVICE REQUIREMENT FOR PERMIT NO. 03-7019 }

ORDER

WHEREAS, it has been determined by the Department of Water Resources that a measuring device is not required at this time for a determination of the quantity of water appropriated under said permit;

IT IS, THEREFORE, HEREBY ORDERED that the condition of approval that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works, be and is, REMOVED from said permit.

Dated this 28th day of August, 1978.

L. Glen Saxton
L. GLEN SAXTON

Chief, Operations Bureau

RECEIVED

Identification No. _____

Application No. 03-7019

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Dorothy H. Anderson Phone: 549-2711
post office address Rte #1 Box 110 Weiser, Idaho 83672

2. Source of water supply Snake River which is a tributary of Columbia River

3. a. Location of point of diversion is SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 29 Township 11-N
Range 6-W B.M. Washington County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into Snake River at a point in SW $\frac{1}{4}$
of NW $\frac{1}{4}$ of Section 29 Township 11-N Range 6-W B.M. _____

4. Water will be used for the following purposes:

Amount 0.8 for irrigation purpose from Mar. - 15 to Nov. 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.8 cubic feet per second and/or

b. _____ acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Pumping Plant & Pipeline

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____

Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 3 years.

b. Estimated construction cost is \$ \$15,000 - \$20,000

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____

(2) Amount of power to be generated: _____ hp under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
11-N	6-W	29		40 AC															40 Acres

Total number of acres to be irrigated 40 Acres

c. Describe any other water rights used for the same purposes as described above.

WATER Right # 27655/02-2147 (Lots 3,4+5)

9. a. Who owns the property at the point of diversion Dorothy H. Anderson

b. Who owns the land to be irrigated or place of use Same

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing N.A.

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Map grid showing township and range information:

- Range: R. 6 W.
- Township: T. 11. N.
- Section: (29)
- Quarter Section: NW 1/4, NE 1/4

Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Dorothy V. Jackson
(Applicant)

Proposed Priority 2-9-76

C/S 2-9-76 3:00 p.m.
Received by LB Date 4/15/75 Time 8:35 am
Preliminary check by RWH Fee \$ 25⁰⁰
Receipted by C/S Date 2-9-76 # 3644
Publication prepared by CK Date 2-12-76
Published in Wenatchee Signal
Publication dates Feb. 19 & 26
Publication approved ck Date 3-1-76
Priority reduced to 2-9-76 Reason Late fee

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by JHJ DER

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES


This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 03-7019, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 1979.
- c. Other: A measuring device of a type approved by the Director shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 11 day of March, 19 76.


Director

No 1031

AFFIDAVIT OF PUBLICATION

Department of Water Resources

STATE OF IDAHO, } ss.
County of Washington

Dorothy H. Anderson, being duly sworn,
deposes and says:

That he is the Clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-
lished in said newspaper once a week for 2 consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with
Feb 19, 1976, and ending
with the issue of Feb 26, 1976
Dorothy H. Anderson
Fees, \$ 12.24

Subscribed and sworn to before me this 26
day of Feb, 1976
Donna
Notary Public, Residing at Weiser, Idaho.
My Commission Expires 5-1, 1977

No. 1031
NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that
Dorothy H. Anderson, Rt. 1,
Box 110, Weiser, ID 83672,
Has on Feb. 9, 1976 submit-
ted Application No. 03-7019
for a permit to appropriate
0.8 cubic feet per second of
water from the Snake River,
trib. to Columbia River by
means of pumping plant and
pipeline within the SW 1/4
NW 1/4, Sec. 29, T. 11 N. R. 6
W B.M. Washington
County to be used from
March 15 to Nov. 15 for
irrigation of 40 acres within
the NW 1/4 NE 1/4, Sec. 29, T.
11 N, R. 6 W, B.M.

If issued, this permit will
be subject to all prior water
rights. Protests against the
granting of the permit must
be filed with the Idaho
Department of Water Re-
sources, Statehouse, Boise,
Idaho, 83720, on or before
March 8, 1976.

R. Keith Higginson
Director
Published in the Weiser
Signal, Weiser, ID on Feb.
19, 1976 and Feb. 26, 1976.

98-25

ok
3-1-76
sk

June 23, 1987

DORTHY H. ANDERSON
RT. 1 BOX 110
WEISER, ID 83672

RE: Permit No. 03-7019

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

JUL 01 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

Permit No. _____

1. Measurement Calculations

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

b) Volume Calculations for Irrigation:

$$\begin{aligned} V_{I.R.} &= (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{4.5} \quad \underline{= 171.0} \\ V_{D.R.} &= [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{369.3} \\ V &= \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}} \end{aligned}$$

c) Volume Calculations for Other Uses:

2. Overlap Review *see VAX*

a) Other water rights with same place of use: *unnamed stream* *Weiser River* *Crane Creek*
67-2161, 67-2169, 67-2384A

b) Other water rights with same point of diversion: none

c) Analysis: Recommend B32 for P/U overlaps -

*see permit 02-2147 → see 03-2047
NO OVERLAP per file -*

RECORDED

JUL 01 1987

10 day

Date 5-12-87

INDEXED

JUL 01 1987

Date 5-12-87

May 28, 1987

DORTHY H. ANDERSON
RT. 1 BOX 110
WEISER, ID 83672

RE: Permit No. 03-7019

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

JUL 01 1987

DATE OF EXAM 8/28/84 **KEITH**

ACREAGE
Found 38
Recommended 38

Irrigation Requirement 4.5 Ac Ft/Ac

USE
Irrigation Q = 26 c.f.s. V = 171 AFA AF/Ann. from 3/15 to 11/15
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no X

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Exchange? yes _____ no X

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Point of injection: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Point of exchange: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Total Q measured .83 cfs Method of measurement WEIR

Total Q recommended .76 cfs Meter No. C. POLETTE, WEIR 172 Type _____ Condition OK

Total V recommended 171 AF/ANN.

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None



MEASUREMENT CALCULATION:
1.5' C. POLETTE WEIR MEAS. .30' = .827 cfs/SU Water
Measurement booklet

4.5 X 38 AC = 171 AF/ANN < 1.98 X 245 DAYS X .76 = 368.7 AF/ANN.


SYSTEM DESCRIPTION: - (SEE DIAGRAM ON BACK)
FAIRBANKS-MORSE MOTOR 15 HP 60 PHASE W/FAIRBANKS-MORSE
PUMP (POMONA TURBINE) # AS2010 - MOTOR SERIAL # F-190202 W/8" STEEL
PIPELINE TO 10" PLASTIC TO OPEN DITCH W/ SYDNEY TUBE IRRIGATION.
PUMP & MOTOR SET IN 48" CULVERT PIPE 12' DOWN W/ 24" PIPELINE
UNDERGROUND INTO ANOTHER 48" CULVERT PIPE SET IN SMALL INLET
FROM RIVER W/ 24" DRAIN PIPE DISCHARGING INTO CULVERT. SWAKE
REMARKS: RIVER WATER COMES THRU INLET INTO CULVERT ALSO.

TOTAL ACRES ARE 38 IN THE NWNE, S. 29, T. 11N, R. 6W.
P.D. IS THE SWNW (LOT 4), S. 29, T. 11N, R. 6W.

Examiner's Signature Jan Weaver Date 6/17/85
Checked by 625 **MICROFILMED** Date 3/20/86
Approved by _____ Date JUL 01 1987



RIVER MILE 343.4



MICROFILMED

JUL 01 1987



E273
250
244

10.1
E74
90

26

E370

E434
E434

19.7

18.9

980

E543
E543

31.1

10.2

FILMED
01 1987

59


E524
E524

11.3

17.7

11.6

10.5



RECEIVED

JAN 22 1980

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF APPLICATION
OF WATER TO BENEFICIAL USE


1. a) Name of permit holder Dorothy H. Anderson
b) Post office address RT #1, Box 110, Weiser, Idaho 83672
2. Permit number 03-7019
3. Date of priority that you are prepared to establish 2-9-76
4. a) Source from which water was appropriated Snake River tributary of Columbia River
b) Location of the point of diversion: SW 1/4 NW 1/4, Section 29
Township 11N, Range 6W Boise Meridian. Other points of diversion: _____
5. a) The amount of water and use to which the water has been applied:
Amount 0.8 for irrigation purposes from March 15 to Nov. 15 incl.
(cfs &/or acre-feet per annum) (month-day) (month-day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs &/or acre-feet per annum) (month-day) (month-day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs &/or acre-feet per annum) (month-day) (month-day)
b) Total amount appropriated 0.8 cfs and/or acre-feet per annum.
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement:
Weir = 0.846 c.f.s.
George E. Hutchison Civil Engr. Tech, Soil Conservation Service
6. If the means of diversion and conveyance are owned by someone other than the permit holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use:

b) Describe the agreement of understanding by which you take water from the works: _____

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch):
Pumping Plant 15 H.P. Motor
12" + 10" pipe
b) Describe the provision for making a measurement which you have at your point of diversion: (i.e., installed measuring device, access port, other)
Not required at this time

MICROFILMED

Dorothy H. Anderson
Rt. # 1, box 110.
Weiser, Idaho. 83672.



State of Idaho, Department of Water Resources,
Statehouse,
Boise,
Idaho 83672

MICROFILMED

March 26, 1979

Dorothy H. Anderson
Route 1, Box 110
Weiser, ID 83672

Dear Ms. Anderson:

Re: Permit No. 93-7019

Enclosed is a copy of the Order extending the time within which
to submit proof of beneficial use of water to April 1, 1980.

Sincerely,

JAN GROVER
Water Rights Supervisor

JG:rf

Enc: 1

MICROFILMED

RECEIVED
MAR 20 1979
Department of Water Resources

Weiser, Idaho.
March 19, 1979.

Department of Water Resources,
373 W. Franklin Street,
Boise, Idaho 83720

Dear Sirs:

In regard to permit No. 03-7019 all requirements have been met except having the amount of water used measured.

This is impossible at this time as the pump and motor were removed last fall to avoid possible damage by flooding. At this time it is too wet and the river too high to re-install pump; therefore I would like an extension of time.

Very truly yours,

Dorothy H. Anderson
Dorothy H. Anderson
Rt. #1, Box 110,
Weiser, Idaho, 83672

MICROFILMED

Dorothy H. Anderson,
Rt.#1, Box 110.
Weiser, Idaho. 83672



DEPARTMENT of WATER RESOURCES

State Office

373 W. Franklin Street,

Boise,

Idaho 83720

Attention:
Glen Saxton

MICROFILM



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

CERTIFIED MAIL

January 30, 1979

Re: Permit No.

03-7019

100604

Dorothy H. Anderson
Route 1, Box 110
Weiser, ID 83672

Dear Ms. Anderson:

One of the conditions of approval of your water Permit No. 03-7019 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before January 30, 1979. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise, the permit will lapse and be of no further force or effect.


RITA FLECK
Water Rights

Encl: Proof affidavit



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

7/26/78

Dear Wateruser:

The enclosed Order removes the measuring device requirement as a condition of approval from your permit.

If you have installed the measuring device, the field examination can be more expediently conducted by the Department's field examiner as well as you will derive benefit from water management information which may be obtained from the installed meter.

If you have questions regarding this matter, please contact this office or our regional offices.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

LGS:JG:kw

Enclosure

MICROFILMED

March 12, 1976

Re: Permit No. 03-7019

Dorothy H. Anderson
Rt. #1, Box 110
Weiser, Idaho 83672

Dear Ms. Anderson:

Enclosed is a copy of your approved Application for Permit No. 03-7019. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

Enclosure: Copy of permit

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 03-7019

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) R.W.H. 2-10-76

In form to receipt

(2) _____

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management

(3) _____

_____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant

(4) R.W.H. 2-10-76

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no ☒

(8) _____

Groundwater levels: N/A

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use None

(10) _____

Comments: file 02-2147 does not include
any info of NWNE-sec 29.

(11) rt 3-1-76

Affidavit of Publication received (date) _____

(12) _____

Final date for protests _____
Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or
applicant: yes _____ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

_____ Proposed Priority

_____ Reason for Reduction _____

☒ Measuring device required

_____ See attached sheet for other conditions of
approval

_____ No special conditions for approval

(15) District W

By

[Signature]

Date 3-8-76



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN DISTRICT — ANNEX 3

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse
Boise, Idaho 83720
(208) 384-2190

February 12, 1976

The Weiser Signal
P.O. Box 709
Weiser, ID 883672

RE: Application for Permit No. 03-7019 - Dorothy H. Anderson

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear in the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(Signature of Claimant)

Sincerely,

Bill submitted

3-1-76
nb

No. 1031
**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Dorothy H. Anderson, Rt. 1, Box 110, Weiser, ID 83672, Has on Feb. 9, 1976 submitted Application No. 03-7019 for a permit to appropriate 0.8 cubic feet per second of water from the Snake River, trib. to Columbia River by means of pumping plant and pipeline within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 29, T. 11 N, R. 6 W B.M. Washington County to be used from March 15 to Nov. 15 for irrigation of 40 acres within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 29, T. 11 N, R. 6 W, B.M. B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, Statehouse, Boise, Idaho, 83720, on or before March 8, 1976.

R. Keith Higginson
Director

Published in the Weiser
Signal, Weiser, ID on Feb.
19, 1976 and Feb. 26, 1976.

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that DOROTHY H. ANDERSON
Rt. 1, Box 110, Weiser, ID 83672
has on Feb. 9, 1976 submitted Application No. 03-7019
for a permit to appropriate 0.8 cubic feet per second ~~acre feet~~
~~per annum~~ of water from the Snake River, trib. to Columbia River
by means of pumping plant and pipeline
within the SE 1/4, Sec. 29, T. 11 N, R. 6 W, B.M. Washington County

to be used from March 15 to Nov. 15
for irrigation of 40 acres

within the SE 1/4, Sec. 29, T. 11 N, R. 6 W, B.M.

If issued, this permit will be subject to all prior water rights. Pro-
tests against the granting of the permit must be filed with the Idaho Depart-
ment of Water Resources, Statehouse, Boise, Idaho, 83720, on or before
March 8, 1976.

R. KEITH HIGGINSON

Director

Published in the Weiser Signal, Weiser, ID
on Feb. 19, 1976 and Feb. 26, 1976.



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
WESTERN DISTRICT

STATE HOUSE BOISE, IDAHO 83720

February 10, 1976

Dorothy H. Anderson
Rt. 1, Box 110
Weiser, ID 83672

Dear Ms. Anderson:

Enclosed is your Receipt No. 3644 in the amount of \$ 25.00

for Application for Permit No. 03-7019 which was received in this
office on Feb. 9, 1976.

Sincerely,

CATHY L. SHAW
Senior Clerk

CLS:cs

Enclosure



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN DISTRICT — ANNEX 3

Cecil D. Andrus
Governor

Statehouse
Boise, Idaho 83720
(208) 384-2190

P. Keith Higginson
Director

December 16, 1975

Dorothy H. Anderson
Rt. 1, Box 110
Weiser, ID 83672

RE: Application for Permit

Dear Ms. Anderson:

Your application for permit is being returned to you for two reasons: One - Item 7a must include the number of years (up to 5) that will be required to complete your irrigation works and item 7b the amount that the project will cost. Two - A fee of \$25.00 must accompany this application before it can be processed.

If you have any questions concerning this application, please do not hesitate to contact this office.

Sincerely,

PETER J. CHAMBERLIN
Water Resource Agent

PJC:cls

Enclosure

9/78

IDENT. No. 03-7019

IDAHO DEPARTMENT OF WATER RESOURCES

WATER RIGHT
DATA ENTRY LOG

[illegible]