





3 7009

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

(Applicant)
[Signature]
3 7009

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



R. L. Hogg
CITY OF WEISER R. L. HOGG City Clerk
(Applicant)

MICROFILMED

3 7009

MAP (Attach Aerial Photo)

Handwritten labels on the map grid:

- RGE. 5W
- TWP. 11N
- City of Weiser
- SWAGER
- P.D. (with a curved line indicating a diversion point)

SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: SW 1/4 SW 1/4, Sec. 32, Twp. 11N, RGE. 5W, B.M.

Place(s) of Use City of Weiser, Idaho

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	

Recommended Amendments:

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other _____

Examiner's Signature Jan Grover

Checked by DBS

Approved by Tolyn

Date 10/10/80

ate 11/11/80

Date 3/24/81

WATER RIGHT LICENSE

THIS IS TO CERTIFY, that CITY OF WEISER
of Weiser, Idaho, has complied with the terms and conditions of Permit
No. 03-7009 issued pursuant to Application for Permit dated November 15, 1972,
and has submitted proof to the Department of Water Resources on November 17, 1977,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 4.46 cfs of water from Snake River,
tributary to Columbia River, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Subject, however, to the condition that no more than 4.46 cfs of water be diverted at any one time, and that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed N/A acre feet per year, said waters to be diverted within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 32, Twp. 11N,
Rge. 5W, B.M. in the County of Washington

[illegible]

Director

day of

MACROFIL

Identification No. _____

Application No. 03-7009

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant CITY OF WEISER, IDAHO PHONE 549-1965
post office address 55 WEST IDAHO STREET WEISER, IDAHO 83672
2. Source of water supply SNAKE RIVER which is a tributary of COLUMBIA RIVER
3. a. Location of point of diversion is S.W. $\frac{1}{4}$ of / S.W. $\frac{1}{4}$ of Section 32 Township 11N
Range 5W B.M. WASHINGTON County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 5 cfs for Municipal purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 5 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Pumps; size to be determined
in final engineering but capacity to be 5 cfs.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5.0 years.
b. Estimated construction cost is \$ 900,000.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. SEE REMARKS
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served CITY OF WEISER, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

MICROFILMED
3 7009

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. _____


X 9. a. Who owns the property at the point of diversion CITY OF WEISER

b. Who owns the land to be irrigated or place of use _____

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks Number of People served: 4500

<u>Areas served</u>	<u>SW 1/4 Sec.28 T 11 N, R 5 W, B.M.</u>
	<u>NW 1/4 Sec.33 " " "</u>
	<u>SW 1/4 Sec.33 " " "</u>
	<u>NW 1/4 Sec.32 " " "</u>
	<u>NE 1/4 Sec.32 " " "</u>
	<u>SE 1/4 Sec.32 " " "</u>
	<u>SW 1/4 Sec.32 " " "</u>
	<u>NW 1/4 Sec.31 " " "</u>
	<u>NE 1/4 Sec.31 " " "</u>
	<u>SE 1/4 Sec.31 " " "</u>
	<u>NW 1/4 Sec.30 " " "</u>
	<u>NE 1/4 Sec.30 " " "</u>
	<u>SE 1/4 Sec.30 " " "</u>
	<u>SW 1/4 Sec.30 " " "</u>
	<u>SW 1/4 Sec.29 " " "</u>
	<u>SE 1/4 Sec.29 " " "</u>



3 7009

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

(Applicant)

[Signature]
 Mayor 3 7009

Proposed Priority 11-15-1972

Received by U Date 11-15-72 Time 8:00 A
Preliminary check by SDP Fee \$ 65.00
Received by U Date 11-15-72
Publication prepared by U Date 12-24-72
Published in Neider Signal
Publication dates 11-30 & 12-7-72
Publication approved U Date 1-4-72
Priority ~~XXXXX~~ to 11-15-72 Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by KHF D30F

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 03-7009, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 19 78.
- c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 10th day of January, 19 73.

R. Karl Hjort
Director

3 7009

Identification No. _____

Application No. 03-7009

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant CITY OF WEISER, IDAHO PHONE 549-1965
post office address 55 WEST IDAHO STREET WEISER, IDAHO 83672
2. Source of water supply SNAKE RIVER which is a tributary of COLUMBIA RIVER
3. a. Location of point of diversion is S.W. $\frac{1}{4}$ of / S.W. $\frac{1}{4}$ of Section 32 Township 11N
Range 5W B.M. WASHINGTON County; additional points of diversion if any: _____

- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 5 cfs for Municipal purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 5 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Pumps; size to be determined
in final engineering but capacity to be 5 cfs.

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 2.0 years.
b. Estimated construction cost is \$ 900,000.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. SEE REMARKS
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served CITY OF WEISER, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

MICROFILMED

3 7009

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	

Total number of acres to be irrigated_____

c. Describe any other water rights used for the same purposes as described above._____

X 9. a. Who owns the property at the point of diversion CITY OF WEISER

b. Who owns the land to be irrigated or place of use_____

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing_____


10. Remarks Number of People served: 4500

Areas served	SW 1/4	Sec.28	T 11 N,	R 5 W,	B.M.
	NW 1/4	Sec.33	"	"	"
	SW 1/4	Sec.33	"	"	"
	NW 1/4	Sec.32	"	"	"
	NE 1/4	Sec.32	"	"	"
	SE 1/4	Sec.32	"	"	"
	SW 1/4	Sec.32	"	"	"
	NW 1/4	Sec.31	"	"	"
	NE 1/4	Sec.31	"	"	"
	SE 1/4	Sec.31	"	"	"
	NW 1/4	Sec.30	"	"	"
	NE 1/4	Sec.30	"	"	"
	SE 1/4	Sec.30	"	"	"
	SW 1/4	Sec.30	"	"	"
	SW 1/4	Sec.29	"	"	"
	SE 1/4	Sec.29	"	"	"

MICROFILMED

3 7000

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



C. L. Hogg
CITY OF WEISER R. L. HOGG City Clerk
(Applicant)

MICROFILMED

3 7009

Received by LT Date 11-15-72 Time 8:00 PM
Preliminary check by JLP Fee \$ 65.00
Receipted by LT Date 11-15-72
Publication prepared by _____ Date _____
Published in _____
Publication dates _____
Publication approved _____ Date _____
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.

c. Other: _____

2. Denial of said application is for the following reasons: _____

Witness my hand this _____ day of _____, 19____.

Director

MICROFILMED

3 7009

DEPARTMENT OF WATER ADMINISTRATION
- STAFF ANALYSIS -

Item Initial Date

- (1) JEB 17 Nov Application No. 03-2009 Name City of Weiser
- (2) JEB 17 Nov Check:
☒ Signature rk
☒ Point of Diversion
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for C/W and application of water to B/U
☒ Place of Use
☒ Map
☒ Fee
- (3) JEB 17 Nov Send copies to:
☒ Idaho State Health Department
☐ Idaho Fish and Game Department
☐ Bureau of Land Management
- (4) JEB 17 Nov ☐ Request Special Use Permit from U.S.F.S.
☐ Request Easement from B.L.M.
- (5) JEB 17 Nov In form for advertising _____
- (6) EJP 1-4-73 Affidavit of Publication received Yes
- (7) EJP 1-4-72 Final date for protests Dec 18, 1972
Protests received: yes _____ no ✓
- (8) EJP 1-4-72 Date and Place of hearing NA
Decision reached at hearing NA
- (9) _____ Located within Water District No. Basin 03-
- (10) NA Critical groundwater area: yes _____ no ✓
- (11) NA Groundwater levels:
☐ Decline (comment) _____
☐ Stable (comment) _____
☐ Increasing (comment) _____
- (12) _____ Comments: _____
- (13) EJP 11/15/72 Action recommended:
☒ Approve Priority 11/15/72
☐ Deny Reason for Reduction _____
EJP 1/5/72 See attached sheet for conditions of approval
No conditions for approval
- (14) _____ District Western By Kenneth A. Felt
Date 4/5/72 Title WDER

MICROFILMED

3 7009

Department of We.

4 73

RECOMMENDED

CONDITIONS OF APPROVAL

☒ A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

☐ Measuring devices of a type approved by this Department shall be permanently installed and maintained at the point of diversion and the point of effluent discharge.

☐ Use of water under this permit is supplemental to all existing water rights with the same purpose and place of use.

☐ Maximum rate of diversion shall not exceed _____ c.f.s.

☐ Settling ponds shall be installed which are capable of reducing the silt load in the return water to such a level that the quality of the waters of _____ Creek will not be impaired for other beneficial uses.

☐ Return water shall be treated to insure that the effluent meets (interstate) (intrastate) stream water quality standards.

☐ Use of water under this permit is subject to control by the watermaster of State Water District No. _____, _____ River.

☐ The proposed well shall not be drilled within _____ feet of another well.

☐ The issuance of this permit in no way grants any right-of-way or easement across the land of another person.

☐ The permit shall not be assigned or sold without first securing the written approval of the Department of Water Administration.

☐ This permit cannot be assigned, mortgaged, or conveyed without complying with Section 42-208, Idaho Code.

☐ Other: _____

MICROFILMED

3 7009

No. 702

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, } ss.
County of Washington }

Deputy A. B. H., being duly sworn,
deposes and says:

That he is the owner of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-
lished in said newspaper once a week for two consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with

Nov. 30, 1972, and ending
with the issue of Dec. 7, 1972

Fees, \$ 12.96

Subscribed and sworn to before me this 20

day of Dec., 1972

Notary Public
Notary Public, Residing at Weiser, Idaho.

My Commission Expires 5-1, 1973

No. 702
NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that
CITY OF WEISER 55 West Idaho
St., Weiser, Ida. has on Nov. 15,
1972 submitted Application No.
03-7009 for a permit to ap-
propriate 5.0 cubic feet per
second of water from Snake
River, trib. to Columbia River
by means of pumps within the
SW1/4SW1/4, Sec. 32, T. 11 N.,
R. 5 W., B. M., Washington
County to be used from Jan. 1
to Dec. 31 for municipal pur-
poses within the SW1/4, Sec. 28;
NW1/4, SW1/4, Sec. 33; all
Sec. 32; NW1/4, NE1/4, SE1/4,
Sec. 31; all Sec. 30, SW1/4,
SE1/4, Sec. 29; all in T. 11 N.,
R. 5 W., B. M.

If issued, this permit will be
subject to all prior water
rights. Protests against the
granting of the permit must be
filed with the Idaho Department
of Water Administration, State-
house, Boise, Idaho, 83707, on
or before December 18, 1972.

R. KEITH HIGGINSON
Director
Published in the Weiser
Signal, Weiser, Idaho on Nov.
30, 1972 and Dec. 7, 1972.
74-2s

RECEIVED
Jan 4 1973
Boise, Idaho Water Administration

M. D. H.
1-4-73

RECEIVED

3 7009



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

April 16, 1981

City of Weiser
55 West Idaho St.
Weiser, Idaho 83672

Dear Sirs,

RE: License No. 03-7009

Enclosed is a copy of the Water Right License issued on the above referenced Permit.

Please be advised that one of the conditions of your permit was that a measuring device be installed as part of your diversion works. That requirement has been waived with issuance of the enclosed license. However, in the event that water supply shortages become a problem installation of measuring devices may be required.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:mr
Enclosure

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

March 25, 1981

City of Weiser
55 West Idaho St.
Weiser, Idaho 83672

Dear Sirs,

A representative of this Department has made an examination of the works covered by your Permit No. 03-7009, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 4.46 cfs Source: Snake River

The maximum quantity diverted shall not exceed N/A acre feet per year.

Point(s) of diversion: SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 32, Twp. 11N, Rge. 5W, B.M.

Beneficial use: Municipal use within the city limits of Weiser.

Priority date established: November 15, 1972

Conditions (if any): ~~Water shall not be diverted under this license unless the flow of the Snake River at the U.S. Geological Survey stream gaging station at Murphy exceeds 3,300 cubic feet per second and at Weiser exceeds 4,750 cubic feet per second.~~

Removed from original letter for

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

Jim Johnson

03-7009
Permit No.

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:	<i>Done</i>		
☐ Telephone call made: (List Telephone No. used)	<i>9/25/80</i> <i>549-1965</i>	<i>ja</i>	
☐ Appointment scheduled for: (Date, time, location)	<i>10/2/80</i> <i>11:00</i> <i>City Hall - Weiser</i>	<i>ja</i>	

Date 10/2/80 Accompanied by Head of Water Plant - Bill Total Q measured 4.46 cfs
If source is surface water, estimate total flow of source _____
Methods of measurement Rockwell flow Meets Permit requirements? yes

$2000 \text{ gpm} \div 4.46 = 448.8$
N/A for acc foot amount.

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
1) River Pump	50	G.E.	5K6258XHA	PEERLESS	—	ROCKWELL	EXCEL.	
Booster	150	U.S. Elec.	93-08334-M2	Aurora	73-6693-1	—	—	

System Description Gravity flow from river (screens w pipeline in river) To concrete basin
 *then pumped w/ 2-50 hp G.E. motors + 2 Peerless pumps to filter
 plant, etc. (chemicals) *then pumped (booster) into clear water tanks.
 *Code with map on reverse side. Disregard code if only one. Then gravity flow from water tanks
 to City of Weiser.


USE	Q (cfs)	V (afa)	FROM	TO
Municipal	4.46	N/A	1/1	12/31
Total	4.46 ✓	N/A ✓		

Remarks	

MICROFILM

MICROFILMED

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: SW 1/4 SW 1/4, Sec. 32, Twp. 11N, Rge. 5W, D.M.

Place(s) of Use City of Weiser, Idaho

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	

Recommended Amendments:

- ☐ Change P.D. as reflected above
 ☐ Add P.D. as reflected above
 ☒ None
- ☐ Change P.U. as reflected above
 ☐ Add P.U. as reflected above
 ☐ Other

Examiner's Signature Jan Grover
 Date 10/16/80

Checked by DBS
 Date 11/11/80

Approved by Kelly
 Date 3/24/81

January 3, 1978

Re: Permit No. 03-7009

City of Weiser
55 West Idaho
Weiser, Idaho 83672

Gentlemen:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our Regional Office in Boise.

Sincerely,

JANICE RENK
Water Rights

P.S. Permit No. 31633/67-2320 is a licensed water right and, therefore, proof of beneficial use is not required on that permit.

Identification No. _____

Permit No. 03-7009

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

RECEIVED

NOV 17 1977

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

Department of Water Resources

1. a) Name of Permit Holder City of Weiser
b) Post Office Address 55 West Idaho, Weiser, Idaho 83672
2. Permit Number 03-7009 & 31633 (67-2320)
3. Date of Priority that you are prepared to establish _____
4. a) Source from which water was appropriated Snake River & Weiser River & Well
b) Location of the point of diversion: S.W. 1/4 S.W. 1/4, Section 32
Township 11 N, Range 5 W Boise Meridian, Other points of diversion: _____
5. a) The amount of water and use to which the water has been applied:
Amount 5 CFS for Municipal purposes from Jan 1 to Dec 31 incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 5 CFS cfs and/or acre-feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: 14" Rockwell Flow meter measured in Gals.
Jack Robbins Sr. with A Class II rating in water treatment.
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use:
Intake structure, concrete cylinder 8'7" in Diameter
8'2" in depth, Submerged below the low low waterline. Connected
to Pumphouse with 1600' of 18" pipe (steel concrete)
b) Describe the agreement or understanding by which you take water from the works: Pumped through
Filtration Plant into City watermains.
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) N.A.
b) Describe the type and size of measuring device which you have installed at your point of diversion: 14" Rockwell meter
c) Give well driller's name and address and the date the well was completed: N.A.
8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use:
Potable water for City of Weiser use.

Exam typed 1/3/78 by [Signature]

9. Irrigation uses: describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: _____

_____ N. A. _____

T	R	SEC.	NE¼				NW¼				SW¼				SE¼				TOTAL
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres irrigated _____

10. Remarks: _____

The above information is a true statement of the extent to which the above numbered permit has been developed.

11-15-77 (Date) C. L. Logg (Signature)
City Clerk

State of Idaho)
County of Washington) ss.

On this 15 day of November, 19 77 personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

J. A. Campbell
Notary Public residing at Idaho

My commission expires Dec. 31, 1978

October 31, 1977

CERTIFIED MAIL

138044

Re: Permit No. 03-7009

City of Weiser, Idaho
55 West Idaho St.
Weiser, Idaho 83672

Gentlemen:

One of the conditions of approval of your water Permit No. 03-7009 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before January 1, 1978. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



C. STEPHEN ALLRED
Director

CSA:jfr

Enc: Proof affidavit

RECEIVED

MAY 9 1973

May 8, 1973

Department of Water Administration

City of Weiser
55 West Idaho Street
Weiser, Idaho 83672

Re: 071-OYC - 1-000193

Attention: Mr. Robert Hogg

Gentlemen:

We are forwarding herewith your copy of State of Idaho Easement No. 4354, for the construction and maintenance of a water intake structure in the Snake River between Sections 31 and 32, Township 11 North, Range 5 East, Boise Meridian.

Also enclosed is your copy of State of Idaho Receipt No. 103115 acknowledging payment of the consideration for the easement.

Very truly yours

FOR THE COMMISSIONER

Winston A. Wiggins
Land Specialist

WAW/lgb

Enclosure

cc: Area Supervisor - Payette Lakes
Dept. of Water Administration ✓

3 7089

STATE OF IDAHO EASEMENT

NO. 4354

THIS INDENTURE, made this 26th day of April, 1973, by and between the STATE OF IDAHO, acting by and through the State Board of Land Commissioners, as party of the first part, and the CITY OF WEISER, Weiser, Idaho, as party of the second part;

WITNESSETH: That for and in consideration of the sum of ONE HUNDRED and NO/100 DOLLARS (\$100.00), lawful money of the United States of America, receipt whereof is hereby acknowledged, the party of the first part does hereby grant to the party of the second part an easement for the purpose of constructing and maintaining a water intake structure over and across the following described lands situated in Washington County, State of Idaho, to-wit: so much of the following described lands that were below the ordinary or natural high water mark on the date the State of Idaho was admitted to the Union with the right to additions thereto and subject to deletions therefrom that have occurred causing the boundary of the State's ownership to change:

A strip of land 50 feet wide, being 25 feet on each side of the following described centerline:

Beginning at the meander corner on the north bank of the Snake River between Sections 31 and 32, Township 11 North, Range 5 West, Boise Meridian; thence South 17°41' East, 234.13 feet; thence South 71°41' East, 374.59 feet; thence South 32°36' East, 442.53 feet; thence South 18°09' East, 670.82 feet; thence South 44°58' West, 188.45 feet to the Southwest corner of Lot 1, Block 3, Mortimer Addition to the City of Weiser, Idaho, as filed in Book 1 of Plats, Page 65, Washington County, Idaho; thence North 0°41'31" East, 55.87 feet to the REAL POINT OF BEGINNING; thence South 39°25'23" West, 700.00 feet to a point in the bed of the Snake River, the point of termination, an area containing 0.803 acre, more or less.


It is understood and agreed that the structure is to be constructed and maintained in such a manner that will not obstruct the river channel or hinder or affect navigation, recreation, or other authorized and customary use of the river. The State Board of Land Commissioners reserves the right to terminate this easement for failure to construct and maintain the structure as herein provided, upon thirty (30) days written notice to the party of the second part.

It is further understood and agreed that in the event the lands hereinabove described are not used for the purposes herein specified for any five year period, the State Board of Land Commissioners may declare such right-of-way forfeited and the use of the lands will revert back to the State of Idaho or to the record owner of the lands.

IN WITNESS WHEREOF, the State Board of Land Commissioners has caused these presents to be executed by its President, the Governor of the State of Idaho, and countersigned by the Secretary of State and the State Land Commissioner.


STATE BOARD OF LAND COMMISSIONERS

Countersigned:


Secretary of State


Governor of the State of Idaho and
President of the State Board of
Land Commissioners


State Land Commissioner



State of _____)
County of _____) ss

On this _____ day of _____, 19____, before me, the undersigned, a notary public in and for said State, personally appeared _____

known to me to be the person whose name is/are subscribed to the foregoing instrument and acknowledged to me that he executed the same.

IN WITNESS WHEREOF, I have hereunto set my hand and seal on the day and year last written above.

Notary Public residing at _____

My commission expires _____

State of Idaho)
County of Ada) ss

On this 1st day of May, 1923, before me, a notary public in and for said State, personally appeared Cecil D. Andrus, known to me to be the Governor of the State of Idaho and President of the State Board of Land Commissioners, Pete T. Cenarrusa, known to me to be the Secretary of State of Idaho, and G. C. Trombley, known to me to be the State Land Commissioner of the State of Idaho, that executed the said instrument and acknowledged to me that such State of Idaho and State Board of Land Commissioners executed same.

IN WITNESS WHEREOF, I have hereunto set my hand and seal on the day and year last written above.

Mary J. Stewart
Notary Public residing at Base
Land

My commission expires 25 July '76

January 11, 1973

Re. Permit No: 03-7009

City of Weiser
55 West Idaho Street
Weiser, Idaho 83672

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 03-7009 . We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Very truly yours,

BOBBY D. FLEENOR
Assistant Director

BDF: cd

Enclosures

3 7009

December 22, 1972

Re: Application for Permit 03-7009 City of Weiser

The Weiser Signal
P. O. Box 709
Weiser, Idaho 83672

Gentlemen:

Would you please submit an affidavit of publication and certified bill in connection with the above referenced item. The legal notice was to have been published in your paper on November 30, 1972 and December 7, 1972.

Your cooperation in this matter is greatly appreciated.

Sincerely

DEANNA E. FELDT
Secretary

DEF:d

3 7009

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse — Annex 2
Boise, Idaho 83707
(208) 384-2215
Western District Office



Water Rights Administration
Water Resource Investigation
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

November 24, 1972

RE: APPLICATION FOR PERMIT NO. 03-7009 CITY OF WEISER

The Weiser Signal
P. O. Box 709
Weiser, Idaho 83672

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

Sincerely,

3 7009

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that CITY OF WEISER
55 West Idaho St., Weiser, Ida.
has on Nov. 15, 1972 submitted Application No. 03-7009
for a permit to appropriate 5.0 cubic feet per second ~~XXXXXX~~
~~XXXXXX~~ of water from Snake River, trib. to Columbia River
by means of pumps
within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 32, T. 11 N., R. 5 W., B.M., Washington County
to be used from Jan. 1 to Dec. 31
for municipal purposes
within the SW $\frac{1}{4}$, Sec. 28; NW $\frac{1}{4}$, SW $\frac{1}{4}$, Sec. 33; all Sec. 32; NW $\frac{1}{4}$, NE $\frac{1}{4}$, SE $\frac{1}{4}$, Sec. 31;
all Sec. 30, SW $\frac{1}{4}$, SE $\frac{1}{4}$, Sec. 29; all in T. 11 N., R. 5 W., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before December 18, 1972.

R. KEITH HIGGINSON

Director

3 7009

Published in the Weiser Signal, Weiser, Idaho
on Nov. 30, 1972 and Dec. 7, 1972.

No. 702
NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that CITY OF WEISER 55 West Idaho St., Weiser, Ida. has on Nov. 15, 1972 submitted Application No. 03-7009 for a permit to appropriate 5.0 cubic feet per second of water from Snake River, trib. to Columbia River by means of pumps within the SW1/4SW1/4, Sec. 32, T. 11N., R. 5 W., B. M., Washington County to be used from Jan. 1 to Dec. 31 for municipal purposes within the SW1/4, Sec. 28; NW1/4, SW1/4, Sec. 33; all Sec. 32; NW1/4, NE1/4, SE1/4, Sec. 31; all Sec. 30, SW1/4, SE1/4, Sec. 29; all in T. 11 N., R. 5 W., B.M.

A. D. J.
11-27-72

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before December 18, 1972.

R. KEITH HIGGINSON
Director

Published in the Weiser Signal, Weiser, Idaho on Nov. 30 1972 and Dec. 7, 1972.

74-2s

3 7009

Western District Office

C November 24, 1972

RE: APPLICATION FOR PERMIT NO. 03-7009

O State of Idaho
Department of Health
Environmental Improvement
STATEHOUSE MAIL

ATTENTION: Vaughn Anderson

Dear Mr. Anderson:

P We are enclosing a copy of the above referenced application for permit, which may be of interest to your agency.

Please review the application and if you have any comments, please submit them to our Department as soon as possible.

We normally complete the processing of an application within a six (6) week period and we are required to take final action shortly thereafter.

Y If we may be of any assistance to you in the meantime, please do not hesitate to contact this Department.

Sincerely,

KENNETH H. FOIT, P. E.
Western District Engineer

KHF:def

Enclosure

3 7009

Western District Office

November 17, 1972

RE: APPLICATION FOR PERMIT NO. 03-7009

City of Weiser
55 West Idaho Street
Weiser, Idaho 83672

Gentlemen:

We are returning your Application for Permit submitted on October 15, 1972, in order that you can secure the proper signature on the Application.

The Application must be signed by an elected official of the city of Weiser. We would prefer that the Mayor sign the Application.

Please make the necessary changes and return the Application to useas soon as possible.

If we can be of any further assistance in this matter, please feel free to contact this Department.

Sincerely,

JAMES E. BOOKER
U. P. Supervisor

JEB:mkp

Enclosure

3 7009

Western District Office

November 16, 1972

Re: Application for Permit No. 03-7009

City of Weiser
55 West Idaho Street
Weiser, Idaho 83672

Gentlemen:

Attached herewith is your Receipt No. 9049 in the amount of \$65.00 for Application for Permit No. 03-7009 which was received in this office under the above date.

Sincerely,

DEANNA E. FELDT
Secretary

3 7009

THE CITY OF WEISER, IDAHO

OFFICE OF THE CLERK

RECEIVED

1972
Department of Water Administration

November 14, 1972

Idaho Department of Water Admin.
Statehouse - Annex #2
Boise, Idaho 83707


Dear Sir:

Inclosed is a check in the amount of \$65.00 along with
a Water Right Application.

The City of Weiser is planning construction of a new
water Filtration plant in early 1973.

If any further data is required please let me know.

Sincerely,



Robert L. Hogg
City Clerk

3 7913