


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Lynn A. Anderson
(Applicant)

3 7008

Rge. 5W

T
10
N





Diagram of System

Official use only
This diagram is for official use only and should not be used for any other purpose.
The diagram is a representation of the system and is not a guarantee of accuracy.
The diagram is a representation of the system and is not a guarantee of accuracy.
The diagram is a representation of the system and is not a guarantee of accuracy.
The diagram is a representation of the system and is not a guarantee of accuracy.
The diagram is a representation of the system and is not a guarantee of accuracy.

RG01-01
v/d
to be completed

1. The diagram is a representation of the system and is not a guarantee of accuracy.
2. The diagram is a representation of the system and is not a guarantee of accuracy.
3. The diagram is a representation of the system and is not a guarantee of accuracy.
4. The diagram is a representation of the system and is not a guarantee of accuracy.
5. The diagram is a representation of the system and is not a guarantee of accuracy.
6. The diagram is a representation of the system and is not a guarantee of accuracy.
7. The diagram is a representation of the system and is not a guarantee of accuracy.
8. The diagram is a representation of the system and is not a guarantee of accuracy.
9. The diagram is a representation of the system and is not a guarantee of accuracy.
10. The diagram is a representation of the system and is not a guarantee of accuracy.



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 03-7008 Priority Sept. 8, 1972 Amount 0.80 cfs

THIS IS TO CERTIFY, that Lynn A. Anderson &/or Rosamond H. Anderson
of Weiser, Idaho, has complied with the terms and conditions of Permit
No. 03-7008 issued pursuant to Application for Permit dated September 8, 1972,
and has submitted proof to the Department of Water Resources on September 23, 1975,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 2.44 cfs of water from the Snake River,
tributary to the Columbia River, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	from <u>March 15</u> to <u>Nov. 15</u>	at <u>0.80</u> cfs and	<u>180 acre feet or</u> <u>4.5 af per acre</u>
	from _____ to _____	at _____ cfs and	
	from _____ to _____	at _____ cfs and	

(both dates inclusive)

Subject, however, to the condition that no more than 0.80 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
180 acre feet per year, said waters to be diverted within the SW $\frac{1}{4}$ NE $\frac{1}{4}$ of Sec. 8,
Twp. 10 N, Rge. 5 W, B.M. in the County of Washington

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
10 N	5 W	8				25									15				40

Total number of acres irrigated 40

A measuring device of a type approved by this Department shall be permanently
maintained as part of the diverting works.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 7 day of
August, 19 76.

Director

Identification No. _____
Application No. 03 7002

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Lynn A. Anderson &/or Rosamond H. Anderson
post office address Route 3 - Box 165, Weiser, Idaho 83672
2. Source of water supply Snake River (2 points) which is a tributary of Columbia River
3. a. Location of point of diversion is SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 8 Township 10 N
Range 5 W B.M. Washington County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 0.82 for irrigation purpose from March 15 to Nov. 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 0.82 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. 2 pumps and pipeline

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 2 years.
b. Estimated construction cost is \$ completed.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

3 7003

LICENSE ISSUED FOR 080 SEC. **PL**

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
10 N	5 W	8				26									15				41

Total number of acres to be irrigated 41

c. Describe any other water rights used for the same purposes as described above. None


9. a. Who owns the property at the point of diversion Self

b. Who owns the land to be irrigated or place of use Self

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Lynn A. Anderson
(Applicant)

3 7008

Received by ef Date 9-8-72 Time 11:50 A
Preliminary check by SDE Fee \$25.00 ~ Permit #8801
Receipted by ef Date 9-8-72
Publication prepared by MP Date 9-14-72
Published in Wuser Signal
Publication dates Sept 29 & 28, 1972
Publication approved MP Date 10-3-72
Priority reduced to 9-8-72 Reason _____

Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by D

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 03-7008, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 1974.
- c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 18th day of October, 1972.

R. Karl Higley
Director

3 7008

BEFORE THE DIRECTOR OF THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF EXTENDING THE PROOF DUE)
DATE IN CONNECTION WITH PERMIT NO. 03-7008)
in the name of LYNN A. &/or ROSAMOND H. ANDERSON)

ORDER

WHEREAS, on September 8, 1972, Lynn A. &/or Rosamond H. Anderson applied to the Department of Water Resources (formerly the Department of Water Administration) for a permit to appropriate 0.82 cubic feet per second of water from the Snake River, tributary to the Columbia River, to be used at 2 points within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 8, Twp. 10N, Rge. 5W, B.M., Washington County, to be used for irrigation purposes; and,


WHEREAS, on October 18, 1972, the Department approved said application and issued Permit No. 03-7008 with the condition that proof of construction of works and application of water to beneficial use be submitted to the Department on or before November 1, 1974; and,

WHEREAS, on October 24, 1974, the Department received a request for an extension of time for said permit; and,

WHEREAS, it appears that under the circumstances the permit holder has been proceeding with reasonable diligence and has given good cause for delay;

IT IS, THEREFORE, HEREBY ORDERED that the time within which to submit proof of beneficial use of water under Permit No. 03-7008 be extended to November 1, 1975.

Dated this 28 day of October, 1974.


A. KENNETH DUNN, Administrator
Operations Division

BDF:JG

MICROFILMED

DEPARTMENT OF WATER ADMINISTRATION
- STAFF ANALYSIS -

Item	Initial	Date	
(1)	KAR	9/13/72	Application No. <u>03-7008</u> Name <u>Anderson</u>
(2)	KAR	9/13	Check: ☒ Signature ☒ Point of Diversion ☒ Quantity of Water and Period of Use ☒ Description of Diverting Works ☒ Time required for C/W and application of water to B/U ☒ Place of Use ☒ Map ☒ Fee
(3)	KAR	9/13	Send copies to: ☐ Idaho State Health Department ☒ Idaho Fish and Game Department ☐ Bureau of Land Management
(4)	KAR	9/13	☐ Request Special Use Permit from U.S.F.S. ☐ Request Easement from B.L.M. <u>none</u>
(5)	KAR	9/13	In form for advertising _____
(6)	MP	10/3	Affidavit of Publication received <u>10-3-72 OK</u>
(7)	KAR	10/10	Final date for protests <u>10-9-72</u> Protests received: yes _____ no <u>X</u>
(8)	—	—	Date and Place of hearing _____ Decision reached at hearing _____
(9)	KAR	10/10	Located within Water District No. <u>none</u>
(10)	—	—	Critical groundwater area: yes _____ no _____
(11)	—	—	Groundwater levels: ☐ Decline (comment) _____ ☐ Stable (comment) _____ ☐ Increasing (comment) _____
(12)	1	—	Comments: _____
(13)	KAR	10/10	Action recommended: ☒ Approve Priority <u>9/8/72</u> ☐ Deny Reason for Reduction _____
	KAR	10/10	See attached sheet for conditions of approval No conditions for approval
(14)	—	—	District <u>Western</u> By <u>Ken Joit</u> Date <u>10/10/72</u> Title <u>WDE</u> <u>3 7008</u>

RECOMMENDED

CONDITIONS OF APPROVAL

☒ A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

☐ Measuring devices of a type approved by this Department shall be permanently installed and maintained at the point of diversion and the point of effluent discharge.

☐ Use of water under this permit is supplemental to all existing water rights with the same purpose and place of use.

☐ Maximum rate of diversion shall not exceed _____ c.f.s.

☐ Settling ponds shall be installed which are capable of reducing the silt load in the return water to such a level that the quality of the waters of _____ Creek will not be impaired for other beneficial uses.

☐ Return water shall be treated to insure that the effluent meets (interstate) (intrastate) stream water quality standards.

☐ Use of water under this permit is subject to control by the watermaster of State Water District No. _____, _____ River.

☐ The proposed well shall not be drilled within _____ feet of another well.

☐ The issuance of this permit in no way grants any right-of-way or easement across the land of another person.

☐ The permit shall not be assigned or sold without first securing the written approval of the Department of Water Administration.

☐ This permit cannot be assigned, mortgaged, or conveyed without complying with Section 42-208, Idaho Code.

☐ Other: _____

Nº 686

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, } ss.
County of Washington }

Dorothy H. Barth, being duly sworn,
deposes and says:

That he is the Clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-
lished in said newspaper once a week for 2 consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with
Sept. 21, 1972, and ending
with the issue of Sept. 28, 1972
Barth
Fees, \$ 12.56

Subscribed and sworn to before me this 2nd
day of Oct., 1972
Barth
Notary Public, Residing at Weiser, Idaho.
My Commission Expires 5-1, 1973

No. 686
NOTICE

OF APPLICATION FOR WATER PERMIT

Notice is hereby given that
LYNN A. ANDERSON &/ or
ROSAMOND H. ANDERSON, Rt.
3, Box 165, Weiser, Idaho has
on September 8, 1972 submitted
Application No. 03-7008 for a
permit to appropriate 0.82
cubic feet per second of water
from the Snake River, Trib.
of Columbia River by means
of 2 pumps and pipeline within
the SW1/4NE1/4 (2 points), Sec.
8, T. 10 N., R. 5 W., B. M.,
Washington County to be used
from March 15 to Nov. 15
for the irrigation of 41 acres
within the SE1/4NE1/4, NE1/4
SE1/4, Sec. 8. T. 10 N., R.
5 W., B. M.

If issued, this permit will be
subject to all prior water
rights. Protests against the
granting of the permit must
be filed with the Idaho Depart-
ment of Water Administration,
Statehouse, Boise, Idaho,
83707, on or before October
9, 1972.

R. KEITH HIGGINSON
Director

Published in the Weiser
Signal, Weiser, Idaho on Sept.
21, 1972 and Sept. 28, 1972.
54-2s

3 7008

August 9, 1976

Re: Permit No. 03-7008

Lynn A. &/or Rosamond H. Anderson
Route 3, Box 285-1A
Weiser, ID 83672

Dear Mr. and Mrs. Anderson:

Enclosed herewith is a copy of the water right license issued on the above referenced permit.

Sincerely,

D. DARLENE REICH
Water Rights Supervisor

DDR:mef

Enc.

July 22, 1976

Lynn A. &/or Rosamond H. Anderson
Route 3, Box 285-1A
Weiser, Idaho 83672

Dear Mr. & Mrs. Anderson:

A representative of this Department has made an examination of the works covered by your Permit No. 03-7008 and has found the following:

Quantity of water diverted: 2.44 cfs Source: Snake River
Amount of water that can be recognized as beneficially used under
Idaho law: 0.80 cfs
The maximum quantity diverted shall not exceed 180 acre feet, or
4.5 af per acre, per year.
Point of diversion: SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 8, Twp. 10 N, Rge. 5 W, B.M.
Beneficial use: Irrigation of 40 acres within the SE $\frac{1}{4}$ NE $\frac{1}{4}$ (25),
NE $\frac{1}{4}$ SE $\frac{1}{4}$ (15), Sec. 8, Twp. 10 N, Rge. 5 W, B.M.
Priority date established: September 8, 1972

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

DEPARTMENT OF WATER ADMINISTRATION

FIELD REPORT

1. Name of permit holder Lynn A. &/or Rosamond H. Anderson
 Post office address Box 185-1A, Weiser, ID 83672 Phone 549-1619
 Person to contact _____ Phone _____

2. Source of water supply: Groundwater ☐ Surface water ☒ Snake River
 (name spring, stream, etc.)
 Tributary to Columbia River

3. Water will be used for the following purposes:

Amount 0.82 c.f.s. for Irrigation
 _____ AF/Annum (nature of use)

Period of Use: from March 15 to Nov. 15
 (mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum (nature of use)

Period of Use: from _____ to _____
 (mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum (nature of use)

Period of Use: from _____ to _____
 (mo.-day) inclusive (mo.-day)

Other uses: _____

Permit No. 03-7008
 Examination for b/u

4. Total amount to be appropriated:

Max Rate of Diversion 0.82 cubic feet per second and annual volume _____ AF/Annum.

5. Location of Point(s) of Diversion:

Township 10N N/S, Range 5W E/W, B.M., Section 8, Subdivision SW $\frac{1}{4}$ NE $\frac{1}{4}$, Washington
 County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ $\frac{1}{4}$ _____ $\frac{1}{4}$, _____
 County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ $\frac{1}{4}$ _____ $\frac{1}{4}$, _____
 County

Other Points of Diversions: _____

Description of diverting works: pump 15 hp motor , impeller type, 10" discharge, approx. 25' lift.

Measuring device required: yes ☒ no ☐

6. Lands to be irrigated or place of use.

TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
10N	5W	8				26									15				41

TOTAL ACREAGE 41

T
10
N





Diagram of System



F233
(F233)

F190
(F190)

F122
F271
(F271)

F210
(F210)

F101
(F101)

F231
(F231)

F231
(F231)

F210
(F210)

F102
(F102)

F210
(F210)

F28
(F28)

F265
(F265)

F19
(F19)

F28
(F28)

F235
(F235)

F20
(F20)

F205
(F205)

F255
(F255)

F126
(F126)

F124
(F124)

F128
(F128)

F125
(F125)

F127
(F127)

F113
(F113)

F228
(F228)

333

DATE OF EXAM 5-26-76

ACREAGE

Found 61.3

Recommended 41.0

Irrigation Requirement 4.5 Ac Ft/Ac

USE

Irrigation Q = 2.435 ~~0.82~~ c.f.s. V = 184.5 AF/Ann. from 3-15 to 11-15

Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no X

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Exchange? yes _____ no X

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Point of injection: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Point of exchange: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Total Q measured 12" pipe 9' plate - 9" head in tube Method of measurement pipe orifice

Total Q recommended 0.82 Meter No. _____ Type _____ Condition _____

Total V recommended 184.5 AF/ANN

Recommended Amendments:

P.D. _____
Place of Use SW 1/4 NE 1/4, Sec 8, T 10 N, R 5 W
Other _____
None _____

MEASUREMENT CALCULATION:

Total Q = $1093 \text{ gpm} \div 448.8 = 2.43538 \text{ cfs}$

Total V = $41 \times 4.5 = 184.5 \text{ AF}$

$0.82 \times 1.98 \times 245 = 397.78 \text{ AF}$

SYSTEM DESCRIPTION:

pumping from Snake River with Reliance duty master A-C motor 15 HP,
ID # P85G-11A with impeller type pump - pumping into 12"
main line to flood irrigate - open discharge from 12" pipe with 9"
reduction plate

REMARKS:

Examiner's Signature Peter J. Chumlat Date 5-27-76

Checked by 722 Date 6-1-76

Approved by _____ Date _____

NOTE

This Exam was made without the awareness of the neighboring license 03-2029, which accounts for the recommended overlap in lands. Actually, the lands irrigated under this permit closely resemble those found in the field → no amend. needed
OVER

PSC
DRI

3 Fields are irrigated under this permit & license: of 13.4, 19.5 and 6.8 acres
Total = 39.7 acres

September 23, 1975

Re: Permit No. 03-7008

Lynn A. &/or Rosamond H. Anderson
Box 185-1A
Weiser, Idaho 83672

Dear Mr. & Mrs. Anderson:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell during which part of the irrigation season this examination will be made, however, our examiner will try to contact you at the time he makes the exam so that you may show him the system.

If you have any questions concerning the field exam, please contact our District Office in Boise.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

DDR:JG

RECEIVED

SEP 23 1975

OK j

Department of Water Resources

Identification No. _____

Permit No. 23-7008

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

1. a) Name of Permit Holder LYNN A. ANDERSON
b) Post Office Address Route #3 Box 285-1A
2. Permit Number 23-7008
3. Date of Priority that you are prepared to establish September 8, 1972
4. a) Source from which water was appropriated Snake River (Tributary of the Columbia River)
b) Location of the point of diversion: SW 1/4 NE 1/4, Section 8
Township 10 N, Range 5 W Boise Meridian, Other points of diversion: Washington County.
5. a) The amount of water and use to which the water has been applied:
Amount 0.82 cfs for IRRIGATION purposes from March 1st to Nov 1st incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 0.82 cfs cfs and/or acre-feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: _____
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____
b) Describe the agreement or understanding by which you take water from the works: _____
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) pump 15 HP motor - Impeller Type 10 inch discharge - approximately 25' lift.
b) Describe the type and size of measuring device which you have installed at your point of diversion: orifice Weir 10" lead steel pipe with restrictor
c) Give well driller's name and address and the date the well was completed: _____
8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use: _____

Examined 9-23-75 j

THP

● SENDER: Complete items 1 and 2.
Add your address in the "RETURN TO" space on reverse.

1. The following service is requested (check one).

- ☐ Show to whom and date delivered..... 15¢
☐ Show to whom, date, & address of delivery.. 35¢
☐ DELIVER ONLY TO ADDRESSEE and
show to whom and date delivered..... 65¢
☐ DELIVER ONLY TO ADDRESSEE and
show to whom, date, and address of
delivery 85¢

2. ARTICLE ADDRESSED TO:

Rosamond Anderson

3. ARTICLE DESCRIPTION:

REGISTERED NO. | CERTIFIED NO. | INSURED NO.

27193

(Always obtain signature of addressee or agent)

I have received the article described above.
SIGNATURE

4.

DATE OF DELIVERY

POSTMARK

5. ADDRESS (Complete only if requested)

6. UNABLE TO DELIVER BECAUSE:


CLERK'S
INITIALS

UNITED STATES POSTAL SERVICE
OFFICIAL BUSINESS

SENDER INSTRUCTIONS

Print your name, address, and ZIP Code in the space below.

- Complete Items 1 and 2 on reverse side.
- Moisten gummed ends and attach to back of article.



**RETURN
TO**



DEPARTMENT OF WATER RESOURCES
STATEMENT
BOISE, IDAHO 83725

September 2, 1975

CERTIFIED MAIL

27193

Re: Permit No. 03-7008


Lynn A. &/or Rosamond H. Anderson
Box 185-1A
Weiser, Idaho 83672

Dear Mr. & Mrs. Anderson:

One of the conditions of approval of your water Permit No. 03-7008 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before November 1, 1975. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.


R. KEITH HIGGINSON
Director

RKH:jg
Enc: Proof affidavit

November 4, 1974

Re: Permit No. 03-7008

Lynn A. &/or Rosamond H. Anderson
Box 185-1A
Weiser, ID 83672

Dear Mr. & Mrs. Anderson:

Enclosed is an Order which extends the proof due date in connection with the above referenced permit.

The time within which to submit proof of beneficial use has been extended to November 1, 1975.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:JC
Enclosure

Re: Permit No. 03-7008 Weiser, Idaho
Box 185-1A
83672
OCT 21 1974

Dear Sir, Department of Water Resources

In regard to your certified letter,
dated August 30, 1974 - about permit
No. 03-7008, to show required proof
of beneficial use of water.

We not knowing anything about
the installation of a measuring
device, went to consult the Soil
Conservation Service for aid. The
S. C. S. being busy at the time
came forth with some detailed
plans about 2 week ago.

We then because of our busy
harvest schedule have engaged 03-7008

The Consumers Coop of - Weiser
to install a system to measure
the water. They have agreed
but could not meet the deadline
of November the 1st 1974.

Because of this we are asking
for an extension of time to complete
the instalation.

Hoping to get your approval.

Lynn Anderson

03-7008

SENDER: Be sure to follow instructions on other side

PLEASE FURNISH SERVICE(S) INDICATED BY CHECKED BLOCK(S)

(Additional charges required for these services)

☐ Show address
where delivered

☐ Deliver ONLY
to addressee

RECEIPT

Received the numbered article described below

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE *(Must always be filled in)*

CERTIFIED NO.

①

25957

②

INSURED NO.

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

DATE DELIVERED


SHOW WHERE DELIVERED *(Only if requested, and include ZIP Code)*

8 31 74

③

03-7008

U.S. POSTAL SERVICE
OFFICIAL BUSINESS



Postmark of Delivering Office

SENDER INSTRUCTIONS

Print in the space below your name, address, including ZIP Code.

- If special services are desired, check block(s) on other side.
- Moistened gummed ends and attach to back of article.

**RETURN
TO**

**DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720**

PS Form 3841
June 1973

August 30, 1974

CERTIFIED MAIL

#25957

Re: Permit No. 03-7008

Lynn A. Anderson &/or Rosamond H. Anderson
Route #3, Box 165
Weiser, ID 83672

Dear Mr. & Mrs. Anderson:

One of the conditions of approval of your water Permit No. 03-7008 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before November 1, 1974. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

RKH:jg
Enc: Proof affidavit

October 20, 1972

Re: 03-7008

Lynn A. Anderson &/or Rosamond H. Anderson
Route 3
Box 165
Weiser, Idaho 83672

Dear Mr. and Mrs. Anderson:

Enclosed is a copy of your approved Application for Permit No. 03-7008 . We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Very truly yours,

BOBBY D. FLEENOR
Assistant Director

BDF: cd

Enclosures

3 7008



CECIL D. ANDRUS, Governor
COMMISSION
ROBERT G. KALB, Sandpoint
PAUL C. KEETON, Lewiston
JOHN EATON, Cascade
JACK HEMINGWAY, Sun Valley
H. JACK ALVORD, Pocatello

IDAHO FISH AND GAME DEPARTMENT

RECEIVED
OCT 17 1972
JWR
Department of Water Administration
JOSEPH C. GREENLEY
Director

POST OFFICE BOX 26
600 SOUTH WALNUT STREET
BOISE, IDAHO 83707

October 16, 1972

Mr. R. Keith Higginson, Director
Idaho Department of Water Administration
Statehouse - Annex 2
Boise, Idaho

Dear Mr. Higginson:

Reference: Application No. 03-7008
Snake River Water Appropriation

Fish and Game personnel have reviewed the above referenced application and have no objections to the project.

Sincerely,

IDAHO FISH AND GAME DEPARTMENT

Joseph C. Greenley
Joseph C. Greenley
Director

cc: Bill Webb

3 7008

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

Cecil D. Andrus
Governor
R. Keith Higginson
Director

Statehouse — Annex 2
Boise, Idaho 83707
(208) 384-2215
Western District Office



Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

September 14, 1972

RE: Application for Permit No. 03-7008, Lynn A. Anderson &/or Rosamond H. Anderson

The Weiser Signal
P. O. Box 709
Weiser, Idaho 83672

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

Sincerely,

3 7008

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that LYNN A. ANDERSON &/or ROSAMOND H. ANDERSON,
Rt. 3, Box 165, Weiser, Idaho
has on September 8, 1972 submitted Application No. 03-7008
for a permit to appropriate 0.82 cubic feet per second ~~and excess~~
~~per second~~ of water from the Snake River, Trib. of Columbia River
by means of 2 pumps and pipeline
within the SW $\frac{1}{4}$ NE $\frac{1}{4}$ (2 points), Sec. 8, T. 10 N., R. 5 W., B.M. Washington
County

to be used from March 15 to Nov. 15
for the irrigation of 41 acres

within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 8, T. 10 N., R. 5 W., B.M.

If issued, this permit will be subject to all prior water rights. Pro-
tests against the granting of the permit must be filed with the Idaho Depart-
ment of Water Administration, Statehouse, Boise, Idaho, 83707, on or before
October 9, 1972.

R. KEITH HIGGINSON

Director

3 7008

Published in the Weiser Signal, Weiser, Idaho
on Sept. 21, 1972 and Sept. 28, 1972.

No. 686
NOTICE

OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that LYNN A. ANDERSON &/ or ROSAMOND H. ANDERSON, Rt. 3, Box 165, Weiser, Idaho has on September 8, 1972 submitted Application No. 03-7008 for a permit to appropriate 0.82 cubic feet per second of water from the Snake River, Trib. of Columbia River by means of 2 pumps and pipeline within the SW1/4NE1/4 (2 points), Sec. 8, T. 10 N., R. 5 W., B. M. Washington County to be used from March 15 to Nov. 15 for the irrigation of 41 acres within the SE1/4NE1/4, NE1/4 SE1/4, Sec. 8. T. 10 N., R. 5 W., B. M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before October 9, 1972.

R. KEITH HIGGINSON
Director

Published in the Weiser
Signal, Weiser, Idaho on Sept.
21, 1972 and Sept. 28, 1972.
54-2s

3 7008

Western District Office

September 14, 1972

RE: Application for Permit No. 03-7008

Mr. Ted Biladeau
Engineering Division
Idaho Fish & Game Department
STATEHOUSE MAIL

Dear Mr. Biladeau:

We are enclosing a copy of the above referenced application for permit, which may be of interest to your agency.

Please review the application and if you have any comments, please submit them to our Department as soon as possible.

We normally complete the processing of an application with a six (6) week period and we are required to take final action shortly thereafter.

If we may be of any assistance to you in the meantime, please do not hesitate to contact this Department.

Sincerely,

KENNETH H. FOIT, P. E.
Western District Engineer

MHF:def

Enclosure

3 7008