



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 21, 1995

Howard Hall
McCammon Ditch Co.
10159 So. Old Highway 91
McCammon, ID 83250

APR 26 1995
Department of Water Resources
Eastern District Office

Dear Mr. Hall:

Attached to this letter is a copy of correspondence to Arlin Olson dated April 21, 1995 concerning Portneuf Reservoir and water measurement accuracy of Portneuf-Marsh Valley's (PMV) ten foot Parshall flume located immediately below the reservoir.

I have sent a separate letter to PMV requesting that staff gage improvements be made at this site. Please note that I have also advised Arlin that I intend to visit the area this season and check some different measuring devices, including the PMV flume. I plan to check the accuracy of this flume against a current meter measurement and look for surging effects which you have reported. We may calibrate your flume and the other PMV flume as well.

Pursuant to our discussion, I agree that you should inspect your flume and consider any necessary maintenance steps, including installing new staff gages and cleaning of any stilling well.

Sincerely,

Tim Luke

cc: Arlin Olson
Harold Jones, IDWR