### WATER DISTRICT NO. 37 & 37 M

P.O. Box T Shoshone, Idaho 83352 (208) 886-2451



Ed Cameron Box 177 Bellevue, Idaho 83313

November 17, 1997

RE: Rockwell By-Pass System

Dear Ed:

The Rockwell By-Pass System need a control gate and a measuring device at the head of the diversion from the slough.

Idaho Code 42-701 states in part:

"The appropriators or users of any public waters of the state of Idaho shall maintain to the satisfaction of the director of the department of water resources suitable headgates and controlling works at the point where their water is diverted. Each device shall be of such construction that it can be locked and kept closed by the watermaster or other officer in charge, and shall also be of such construction as to regulate the flow of water at the diversion point."

Failure to do so may result in the director of water resources instructing the watermaster to shut off and refuse to deliver at the point of diversion, the water owned by such appropriator or user until the user does construct and maintain such headgates, controlling works or measuring devices or remedy the defects which exist.

Repair of this diversion needs to be done prior to the 1998 irrigation season; otherwise we will not deliver any water until repairs are complete.

If we can be of any assistance please feel free to call.

Sincerely.

Lee R. Peterson

Watermaster

#### WATER DISTRICT NO. 37 & 37 M

P.O. Box T Shoshone, Idaho 83352 (208) 886-2451



Leroy Lewis 3774 S 5th St Idaho Falls, Idaho 83404

November 17, 1997

To All Water Users of the Broadford Slough:

The Broadford Slough needs to have a six foot cipolletti weir installed at the head works of the system. The plans for installation need to be reviewed by the Watermaster before installation.

Idaho Code 42-701 states in part:

"The appropriators or users of any public waters of the state of Idaho shall maintain to the satisfaction of the director of the department of water resources suitable headgates and controlling works at the point where their water is diverted. Each device shall be of such construction that it can be locked and kept closed by the watermaster or other officer in charge, and shall also be of such construction as to regulate the flow of water at the diversion point."

Failure to do so may result in the director of water resources instructing the watermaster to shut off and refuse to deliver at the point of diversion, the water owned by such appropriator or user until the user does construct and maintain such headgates, controlling works or measuring devices or remedy the defects which exist.

Repair of this diversion needs to be done prior to the 1998 irrigation season; otherwise we will not deliver any water until repairs are complete.

If we can be of any assistance please feel free to call.

Sincerely,

Lee R. Peterson

Watermaster

#### WATER DISTRICT NO. 37 & 37 M

P.O. Box T Shoshone, Idaho 83352 (208) 886-2451



Jack Parker P O Box 418 Bellevue, Idaho 83313

November 17, 1997

To All Water Users of the Broadford Slough:

The Broadford Slough needs to have a six foot cipolletti weir installed at the head works of the system. The plans for installation need to be reviewed by the Watermaster before installation.

Idaho Code 42-701 states in part:

"The appropriators or users of any public waters of the state of Idaho shall maintain to the satisfaction of the director of the department of water resources suitable headgates and controlling works at the point where their water is diverted. Each device shall be of such construction that it can be locked and kept closed by the watermaster or other officer in charge, and shall also be of such construction as to regulate the flow of water at the diversion point."

Failure to do so may result in the director of water resources instructing the watermaster to shut off and refuse to deliver at the point of diversion, the water owned by such appropriator or user until the user does construct and maintain such headgates, controlling works or measuring devices or remedy the defects which exist.

Repair of this diversion needs to be done prior to the 1998 irrigation season; otherwise we will not deliver any water until repairs are complete.

If we can be of any assistance please feel free to call.

Sincerely,

Lee R. Peterson

Watermaster

#### WATER DISTRICT NO. 37 & 37 M

P.O. Box T Shoshone, Idaho 83352 (208) 886-2451



Candida Forstmann P O Box 201 Ketchum, Idaho 83340

November 17, 1997

To All Water Users of the Broadford Slough:

The Broadford Slough needs to have a six foot cipolletti weir installed at the head works of the system. The plans for installation need to be reviewed by the Watermaster before installation.

Idaho Code 42-701 states in part:

"The appropriators or users of any public waters of the state of Idaho shall maintain to the satisfaction of the director of the department of water resources suitable headgates and controlling works at the point where their water is diverted. Each device shall be of such construction that it can be locked and kept closed by the watermaster or other officer in charge, and shall also be of such construction as to regulate the flow of water at the diversion point."

Failure to do so may result in the director of water resources instructing the watermaster to shut off and refuse to deliver at the point of diversion, the water owned by such appropriator or user until the user does construct and maintain such headgates, controlling works or measuring devices or remedy the defects which exist.

Repair of this diversion needs to be done prior to the 1998 irrigation season; otherwise we will not deliver any water until repairs are complete.

If we can be of any assistance please feel free to call.

Sincerely,

Lee R. Peterson

Watermaster

#### WATER DISTRICT NO. 37 & 37 M

P.O. Box T Shoshone, Idaho 83352 (208) 886-2451



Edward Mack P O Box 2681 Ketchum, Idaho 83340

November 17, 1997

To All Water Users of the Broadford Slough:

The Broadford Slough needs to have a six foot cipolletti weir installed at the head works of the system. The plans for installation need to be reviewed by the Watermaster before installation.

Idaho Code 42-701 states in part:

"The appropriators or users of any public waters of the state of Idaho shall maintain to the satisfaction of the director of the department of water resources suitable headgates and controlling works at the point where their water is diverted. Each device shall be of such construction that it can be locked and kept closed by the watermaster or other officer in charge, and shall also be of such construction as to regulate the flow of water at the diversion point."

Failure to do so may result in the director of water resources instructing the watermaster to shut off and refuse to deliver at the point of diversion, the water owned by such appropriator or user until the user does construct and maintain such headgates, controlling works or measuring devices or remedy the defects which exist.

Repair of this diversion needs to be done prior to the 1998 irrigation season; otherwise we will not deliver any water until repairs are complete.

If we can be of any assistance please feel free to call.

Sincerely,

Lee R. Peterson

Watermaster

#### WATER DISTRICT NO. 37 & 37 M

P.O. Box T Shoshone, Idaho 83352 (208) 886-2451



Jann Wenner % Wenner Media 1290 Ave of the Americas New York, N.Y. 10104

November 17, 1997

To All Water Users of the Broadford Slough:

The Broadford Slough needs to have a six foot cipolletti weir installed at the head works of the system. The plans for installation need to be reviewed by the Watermaster before installation.

Idaho Code 42-701 states in part:

"The appropriators or users of any public waters of the state of Idaho shall maintain to the satisfaction of the director of the department of water resources suitable headgates and controlling works at the point where their water is diverted. Each device shall be of such construction that it can be locked and kept closed by the watermaster or other officer in charge, and shall also be of such construction as to regulate the flow of water at the diversion point."

Failure to do so may result in the director of water resources instructing the watermaster to shut off and refuse to deliver at the point of diversion, the water owned by such appropriator or user until the user does construct and maintain such headgates, controlling works or measuring devices or remedy the defects which exist.

Repair of this diversion needs to be done prior to the 1998 irrigation season; otherwise we will not deliver any water until repairs are complete.

If we can be of any assistance please feel free to call.

Sincerely,

Lee R. Peterson

Watermaster

#### WATER DISTRICT NO. 37 & 37 M

P.O. Box T Shoshone, Idaho 83352 (208) 886-2451



Anne L Wingate 2675 Larmar Rd Los Angeles, Ca 90068

November 17, 1997

To All Water Users of the Broadford Slough:

The Broadford Slough needs to have a six foot cipolletti weir installed at the head works of the system. The plans for installation need to be reviewed by the Watermaster before installation.

Idaho Code 42-701 states in part:

"The appropriators or users of any public waters of the state of Idaho shall maintain to the satisfaction of the director of the department of water resources suitable headgates and controlling works at the point where their water is diverted. Each device shall be of such construction that it can be locked and kept closed by the watermaster or other officer in charge, and shall also be of such construction as to regulate the flow of water at the diversion point."

Failure to do so may result in the director of water resources instructing the watermaster to shut off and refuse to deliver at the point of diversion, the water owned by such appropriator or user until the user does construct and maintain such headgates, controlling works or measuring devices or remedy the defects which exist.

Repair of this diversion needs to be done prior to the 1998 irrigation season; otherwise we will not deliver any water until repairs are complete.

If we can be of any assistance please feel free to call.

Sincerely,

Lee R. Peterson

Watermaster

#### WATER DISTRICT NO. 37 & 37 M

P.O. Box T Shoshone, Idaho 83352 (208) 886-2451



Mrs. George Wise Box 164 Bellevue, Idaho 83313

November 17, 1997

To All Water Users of the Broadford Slough:

The Broadford Slough needs to have a six foot cipolletti weir installed at the head works of the system. The plans for installation need to be reviewed by the Watermaster before installation.

Idaho Code 42-701 states in part:

"The appropriators or users of any public waters of the state of Idaho shall maintain to the satisfaction of the director of the department of water resources suitable headgates and controlling works at the point where their water is diverted. Each device shall be of such construction that it can be locked and kept closed by the watermaster or other officer in charge, and shall also be of such construction as to regulate the flow of water at the diversion point."

Failure to do so may result in the director of water resources instructing the watermaster to shut off and refuse to deliver at the point of diversion, the water owned by such appropriator or user until the user does construct and maintain such headgates, controlling works or measuring devices or remedy the defects which exist.

Repair of this diversion needs to be done prior to the 1998 irrigation season; otherwise we will not deliver any water until repairs are complete.

If we can be of any assistance please feel free to call.

Sincerely,

Lee R. Peterson

Watermaster

#### WATER DISTRICT NO. 37 & 37 M

P.O. Box T Shoshone, Idaho 83352 (208) 886-2451 LEE R. PETERSON
Watermaster

William Eittreim 393 Broadford Road Bellvue, Idaho 83313

November 17, 1997

To All Water Users of the Broadford Slough:

The Broadford Slough needs to have a six foot cipolletti weir installed at the head works of the system. The plans for installation need to be reviewed by the Watermaster before installation.

Idaho Code 42-701 states in part:

"The appropriators or users of any public waters of the state of Idaho shall maintain to the satisfaction of the director of the department of water resources suitable headgates and controlling works at the point where their water is diverted. Each device shall be of such construction that it can be locked and kept closed by the watermaster or other officer in charge, and shall also be of such construction as to regulate the flow of water at the diversion point."

Failure to do so may result in the director of water resources instructing the watermaster to shut off and refuse to deliver at the point of diversion, the water owned by such appropriator or user until the user does construct and maintain such headgates, controlling works or measuring devices or remedy the defects which exist.

Repair of this diversion needs to be done prior to the 1998 irrigation season; otherwise we will not deliver any water until repairs are complete.

If we can be of any assistance please feel free to call.

Sincerely,

Lee R. Peterson

Watermaster

#### WATER DISTRICT NO. 37 & 37 M

P.O. Box T Shoshone, Idaho 83352 (208) 886-2451



Bill Evans 42 Fox Hollow Gulch Rd Bellevue, Idaho 83313

November 17, 1997

To All Water Users of the Broadford Slough:

The Broadford Slough needs to have a six foot cipolletti weir installed at the head works of the system. The plans for installation need to be reviewed by the Watermaster before installation.

Idaho Code 42-701 states in part:

"The appropriators or users of any public waters of the state of Idaho shall maintain to the satisfaction of the director of the department of water resources suitable headgates and controlling works at the point where their water is diverted. Each device shall be of such construction that it can be locked and kept closed by the watermaster or other officer in charge, and shall also be of such construction as to regulate the flow of water at the diversion point."

Failure to do so may result in the director of water resources instructing the watermaster to shut off and refuse to deliver at the point of diversion, the water owned by such appropriator or user until the user does construct and maintain such headgates, controlling works or measuring devices or remedy the defects which exist.

Repair of this diversion needs to be done prior to the 1998 irrigation season; otherwise we will not deliver any water until repairs are complete.

If we can be of any assistance please feel free to call.

Sincerely,

Lee R. Peterson

Watermaster

#### WATER DISTRICT NO. 37 & 37 M

P.O. Box T Shoshone, Idaho 83352 (208) 886-2451



John Borton HC 64 Box 9900 Stanley, Idaho 83278

November 17, 1997

To All Water Users of the Broadford Slough:

The Broadford Slough needs to have a six foot cipolletti weir installed at the head works of the system. The plans for installation need to be reviewed by the Watermaster before installation.

Idaho Code 42-701 states in part:

"The appropriators or users of any public waters of the state of Idaho shall maintain to the satisfaction of the director of the department of water resources suitable headgates and controlling works at the point where their water is diverted. Each device shall be of such construction that it can be locked and kept closed by the watermaster or other officer in charge, and shall also be of such construction as to regulate the flow of water at the diversion point."

Failure to do so may result in the director of water resources instructing the watermaster to shut off and refuse to deliver at the point of diversion, the water owned by such appropriator or user until the user does construct and maintain such headgates, controlling works or measuring devices or remedy the defects which exist.

Repair of this diversion needs to be done prior to the 1998 irrigation season; otherwise we will not deliver any water until repairs are complete.

If we can be of any assistance please feel free to call.

Sincerely,

Lee R. Peterson Watermaster

#### WATER DISTRICT NO. 37 & 37 M

P.O. Box T Shoshone, Idaho 83352 (208) 886-2451



Jame L Smith & Elizabeth N Rood 1350 Taso St Palo Alto, Ca. 94301

November 17, 1997

To All Water Users of the Broadford Slough:

The Broadford Slough needs to have a six foot cipolletti weir installed at the head works of the system. The plans for installation need to be reviewed by the Watermaster before installation.

Idaho Code 42-701 states in part:

"The appropriators or users of any public waters of the state of Idaho shall maintain to the satisfaction of the director of the department of water resources suitable headgates and controlling works at the point where their water is diverted. Each device shall be of such construction that it can be locked and kept closed by the watermaster or other officer in charge, and shall also be of such construction as to regulate the flow of water at the diversion point."

Failure to do so may result in the director of water resources instructing the watermaster to shut off and refuse to deliver at the point of diversion, the water owned by such appropriator or user until the user does construct and maintain such headgates, controlling works or measuring devices or remedy the defects which exist.

Repair of this diversion needs to be done prior to the 1998 irrigation season; otherwise we will not deliver any water until repairs are complete.

If we can be of any assistance please feel free to call.

Sincerely,

Lee R. Peterson

Watermaster

#### WATER DISTRICT NO. 37 & 37 M

P.O. Box T Shoshone, Idaho 83352 (208) 886-2451



Richard Barker 1 Britton Ave Belevedere, Ca. 94920

November 17, 1997

To All Water Users of the Broadford Slough:

The Broadford Slough needs to have a six foot cipolletti weir installed at the head works of the system. The plans for installation need to be reviewed by the Watermaster before installation.

Idaho Code 42-701 states in part:

"The appropriators or users of any public waters of the state of Idaho shall maintain to the satisfaction of the director of the department of water resources suitable headgates and controlling works at the point where their water is diverted. Each device shall be of such construction that it can be locked and kept closed by the watermaster or other officer in charge, and shall also be of such construction as to regulate the flow of water at the diversion point."

Failure to do so may result in the director of water resources instructing the watermaster to shut off and refuse to deliver at the point of diversion, the water owned by such appropriator or user until the user does construct and maintain such headgates, controlling works or measuring devices or remedy the defects which exist.

Repair of this diversion needs to be done prior to the 1998 irrigation season; otherwise we will not deliver any water until repairs are complete.

If we can be of any assistance please feel free to call.

Sincerely,

Lee R. Peterson

Watermaster

#### WATER DISTRICT NO. 37 & 37 M

P.O. Box T Shoshone, Idaho 83352 (208) 886-2451 LEE R. PETERSON
Watermaster

Thomas Peck Broadford Road Box 40 Bellevue, Idaho 83313

November 17, 1997

To All Water Users of the Broadford Slough:

The Broadford Slough needs to have a six foot cipolletti weir installed at the head works of the system. The plans for installation need to be reviewed by the Watermaster before installation.

Idaho Code 42-701 states in part:

"The appropriators or users of any public waters of the state of Idaho shall maintain to the satisfaction of the director of the department of water resources suitable headgates and controlling works at the point where their water is diverted. Each device shall be of such construction that it can be locked and kept closed by the watermaster or other officer in charge, and shall also be of such construction as to regulate the flow of water at the diversion point."

Failure to do so may result in the director of water resources instructing the watermaster to shut off and refuse to deliver at the point of diversion, the water owned by such appropriator or user until the user does construct and maintain such headgates, controlling works or measuring devices or remedy the defects which exist.

Repair of this diversion needs to be done prior to the 1998 irrigation season; otherwise we will not deliver any water until repairs are complete.

If we can be of any assistance please feel free to call.

Sincerely,

Lee R. Peterson

Watermaster

#### WATER DISTRICT NO. 37 & 37 M

P.O. Box T Shoshone, Idaho 83352 (208) 886-2451



Kathy Duninick P O Box 2126 Bellevue, Idaho 83313

November 17, 1997

To All Water Users of the Broadford Slough:

The Broadford Slough needs to have a six foot cipolletti weir installed at the head works of the system. The plans for installation need to be reviewed by the Watermaster before installation.

Idaho Code 42-701 states in part:

"The appropriators or users of any public waters of the state of Idaho shall maintain to the satisfaction of the director of the department of water resources suitable headgates and controlling works at the point where their water is diverted. Each device shall be of such construction that it can be locked and kept closed by the watermaster or other officer in charge, and shall also be of such construction as to regulate the flow of water at the diversion point."

Failure to do so may result in the director of water resources instructing the watermaster to shut off and refuse to deliver at the point of diversion, the water owned by such appropriator or user until the user does construct and maintain such headgates, controlling works or measuring devices or remedy the defects which exist.

Repair of this diversion needs to be done prior to the 1998 irrigation season; otherwise we will not deliver any water until repairs are complete.

If we can be of any assistance please feel free to call.

Sincerely,

Lee R. Peterson Watermaster

#### WATER DISTRICT NO. 37 & 37 M

P.O. Box T Shoshone, Idaho 83352 (208) 886-2451



Nick Vanoff 1438 N Gower, Box 21 Hollywood, CA. 90028

November 17, 1997

To All Water Users of the Broadford Slough:

The Broadford Slough needs to have a six foot cipolletti weir installed at the head works of the system. The plans for installation need to be reviewed by the Watermaster before installation.

Idaho Code 42-701 states in part:

"The appropriators or users of any public waters of the state of Idaho shall maintain to the satisfaction of the director of the department of water resources suitable headgates and controlling works at the point where their water is diverted. Each device shall be of such construction that it can be locked and kept closed by the watermaster or other officer in charge, and shall also be of such construction as to regulate the flow of water at the diversion point."

Failure to do so may result in the director of water resources instructing the watermaster to shut off and refuse to deliver at the point of diversion, the water owned by such appropriator or user until the user does construct and maintain such headgates, controlling works or measuring devices or remedy the defects which exist.

Repair of this diversion needs to be done prior to the 1998 irrigation season; otherwise we will not deliver any water until repairs are complete.

If we can be of any assistance please feel free to call.

Sincerely,

Lee R. Peterson

Watermaster

#### WATER DISTRICT NO. 37 & 37 M

P.O. Box T Shoshone, Idaho 83352 (208) 886-2451 LEE R. PETERSON
Watermaster

Robert Bouttier P O Box 476 Bellevue, Idaho 83313

November 17, 1997

To All Water Users of the Broadford Slough:

The Broadford Slough needs to have a six foot cipolletti weir installed at the head works of the system. The plans for installation need to be reviewed by the Watermaster before installation.

Idaho Code 42-701 states in part:

"The appropriators or users of any public waters of the state of Idaho shall maintain to the satisfaction of the director of the department of water resources suitable headgates and controlling works at the point where their water is diverted. Each device shall be of such construction that it can be locked and kept closed by the watermaster or other officer in charge, and shall also be of such construction as to regulate the flow of water at the diversion point."

Failure to do so may result in the director of water resources instructing the watermaster to shut off and refuse to deliver at the point of diversion, the water owned by such appropriator or user until the user does construct and maintain such headgates, controlling works or measuring devices or remedy the defects which exist.

Repair of this diversion needs to be done prior to the 1998 irrigation season; otherwise we will not deliver any water until repairs are complete.

If we can be of any assistance please feel free to call.

Sincerely,

Lee R. Peterson

Watermaster

#### WATER DISTRICT NO. 37 & 37 M

P.O. Box T Shoshone, Idaho 83352 (208) 886-2451



Ralph Girton P O Box 826 Bellevue, Idaho 83313

November 17, 1997

To All Water Users of the Broadford Slough:

The Broadford Slough needs to have a six foot cipolletti weir installed at the head works of the system. The plans for installation need to be reviewed by the Watermaster before installation.

Idaho Code 42-701 states in part:

"The appropriators or users of any public waters of the state of Idaho shall maintain to the satisfaction of the director of the department of water resources suitable headgates and controlling works at the point where their water is diverted. Each device shall be of such construction that it can be locked and kept closed by the watermaster or other officer in charge, and shall also be of such construction as to regulate the flow of water at the diversion point."

Failure to do so may result in the director of water resources instructing the watermaster to shut off and refuse to deliver at the point of diversion, the water owned by such appropriator or user until the user does construct and maintain such headgates, controlling works or measuring devices or remedy the defects which exist.

Repair of this diversion needs to be done prior to the 1998 irrigation season; otherwise we will not deliver any water until repairs are complete.

If we can be of any assistance please feel free to call.

Sincerely,

Lee R. Peterson

Watermaster