

WATER DISTRICT 34
P.O. BOX 53
MACKAY, IDAHO 83251

✓ DM
Gay ✓
RECEIVED
JAN 29 2007
DEPARTMENT OF
WATER RESOURCES

November 21, 2006

Mr. Karl Dreher
322 Front Street
P.O. Box 83720
Boise, Idaho 83720

Dear Mr. Dreher:

The following pages contain the annual report of the distribution of water for the Big Lost River, From November 1, 2005 to October 31, 2006

The Authority to distribute water using water rights in the Basin 34 Directors Report was provided by the Memorandum decision and order granting the Department of Water Resources' motion for interim Administration with Limitation, or decrees issued by the SRBA court.

Very truly yours,



Robert Duke
Watermaster
District #34-Big Lost River

WATER DISTRICT #34
P.O. BOX 53
MACKAY, IDAHO 83251

SUMMARY OF ANNUAL REPORT FOR 2006

Water District #34 experienced another good water year. Recharge started at the beginning of the irrigation season and continued until the first week in July. Spring runoff and spring rains held back the need for irrigation for approximately 3-weeks.

Request for mitigation was not called for in the 2006 irrigation season.

All water rights were called from the beginning of the irrigation season until July 12th when a decree call of 1944 rights was made. The river broke or disconnected above the reservoir on July 17, 2006. The next decree call was on July 20th and dropped to the 9-26-1896 below the reservoir. The next decree call was on July 25th, which dropped the decree call to the all the 1889 water rights. The next decree call was on August 15th, which dropped the decree call to the 9-14-1886 water rights. Early in August it was found that the gates on the Mackay Reservoir could not be closed. Draining of the reservoir had to occur in order to fix the bent "stems" that attach to the control gates. Water rights were raised to all the 1888 decree to allow water users to utilize the additional water available. Water rights above the reservoir were called to the 1944 on the 12th of July. The river broke above on the 17th of July, which put all water rights on above the reservoir. A decree call of 1905 water rights above the reservoir was made on July 31st. On August 3rd another decree call of 1902 was made above the reservoir and remained until the end of the irrigation season.

Recharge efforts was a success as ground water levels raised considerable and the Big Lost River as of late November is still delivering stock water rights to the Arco area. This to me indicates recovery from the past drought conditions are in process.


A new gauging station below Leslie was installed and operating in May and was being posted in June on the Idaho Power web site. The Blaine Diversion Bridge that crosses Highway 93 locates the gauging station. Throughout the irrigation season the flows were monitored and rating curves were being established. The information gathered this season would fine-tune the flows being reported for the upcoming irrigation season in 2007.

The Mackay Reservoir gates were back in operation by October 19th and water was being diverted for storage. With the amount of water in the underground system above the reservoir there is a very good potential the reservoir will fill this winter. It has filled from 3.4 per cent on October 15 to 27 percent on November 20th 2006. A good inflow into the reservoir still remains.

The Howell gauge peaked on May 21st at 4310 cfs

IDWR involvement during the 2006 irrigation gives a positive indication that Water District #34 is improving its general operations.

Robert Duke

A handwritten signature in cursive script, appearing to read "Robert Duke".

Watermaster
Water District #34

**Water District #34
P.O. Box 53
Mackay, ID 83251
2006 Priority Dates**

Above Reservoir

<u>Date</u>	<u>Decree</u>
05-01-06	All Rights
07-12-06	All 1944
07-17-06	All Rights
07-31-06	All 1905
08-03-06	All 1902
10-15-06	Season Ends

Below Reservoir

<u>Date</u>	<u>Decree</u>
05-01-06	All Rights
07-12-06	All 1944
07-20-06	All 1896
07-25-06	All 1889
08-15-06	All 1886
08-30-06	All 1888
10-15-06	Season Ends

INDEX

- 1. BIG LOST RIVER AT HOWELL RANCH GAGING STATION - USGS**
- 2. DIVERSIONS FROM BIG LOST RIVER ABOVE MACKAY RESERVIOR**
- 3. MACKAY RESERVIOR CONTENTS**
- 4. DELIVERIES TO RIVER REACHES IN BIG LOST RIVER**
- 5. DELIVERIES FROM THE BIG LOST TO CANALS**
- 6. DIVERSIONS FROM ANTELOPE, ALDER CREEK, AND PASS CREEK**
- 7. GROUND WATER WELLS PUMPING REPORT USED TO CALCULATE CHARGES FOR THE 2007 BUDGET FOR THE DISTRICT**

Water District #34
P. O. Box 53
Mackay, ID 83251

Clarification of Flow Data
For
Gauging Stations

Reported flows in the attached tables for gauging stations below the Moore Diversion and Arco Canal (or below the Munsey Diversion), were estimated by water district staff. These reported flows are the flows that were entered and used in the IDWR Big Lost River Flow Accounting Program. Flows were estimated by measuring the head of water over concrete diversion dams and application of a weir discharge formula respectively at the Moore-Eastside and Arco-Munsey diversion dams.

The USGS tables titled station number 13120500 Big Lost River At Howell Ranch and station number 13132500 Big Lost River Nr Arco are the final data prepared by the USGS for it's gauging stations located north of the Mackay Reservoir and four miles southeast of Arco, respectively.

Flow reported for the gauging station at Leslie are based on actual 1998 current meter measurements on the Big Lost bridge near Leslie and the development of a stage-discharge rating table by IDWR and the Watermaster. Tables reporting flows for the Big Lost River below the Mackay Reservoir (or the 2B gage) include data as read and recorded daily by the Watermaster and as reported by the USGS.

13127000 BIG LOST BLW MACKAY RES

DISCHARGE, CUBIC FEET PER SECOND, IRRIGATION YEAR NOVEMBER 2005 TO OCTOBER 2006
MEAN VALUES

DAY	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
1	---	---	---	---	---	---	299	1130	821	570	449	387
2	---	---	---	---	---	---	311	1050	789	563	447	393
3	---	---	---	---	---	---	355	976	764	562	445	398
4	---	---	---	---	---	---	379	920	750	562	443	393
5	---	---	---	---	---	---	380	867	717	561	441	395
6	---	---	---	---	---	---	406	831	694	556	438	395
7	---	---	---	---	---	---	423	846	696	550	434	399
8	---	---	---	---	---	---	446	1420	692	546	432	394
9	---	---	---	---	---	---	514	2180	660	538	430	379
10	---	---	---	---	---	---	579	2290	645	534	428	361
11	---	---	---	---	---	---	608	2050	641	529	425	345
12	---	---	---	---	---	---	605	1600	646	523	421	332
13	---	---	---	---	---	---	599	---	649	515	416	315
14	---	---	---	---	---	---	648	1450	653	511	412	297
15	---	---	---	---	---	---	728	1540	658	514	411	228
16	---	---	---	---	---	---	872	1380	656	530	405	---
17	---	---	---	---	---	---	966	1090	655	527	397	---
18	---	---	---	---	---	---	1050	981	659	518	394	---
19	---	---	---	---	---	---	1040	995	658	515	360	---
20	---	---	---	---	---	---	1220	1020	659	512	358.33	---
21	---	---	---	---	---	---	1550	1100	658	513	356.67	---
22	---	---	---	---	---	---	1720	1040	661	513	355	---
23	---	---	---	---	---	---	1870	982	665	507	351	---
24	---	---	---	---	---	---	1900	936	669	503	348	---
25	---	---	---	---	---	---	1830	917	647	499	345	---
26	---	---	---	---	---	---	1540	941	608	484	342	---
27	---	---	---	---	---	---	1320	961	604	475	346	---
28	---	---	---	---	---	295	1270	913	599	469	355	---
29	---	---	---	---	---	291	1260	852	596	456	367	---
30	---	---	---	---	---	289	1300	839	589	451	381	---
31	---	---	---	---	---	---	1240	---	582	451	---	---
TOTAL	---	---	---	---	---	875.0	29,228.0	34,097.0	20,640.0	16,057.0	11,933.0	5,411.0
MEAN	---	---	---	---	---	291.7	942.8	1,175.8	665.8	518.0	397.8	360.7
MIN	---	---	---	---	---	289.0	299.0	831.0	582.0	451.0	342.0	228.0
MAX	---	---	---	---	---	295.0	1,900.0	2,290.0	821.0	570.0	449.0	399.0
AC-FT	---	---	---	---	---	1,735.6	57,973.7	67,631.4	40,939.4	31,849.1	23,669.1	10,732.7

IRRIGATION YEAR 2006 TOTAL CFS:118,241.0 TOTAL AC-FT: 234,531

Annual Summary for Water District: 34 - Big Lost River
(Select Year and Point of Diversion to generate report)

Year of Interest: 2006 Year Type: Irrigation Year Print

Point of Diversion: 548->D->Reno Groundwater Diversion

0 cfs

654 Stoecklein Well

DISCHARGE, CUBIC FEET PER SECOND, IRRIGATION YEAR NOVEMBER 2005 TO OCTOBER 2006

MEAN VALUES

DAY	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
1	---	---	---	---	---	---	---	2	3	2	0	0
2	---	---	---	---	---	---	---	2	3	4	0	0
3	---	---	---	---	---	---	---	2	3.6	4	0	0
4	---	---	---	---	---	---	---	2	3.6	4	0	0
5	---	---	---	---	---	---	---	2	1.8	4	0	0
6	---	---	---	---	---	---	---	2	1.8	4	0	0
7	---	---	---	---	---	---	---	1	1.8	4	0	0
8	---	---	---	---	---	---	---	1	1.8	4	0	0
9	---	---	---	---	---	---	---	1	1.8	4	0	0
10	---	---	---	---	---	---	---	1	2	4	0	0
11	---	---	---	---	---	---	---	1	2	4	0	0
12	---	---	---	---	---	---	---	0	2	4	0	0
13	---	---	---	---	---	---	---	0	2	4	0	0
14	---	---	---	---	---	---	---	2	2	2	0	0
15	---	---	---	---	---	---	1.8	2	2	2	0	0
16	---	---	---	---	---	---	1.8	4	2	2	0	---
17	---	---	---	---	---	---	1.8	4	2	2	0	---
18	---	---	---	---	---	---	1.8	4	2	2	0	---
19	---	---	---	---	---	---	1.8	2	2	2	0	---
20	---	---	---	---	---	---	1.8	2	2	2	0	---
21	---	---	---	---	---	---	1.8	4	0	0	0	---
22	---	---	---	---	---	---	2	4	0	0	0	---
23	---	---	---	---	---	---	2	4	0	0	0	---
24	---	---	---	---	---	---	2.8	4	0.8	0	0	---
25	---	---	---	---	---	---	2.8	4	0.8	0	0	---
26	---	---	---	---	---	---	2.8	3	0.8	0	0	---
27	---	---	---	---	---	---	2.8	3	0.8	0	0	---
28	---	---	---	---	---	---	2.8	3	0.8	0	0	---
29	---	---	---	---	---	---	2	3	0.8	0	0	---
30	---	---	---	---	---	---	2	3	0.8	0	0	---
31	---	---	---	---	---	---	2	---	2	0	---	---
TOTAL	---	---	---	---	---	---	36.6	72.0	51.8	64.0	0.0	0.0
MEAN	---	---	---	---	---	---	2.2	2.4	1.7	2.1	0.0	0.0
MIN	---	---	---	---	---	---	1.8	0.0	0.0	0.0	0.0	0.0
MAX	---	---	---	---	---	---	2.8	4.0	3.6	4.0	0.0	0.0
AC-FT	---	---	---	---	---	---	72.6	142.8	102.7	126.9	0.0	0.0

IRRIGATION YEAR 2006 TOTAL CFS:224.4 TOTAL AC-FT: 445

13120480 Sorensen
DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---	---	---	---	---	---	---	---	---
2	---	---	---	---	---	---	---	---	---	---	---	---
3	---	---	---	---	---	---	---	---	---	---	---	---
4	---	---	---	---	---	---	---	---	---	---	---	---
5	---	---	---	---	---	---	---	---	---	---	---	---
6	---	---	---	---	---	---	---	---	---	---	---	---
7	---	---	---	---	---	---	---	---	---	---	---	---
8	---	---	---	---	---	---	---	---	---	---	---	---
9	---	---	---	---	---	---	---	---	---	---	---	---
10	---	---	---	---	---	---	---	---	---	---	---	---
11	---	---	---	---	---	---	---	---	---	---	---	---
12	---	---	---	---	---	---	---	---	---	---	---	---
13	---	---	---	---	---	---	---	---	---	---	---	---
14	---	---	---	---	---	---	---	---	---	---	---	---
15	---	---	---	---	---	---	---	---	---	---	---	---
16	---	---	---	---	---	---	---	---	---	---	---	---
17	---	---	---	---	---	---	---	---	---	---	---	---
18	---	---	---	---	---	---	---	---	---	---	---	---
19	---	---	---	---	---	---	---	---	---	---	---	---
20	---	---	---	---	---	---	---	---	---	---	---	---
21	---	---	---	---	---	---	---	---	---	---	---	---
22	---	---	---	---	---	---	---	---	---	---	---	---
23	---	---	---	---	---	---	---	---	---	---	---	---
24	---	---	---	---	---	---	---	---	---	---	---	---
25	---	---	---	---	---	---	---	---	---	---	---	---
26	---	---	---	---	---	---	---	---	---	---	---	---
27	---	---	---	---	---	---	---	---	---	---	---	---
28	---	---	---	---	---	---	---	---	---	---	---	---
29	---	---	---	---	---	---	---	---	---	---	---	---
30	---	---	---	---	---	---	---	---	---	---	---	---
31	---	---	---	---	---	---	---	---	---	---	---	---
TOTAL	---	---	---	---	---	---	---	---	---	---	---	---
MEAN	---	---	---	---	---	---	---	---	---	---	---	---
MIN	---	---	---	---	---	---	---	---	---	---	---	---
MAX	---	---	---	---	---	---	---	---	---	---	---	---
AC-FT	---	---	---	---	---	---	---	---	---	---	---	---

WATER YEAR 2006 TOTAL CFS:0.0 TOTAL AC-FT: 0

13120490 HOWELL

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006

MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	1.6	0	0	---	---	---	---	---	1.5	1.6	0	1.2
2	1.6	0	0	---	---	---	---	---	1.5	1.6	0	1.2
3	1.6	0	0	---	---	---	---	0.6	1.5	1.7	0	1.2
4	1.6	0	0	---	---	---	---	0.6	1.5	1.7	0	1
5	1.6	0	0	---	---	---	---	0.6	4.4	1.7	0	1
6	1.6	0	0	---	---	---	---	0.6	4.4	1.7	0	1
7	1.6	0	0	---	---	---	---	0.6	5	1.5	1.2	1
8	1.6	0	0	---	---	---	---	0	5	1.5	1.2	1
9	1.6	0	0	---	---	---	---	0	5.4	1.5	1.2	1
10	1	0	0	---	---	---	---	4	5.4	1.7	1.2	1
11	1	0	0	---	---	---	---	4	5.4	1.7	1.2	1.2
12	1	0	0	---	---	---	---	4.5	3	1.7	1.2	1.2
13	1	0	0	---	---	---	---	4.5	3	1.7	1.2	1.2
14	1	0	0	---	---	---	---	4.5	3	1.7	1.2	1.2
15	1	0	0	---	---	---	---	5	3	1.7	1.2	1.2
16	1	0	0	---	---	---	---	5	2	1.7	1.2	1.2
17	0	0	0	---	---	---	---	5	2	1.6	1.2	1.2
18	0	0	0	---	---	---	---	5	2	1.6	1.2	1.2
19	0	0	0	---	---	---	---	5	2.4	1.5	1.2	1.2
20	0	0	0	---	---	---	---	5	2.4	1.5	1.2	1.2
21	0	0	0	---	---	---	---	5	1.5	1.5	1.2	1.2
22	0	0	0	---	---	---	---	5	1.5	1.5	1.2	0
23	0	0	0	---	---	---	---	5	1.5	1.5	1.2	0
24	0	0	0	---	---	---	---	4	1.5	1.2	1.2	0
25	0	0	0	---	---	---	---	4	1.5	1.2	1.2	1.2
26	0	0	0	---	---	---	---	4	1.6	1.2	1.2	1.2
27	0	0	0	---	---	---	---	4	1.6	1.2	1.2	1.2
28	0	0	0	---	---	---	---	4	1.6	1.2	1.2	1.2
29	0	0	0	---	---	---	---	1.5	1.6	1.2	1.2	1.2
30	0	0	0	---	---	---	---	1.5	1.6	1.2	1.2	1.2
31	0	---	0	---	---	---	---	1.5	---	0	1.2	---
TOTAL	21.4	0.0	0.0	---	---	---	---	94.0	79.3	45.5	30.0	31.0
MEAN	0.7	0.0	0.0	---	---	---	---	3.2	2.6	1.5	1.0	1.0
MIN	0.0	0.0	0.0	---	---	---	---	0.0	1.5	0.0	0.0	0.0
MAX	1.6	0.0	0.0	---	---	---	---	5.0	5.4	1.7	1.2	1.2
AC-FT	42.4	0.0	0.0	---	---	---	---	186.4	157.3	90.2	59.5	61.5

WATER YEAR 2006 TOTAL CFS:301.2 TOTAL AC-FT: 597

13120500 BIG LOST AT HOWELL GAGE

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006

MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	101	---	---	---	---	---	---	814	1140	983	253	128
2	107	---	---	---	---	---	---	864	1410	934	241	126
3	110	---	---	---	---	---	---	796	1910	908	227	122
4	114	---	---	---	---	---	---	808	2240	874	221	120
5	110	---	---	---	---	---	---	756	2680	837	222	119
6	108	---	---	---	---	---	---	843	2430	831	214	125
7	109	---	---	---	---	---	---	935	2770	740	210	127
8	116	---	---	---	---	---	---	948	3450	688	203	139
9	118	---	---	---	---	---	---	923	2860	634	193	148
10	112	---	---	---	---	---	---	869	2230	604	187	154
11	111	---	---	---	---	---	---	948	1820	600	181	140
12	111	---	---	---	---	---	---	1090	1790	592	177	131
13	109	---	---	---	---	---	---	1300	1340	543	177	125
14	108	---	---	---	---	---	---	1470	1870	492	169	123
15	107	---	---	---	---	---	---	1890	1490	480	164	132
16	106	---	---	---	---	---	---	2250	1250	466	165	142
17	---	---	---	---	---	---	---	2440	1230	443	160	138
18	---	---	---	---	---	---	---	2910	1250	437	157	133
19	---	---	---	---	---	---	---	3260	1260	415	154	131
20	---	---	---	---	---	---	---	4150	1290	377	148	163
21	---	---	---	---	---	---	---	4340	1200	370	144	165
22	---	---	---	---	---	---	---	3820	1130	370	142	158
23	---	---	---	---	---	---	---	3000	1140	387	136	150
24	---	---	---	---	---	---	---	2560	1100	436	135	144
25	---	---	---	---	---	---	---	2400	1110	439	136	141
26	---	---	---	---	---	---	---	2400	1200	430	143	138
27	---	---	---	---	---	---	---	2130	1170	361	141	35
28	---	---	---	---	---	---	444	1860	1070	321	135	132
29	---	---	---	---	---	---	550	1610	1030	304	130	130
30	---	---	---	---	---	---	730	1360	1010	286	125	128
31	---	---	---	---	---	---	---	1180	---	268	126	---
TOTAL	1,757.0	---	---	---	---	---	1,724.0	56,924.0	48,870.0	16,850.0	5,316.0	3,987.0
MEAN	109.8	---	---	---	---	---	574.7	1,836.3	1,629.0	543.5	171.5	132.9
MIN	101.0	---	---	---	---	---	444.0	756.0	1,010.0	268.0	125.0	35.0
MAX	118.0	---	---	---	---	---	730.0	4,340.0	3,450.0	983.0	253.0	165.0
AC-FT	3,485.0	---	---	---	---	---	3,419.6	112,908.8	96,933.6	33,422.0	10,544.3	7,908.2

WATER YEAR 2006 TOTAL CFS:135,428.0 TOTAL AC-FT: 268,621

13120605 KENT

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006

MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---	---	---	---	12	1.6	2.4	0	0
2	---	---	---	---	---	---	---	12	1.6	2.4	0	0
3	---	---	---	---	---	---	---	8.5	1.6	1.2	0	0
4	---	---	---	---	---	---	---	8.5	1.6	1.2	0	0
5	---	---	---	---	---	---	---	8.5	5	0.8	0	0
6	---	---	---	---	---	---	---	8.5	5	0.8	0	0
7	---	---	---	---	---	---	---	8.5	5	0	0	0
8	---	---	---	---	---	---	---	10	5	0	0	0
9	---	---	---	---	---	---	---	10	3	0	0	0
10	---	---	---	---	---	---	---	10	3	0.8	0	0
11	---	---	---	---	---	---	---	10	3	0.8	0	0
12	---	---	---	---	---	---	---	5.8	4	0	0	0
13	---	---	---	---	---	---	---	5.8	4	0	0	0
14	---	---	---	---	---	---	---	5.8	3.2	0	0	0
15	---	---	---	---	---	---	---	1.2	3.2	0	0	0
16	---	---	---	---	---	---	---	1.2	3.2	0	0	0
17	---	---	---	---	---	---	---	1.2	3.2	0	0	0
18	---	---	---	---	---	---	---	1.2	3.2	0	0	0
19	---	---	---	---	---	---	---	1.2	2.8	0	0	0
20	---	---	---	---	---	---	---	1.2	2.8	0	0	0
21	---	---	---	---	---	---	---	1.2	2.4	0	0	0
22	---	---	---	---	---	---	---	1.2	2.4	0	0	0
23	---	---	---	---	---	---	---	1.2	2.4	0	0	0
24	---	---	---	---	---	---	---	6	2.4	0	0	0
25	---	---	---	---	---	---	---	6	2.4	0	0	0
26	---	---	---	---	---	---	---	6	2.5	0	0	0
27	---	---	---	---	---	---	---	6	2.5	0	0	0
28	---	---	---	---	---	---	---	6	2.5	0	0	0
29	---	---	---	---	---	---	---	1.6	2.4	0	0	0
30	---	---	---	---	---	---	---	1.6	2.4	0	0	0
31	---	---	---	---	---	---	---	1.6	---	0	0	---
TOTAL	---	---	---	---	---	---	---	169.5	89.3	10.4	0.0	0.0
MEAN	---	---	---	---	---	---	---	5.5	3.0	0.3	0.0	0.0
MIN	---	---	---	---	---	---	---	1.2	1.6	0.0	0.0	0.0
MAX	---	---	---	---	---	---	---	12.0	5.0	2.4	0.0	0.0
AC-FT	---	---	---	---	---	---	---	336.2	177.1	20.6	0.0	0.0

WATER YEAR 2006 TOTAL CFS:269.2 TOTAL AC-FT: 534

13120735 BITTON

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006

MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---	---	---	---	---	1.5	0	0	0
2	---	---	---	---	---	---	---	---	1.5	0	0	0
3	---	---	---	---	---	---	---	4	1.5	0.4	0	0
4	---	---	---	---	---	---	---	4	1.5	0.4	0	0
5	---	---	---	---	---	---	---	4	6	0	0	0
6	---	---	---	---	---	---	---	4	6	0	0	0
7	---	---	---	---	---	---	---	4	5	0	0	0
8	---	---	---	---	---	---	---	2.6	5	0	0	0
9	---	---	---	---	---	---	---	2.6	4	0	0	0
10	---	---	---	---	---	---	---	2.6	4	0	0	0
11	---	---	---	---	---	---	---	2.6	4	0	0	0
12	---	---	---	---	---	---	---	7	5.6	0	0	0
13	---	---	---	---	---	---	---	7	5.6	0	0	0
14	---	---	---	---	---	---	---	7	5	0	0	0
15	---	---	---	---	---	---	---	12	5	0	0	0
16	---	---	---	---	---	---	---	12	0.6	0	0	0
17	---	---	---	---	---	---	---	12	0.6	0	0	0
18	---	---	---	---	---	---	---	12	0.6	0	0	0
19	---	---	---	---	---	---	---	12	2	0	0	0
20	---	---	---	---	---	---	---	12	2	0	0	0
21	---	---	---	---	---	---	---	12	0.6	0	0	0
22	---	---	---	---	---	---	---	6	0.6	0	0	0
23	---	---	---	---	---	---	---	6	0.2	0	0	0
24	---	---	---	---	---	---	---	5.6	0.2	0	0	0
25	---	---	---	---	---	---	---	5.6	0.2	0	0	0
26	---	---	---	---	---	---	---	5.6	0.4	0	0	0
27	---	---	---	---	---	---	---	5.6	0.4	0	0	0
28	---	---	---	---	---	---	---	5.6	0.4	0	0	0
29	---	---	---	---	---	---	---	1.5	0.4	0	0	0
30	---	---	---	---	---	---	---	1.5	0	0	0	0
31	---	---	---	---	---	---	---	1.5	---	0	0	---
TOTAL	---	---	---	---	---	---	---	179.9	70.4	0.8	0.0	0.0
MEAN	---	---	---	---	---	---	---	6.2	2.3	0.0	0.0	0.0
MIN	---	---	---	---	---	---	---	1.5	0.0	0.0	0.0	0.0
MAX	---	---	---	---	---	---	---	12.0	6.0	0.4	0.0	0.0
AC-FT	---	---	---	---	---	---	---	356.8	139.6	1.6	0.0	0.0

WATER YEAR 2006 TOTAL CFS:251.1 TOTAL AC-FT: 498

13120745 Anderson

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006

MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---	---	---	---	6	---	0	2.2	3.6
2	---	---	---	---	---	---	---	6	---	0	2.2	3.6
3	---	---	---	---	---	---	---	6	---	0	2.2	3.6
4	---	---	---	---	---	---	---	6	---	0	2.2	2.4
5	---	---	---	---	---	---	---	6	---	0	2.2	2.4
6	---	---	---	---	---	---	---	6	---	0	2.2	2.4
7	---	---	---	---	---	---	---	6	4	0	3.2	2.4
8	---	---	---	---	---	---	---	3	4	0	3.2	2.4
9	---	---	---	---	---	---	---	3	4	0	3.2	2.4
10	---	---	---	---	---	---	---	3	4	0	3.2	2.4
11	---	---	---	---	---	---	---	3	4	0	3.2	4.8
12	---	---	---	---	---	---	---	3	4.2	0	3.2	4.8
13	---	---	---	---	---	---	---	3	4.2	0	3.2	4.8
14	---	---	---	---	---	---	---	3	4	0	2.4	4.8
15	---	---	---	---	---	---	---	3.2	4	0	2.4	3.6
16	---	---	---	---	---	---	---	3.2	0	0	2.4	3.6
17	---	---	---	---	---	---	---	3.2	0	2.4	2.4	3.6
18	---	---	---	---	---	---	---	3.2	0	2.4	2.4	3.6
19	---	---	---	---	---	---	---	3.2	0	2.2	2.4	3.6
20	---	---	---	---	---	---	---	3.2	0	2.2	2.4	3.6
21	---	---	---	---	---	---	---	3.2	0	2.2	4.4	3.6
22	---	---	---	---	---	---	---	2.4	0	2.2	4.4	3.6
23	---	---	---	---	---	---	---	2.4	0	2.2	4.4	3.6
24	---	---	---	---	---	---	---	2.4	0	2.4	4.4	3.6
25	---	---	---	---	---	---	---	2.4	0	2.4	4.4	3.2
26	---	---	---	---	---	---	---	2.4	0	2.4	4.4	3.2
27	---	---	---	---	---	---	---	2.4	0	2.4	4.4	3.2
28	---	---	---	---	---	---	---	2.4	0	2	4	3.2
29	---	---	---	---	---	---	---	---	0	2	4	3.2
30	---	---	---	---	---	---	---	---	0	2	4	3.2
31	---	---	---	---	---	---	---	---	---	2.2	4	---
TOTAL	---	---	---	---	---	---	---	102.2	36.4	33.6	99.2	102.0
MEAN	---	---	---	---	---	---	---	3.7	1.5	1.1	3.2	3.4
MIN	---	---	---	---	---	---	---	2.4	0.0	0.0	2.2	2.4
MAX	---	---	---	---	---	---	---	6.0	4.2	2.4	4.4	4.8
AC-FT	---	---	---	---	---	---	---	202.7	72.2	66.6	196.8	202.3

WATER YEAR 2006 TOTAL CFS:373.4 TOTAL AC-FT: 741

13120755 Thalman Hunter Ditch

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006

MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---	---	---	---	8	2	1.6	2.4	1.6
2	---	---	---	---	---	---	---	8	2	1.6	2.4	1.6
3	---	---	---	---	---	---	---	8	2	1.2	2.4	1.6
4	---	---	---	---	---	---	---	8	2	1.2	2.4	1.6
5	---	---	---	---	---	---	---	8	2	1.2	2.4	1.6
6	---	---	---	---	---	---	---	8	2	1.2	2.4	1.6
7	---	---	---	---	---	---	---	8	3.2	1	2.4	1.6
8	---	---	---	---	---	---	---	8	3.2	1	2.4	1.6
9	---	---	---	---	---	---	---	8	3.2	1	2.4	1.6
10	---	---	---	---	---	---	---	8	3.2	1.6	2.4	1.6
11	---	---	---	---	---	---	---	8	3.2	1.6	2.4	2
12	---	---	---	---	---	---	---	8.4	6.8	1.6	2.4	2
13	---	---	---	---	---	---	---	8.4	6.8	1.6	2.4	2
14	---	---	---	---	---	---	---	8.4	6	1.6	1.8	2
15	---	---	---	---	---	---	---	8	6	1.6	1.8	1.6
16	---	---	---	---	---	---	---	8	4	1.6	1.8	1.6
17	---	---	---	---	---	---	---	8	4	1.2	1.8	1.6
18	---	---	---	---	---	---	---	8	4	1.2	1.8	1.6
19	---	---	---	---	---	---	---	8	2.8	1.2	1.8	1.6
20	---	---	---	---	---	---	---	8	2.8	1.2	1.8	1.6
21	---	---	---	---	---	---	---	8	2	1.2	2	1.6
22	---	---	---	---	---	---	---	5	2	1.2	2	1.6
23	---	---	---	---	---	---	---	5	2	1.2	2	1.6
24	---	---	---	---	---	---	---	5	2	3.2	2	1.6
25	---	---	---	---	---	---	---	5	2	3.2	2	1.6
26	---	---	---	---	---	---	---	5	2	3.2	2	1.6
27	---	---	---	---	---	---	---	5	2	3.2	2	1.6
28	---	---	---	---	---	---	---	5	2	3.2	2	1.6
29	---	---	---	---	---	---	---	2	2	3.2	2	1.6
30	---	---	---	---	---	---	---	2	1.6	3.2	2	1.6
31	---	---	---	---	---	---	---	2	---	2.4	2	---
TOTAL	---	---	---	---	---	---	---	210.2	90.8	55.4	65.8	49.6
MEAN	---	---	---	---	---	---	---	6.8	3.0	1.8	2.1	1.7
MIN	---	---	---	---	---	---	---	2.0	1.6	1.0	1.8	1.6
MAX	---	---	---	---	---	---	---	8.4	6.8	3.2	2.4	2.0
AC-FT	---	---	---	---	---	---	---	416.9	180.1	109.9	130.5	98.4

WATER YEAR 2006 TOTAL CFS:471.8 TOTAL AC-FT: 936

13120765 Johnson/Hatmaker

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---	---	---	---	0.4	1.2	0.4	0	0
2	---	---	---	---	---	---	---	0.4	1.2	0.4	0	0
3	---	---	---	---	---	---	---	0.4	1.2	0.8	0	0
4	---	---	---	---	---	---	---	0.4	1.2	0.8	0	0
5	---	---	---	---	---	---	---	0.4	2	0.8	0	0
6	---	---	---	---	---	---	---	0.4	2	0.8	0	0
7	---	---	---	---	---	---	---	0.4	2.4	0.8	0	0
8	---	---	---	---	---	---	---	3.2	2.4	0.8	0	0
9	---	---	---	---	---	---	---	3.2	2.4	0.8	0	0
10	---	---	---	---	---	---	---	3.2	2.4	0.4	0	0
11	---	---	---	---	---	---	---	3.2	2.4	0.4	0	0
12	---	---	---	---	---	---	---	3.2	1.8	0.4	0	0
13	---	---	---	---	---	---	---	3.2	1.8	0.4	0	0
14	---	---	---	---	---	---	---	3.2	1.6	0.4	0	0
15	---	---	---	---	---	---	---	3.2	1.6	0.4	0	0
16	---	---	---	---	---	---	---	3.2	1	0.4	0	0
17	---	---	---	---	---	---	---	3.2	1	0.2	0	0
18	---	---	---	---	---	---	---	3.2	1	0.2	0	0
19	---	---	---	---	---	---	---	3.2	1.2	0.2	0	0
20	---	---	---	---	---	---	---	3.2	1.2	0.2	0	0
21	---	---	---	---	---	---	---	3.2	0.8	0.2	0	0
22	---	---	---	---	---	---	---	1.6	0.8	0.2	0	0
23	---	---	---	---	---	---	---	1.6	0.6	0.2	0	0
24	---	---	---	---	---	---	---	1.6	0.6	0	0	0
25	---	---	---	---	---	---	---	1.6	0.6	0	0	0
26	---	---	---	---	---	---	---	1.6	0.6	0	0	0
27	---	---	---	---	---	---	---	1.6	0.6	0	0	0
28	---	---	---	---	---	---	---	1.6	0.5	0	0	0
29	---	---	---	---	---	---	---	1.2	0.5	0	0	0
30	---	---	---	---	---	---	---	1.2	0.4	0	0	0
31	---	---	---	---	---	---	---	1.2	---	0	0	---
TOTAL	---	---	---	---	---	---	---	62.4	39.0	10.6	0.0	0.0
MEAN	---	---	---	---	---	---	---	2.0	1.3	0.3	0.0	0.0
MIN	---	---	---	---	---	---	---	0.4	0.4	0.0	0.0	0.0
MAX	---	---	---	---	---	---	---	3.2	2.4	0.8	0.0	0.0
AC-FT	---	---	---	---	---	---	---	123.8	77.4	21.0	0.0	0.0

WATER YEAR 2006 TOTAL CFS:112.0 TOTAL AC-FT: 222

13120805 NEILSEN

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	18	0	0	---	---	---	---	22	33	40	25.8	32
2	18	0	0	---	---	---	---	22	37	40	20	32
3	18	0	0	---	---	---	---	22	37	33	20	32
4	18	0	0	---	---	---	---	22	37	33	34	32
5	18	0	0	---	---	---	---	22	56	32	34	32
6	17	0	0	---	---	---	---	22	56	32	34	31
7	17	0	0	---	---	---	---	22	54	32	35	31
8	17	0	0	---	---	---	---	22.8	54	32	35	29.2
9	17	0	0	---	---	---	---	22.8	54	32	31	29.2
10	10	0	0	---	---	---	---	25.4	54	28	31	29.2
11	10	0	0	---	---	---	---	25.4	54	28	28.8	50
12	10	0	0	---	---	---	26	50	38.6	14	28.8	50
13	10	0	0	---	---	---	26	50	38.6	14	28.8	36
14	10	0	0	---	---	---	26	50	38.6	28	22.8	36
15	10	0	0	---	---	---	26	43.2	38.6	28	22.8	36
16	6	0	0	---	---	---	26	43.2	37.2	28	22.8	36
17	0	0	0	---	---	---	26	36	37.2	27	22.8	36
18	0	0	0	---	---	---	26	36	37.2	27	22.8	47
19	0	0	0	---	---	---	26	44	44	27	22.8	47
20	0	0	0	---	---	---	26	44	44	27	22.8	47
21	0	0	0	---	---	---	26	44	35.8	22.8	17.2	47
22	0	0	0	---	---	---	26	38	35.8	22.8	17.2	48
23	0	0	0	---	---	---	26	38	35.8	22.8	16	48
24	0	0	0	---	---	---	28	32	35.8	38	16	48
25	0	0	0	---	---	---	28	32	35.8	38	32	22
26	0	0	0	---	---	---	28	28	38	40	32	22
27	0	0	0	---	---	---	28	28	38	40	32	20
28	0	0	0	---	---	---	28.4	28	40	25.4	34	20
29	0	0	0	---	---	---	28.4	32	40	25.4	34	20
30	0	0	0	---	---	---	28.4	32	40	25.4	32	20
31	0	---	0	---	---	---	---	33	---	25.8	32	---

TOTAL	224.0	0.0	0.0	---	---	---	509.2	1,011.8	1,255.0	908.4	840.2	1,045.6
MEAN	7.2	0.0	0.0	---	---	---	26.8	32.6	41.8	29.3	27.1	34.9
MIN	0.0	0.0	0.0	---	---	---	26.0	22.0	33.0	14.0	16.0	20.0
MAX	18.0	0.0	0.0	---	---	---	28.4	50.0	56.0	40.0	35.0	50.0
AC-FT	444.3	0.0	0.0	---	---	---	1,010.0	2,006.9	2,489.3	1,801.8	1,666.5	2,073.9

WATER YEAR 2006 TOTAL CFS:5,794.2 TOTAL AC-FT: 11,493

13120905 Bradshaw 2

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---	---	---	---	8	4	3.6	0	0
2	---	---	---	---	---	---	---	8	4	3.6	0	0
3	---	---	---	---	---	---	---	8	4	4	0	0
4	---	---	---	---	---	---	---	8	4	4	0	0
5	---	---	---	---	---	---	---	8	6	4	0	0
6	---	---	---	---	---	---	---	8	6	4	0	0
7	---	---	---	---	---	---	---	8	6	4	0	0
8	---	---	---	---	---	---	---	5.8	6	4	0	0
9	---	---	---	---	---	---	---	5.8	6	4	0	0
10	---	---	---	---	---	---	---	5.8	6	4	0	0
11	---	---	---	---	---	---	---	5.8	6	4	0	0
12	---	---	---	---	---	---	---	5.8	4	4	0	0
13	---	---	---	---	---	---	---	5.8	4	4	0	0
14	---	---	---	---	---	---	---	5.8	4	4	0	0
15	---	---	---	---	---	---	---	9	4	4	0	0
16	---	---	---	---	---	---	---	9	4	4	0	0
17	---	---	---	---	---	---	---	9	4	0	0	0
18	---	---	---	---	---	---	---	9	4	0	0	0
19	---	---	---	---	---	---	---	9	4	0	0	0
20	---	---	---	---	---	---	---	9	4	0	0	0
21	---	---	---	---	---	---	---	9	4	0	0	0
22	---	---	---	---	---	---	---	5	4	0	0	0
23	---	---	---	---	---	---	---	5	4	0	0	0
24	---	---	---	---	---	---	---	5	4	0	0	0
25	---	---	---	---	---	---	---	5	4	0	0	0
26	---	---	---	---	---	---	---	5	3.6	0	0	0
27	---	---	---	---	---	---	---	5	3.6	0	0	0
28	---	---	---	---	---	---	---	5	3.6	0	0	0
29	---	---	---	---	---	---	---	4	3.6	0	0	0
30	---	---	---	---	---	---	---	4	3.6	0	0	0
31	---	---	---	---	---	---	---	4	---	0	0	---
TOTAL	---	---	---	---	---	---	---	206.6	132.0	63.2	0.0	0.0
MEAN	---	---	---	---	---	---	---	6.7	4.4	2.0	0.0	0.0
MIN	---	---	---	---	---	---	---	4.0	3.6	0.0	0.0	0.0
MAX	---	---	---	---	---	---	---	9.0	6.0	4.0	0.0	0.0
AC-FT	---	---	---	---	---	---	---	409.8	261.8	125.4	0.0	0.0

WATER YEAR 2006 TOTAL CFS:401.8 TOTAL AC-FT: 797

13121105 CHILLY

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	30	0	0	---	---	---	---	68	68	122	48	33
2	30	0	0	---	---	---	---	68	74	122	48	33
3	27	0	0	---	---	---	---	60	74	120	48	33
4	27	0	0	---	---	---	---	60	74	120	48	26
5	27	0	0	---	---	---	---	56	78	114	48	26
6	30	0	0	---	---	---	---	56	78	114	48	27
7	30	0	0	---	---	---	---	56	70	64	44	27
8	30	0	0	---	---	---	---	56	70	64	44	42
9	30	0	0	---	---	---	---	56	124	64	43	42
10	26	0	0	---	---	---	---	52	124	68	43	42
11	26	0	0	---	---	---	---	52	124	68	40	60
12	26	0	0	---	---	---	30	52	136	66	40	60
13	26	0	0	---	---	---	30	52	136	66	40	48
14	26	0	0	---	---	---	30	52	136	62	44	48
15	26	0	0	---	---	---	30	78	136	62	44	36
16	10	0	0	---	---	---	48	78	128	62	44	36
17	0	0	0	---	---	---	48	80	128	60	44	36
18	0	0	0	---	---	---	48	80	128	60	44	62
19	0	0	0	---	---	---	48	80	128	58	44	62
20	0	0	0	---	---	---	48	80	128	58	44	62
21	0	0	0	---	---	---	48	80	130	53	46	62
22	0	0	0	---	---	---	48	76	130	53	46	62
23	0	0	0	---	---	---	48	76	128	53	43	62
24	0	0	0	---	---	---	---	68	128	56	43	62
25	0	0	0	---	---	---	60	68	128	56	37	36
26	0	0	0	---	---	---	60	66	124	58	37	36
27	0	0	0	---	---	---	60	66	124	58	37	36
28	0	0	0	---	---	---	64	66	122	52	39	36
29	0	0	0	---	---	---	64	66	122	52	39	38
30	0	0	0	---	---	---	64	66	122	52	33	38
31	0	---	0	---	---	---	---	68	---	48	33	---
TOTAL	427.0	0.0	0.0	---	---	---	876.0	2,038.0	3,400.0	2,185.0	1,323.0	1,309.0
MEAN	13.8	0.0	0.0	---	---	---	48.7	65.7	113.3	70.5	42.7	43.6
MIN	0.0	0.0	0.0	---	---	---	30.0	52.0	68.0	48.0	33.0	26.0
MAX	30.0	0.0	0.0	---	---	---	64.0	80.0	136.0	122.0	48.0	62.0
AC-FT	847.0	0.0	0.0	---	---	---	1,737.5	4,042.4	6,743.9	4,333.9	2,624.2	2,596.4

WATER YEAR 2006 TOTAL CFS:11,558.0 TOTAL AC-FT: 22,925

13121405 Cherian

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006

MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---	---	---	---	---	---	0.5	0	0.2
2	---	---	---	---	---	---	---	---	---	0.5	0	0.2
3	---	---	---	---	---	---	---	---	---	0	0	0.2
4	---	---	---	---	---	---	---	---	---	0	0	0
5	---	---	---	---	---	---	---	---	0.5	0	0.24	0
6	---	---	---	---	---	---	---	---	0	0	0.24	0
7	---	---	---	---	---	---	---	---	0	0	0	0
8	---	---	---	---	---	---	---	---	0	0.5	0	0
9	---	---	---	---	---	---	---	---	0	0.5	0	0.2
10	---	---	---	---	---	---	---	---	0.5	0	0	0.2
11	---	---	---	---	---	---	---	---	0.5	0	0	0
12	---	---	---	---	---	---	---	---	0	0	0.2	0
13	---	---	---	---	---	---	---	---	0	0	0.2	0
14	---	---	---	---	---	---	---	---	0	0	0	0
15	---	---	---	---	---	---	---	---	0	0.5	0	0
16	---	---	---	---	---	---	---	---	0	0.5	0	0.2
17	---	---	---	---	---	---	---	---	0.5	0	0	0.2
18	---	---	---	---	---	---	---	---	0.5	0	0	0
19	---	---	---	---	---	---	---	---	0	0	0.2	0
20	---	---	---	---	---	---	---	---	0	0	0.2	0
21	---	---	---	---	---	---	---	---	0	0	0	0
22	---	---	---	---	---	---	---	---	0	0.5	0	0
23	---	---	---	---	---	---	---	---	0	0.5	0	0.2
24	---	---	---	---	---	---	---	---	0.5	0	0	0.2
25	---	---	---	---	---	---	---	---	0.5	0	0	0
26	---	---	---	---	---	---	---	---	0	0	0.2	0
27	---	---	---	---	---	---	---	---	0	0	0.2	0
28	---	---	---	---	---	---	---	---	0	0	0	0
29	---	---	---	---	---	---	---	---	0	0.5	0	0
30	---	---	---	---	---	---	---	---	0	0.5	0	0.2
31	---	---	---	---	---	---	---	---	---	0	0	---

TOTAL	---	---	---	---	---	---	---	---	3.5	5.0	1.7	2.0
MEAN	---	---	---	---	---	---	---	---	0.1	0.2	0.1	0.1
MIN	---	---	---	---	---	---	---	---	0.0	0.0	0.0	0.0
MAX	---	---	---	---	---	---	---	---	0.5	0.5	0.2	0.2
AC-FT	---	---	---	---	---	---	---	---	6.9	9.9	3.4	4.0

WATER YEAR 2006 TOTAL CFS:12.2 TOTAL AC-FT: 24

13121505 LONGHURST

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006

MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---	---	---		14	20	24	0	0
2	---	---	---	---	---	---	---	14	22	24	0	0
3	---	---	---	---	---	---	---	24	22	14	0	0
4	---	---	---	---	---	---	---	24	22	14	0	0
5	---	---	---	---	---	---	---	24	24	12	0	0
6	---	---	---	---	---	---	---	24	24	12	0	0
7	---	---	---	---	---	---	---	24	24	12	0	0
8	---	---	---	---	---	---	---	31.4	24	12	0	0
9	---	---	---	---	---	---	---	31.4	30	12	0	0
10	---	---	---	---	---	---	---	26	30	0.8	0	0
11	---	---	---	---	---	---	---	26	30	0.8	0	0
12	---	---	---	---	---	---	---	26	20	0	0	0
13	---	---	---	---	---	---	---	26	20	0	0	0
14	---	---	---	---	---	---	---	26	25	0	0	0
15	---	---	---	---	---	---	---	30	25	0	0	0
16	---	---	---	---	---	---	---	30	25	0	0	0
17	---	---	---	---	---	---	---	30	25	0	0	0
18	---	---	---	---	---	---	---	30	25	0	0	0
19	---	---	---	---	---	---	---	30	25	0	0	0
20	---	---	---	---	---	---	---	30	25	0	0	0
21	---	---	---	---	---	---	---	30	22	0	0	0
22	---	---	---	---	---	---	---	28	22	0	0	0
23	---	---	---	---	---	---	---	28	20.8	0	0	0
24	---	---	---	---	---	---	---	28	20.8	0	0	0
25	---	---	---	---	---	---	---	28	20.8	0	0	0
26	---	---	---	---	---	---	---	28	26	0	0	0
27	---	---	---	---	---	---	---	28	26	0	0	0
28	---	---	---	---	---	---	---	28	24	0	0	0
29	---	---	---	---	---	---	---	20	24	0	0	0
30	---	---	---	---	---	---	---	20	24	0	0	0
31	---	---	---	---	---	---	---	20	---	0	0	---
TOTAL	---	---	---	---	---	---	---	806.8	717.4	137.6	0.0	0.0
MEAN	---	---	---	---	---	---	---	26.0	23.9	4.4	0.0	0.0
MIN	---	---	---	---	---	---	---	14.0	20.0	0.0	0.0	0.0
MAX	---	---	---	---	---	---	---	31.4	30.0	24.0	0.0	0.0
AC-FT	---	---	---	---	---	---	---	1,600.3	1,423.0	272.9	0.0	0.0

WATER YEAR 2006 TOTAL CFS:1,661.8 TOTAL AC-FT: 3,296

13122205 Mountain Springs Ranch 3

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006

MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---	---	---	---	10	---	0.4	2.4	0
2	---	---	---	---	---	---	---	10	---	0.4	1.2	0
3	---	---	---	---	---	---	---	10	---	0	1.2	0
4	---	---	---	---	---	---	---	10	---	0	1	0
5	---	---	---	---	---	---	---	10	---	6	1	0
6	---	---	---	---	---	---	---	10	---	6	1	0
7	---	---	---	---	---	---	---	10	7	10	0	0
8	---	---	---	---	---	---	---	0	7	10	0	0
9	---	---	---	---	---	---	---	0	8	10	0	0
10	---	---	---	---	---	---	---	0	8	8	0	0
11	---	---	---	---	---	---	---	0	8	8	0	0
12	---	---	---	---	---	---	---	0	2	7	0	0
13	---	---	---	---	---	---	---	0	2	7	0	0
14	---	---	---	---	---	---	---	0	3	3	0	0
15	---	---	---	---	---	---	---	5	3	3	0	0
16	---	---	---	---	---	---	---	5	3	3	0	0
17	---	---	---	---	---	---	---	5	3	2	0	0
18	---	---	---	---	---	---	---	5	3	2	0	0
19	---	---	---	---	---	---	---	5	1.2	1.5	0	0
20	---	---	---	---	---	---	---	5	1.2	1.5	0	0
21	---	---	---	---	---	---	---	5	0.8	0.2	0	0
22	---	---	---	---	---	---	---	8	0.8	0.2	0	0
23	---	---	---	---	---	---	---	8	0.4	0.2	0	0
24	---	---	---	---	---	---	10	8	0.4	4	0	0
25	---	---	---	---	---	---	10	8	0.4	4	0	0
26	---	---	---	---	---	---	10	8	0.8	4	0	0
27	---	---	---	---	---	---	10	8	0.8	4	0	0
28	---	---	---	---	---	---	15	8	0.8	3.6	0	0
29	---	---	---	---	---	---	15	---	0.8	3.6	0	0
30	---	---	---	---	---	---	15	---	0.4	3.6	0	0
31	---	---	---	---	---	---	---	---	---	2.4	0	---
TOTAL												
MEAN												
MIN												
MAX												
AC-FT												
TOTAL												
MEAN												
MIN												
MAX												
AC-FT												

WATER YEAR 2006 TOTAL CFS:438.2 TOTAL AC-FT: 869

13122230 Donahue 1

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006

MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---	---	---	---	---	2	1	0	0
2	---	---	---	---	---	---	---	---	2	1	0	0
3	---	---	---	---	---	---	---	---	2	0.6	0	0
4	---	---	---	---	---	---	---	---	2	0.6	0	0
5	---	---	---	---	---	---	---	---	3.2	0.6	0	0
6	---	---	---	---	---	---	---	---	3.2	0.6	0	0
7	---	---	---	---	---	---	---	---	3.2	0.6	0	0
8	---	---	---	---	---	---	---	---	3.2	0.6	0	0
9	---	---	---	---	---	---	---	---	3.2	0.6	0	0
10	---	---	---	---	---	---	---	0.8	3.2	0.6	0	0
11	---	---	---	---	---	---	---	0.8	3.2	0.6	0	0
12	---	---	---	---	---	---	---	0.8	0	0.6	0	0
13	---	---	---	---	---	---	---	0.8	0	0.6	0	0
14	---	---	---	---	---	---	---	0.8	0	0.6	0	0
15	---	---	---	---	---	---	---	3.2	0	0.6	0	0
16	---	---	---	---	---	---	---	3.2	0	0.6	0	0
17	---	---	---	---	---	---	---	3.2	0	0	0	0
18	---	---	---	---	---	---	---	3.2	0	0	0	0
19	---	---	---	---	---	---	---	3.2	2.4	0	0	0
20	---	---	---	---	---	---	---	3.2	2.4	0	0	0
21	---	---	---	---	---	---	---	3.2	2.4	0	0	0
22	---	---	---	---	---	---	---	0.8	2.4	0	0	0
23	---	---	---	---	---	---	---	0.8	2.4	0	0	0
24	---	---	---	---	---	---	---	0.8	2.4	0.6	0	0
25	---	---	---	---	---	---	---	0.8	2.4	0.6	0	0
26	---	---	---	---	---	---	---	0.8	1	0.6	0	0
27	---	---	---	---	---	---	---	0.8	1	0.6	0	0
28	---	---	---	---	---	---	---	0.8	1	0.6	0	0
29	---	---	---	---	---	---	---	2	1	0.6	0	0
30	---	---	---	---	---	---	---	2	1	0.6	0	0
31	---	---	---	---	---	---	---	2	---	0	0	---
TOTAL	---	---	---	---	---	---	---	38.0	52.2	14.6	0.0	0.0
MEAN	---	---	---	---	---	---	---	1.7	1.7	0.5	0.0	0.0
MIN	---	---	---	---	---	---	---	0.8	0.0	0.0	0.0	0.0
MAX	---	---	---	---	---	---	---	3.2	3.2	1.0	0.0	0.0
AC-FT	---	---	---	---	---	---	---	75.4	103.5	29.0	0.0	0.0

WATER YEAR 2006 TOTAL CFS:104.8 TOTAL AC-FT: 208

13122245 Zollinger 1

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006

MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---	---	---	---	---	2	2.8	0	0
2	---	---	---	---	---	---	---	---	2	2.8	0	0
3	---	---	---	---	---	---	---	---	2	4.8	0	0
4	---	---	---	---	---	---	---	---	2	4.8	0	0
5	---	---	---	---	---	---	---	---	2	4.8	0	0
6	---	---	---	---	---	---	---	---	2	4.8	0	0
7	---	---	---	---	---	---	---	---	4	4.8	1.6	0
8	---	---	---	---	---	---	---	---	4	4.8	1.6	0
9	---	---	---	---	---	---	---	---	5	4.8	1.6	0
10	---	---	---	---	---	---	---	5	5	2	1.6	0
11	---	---	---	---	---	---	---	5	5	2	1.6	0
12	---	---	---	---	---	---	---	5	2	2	1.6	0
13	---	---	---	---	---	---	---	5	2	2	1.6	0
14	---	---	---	---	---	---	---	5	4	1.6	0	0
15	---	---	---	---	---	---	---	6	4	1.6	0	0
16	---	---	---	---	---	---	---	6	2	0	0	0
17	---	---	---	---	---	---	---	6	2	0	0	0
18	---	---	---	---	---	---	---	6	2	0	0	0
19	---	---	---	---	---	---	---	6	4.8	0	0	0
20	---	---	---	---	---	---	---	6	4.8	0	0	0
21	---	---	---	---	---	---	---	6	4	0	0	0
22	---	---	---	---	---	---	---	6	4	0	0	0
23	---	---	---	---	---	---	---	6	4	0	0	0
24	---	---	---	---	---	---	---	6	4	1.4	0	0
25	---	---	---	---	---	---	---	6	4	1.4	0	0
26	---	---	---	---	---	---	---	6	2.8	1.4	0	0
27	---	---	---	---	---	---	---	6	2.8	1.4	0	0
28	---	---	---	---	---	---	---	6	2.8	1.4	0	0
29	---	---	---	---	---	---	---	2	2.8	1.4	0	0
30	---	---	---	---	---	---	---	2	2.8	1.4	0	0
31	---	---	---	---	---	---	---	2	---	0	0	---
TOTAL	---	---	---	---	---	---	---	115.0	96.6	60.2	11.2	0.0
MEAN	---	---	---	---	---	---	---	5.2	3.2	1.9	0.4	0.0
MIN	---	---	---	---	---	---	---	2.0	2.0	0.0	0.0	0.0
MAX	---	---	---	---	---	---	---	6.0	5.0	4.8	1.6	0.0
AC-FT	---	---	---	---	---	---	---	228.1	191.6	119.4	22.2	0.0

WATER YEAR 2006 TOTAL CFS:283.0 TOTAL AC-FT: 561

13122400 Zollinger 3

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006

MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---	---	---	---	---	1	3.6	0	0
2	---	---	---	---	---	---	---	---	1	3.6	0	0
3	---	---	---	---	---	---	---	---	1	3.2	0	0
4	---	---	---	---	---	---	---	---	1	3.2	0	0
5	---	---	---	---	---	---	---	---	0	3.2	0	0
6	---	---	---	---	---	---	---	---	0	3.2	0	0
7	---	---	---	---	---	---	---	---	4	3.2	0	0
8	---	---	---	---	---	---	---	---	4	3.2	0	0
9	---	---	---	---	---	---	---	---	4	3.2	0	0
10	---	---	---	---	---	---	---	2	4	2	0	0
11	---	---	---	---	---	---	---	2	4	2	0	0
12	---	---	---	---	---	---	---	2	3	1.6	0	0
13	---	---	---	---	---	---	---	2	3	1.6	0	0
14	---	---	---	---	---	---	---	2	2	1.6	0	0
15	---	---	---	---	---	---	---	6	2	1.6	0	0
16	---	---	---	---	---	---	---	6	2	1.6	0	0
17	---	---	---	---	---	---	---	6	2	0	0	0
18	---	---	---	---	---	---	---	6	2	0	0	0
19	---	---	---	---	---	---	---	6	5	0	0	0
20	---	---	---	---	---	---	---	6	5	0	0	0
21	---	---	---	---	---	---	---	6	5	0	0	0
22	---	---	---	---	---	---	---	6	5	0	0	0
23	---	---	---	---	---	---	---	6	4	0	0	0
24	---	---	---	---	---	---	---	6	4	0.4	0	0
25	---	---	---	---	---	---	---	6	4	0.4	0	0
26	---	---	---	---	---	---	---	6	3.6	0.4	0	0
27	---	---	---	---	---	---	---	6	3.6	0.4	0	0
28	---	---	---	---	---	---	---	6	3.6	0.4	0	0
29	---	---	---	---	---	---	---	1	3.6	0.4	0	0
30	---	---	---	---	---	---	---	1	3.6	0.4	0	0
31	---	---	---	---	---	---	---	1	---	0	0	---
TOTAL	---	---	---	---	---	---	---	97.0	90.0	44.4	0.0	0.0
MEAN	---	---	---	---	---	---	---	4.4	3.0	1.4	0.0	0.0
MIN	---	---	---	---	---	---	---	1.0	0.0	0.0	0.0	0.0
MAX	---	---	---	---	---	---	---	6.0	5.0	3.6	0.0	0.0
AC-FT	---	---	---	---	---	---	---	192.4	178.5	88.1	0.0	0.0

WATER YEAR 2006 TOTAL CFS:231.4 TOTAL AC-FT: 459

13122500 Pence Diversion

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006

MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---	---	---	---	---	0.8	1.2	0	0
2	---	---	---	---	---	---	---	---	0.8	1.2	0	0
3	---	---	---	---	---	---	---	---	0.8	0	0	0
4	---	---	---	---	---	---	---	---	0.8	0	0	0
5	---	---	---	---	---	---	---	---	1	0	0	0
6	---	---	---	---	---	---	---	---	1	0	0	0
7	---	---	---	---	---	---	---	---	1	0	0	0
8	---	---	---	---	---	---	---	---	1	0	0	0
9	---	---	---	---	---	---	---	---	1.7	0	0	0
10	---	---	---	---	---	---	---	---	1.7	0	0	0
11	---	---	---	---	---	---	---	---	1.7	0	0	0
12	---	---	---	---	---	---	---	---	2	0	0	0
13	---	---	---	---	---	---	---	---	2	0	0	0
14	---	---	---	---	---	---	---	---	2	0	0	0
15	---	---	---	---	---	---	---	1.6	2	0	0	0
16	---	---	---	---	---	---	---	1.6	2	0	0	0
17	---	---	---	---	---	---	---	1.6	2	0	0	0
18	---	---	---	---	---	---	---	1.6	2	0	0	0
19	---	---	---	---	---	---	---	1.6	1.6	0	0	0
20	---	---	---	---	---	---	---	1.6	1.6	0	0	0
21	---	---	---	---	---	---	---	1.6	1.2	0	0	0
22	---	---	---	---	---	---	---	2	1.2	0	0	0
23	---	---	---	---	---	---	---	2	1.2	0	0	0
24	---	---	---	---	---	---	---	2	1.2	0	0	0
25	---	---	---	---	---	---	---	2	1.2	0	0	0
26	---	---	---	---	---	---	---	2	1.2	0	0	0
27	---	---	---	---	---	---	---	2	1.2	0	0	0
28	---	---	---	---	---	---	---	2	1.2	0	0	0
29	---	---	---	---	---	---	---	0.8	1.2	0	0	0
30	---	---	---	---	---	---	---	0.8	1.2	0	0	0
31	---	---	---	---	---	---	---	0.8	---	0	0	---
TOTAL												
MEAN												
MIN												
MAX												
AC-FT												
TOTAL												
MEAN												
MIN												
MAX												
AC-FT												

WATER YEAR 2006 TOTAL CFS: 71.5 TOTAL AC-FT: 142

13122550 Pence Bridge

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006

MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---	---	---	---	1.3	2.8	2.8	1.1	0.5
2	---	---	---	---	---	---	---	1.3	2.6	2.8	1	0.5
3	---	---	---	---	---	---	---	1.5	2.6	2.5	1	0.5
4	---	---	---	---	---	---	---	1.5	2.6	2.5	0.9	0.5
5	---	---	---	---	---	---	---	1.62	3	2.5	0.9	0.5
6	---	---	---	---	---	---	---	1.62	3	2.5	0.9	0.5
7	---	---	---	---	---	---	---	1.62	3	2.4	0.8	0.5
8	---	---	---	---	---	---	---	1.8	3	2.4	0.8	0.5
9	---	---	---	---	---	---	---	1.8	3	2.4	0.7	0.5
10	---	---	---	---	---	---	---	1.75	3	2.1	0.7	0.5
11	---	---	---	---	---	---	---	1.75	3	2.1	0.7	0.5
12	---	---	---	---	---	---	---	1.85	0	2	0.7	0.5
13	---	---	---	---	---	---	---	1.85	0	2	0.7	0.5
14	---	---	---	---	---	---	---	1.85	0	1.9	0.6	0.5
15	---	---	---	---	---	---	---	2.5	0	1.9	0.6	0.5
16	---	---	---	---	---	---	---	2.5	0	1.9	0.6	0.5
17	---	---	---	---	---	---	---	2.5	0	1.7	0.6	0.5
18	---	---	---	---	---	---	---	2.5	0	1.7	0.6	0.5
19	---	---	---	---	---	---	---	2.5	3	1.6	0.6	0.5
20	---	---	---	---	---	---	---	2.5	3	1.6	0.6	0.5
21	---	---	---	---	---	---	---	2.5	3	1.5	0.5	0.5
22	---	---	---	---	---	---	---	0	3	1.5	0.5	0.5
23	---	---	---	---	---	---	---	0	3	1.5	0.5	0.5
24	---	---	---	---	---	---	---	0	3	1.2	0.5	0.5
25	---	---	---	---	---	---	---	0	3	1.2	0.5	0.5
26	---	---	---	---	---	---	0.8	0	2.9	1.35	0.5	0.5
27	---	---	---	---	---	---	0.8	0	2.9	1.35	0.5	0.5
28	---	---	---	---	---	---	1	0	2.85	1.2	0.5	0.5
29	---	---	---	---	---	---	1	3	2.85	1.2	0.5	0.5
30	---	---	---	---	---	---	1	3	2.8	1.2	0.5	0.5
31	---	---	---	---	---	---	---	2.8	---	1.1	0.5	---

TOTAL	---	---	---	---	---	---	4.6	49.4	66.9	57.6	20.6	15.0
MEAN	---	---	---	---	---	---	0.9	1.6	2.2	1.9	0.7	0.5
MIN	---	---	---	---	---	---	0.8	0.0	0.0	1.1	0.5	0.5
MAX	---	---	---	---	---	---	1.0	3.0	3.0	2.8	1.1	0.5
AC-FT	---	---	---	---	---	---	9.1	98.0	132.7	114.2	40.9	29.8

WATER YEAR 2006 TOTAL CFS:214.1 TOTAL AC-FT: 425

13122605 Unger

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---	---	---	---	---	0	0	0	0
2	---	---	---	---	---	---	---	---	0	0	0	0
3	---	---	---	---	---	---	---	---	0	0	0	0
4	---	---	---	---	---	---	---	---	0	0	0	0
5	---	---	---	---	---	---	---	---	0	0	0	0
6	---	---	---	---	---	---	---	---	0	0	0	0
7	---	---	---	---	---	---	---	---	0	0	0	0
8	---	---	---	---	---	---	---	2	0	0	0	0
9	---	---	---	---	---	---	---	2	0	0	0	0
10	---	---	---	---	---	---	---	2	0	0	0	0
11	---	---	---	---	---	---	---	2	0	0	0	0
12	---	---	---	---	---	---	---	2	0	0	0	0
13	---	---	---	---	---	---	---	2	0	0	0	0
14	---	---	---	---	---	---	---	2	0	0	0	0
15	---	---	---	---	---	---	---	8	0	0	0	0
16	---	---	---	---	---	---	---	8	0	0	0	0
17	---	---	---	---	---	---	---	8	0	0	0	0
18	---	---	---	---	---	---	---	8	0	0	0	0
19	---	---	---	---	---	---	---	8	0	0	0	0
20	---	---	---	---	---	---	---	8	0	0	0	0
21	---	---	---	---	---	---	---	8	0	0	0	0
22	---	---	---	---	---	---	---	2	0	0	0	0
23	---	---	---	---	---	---	---	2	0	0	0	0
24	---	---	---	---	---	---	---	2	0	0	0	0
25	---	---	---	---	---	---	---	2	0	0	0	0
26	---	---	---	---	---	---	---	2	0	0	0	0
27	---	---	---	---	---	---	---	2	0	0	0	0
28	---	---	---	---	---	---	---	2	0	0	0	0
29	---	---	---	---	---	---	---	0	0	0	0	0
30	---	---	---	---	---	---	---	0	0	0	0	0
31	---	---	---	---	---	---	---	0	---	0	0	---
TOTAL	---	---	---	---	---	---	---	84.0	0.0	0.0	0.0	0.0
MEAN	---	---	---	---	---	---	---	3.5	0.0	0.0	0.0	0.0
MIN	---	---	---	---	---	---	---	0.0	0.0	0.0	0.0	0.0
MAX	---	---	---	---	---	---	---	8.0	0.0	0.0	0.0	0.0
AC-FT	---	---	---	---	---	---	---	166.6	0.0	0.0	0.0	0.0

WATER YEAR 2006 TOTAL CFS:84.0 TOTAL AC-FT: 167

13122805 6X Ranch 1

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006

MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	4	---	---	---	---	---	---	2	8	4.8	10.6	8.4
2	4	---	---	---	---	---	---	---	8	4.8	10.6	8.4
3	4	---	---	---	---	---	---	---	8	5.6	10.6	8.4
4	4	---	---	---	---	---	---	---	8	5.6	10.6	8
5	4	---	---	---	---	---	---	10	4	5.6	10.6	8
6	4	---	---	---	---	---	---	10	4	5.6	10.6	8
7	4	---	---	---	---	---	---	10	4	5.6	10	8
8	4	---	---	---	---	---	---	8	4	5.6	10	8
9	4	---	---	---	---	---	---	8	10	5.6	10	8
10	3	---	---	---	---	---	---	8	10	0	10	8
11	3	---	---	---	---	---	---	8	10	0	10	8
12	3	---	---	---	---	---	2	8	9	0	10	8
13	3	---	---	---	---	---	2	8	9	0	10	8
14	3	---	---	---	---	---	2	8	9	0	10.2	8
15	3	---	---	---	---	---	2	10	9	0	10.2	7.6
16	---	---	---	---	---	---	2	10	9	0	10.2	7.6
17	---	---	---	---	---	---	2	10	9	0	10.2	7.6
18	---	---	---	---	---	---	2	10	9	0	10.2	9
19	---	---	---	---	---	---	2	10	9	0	10.2	9
20	---	---	---	---	---	---	2	10	9	0	10.2	9
21	---	---	---	---	---	---	2	10	9	0	9	9
22	---	---	---	---	---	---	2	10	9	0	9	9
23	---	---	---	---	---	---	2	10	9	0	9	9
24	---	---	---	---	---	---	2	10	9	7.2	9	9
25	---	---	---	---	---	---	2	10	9	7.2	9	8
26	---	---	---	---	---	---	2	10	4.8	7.2	9	8
27	---	---	---	---	---	---	2	10	4.8	7.2	9	8
28	---	---	---	---	---	---	2	10	4.8	6.8	8.4	8
29	---	---	---	---	---	---	2	8	4.8	6.8	8.4	8
30	---	---	---	---	---	---	2	8	4.8	6.8	8.4	8
31	---	---	---	---	---	---	---	8	---	10.6	8.4	---
TOTAL	54.0	---	---	---	---	---	38.0	252.0	228.0	108.6	301.6	247.0
MEAN	3.6	---	---	---	---	---	2.0	9.0	7.6	3.5	9.7	8.2
MIN	3.0	---	---	---	---	---	2.0	2.0	4.0	0.0	8.4	7.6
MAX	4.0	---	---	---	---	---	2.0	10.0	10.0	10.6	10.6	9.0
AC-FT	107.1	---	---	---	---	---	75.4	499.8	452.2	215.4	598.2	489.9

WATER YEAR 2006 TOTAL CFS: 1,229.2 TOTAL AC-FT: 2,438

13122920 Mountain Springs Ranch 1

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006

MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---	---	---	---	---	---	0	2.4	0
2	---	---	---	---	---	---	---	---	---	0	2.4	0
3	---	---	---	---	---	---	---	---	---	0	2.4	0
4	---	---	---	---	---	---	---	---	---	0	2.4	0
5	---	---	---	---	---	---	---	---	---	0	2.4	0
6	---	---	---	---	---	---	---	---	---	0	2.4	0
7	---	---	---	---	---	---	---	---	1	0	0	0
8	---	---	---	---	---	---	---	---	1	0	0	0
9	---	---	---	---	---	---	---	---	1	0	0	0
10	---	---	---	---	---	---	---	---	1	0.6	0	0
11	---	---	---	---	---	---	---	---	1	0.6	0	0
12	---	---	---	---	---	---	---	---	0	0.6	0	0
13	---	---	---	---	---	---	---	---	0	0.6	0	0
14	---	---	---	---	---	---	---	---	1	0.4	0	0
15	---	---	---	---	---	---	---	5	1	0.4	0	0
16	---	---	---	---	---	---	---	5	1	0.4	0	0
17	---	---	---	---	---	---	---	5	1	0	0	0
18	---	---	---	---	---	---	---	5	1	0	0	0
19	---	---	---	---	---	---	---	5	0	0	0	0
20	---	---	---	---	---	---	---	5	0	0	0	0
21	---	---	---	---	---	---	---	5	0	0	0	0
22	---	---	---	---	---	---	---	2	0	0	0	0
23	---	---	---	---	---	---	---	2	0	0	0	0
24	---	---	---	---	---	---	---	2	0	1.6	0	0
25	---	---	---	---	---	---	---	2	0	1.6	0	0
26	---	---	---	---	---	---	---	2	0	1.6	0	0
27	---	---	---	---	---	---	---	2	0	1.6	0	0
28	---	---	---	---	---	---	---	2	0	1.6	0	0
29	---	---	---	---	---	---	---	---	0	1.6	0	0
30	---	---	---	---	---	---	---	---	0	1.6	0	0
31	---	---	---	---	---	---	---	---	---	2.4	0	---
TOTAL	---	---	---	---	---	---	---	49.0	10.0	17.2	14.4	0.0
MEAN	---	---	---	---	---	---	---	3.5	0.4	0.6	0.5	0.0
MIN	---	---	---	---	---	---	---	2.0	0.0	0.0	0.0	0.0
MAX	---	---	---	---	---	---	---	5.0	1.0	2.4	2.4	0.0
AC-FT	---	---	---	---	---	---	---	97.2	19.8	34.1	28.6	0.0

WATER YEAR 2006 TOTAL CFS:90.6 TOTAL AC-FT: 180

13122930 Mountain Springs Ranch 2

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---	---	---	---	---	---	0	2	0
2	---	---	---	---	---	---	---	---	---	0	2	0
3	---	---	---	---	---	---	---	---	---	0	2	0
4	---	---	---	---	---	---	---	---	---	0	2	0
5	---	---	---	---	---	---	---	---	---	0	2	0
6	---	---	---	---	---	---	---	---	---	0	2	0
7	---	---	---	---	---	---	---	---	1.2	0	0	0
8	---	---	---	---	---	---	---	---	1.2	0	0	0
9	---	---	---	---	---	---	---	---	1.2	0	0	0
10	---	---	---	---	---	---	---	10	1.2	0.4	0	0
11	---	---	---	---	---	---	---	10	1.2	0.4	0	0
12	---	---	---	---	---	---	---	10	0	0.4	0	0
13	---	---	---	---	---	---	---	10	0	0.4	0	0
14	---	---	---	---	---	---	---	10	1.4	0	0	0
15	---	---	---	---	---	---	---	1	1.4	0	0	0
16	---	---	---	---	---	---	---	1	1.4	0	0	0
17	---	---	---	---	---	---	---	1	1.4	0	0	0
18	---	---	---	---	---	---	---	1	1.4	0	0	0
19	---	---	---	---	---	---	---	1	0	0	0	0
20	---	---	---	---	---	---	---	1	0	0	0	0
21	---	---	---	---	---	---	---	1	0	0	0	0
22	---	---	---	---	---	---	---	1	0	0	0	0
23	---	---	---	---	---	---	---	1	0	0	0	0
24	---	---	---	---	---	---	---	1	0	1.6	0	0
25	---	---	---	---	---	---	---	1	0	1.6	0	0
26	---	---	---	---	---	---	---	1	0	1.6	0	0
27	---	---	---	---	---	---	---	1	0	1.6	0	0
28	---	---	---	---	---	---	---	1	0	1.6	0	0
29	---	---	---	---	---	---	---	---	0	1.6	0	0
30	---	---	---	---	---	---	---	---	0	1.6	0	0
31	---	---	---	---	---	---	---	---	---	2	0	---
TOTAL	---	---	---	---	---	---	---	64.0	13.0	14.8	12.0	0.0
MEAN	---	---	---	---	---	---	---	3.4	0.5	0.5	0.4	0.0
MIN	---	---	---	---	---	---	---	1.0	0.0	0.0	0.0	0.0
MAX	---	---	---	---	---	---	---	10.0	1.4	2.0	2.0	0.0
AC-FT	---	---	---	---	---	---	---	126.9	25.8	29.4	23.8	0.0

WATER YEAR 2006 TOTAL CFS:103.8 TOTAL AC-FT: 206

13122950 Donahue 2

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---	---	---	---	---	1.2	1.6	2	0
2	---	---	---	---	---	---	---	---	1.2	1.6	2	0
3	---	---	---	---	---	---	---	---	1.2	3	2	0
4	---	---	---	---	---	---	---	---	1.2	3	2	0
5	---	---	---	---	---	---	---	---	1	3	2	0
6	---	---	---	---	---	---	---	---	1	3	2	0
7	---	---	---	---	---	---	---	---	1	3	0	0
8	---	---	---	---	---	---	---	1	1	3	0	0
9	---	---	---	---	---	---	---	1	3.2	3	0	0
10	---	---	---	---	---	---	---	1	3.2	2	0	0
11	---	---	---	---	---	---	---	1	3.2	2	0	0
12	---	---	---	---	---	---	---	1	0	1.6	0	0
13	---	---	---	---	---	---	---	1	0	1.6	0	0
14	---	---	---	---	---	---	---	1	2	1.6	0.8	0
15	---	---	---	---	---	---	---	3.2	2	1.6	0.8	0
16	---	---	---	---	---	---	---	3.2	2	1.6	0.8	0
17	---	---	---	---	---	---	---	3.2	2	3	0.8	0
18	---	---	---	---	---	---	---	3.2	2	3	0.8	0
19	---	---	---	---	---	---	---	3.2	2	3	0.8	0
20	---	---	---	---	---	---	---	3.2	2	3	0.8	0
21	---	---	---	---	---	---	---	3.2	1.6	3	0	0
22	---	---	---	---	---	---	---	3	1.6	3	0	0
23	---	---	---	---	---	---	---	3	1.6	3	0	0
24	---	---	---	---	---	---	---	3	1.6	0	0	0
25	---	---	---	---	---	---	---	3	1.6	0	0	0
26	---	---	---	---	---	---	---	3	1.6	0	0	0
27	---	---	---	---	---	---	---	3	1.6	0	0	0
28	---	---	---	---	---	---	---	3	1.6	0	0	0
29	---	---	---	---	---	---	---	1.2	1.6	0	0	0
30	---	---	---	---	---	---	---	1.2	1.6	0	0	0
31	---	---	---	---	---	---	---	1.2	---	2	0	---
.....												
TOTAL	---	---	---	---	---	---	---	54.0	48.4	59.2	17.6	0.0
MEAN	---	---	---	---	---	---	---	2.3	1.6	1.9	0.6	0.0
MIN	---	---	---	---	---	---	---	1.0	0.0	0.0	0.0	0.0
MAY	---	---	---	---	---	---	---	3.2	3.2	3.0	2.0	0.0
AC-FT	---	---	---	---	---	---	---	107.1	96.0	117.4	34.9	0.0

WATER YEAR 2006 TOTAL CFS:179.2 TOTAL AC-FT: 355

13122960 Simmons

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006

MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---	---	---	---	---	1.5	3	0	0
2	---	---	---	---	---	---	---	---	1.5	3	0	0
3	---	---	---	---	---	---	---	---	1.5	1.5	0	0
4	---	---	---	---	---	---	---	---	1.5	1.5	0	0
5	---	---	---	---	---	---	---	---	1.5	1.5	0	0
6	---	---	---	---	---	---	---	---	1.5	1.5	0	0
7	---	---	---	---	---	---	---	---	1.5	1.5	0	0
8	---	---	---	---	---	---	---	2	1.5	1.5	0	0
9	---	---	---	---	---	---	---	2	1.5	1.5	0	0
10	---	---	---	---	---	---	---	2	1.5	1	0	0
11	---	---	---	---	---	---	---	2	1.5	1	0	0
12	---	---	---	---	---	---	---	2	1.4	0.4	0	0
13	---	---	---	---	---	---	---	2	1.4	0.4	0	0
14	---	---	---	---	---	---	---	2	1.2	0	0	0
15	---	---	---	---	---	---	---	2	1.2	0	0	0
16	---	---	---	---	---	---	---	2	1.2	0	0	0
17	---	---	---	---	---	---	---	2	0	0	0	0
18	---	---	---	---	---	---	---	2	0	0	0	0
19	---	---	---	---	---	---	---	2	1.5	0	0	0
20	---	---	---	---	---	---	---	2	1.5	0	0	0
21	---	---	---	---	---	---	---	2	1.5	0	0	0
22	---	---	---	---	---	---	---	1.5	1.5	0	0	0
23	---	---	---	---	---	---	---	1.5	1.5	0	0	0
24	---	---	---	---	---	---	---	1.5	1.5	0	0	0
25	---	---	---	---	---	---	---	1.5	1.5	0	0	0
26	---	---	---	---	---	---	---	1.5	4	0	0	0
27	---	---	---	---	---	---	---	1.5	4	0	0	0
28	---	---	---	---	---	---	---	1.5	3	0	0	0
29	---	---	---	---	---	---	---	1.5	3	0	0	0
30	---	---	---	---	---	---	---	1.5	3	0	0	0
31	---	---	---	---	---	---	---	1.5	---	0	0	---

TOTAL	---	---	---	---	---	---	---	43.0	50.4	19.3	0.0	0.0
MEAN	---	---	---	---	---	---	---	1.8	1.7	0.6	0.0	0.0
MIN	---	---	---	---	---	---	---	1.5	0.0	0.0	0.0	0.0
MAX	---	---	---	---	---	---	---	2.0	4.0	3.0	0.0	0.0
AC-FT	---	---	---	---	---	---	---	85.3	100.0	38.3	0.0	0.0

WATER YEAR 2006 TOTAL CFS:112.7 TOTAL AC-FT: 224

13122965 Donahue 4

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---	---	---	---	---	---	1	0	0
2	---	---	---	---	---	---	---	---	---	1	0	0
3	---	---	---	---	---	---	---	---	---	2.4	0	0
4	---	---	---	---	---	---	---	---	2	2.4	0	0
5	---	---	---	---	---	---	---	---	2	2.4	0	0
6	---	---	---	---	---	---	---	---	2	2.4	0	0
7	---	---	---	---	---	---	---	---	2	2.4	0	0
8	---	---	---	---	---	---	---	---	2	2.4	0	0
9	---	---	---	---	---	---	---	---	3	2.4	0	0
10	---	---	---	---	---	---	---	---	3	0	0	0
11	---	---	---	---	---	---	---	---	3	0	0	0
12	---	---	---	---	---	---	---	---	0	0	0	0
13	---	---	---	---	---	---	---	---	0	0	0	0
14	---	---	---	---	---	---	---	---	1.2	0	0	0
15	---	---	---	---	---	---	---	---	1.2	0	0	0
16	---	---	---	---	---	---	---	---	1.2	0	0	0
17	---	---	---	---	---	---	---	---	1.2	0.8	0	0
18	---	---	---	---	---	---	---	---	1.2	0.8	0	0
19	---	---	---	---	---	---	---	---	2	0.8	0	0
20	---	---	---	---	---	---	---	---	2	0.8	0	0
21	---	---	---	---	---	---	---	---	1.6	0.8	0	0
22	---	---	---	---	---	---	---	---	1.6	0.8	0	0
23	---	---	---	---	---	---	---	---	1.6	0.8	0	0
24	---	---	---	---	---	---	---	---	1.6	0	0	0
25	---	---	---	---	---	---	---	---	1.6	0	0	0
26	---	---	---	---	---	---	---	---	0	0	0	0
27	---	---	---	---	---	---	---	---	0	0	0	0
28	---	---	---	---	---	---	---	---	1	0	0	0
29	---	---	---	---	---	---	---	---	1	0	0	0
30	---	---	---	---	---	---	---	---	1	0	0	0
31	---	---	---	---	---	---	---	---	---	0	0	---
TOTAL	---	---	---	---	---	---	---	---	40.0	24.4	0.0	0.0
MEAN	---	---	---	---	---	---	---	---	1.5	0.8	0.0	0.0
MIN	---	---	---	---	---	---	---	---	0.0	0.0	0.0	0.0
MAX	---	---	---	---	---	---	---	---	3.0	2.4	0.0	0.0
AC-FT	---	---	---	---	---	---	---	---	79.3	48.4	0.0	0.0

WATER YEAR 2006 TOTAL CFS:64.4 TOTAL AC-FT: 128

13122970 Donahue 3

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---	---	---	---	---	---	3	1.2	0
2	---	---	---	---	---	---	---	---	---	3	1.2	0
3	---	---	---	---	---	---	---	---	---	3	1.2	0
4	---	---	---	---	---	---	---	---	---	3	1.2	0
5	---	---	---	---	---	---	---	---	1	3	1.2	0
6	---	---	---	---	---	---	---	---	1	3	1.2	0
7	---	---	---	---	---	---	---	---	1.2	3	0	0
8	---	---	---	---	---	---	---	1	1.2	3	0	0
9	---	---	---	---	---	---	---	1	2	3	0	0
10	---	---	---	---	---	---	---	1	2	1.2	0	0
11	---	---	---	---	---	---	---	1	2	1.2	0	0
12	---	---	---	---	---	---	---	1	0	1.2	0	0
13	---	---	---	---	---	---	---	1	0	1.2	0	0
14	---	---	---	---	---	---	---	1	1	1.2	0.8	0
15	---	---	---	---	---	---	---	3.2	1	1.2	0.8	0
16	---	---	---	---	---	---	---	3.2	1	1.2	0.8	0
17	---	---	---	---	---	---	---	3.2	1	0.4	0.8	0
18	---	---	---	---	---	---	---	3.2	1	0.4	0.8	0
19	---	---	---	---	---	---	---	3.2	2.4	0.4	0.8	0
20	---	---	---	---	---	---	---	3.2	2.4	0.4	0.8	0
21	---	---	---	---	---	---	---	3.2	1.8	0.4	0	0
22	---	---	---	---	---	---	---	3	1.8	0.4	0	0
23	---	---	---	---	---	---	---	3	1.8	0.4	0	0
24	---	---	---	---	---	---	---	3	1.8	0	0	0
25	---	---	---	---	---	---	---	3	1.8	0	0	0
26	---	---	---	---	---	---	---	3	3	0	0	0
27	---	---	---	---	---	---	---	3	3	0	0	0
28	---	---	---	---	---	---	---	3	3	0	0	0
29	---	---	---	---	---	---	---	---	3	0	0	0
30	---	---	---	---	---	---	---	---	3	0	0	0
31	---	---	---	---	---	---	---	---	---	1.2	0	---
TOTAL	---	---	---	---	---	---	---	50.4	44.2	39.4	12.8	0.0
MEAN	---	---	---	---	---	---	---	2.4	1.7	1.3	0.4	0.0
MIN	---	---	---	---	---	---	---	1.0	0.0	0.0	0.0	0.0
MAX	---	---	---	---	---	---	---	3.2	3.0	3.0	1.2	0.0
AC-FT	---	---	---	---	---	---	---	100.0	87.7	78.1	25.4	0.0

WATER YEAR 2006 TOTAL CFS:146.8 TOTAL AC-FT: 291

13122990 Zollinger 2

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---	---	---	---	---	---	1.6	0	0
2	---	---	---	---	---	---	---	---	---	1.6	0	0
3	---	---	---	---	---	---	---	---	---	3	0	0
4	---	---	---	---	---	---	---	---	---	3	0	0
5	---	---	---	---	---	---	---	---	2	2.8	0	0
6	---	---	---	---	---	---	---	---	2	2.8	0	0
7	---	---	---	---	---	---	---	---	2	2.8	0	0
8	---	---	---	---	---	---	---	1	2	2.8	0	0
9	---	---	---	---	---	---	---	1	6	2.8	0	0
10	---	---	---	---	---	---	---	1	6	2.4	0	0
11	---	---	---	---	---	---	---	1	6	2.4	0	0
12	---	---	---	---	---	---	---	1	4	2.4	0	0
13	---	---	---	---	---	---	---	1	4	2.4	0	0
14	---	---	---	---	---	---	---	1	6	2	1	0
15	---	---	---	---	---	---	---	6	6	2	1	0
16	---	---	---	---	---	---	---	6	6	2	1	0
17	---	---	---	---	---	---	---	6	6	1.2	1	0
18	---	---	---	---	---	---	---	6	6	1.2	1	0
19	---	---	---	---	---	---	---	6	4.8	1.2	1	0
20	---	---	---	---	---	---	---	6	4.8	1.2	1	0
21	---	---	---	---	---	---	---	6	4	1.2	0	0
22	---	---	---	---	---	---	---	6	4	1.2	0	0
23	---	---	---	---	---	---	---	6	4	1.2	0	0
24	---	---	---	---	---	---	---	6	4	0	0	0
25	---	---	---	---	---	---	---	6	4	0	0	0
26	---	---	---	---	---	---	---	6	1.6	0	0	0
27	---	---	---	---	---	---	---	6	1.6	0	0	0
28	---	---	---	---	---	---	---	6	1.6	0	0	0
29	---	---	---	---	---	---	---	---	1.6	0	0	0
30	---	---	---	---	---	---	---	---	1.6	0	0	0
31	---	---	---	---	---	---	---	---	---	0	0	---

TOTAL	---	---	---	---	---	---	---	91.0	101.6	47.2	7.0	0.0
MEAN	---	---	---	---	---	---	---	4.3	3.9	1.5	0.2	0.0
MIN	---	---	---	---	---	---	---	1.0	1.6	0.0	0.0	0.0
MAX	---	---	---	---	---	---	---	6.0	6.0	3.0	1.0	0.0
AC-FT	---	---	---	---	---	---	---	180.5	201.5	93.6	13.9	0.0

WATER YEAR 2006 TOTAL CFS:246.8 TOTAL AC-FT: 490

13123000 Donahue Bridge

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006

MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---	---	---	---	---	0.8	0.92	1.4	1
2	---	---	---	---	---	---	---	---	7	0.92	1.1	1
3	---	---	---	---	---	---	---	0.8	0.7	1.85	1.1	1
4	---	---	---	---	---	---	---	0.8	0.7	1.85	0.8	1
5	---	---	---	---	---	---	---	1.35	1.5	1.75	0.8	1
6	---	---	---	---	---	---	---	1.35	1.5	1.75	0.8	1
7	---	---	---	---	---	---	---	1.35	1.9	1.7	0.8	1
8	---	---	---	---	---	---	---	1.75	1.9	1.7	0.8	1
9	---	---	---	---	---	---	---	1.75	2.3	1.7	0.75	1
10	---	---	---	---	---	---	---	1.7	2.3	1.1	0.75	1
11	---	---	---	---	---	---	---	1.7	2.3	1.1	0.75	1
12	---	---	---	---	---	---	---	1.8	1.5	1	0.75	1
13	---	---	---	---	---	---	---	1.8	1.5	1	0.75	1
14	---	---	---	---	---	---	---	1.8	1.7	0.9	0.75	1
15	---	---	---	---	---	---	---	2.5	1.7	0.9	0.75	1
16	---	---	---	---	---	---	---	2.5	1.3	0.9	0.8	1
17	---	---	---	---	---	---	---	2.6	1.3	0.95	0.8	1
18	---	---	---	---	---	---	---	2.6	1.3	0.95	0.8	0.5
19	---	---	---	---	---	---	---	2.8	1	0.85	0.8	0.5
20	---	---	---	---	---	---	---	2.8	1	0.85	0.8	0.5
21	---	---	---	---	---	---	---	2.8	0.95	0.75	0.7	0.5
22	---	---	---	---	---	---	---	3	0.95	0.75	0.7	0.5
23	---	---	---	---	---	---	---	3	0.85	0.75	0.7	0.5
24	---	---	---	---	---	---	---	2.5	0.85	1.2	0.7	0.5
25	---	---	---	---	---	---	---	2.5	0.85	1.2	0.7	0.5
26	---	---	---	---	---	---	---	2.2	0.92	1.5	0.7	0.5
27	---	---	---	---	---	---	---	2.2	0.92	1.5	0.7	0.5
28	---	---	---	---	---	---	---	2.2	0.92	1.3	2	0.5
29	---	---	---	---	---	---	---	1.4	0.92	1.3	2	0.5
30	---	---	---	---	---	---	---	1.4	0.92	1.3	2	0.5
31	---	---	---	---	---	---	---	0.8	---	1.4	2	---

TOTAL	---	---	---	---	---	---	---	57.8	44.3	37.6	29.8	23.5
MEAN	---	---	---	---	---	---	---	2.0	1.5	1.2	1.0	0.8
MIN	---	---	---	---	---	---	---	0.8	0.7	0.8	0.7	0.5
MAX	---	---	---	---	---	---	---	3.0	7.0	1.9	2.0	1.0
AC-FT	---	---	---	---	---	---	---	114.6	87.9	74.6	59.1	46.6

WATER YEAR 2006 TOTAL CFS:193.0 TOTAL AC-FT: 383

13123020 Zollinger/No Tellum

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---	---	---	---	---	2	0.8	1.6	0
2	---	---	---	---	---	---	---	---	2	0.8	1.6	0
3	---	---	---	---	---	---	---	---	2	1.6	1.6	0
4	---	---	---	---	---	---	---	---	2	1.6	1.6	0
5	---	---	---	---	---	---	---	---	1.6	1.6	1.6	0
6	---	---	---	---	---	---	---	---	1.6	1.6	1.6	0
7	---	---	---	---	---	---	---	---	2	1.5	0.6	0
8	---	---	---	---	---	---	---	2	2	1.5	0.6	0
9	---	---	---	---	---	---	---	2	6	1.5	0.6	0
10	---	---	---	---	---	---	---	2	6	1.2	0.6	0
11	---	---	---	---	---	---	---	2	6	0.2	0.6	0
12	---	---	---	---	---	---	---	2	2	2	0.6	0
13	---	---	---	---	---	---	---	2	2	0.2	0.6	0
14	---	---	---	---	---	---	---	2	4.8	0.8	0.6	0
15	---	---	---	---	---	---	---	6	4.8	0.8	0.6	0
16	---	---	---	---	---	---	---	6	4.8	0.8	0.6	0
17	---	---	---	---	---	---	---	6	4.8	0.4	0.6	0
18	---	---	---	---	---	---	---	6	4.8	0.4	0.6	0
19	---	---	---	---	---	---	---	6	2	0.4	0.6	0
20	---	---	---	---	---	---	---	6	2	0.4	0.6	0
21	---	---	---	---	---	---	---	6	1.6	0.4	0	0
22	---	---	---	---	---	---	---	6	1.6	0.4	0	0
23	---	---	---	---	---	---	---	6	1.6	0.4	0	0
24	---	---	---	---	---	---	---	6	1.6	1.6	0	0
25	---	---	---	---	---	---	---	6	1.6	1.6	0	0
26	---	---	---	---	---	---	---	6	0.8	2	0	0
27	---	---	---	---	---	---	---	6	0.8	2	0	0
28	---	---	---	---	---	---	---	6	0.8	1.8	0	0
29	---	---	---	---	---	---	---	2	0.8	1.8	0	0
30	---	---	---	---	---	---	---	2	0.8	1.8	0	0
31	---	---	---	---	---	---	---	2	---	1.6	0	---
TOTAL	---	---	---	---	---	---	---	104.0	77.2	35.5	18.0	0.0
MEAN	---	---	---	---	---	---	---	4.3	2.6	1.1	0.6	0.0
MIN	---	---	---	---	---	---	---	2.0	0.8	0.2	0.0	0.0
MAX	---	---	---	---	---	---	---	6.0	6.0	2.0	1.6	0.0
AC-FT	---	---	---	---	---	---	---	206.3	153.1	70.4	35.7	0.0

WATER YEAR 2006 TOTAL CFS:234.7 TOTAL AC-FT: 466

13123040 Churn Dasher Ranch

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---	---	---	---	---	1.6	0.6	1	0
2	---	---	---	---	---	---	---	---	1.6	0.6	1	0
3	---	---	---	---	---	---	---	---	1.6	1.2	1	0
4	---	---	---	---	---	---	---	---	1.6	1.2	1	0
5	---	---	---	---	---	---	---	---	1.4	1.2	1	0
6	---	---	---	---	---	---	---	---	1.4	1.2	1	0
7	---	---	---	---	---	---	---	---	1.6	1	0.4	0
8	---	---	---	---	---	---	---	2	1.6	1	0.4	0
9	---	---	---	---	---	---	---	2	2.8	1	0.4	0
10	---	---	---	---	---	---	---	2	2.8	0.8	0.4	0
11	---	---	---	---	---	---	---	2	2.8	0.8	0.4	0
12	---	---	---	---	---	---	---	2	1.2	0.8	0.4	0
13	---	---	---	---	---	---	---	2	1.2	0.8	0.4	0
14	---	---	---	---	---	---	---	2	2.4	0.4	0.4	0
15	---	---	---	---	---	---	---	6	2.4	0.4	0.4	0
16	---	---	---	---	---	---	---	6	2.4	0.4	0.4	0
17	---	---	---	---	---	---	---	6	2.4	0.4	0.4	0
18	---	---	---	---	---	---	---	6	2.4	0.4	0.4	0
19	---	---	---	---	---	---	---	6	1.5	0.4	0.4	0
20	---	---	---	---	---	---	---	6	1.5	0.4	0.4	0
21	---	---	---	---	---	---	---	6	1.2	0.4	0	0
22	---	---	---	---	---	---	---	3	1.2	0.4	0	0
23	---	---	---	---	---	---	---	3	1.2	0.4	0	0
24	---	---	---	---	---	---	---	3	1.2	0.8	0	0
25	---	---	---	---	---	---	---	3	1.2	0.8	0	0
26	---	---	---	---	---	---	---	3	0.6	1	0	0
27	---	---	---	---	---	---	---	3	0.6	1	0	0
28	---	---	---	---	---	---	---	3	0.6	0.8	0	0
29	---	---	---	---	---	---	---	1.6	0.6	0.8	0	0
30	---	---	---	---	---	---	---	1.6	0.6	0.8	0	0
31	---	---	---	---	---	---	---	1.6	---	1	0	---

TOTAL	---	---	---	---	---	---	---	81.8	47.2	23.2	11.6	0.0
MEAN	---	---	---	---	---	---	---	3.4	1.6	0.7	0.4	0.0
MIN	---	---	---	---	---	---	---	1.6	0.6	0.4	0.0	0.0
MAX	---	---	---	---	---	---	---	6.0	2.8	1.2	1.0	0.0
AC-FT	---	---	---	---	---	---	---	162.3	93.6	46.0	23.0	0.0

WATER YEAR 2006 TOTAL CFS:163.8 TOTAL AC-FT: 325

13123060 No Tellum 1

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---	---	---	---	---	---	0	0	2
2	---	---	---	---	---	---	---	---	---	0	0	2
3	---	---	---	---	---	---	---	---	---	0	0	2
4	---	---	---	---	---	---	---	---	---	0	0	2
5	---	---	---	---	---	---	---	---	---	0	0	2
6	---	---	---	---	---	---	---	---	---	0	0	2
7	---	---	---	---	---	---	---	---	---	0	0	2
8	---	---	---	---	---	---	---	2	---	0	0	2
9	---	---	---	---	---	---	---	2	1.2	0	0	2
10	---	---	---	---	---	---	---	2	1.2	0	0	2
11	---	---	---	---	---	---	---	2	1.2	0	0	2
12	---	---	---	---	---	---	---	2	0	0	0	2
13	---	---	---	---	---	---	---	2	0	0	0	2
14	---	---	---	---	---	---	---	2	0	0	0	2
15	---	---	---	---	---	---	---	1	0	0	0	2
16	---	---	---	---	---	---	---	1	0	0	0	2
17	---	---	---	---	---	---	---	1	0	0	0	2
18	---	---	---	---	---	---	---	1	0	0	0	2
19	---	---	---	---	---	---	---	1	0	0	0	2
20	---	---	---	---	---	---	---	1	0	0	0	2
21	---	---	---	---	---	---	---	1	0	0	0	2
22	---	---	---	---	---	---	---	2	0	0	0	2
23	---	---	---	---	---	---	---	2	0	0	0	2
24	---	---	---	---	---	---	---	2	0	0	0	2
25	---	---	---	---	---	---	---	2	0	0	0	1.6
26	---	---	---	---	---	---	---	2	0	0	0	1.6
27	---	---	---	---	---	---	---	2	0	0	0	1.6
28	---	---	---	---	---	---	---	2	0	0	2	1.6
29	---	---	---	---	---	---	---	---	0	0	2	1.6
30	---	---	---	---	---	---	---	---	0	0	2	1.6
31	---	---	---	---	---	---	---	---	---	0	2	---
.....												
TOTAL	---	---	---	---	---	---	---	35.0	3.6	0.0	8.0	57.6
MEAN	---	---	---	---	---	---	---	1.7	0.2	0.0	0.3	1.9
MIN	---	---	---	---	---	---	---	1.0	0.0	0.0	0.0	1.6
MAX	---	---	---	---	---	---	---	2.0	1.2	0.0	2.0	2.0
AC-FT	---	---	---	---	---	---	---	69.4	7.1	0.0	15.9	114.2

WATER YEAR 2006 TOTAL CFS:104.2 TOTAL AC-FT: 207

13123070 No Tellum 2

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006

MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---	---	---	---	---	---	0	0	1.2
2	---	---	---	---	---	---	---	---	---	0	0	1.2
3	---	---	---	---	---	---	---	---	---	0	0	1.2
4	---	---	---	---	---	---	---	---	---	0	0	1.2
5	---	---	---	---	---	---	---	---	---	0	0	1.2
6	---	---	---	---	---	---	---	---	---	0	0	1.2
7	---	---	---	---	---	---	---	---	---	0	0	1.2
8	---	---	---	---	---	---	---	2	---	0	0	1.2
9	---	---	---	---	---	---	---	2	1.2	0	0	1.2
10	---	---	---	---	---	---	---	2	1.2	0	0	1.2
11	---	---	---	---	---	---	---	2	1.2	0	0	1.2
12	---	---	---	---	---	---	---	2	0	0	0	1.2
13	---	---	---	---	---	---	---	2	0	0	0	1.2
14	---	---	---	---	---	---	---	2	0	0	0	1.2
15	---	---	---	---	---	---	---	1.2	0	0	0	1.2
16	---	---	---	---	---	---	---	1.2	0	0	0	1.2
17	---	---	---	---	---	---	---	1.2	0	0	0	1.2
18	---	---	---	---	---	---	---	1.2	0	0	0	1.2
19	---	---	---	---	---	---	---	1.2	0	0	0	1.2
20	---	---	---	---	---	---	---	1.2	0	0	0	1.2
21	---	---	---	---	---	---	---	1.2	0	0	0	1.2
22	---	---	---	---	---	---	---	2	0	0	0	1.2
23	---	---	---	---	---	---	---	2	0	0	0	1.2
24	---	---	---	---	---	---	---	2	0	0	0	1.2
25	---	---	---	---	---	---	---	2	0	0	0	1.2
26	---	---	---	---	---	---	---	2	0	0	0	1.2
27	---	---	---	---	---	---	---	2	0	0	0	1.2
28	---	---	---	---	---	---	---	2	0	0	1.2	1.2
29	---	---	---	---	---	---	---	---	0	0	1.2	1.2
30	---	---	---	---	---	---	---	---	0	0	1.2	1.2
31	---	---	---	---	---	---	---	---	---	0	1.2	---
.....												
TOTAL	---	---	---	---	---	---	---	36.4	3.6	0.0	4.8	36.0
MEAN	---	---	---	---	---	---	---	1.7	0.2	0.0	0.2	1.2
MIN	---	---	---	---	---	---	---	1.2	0.0	0.0	0.0	1.2
MAX	---	---	---	---	---	---	---	2.0	1.2	0.0	1.2	1.2
AC-FT	---	---	---	---	---	---	---	72.2	7.1	0.0	9.5	71.4

WATER YEAR 2006 TOTAL CFS:80.8 TOTAL AC-FT: 160

13123090 No Tellum 3

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---	---	---	---	---	---	0	0	0
2	---	---	---	---	---	---	---	---	---	0	0	0
3	---	---	---	---	---	---	---	---	---	0	0	0
4	---	---	---	---	---	---	---	---	---	0	0	0
5	---	---	---	---	---	---	---	---	---	0	0	0
6	---	---	---	---	---	---	---	---	---	0	0	0
7	---	---	---	---	---	---	---	---	---	0	0	0
8	---	---	---	---	---	---	---	2	---	0	0	0
9	---	---	---	---	---	---	---	2	0.8	0	0	0
10	---	---	---	---	---	---	---	2	0.8	0	0	0
11	---	---	---	---	---	---	---	2	0.8	0	0	0
12	---	---	---	---	---	---	---	2	0	0	0	0
13	---	---	---	---	---	---	---	2	0	0	0	0
14	---	---	---	---	---	---	---	2	0	0	0	0
15	---	---	---	---	---	---	---	0.8	0	0	0	0
16	---	---	---	---	---	---	---	0.8	0	0	0	0
17	---	---	---	---	---	---	---	0.8	0	0	0	0
18	---	---	---	---	---	---	---	0.8	0	0	0	0
19	---	---	---	---	---	---	---	0.8	0	0	0	0
20	---	---	---	---	---	---	---	0.8	0	0	0	0
21	---	---	---	---	---	---	---	0.8	0	0	0	0
22	---	---	---	---	---	---	---	2	0	0	0	0
23	---	---	---	---	---	---	---	2	0	0	0	0
24	---	---	---	---	---	---	---	2	0	0	0	0
25	---	---	---	---	---	---	---	2	0	0	0	0
26	---	---	---	---	---	---	---	2	0	0	0	0
27	---	---	---	---	---	---	---	2	0	0	0	0
28	---	---	---	---	---	---	---	2	0	0	0	0
29	---	---	---	---	---	---	---	---	0	0	0	0
30	---	---	---	---	---	---	---	---	0	0	0	0
31	---	---	---	---	---	---	---	---	---	0	0	---
TOTAL	---	---	---	---	---	---	---	33.6	2.4	0.0	0.0	0.0
MEAN	---	---	---	---	---	---	---	1.6	0.1	0.0	0.0	0.0
MIN	---	---	---	---	---	---	---	0.8	0.0	0.0	0.0	0.0
MAX	---	---	---	---	---	---	---	2.0	0.8	0.0	0.0	0.0
AC-FT	---	---	---	---	---	---	---	66.6	4.8	0.0	0.0	0.0

WATER YEAR 2006 TOTAL CFS:36.0 TOTAL AC-FT: 71

13123110 Gates/Woods 1

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006

MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	1	---	---	---	---	---	---	---	1	2	0.8	0
2	1	---	---	---	---	---	---	---	1	2	0.8	0
3	---	---	---	---	---	---	---	---	1	3.2	0.8	0
4	---	---	---	---	---	---	---	---	1	3.2	0.8	0
5	---	---	---	---	---	---	---	---	1.6	3.2	0.8	0
6	---	---	---	---	---	---	---	---	1.6	3.2	0.8	0
7	---	---	---	---	---	---	---	---	1.6	3.2	1.4	0
8	---	---	---	---	---	---	---	---	1.6	3.2	1.4	0
9	---	---	---	---	---	---	---	---	1.6	3.2	1.4	0
10	---	---	---	---	---	---	---	---	1.6	2	1.4	0
11	---	---	---	---	---	---	---	---	1.6	2	1.4	0
12	---	---	---	---	---	---	---	---	3	2	1.4	0
13	---	---	---	---	---	---	---	---	3	2	1.4	0
14	---	---	---	---	---	---	---	---	3	2	1.8	0
15	---	---	---	---	---	---	---	3.5	3	2	1.8	0
16	---	---	---	---	---	---	---	3.5	3	2	1.8	0
17	---	---	---	---	---	---	---	3.5	3	1.6	1.8	0
18	---	---	---	---	---	---	---	3.5	3	1.6	1.8	0
19	---	---	---	---	---	---	---	3.5	2.4	1.6	1.8	0
20	---	---	---	---	---	---	---	3.5	2.4	1.6	1.8	0
21	---	---	---	---	---	---	---	3.5	2.4	1.6	0	0
22	---	---	---	---	---	---	---	2.4	2.4	1.6	0	0
23	---	---	---	---	---	---	---	2.4	2.4	1.6	0	0
24	---	---	---	---	---	---	---	2.4	2.4	1.8	0	0
25	---	---	---	---	---	---	---	2.4	2.4	1.8	0	0
26	---	---	---	---	---	---	---	2.4	2	1.8	0	0
27	---	---	---	---	---	---	---	2.4	2	1.8	0	0
28	---	---	---	---	---	---	---	2.4	2	1.8	0	0
29	---	---	---	---	---	---	---	1	2	1.8	0	0
30	---	---	---	---	---	---	---	1	2	1.8	0	0
31	---	---	---	---	---	---	---	1	---	0.8	0	---
TOTAL	2.0	---	---	---	---	---	---	44.3	63.0	65.0	27.2	0.0
MEAN	1.0	---	---	---	---	---	---	2.6	2.1	2.1	0.9	0.0
MIN	1.0	---	---	---	---	---	---	1.0	1.0	0.8	0.0	0.0
MAX	1.0	---	---	---	---	---	---	3.5	3.0	3.2	1.8	0.0
AC-FT	4.0	---	---	---	---	---	---	87.9	125.0	128.9	54.0	0.0

WATER YEAR 2006 TOTAL CFS:201.5 TOTAL AC-FT: 400

13123130 Gates/Woods 2

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006

MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---	---	---	---	---	---	1.7	0.6	0
2	---	---	---	---	---	---	---	---	---	1.7	0.6	0
3	---	---	---	---	---	---	---	---	---	2.8	0.6	0
4	---	---	---	---	---	---	---	---	---	2.8	0.6	0
5	---	---	---	---	---	---	---	---	1.2	2.8	0.6	0
6	---	---	---	---	---	---	---	---	1.2	2.8	0.6	0
7	---	---	---	---	---	---	---	---	1.2	2.8	1	0
8	---	---	---	---	---	---	---	---	1.2	2.8	1	0
9	---	---	---	---	---	---	---	---	1.2	2.8	1	0
10	---	---	---	---	---	---	---	---	1.2	1	1	0
11	---	---	---	---	---	---	---	---	1.2	1	1	0
12	---	---	---	---	---	---	---	---	1	1	1	0
13	---	---	---	---	---	---	---	---	1	1	1	0
14	---	---	---	---	---	---	---	---	1	1	1	0
15	---	---	---	---	---	---	---	---	1	1	1	0
16	---	---	---	---	---	---	---	---	1	1	1	0
17	---	---	---	---	---	---	---	---	1	1	1	0
18	---	---	---	---	---	---	---	---	1	1	1	0
19	---	---	---	---	---	---	---	---	1.8	1	1	0
20	---	---	---	---	---	---	---	---	1.8	1	1	0
21	---	---	---	---	---	---	---	---	1.8	1	0	0
22	---	---	---	---	---	---	---	2.4	1.8	1	0	0
23	---	---	---	---	---	---	---	2.4	1.8	1	0	0
24	---	---	---	---	---	---	---	2.4	1.8	1	0	0
25	---	---	---	---	---	---	---	2.4	1.8	1	0	0
26	---	---	---	---	---	---	---	2.4	1.7	1	0	0
27	---	---	---	---	---	---	---	2.4	1.7	1	0	0
28	---	---	---	---	---	---	---	2.4	1.7	1	0	0
29	---	---	---	---	---	---	---	---	1.7	1	0	0
30	---	---	---	---	---	---	---	---	1.7	1	0	0
31	---	---	---	---	---	---	---	---	---	0.6	0	---

TOTAL	---	---	---	---	---	---	---	16.8	36.5	44.6	17.6	0.0
MEAN	---	---	---	---	---	---	---	2.4	1.4	1.4	0.6	0.0
MIN	---	---	---	---	---	---	---	2.4	1.0	0.6	0.0	0.0
MAX	---	---	---	---	---	---	---	2.4	1.8	2.8	1.0	0.0
AC-FT	---	---	---	---	---	---	---	33.3	72.4	88.5	34.9	0.0

WATER YEAR 2006 TOTAL CFS: 115.5 TOTAL AC-FT: 229

13123170 Gates/Woods/6X Ranch

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---	---	---	---	1.6	0.8	2.8	2.4	2
2	---	---	---	---	---	---	---	1.6	0.8	2.8	2.4	2
3	---	---	---	---	---	---	---	1.6	0.8	6	2.4	2
4	---	---	---	---	---	---	---	1.6	0.8	6	2.4	2
5	---	---	---	---	---	---	---	1.6	6	6	2.4	2
6	---	---	---	---	---	---	---	1.6	6	6	2.4	2
7	---	---	---	---	---	---	---	1.6	6	6	3	2
8	---	---	---	---	---	---	---	2.4	6	6	3	2
9	---	---	---	---	---	---	---	2.4	6	6	3	2
10	---	---	---	---	---	---	---	2.4	6	0	3	2
11	---	---	---	---	---	---	---	2.4	6	0	3	2
12	---	---	---	---	---	---	---	2.4	4	0	3	2
13	---	---	---	---	---	---	---	2.4	4	0	3	2
14	---	---	---	---	---	---	---	2.4	4	0	2.4	2
15	---	---	---	---	---	---	---	2	4	0	2.4	2
16	---	---	---	---	---	---	---	2	4	0	2.4	2
17	---	---	---	---	---	---	---	2	4	4.8	2.4	2
18	---	---	---	---	---	---	---	2	4	4.8	2.4	2
19	---	---	---	---	---	---	---	2	5.2	4.8	2.4	2
20	---	---	---	---	---	---	---	2	5.2	4.8	2.4	2
21	---	---	---	---	---	---	---	2	4	4.8	1.6	2
22	---	---	---	---	---	---	---	4	4	4.8	1.6	2
23	---	---	---	---	---	---	---	4	4	4.8	1.6	2
24	---	---	---	---	---	---	---	4	4	4	1.6	2
25	---	---	---	---	---	---	---	4	4	4	1.6	2
26	---	---	---	---	---	---	---	4	2.8	4	1.6	2
27	---	---	---	---	---	---	---	4	2.8	4	1.6	2
28	---	---	---	---	---	---	---	4	2.8	4	2	2
29	---	---	---	---	---	---	---	0.8	2.8	4	2	2
30	---	---	---	---	---	---	---	0.8	2.8	4	2	2
31	---	---	---	---	---	---	---	0.8	---	2.4	2	---
TOTAL	---	---	---	---	---	---	---	72.4	117.6	111.6	71.4	60.0
MEAN	---	---	---	---	---	---	---	2.3	3.9	3.6	2.3	2.0
MIN	---	---	---	---	---	---	---	0.8	0.8	0.0	1.6	2.0
MAX	---	---	---	---	---	---	---	4.0	6.0	6.0	3.0	2.0
AC-FT	---	---	---	---	---	---	---	143.6	233.3	221.4	141.6	119.0

WATER YEAR 2006 TOTAL CFS:433.0 TOTAL AC-FT: 859

13124040 Smith Pumps

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	---	---	---	---	---	---	---	2.8	6	6	0
2	0	---	---	---	---	---	---	---	2.8	6	6	0
3	---	---	---	---	---	---	---	---	2.8	6	6	0
4	---	---	---	---	---	---	---	---	2.8	6	6	4.8
5	---	---	---	---	---	---	---	---	6	6	6	4.8
6	---	---	---	---	---	---	---	---	6	6	6	4.8
7	---	---	---	---	---	---	---	---	6	6	4	4.8
8	---	---	---	---	---	---	---	---	6	6	4	4.8
9	---	---	---	---	---	---	---	---	6	6	4	4.8
10	---	---	---	---	---	---	---	---	6	6	4	4.8
11	---	---	---	---	---	---	---	---	6	6	4	3.6
12	---	---	---	---	---	---	---	---	2	6	4	3.6
13	---	---	---	---	---	---	---	---	2	6	4	3.6
14	---	---	---	---	---	---	---	---	2	6	3.6	3.6
15	---	---	---	---	---	---	---	3	2	6	3.6	0
16	---	---	---	---	---	---	---	3	2	6	3.6	0
17	---	---	---	---	---	---	---	3	2	6	3.6	0
18	---	---	---	---	---	---	---	3	2	6	3.6	0
19	---	---	---	---	---	---	---	3	3	6	3.6	0
20	---	---	---	---	---	---	---	3	3	6	3.6	0
21	---	---	---	---	---	---	---	3	3	6	3.6	0
22	---	---	---	---	---	---	---	5	3	6	3.6	0
23	---	---	---	---	---	---	---	5	3	6	3.6	0
24	---	---	---	---	---	---	---	5	3	6	3.6	0
25	---	---	---	---	---	---	---	5	3	6	3.6	0
26	---	---	---	---	---	---	---	5	6	6	3.6	0
27	---	---	---	---	---	---	---	5	6	6	3.6	0
28	---	---	---	---	---	---	---	5	6	6	4.4	0
29	---	---	---	---	---	---	---	2.8	6	6	4.4	0
30	---	---	---	---	---	---	---	2.8	6	6	4.4	0
31	---	---	---	---	---	---	---	2.8	---	6	4.4	---
TOTAL												
TOTAL	0.0	---	---	---	---	---	---	64.4	118.2	186.0	132.0	48.0
MEAN	0.0	---	---	---	---	---	---	3.8	3.9	6.0	4.3	1.6
MIN	0.0	---	---	---	---	---	---	2.8	2.0	6.0	3.6	0.0
MAX	0.0	---	---	---	---	---	---	5.0	6.0	6.0	6.0	4.8
AC-FT	0.0	---	---	---	---	---	---	127.7	234.4	368.9	261.8	95.2

WATER YEAR 2006 TOTAL CFS:548.6 TOTAL AC-FT: 1,088

13124045 Neilsen injection to Warm Springs Creek
 DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
 MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---	---	---	---	0.8	2.4	0	8.6	0
2	---	---	---	---	---	---	---	0.8	2	0	6.6	0
3	---	---	---	---	---	---	---	0.8	2	12	6.6	0
4	---	---	---	---	---	---	---	0.8	2	12	11.6	2
5	---	---	---	---	---	---	---	0.8	4	12	11.6	2
6	---	---	---	---	---	---	---	0.8	4	12	11.6	2
7	---	---	---	---	---	---	---	0.8	4	12	12	2
8	---	---	---	---	---	---	---	0.8	4	12	12	0
9	---	---	---	---	---	---	---	0.8	4	12	11	0
10	---	---	---	---	---	---	---	0.8	4	10	11	0
11	---	---	---	---	---	---	---	0.8	4	10	9.8	0
12	---	---	---	---	---	---	---	0.8	2.6	5	9.8	0
13	---	---	---	---	---	---	---	0.8	2.6	5	9.8	0
14	---	---	---	---	---	---	---	0.8	4.8	10	7.8	0
15	---	---	---	---	---	---	---	1.2	4.8	10	7.8	0
16	---	---	---	---	---	---	---	1.2	4.8	10	7.8	0
17	---	---	---	---	---	---	---	1.2	4.8	9	7.8	0
18	---	---	---	---	---	---	---	1.2	4.8	9	7.8	2
19	---	---	---	---	---	---	---	1.2	4	9	7.8	2
20	---	---	---	---	---	---	---	1.2	4	9	7.8	2
21	---	---	---	---	---	---	---	1.2	2.6	7.2	0	2
22	---	---	---	---	---	---	---	3	2.6	7.2	0	2
23	---	---	---	---	---	---	---	3	2.6	7.2	0	2
24	---	---	---	---	---	---	---	3	2.6	12.8	0	2
25	---	---	---	---	---	---	---	3	2.6	12.8	0	0
26	---	---	---	---	---	---	---	3	0	13.4	0	0
27	---	---	---	---	---	---	---	3	0	13.4	0	0
28	---	---	---	---	---	---	---	3	0	8.5	0	0
29	---	---	---	---	---	---	---	2.4	0	8.5	0	0
30	---	---	---	---	---	---	---	2.4	0	8.5	0	0
31	---	---	---	---	---	---	---	2.4	---	8.6	0	---
TOTAL	---	---	---	---	---	---	---	47.8	86.6	288.1	186.6	22.0
MEAN	---	---	---	---	---	---	---	1.5	2.9	9.3	6.0	0.7
MIN	---	---	---	---	---	---	---	0.8	0.0	0.0	0.0	0.0
MAX	---	---	---	---	---	---	---	3.0	4.8	13.4	12.0	2.0
AC-FT	---	---	---	---	---	---	---	94.8	171.8	571.4	370.1	43.6

WATER YEAR 2006 TOTAL CFS:631.1 TOTAL AC-FT: 1,252

13124048 Freeman/Kent

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---	---	---	---	4	---	0	0	0
2	---	---	---	---	---	---	---	4	---	0	0	0
3	---	---	---	---	---	---	---	4	---	0	0	0
4	---	---	---	---	---	---	---	4	---	0	0	0
5	---	---	---	---	---	---	---	4	---	0	0	0
6	---	---	---	---	---	---	---	4	---	0	0	0
7	---	---	---	---	---	---	---	4	---	0	0	0
8	---	---	---	---	---	---	---	4	---	0	0	0
9	---	---	---	---	---	---	---	4	---	0	0	0
10	---	---	---	---	---	---	---	4	---	0	0	0
11	---	---	---	---	---	---	---	4	---	0	0	0
12	---	---	---	---	---	---	---	4	1.2	0	0	0
13	---	---	---	---	---	---	---	4	1.2	0	0	0
14	---	---	---	---	---	---	---	4	1.2	0	0	0
15	---	---	---	---	---	---	---	4	1.2	0	0	0
16	---	---	---	---	---	---	---	4	1.2	0	0	0
17	---	---	---	---	---	---	---	4	1.2	0.5	0	0
18	---	---	---	---	---	---	---	4	1.2	0.5	0	0
19	---	---	---	---	---	---	---	4	0	0.5	0	0
20	---	---	---	---	---	---	---	4	0	0.5	0	0
21	---	---	---	---	---	---	---	4	0	0.5	0	0
22	---	---	---	---	---	---	---	4	0	0.5	0	0
23	---	---	---	---	---	---	---	4	0	0.5	0	0
24	---	---	---	---	---	---	---	4	0	0	0	0
25	---	---	---	---	---	---	---	4	0	0	0	0
26	---	---	---	---	---	---	---	4	0	0	0	0
27	---	---	---	---	---	---	---	4	0	0	0	0
28	---	---	---	---	---	---	0.6	4	0	0	0	0
29	---	---	---	---	---	---	0.6	---	0	0	0	0
30	---	---	---	---	---	---	0.6	---	0	0	0	0
31	---	---	---	---	---	---	---	---	---	0	0	---
TOTAL												
TOTAL	---	---	---	---	---	---	1.8	112.0	8.4	3.5	0.0	0.0
MEAN	---	---	---	---	---	---	0.6	4.0	0.4	0.1	0.0	0.0
MIN	---	---	---	---	---	---	0.6	4.0	0.0	0.0	0.0	0.0
MAX	---	---	---	---	---	---	0.6	4.0	1.2	0.5	0.0	0.0
AC-FT	---	---	---	---	---	---	3.6	222.2	16.7	6.9	0.0	0.0

WATER YEAR 2006 TOTAL CFS:125.7 TOTAL AC-FT: 249

13124050 Broken River Pumps

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---	---	---	---	---	---	3.2	8	0
2	---	---	---	---	---	---	---	---	---	3.2	8	0
3	---	---	---	---	---	---	---	---	---	3.2	8	0
4	---	---	---	---	---	---	---	---	---	3.2	8	0
5	---	---	---	---	---	---	---	---	2	3.2	8	0
6	---	---	---	---	---	---	---	---	2	3.2	8	0
7	---	---	---	---	---	---	---	---	2	3.2	6	0
8	---	---	---	---	---	---	---	---	2	3.2	6	0
9	---	---	---	---	---	---	---	---	2	3.2	6	0
10	---	---	---	---	---	---	---	2	2	3.2	6	0
11	---	---	---	---	---	---	---	2	2	3.2	6	0
12	---	---	---	---	---	---	---	2	3.6	3.2	6	0
13	---	---	---	---	---	---	---	2	3.6	3.2	6	0
14	---	---	---	---	---	---	---	2	3.6	3.2	3.6	0
15	---	---	---	---	---	---	---	2	3.6	3.2	3.6	0
16	---	---	---	---	---	---	---	2	3.6	3.2	3.6	0
17	---	---	---	---	---	---	---	2	3.6	3.2	3.6	0
18	---	---	---	---	---	---	---	2	3.6	3.2	3.6	0
19	---	---	---	---	---	---	---	2	3.6	3.2	3.6	0
20	---	---	---	---	---	---	---	2	3.6	3.2	3.6	0
21	---	---	---	---	---	---	---	2	3.6	3.2	3.2	0
22	---	---	---	---	---	---	---	4	3.6	3.2	3.2	0
23	---	---	---	---	---	---	---	4	0	3.2	3.2	0
24	---	---	---	---	---	---	---	4	0	3.6	3.2	0
25	---	---	---	---	---	---	---	4	0	3.6	4	1.6
26	---	---	---	---	---	---	---	4	3.2	3.6	4	1.6
27	---	---	---	---	---	---	---	4	3.2	3.6	4	1.6
28	---	---	---	---	---	---	---	4	3.2	3.6	0	1.6
29	---	---	---	---	---	---	---	---	3.2	3.6	0	1.6
30	---	---	---	---	---	---	---	---	3.2	3.6	0	1.6
31	---	---	---	---	---	---	---	---	---	8	0	---

TOTAL	---	---	---	---	---	---	---	52.0	69.6	106.8	140.0	9.6
MEAN	---	---	---	---	---	---	---	2.7	2.7	3.4	4.5	0.3
MIN	---	---	---	---	---	---	---	2.0	0.0	3.2	0.0	0.0
MAX	---	---	---	---	---	---	---	4.0	3.6	8.0	8.0	1.6
AC-FT	---	---	---	---	---	---	---	103.1	138.1	211.8	277.7	19.0

WATER YEAR 2006 TOTAL CFS:378.0 TOTAL AC-FT: 750

13124060 Broken River Ditch

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---	---	---	---	---	1.6	3	1.6	2
2	---	---	---	---	---	---	---	---	1.6	3	1.6	2
3	---	---	---	---	---	---	---	---	1.6	2.4	1.6	2
4	---	---	---	---	---	---	---	---	1.6	2.4	1.6	0
5	---	---	---	---	---	---	---	---	3	2.4	1.6	0
6	---	---	---	---	---	---	---	---	3	2.4	1.6	0
7	---	---	---	---	---	---	---	---	3	2.4	1.8	0
8	---	---	---	---	---	---	---	---	3	2.4	1.8	0
9	---	---	---	---	---	---	---	---	3	2.4	1.8	0
10	---	---	---	---	---	---	---	2.4	3	2.8	1.8	0
11	---	---	---	---	---	---	---	2.4	3	2.8	1.8	0
12	---	---	---	---	---	---	---	2.4	2.4	2.8	1.8	0
13	---	---	---	---	---	---	---	2.4	2.4	2.8	1.8	0
14	---	---	---	---	---	---	---	2.4	2.4	2.8	2	0
15	---	---	---	---	---	---	---	2.4	2.4	2.8	2	0
16	---	---	---	---	---	---	---	2.4	2.4	2.8	2	0
17	---	---	---	---	---	---	---	2.4	2.4	2.4	2	0
18	---	---	---	---	---	---	---	2.4	2.4	2.4	2	0
19	---	---	---	---	---	---	---	2.4	2.4	2.4	2	0
20	---	---	---	---	---	---	---	2.4	2.4	2.4	2	0
21	---	---	---	---	---	---	---	2.4	2.4	2.4	1.5	0
22	---	---	---	---	---	---	---	3	2.4	2.4	1.5	0
23	---	---	---	---	---	---	---	3	1.6	2.4	1.5	0
24	---	---	---	---	---	---	---	3	1.6	1.8	1.5	0
25	---	---	---	---	---	---	---	3	1.6	1.8	0	0
26	---	---	---	---	---	---	---	3	3	1.8	0	0
27	---	---	---	---	---	---	---	3	3	1.8	0	0
28	---	---	---	---	---	---	---	3	3	1.8	2	0
29	---	---	---	---	---	---	---	1.6	3	1.8	2	0
30	---	---	---	---	---	---	---	1.6	3	1.8	2	0
31	---	---	---	---	---	---	---	1.6	---	1.6	2	---
TOTAL	---	---	---	---	---	---	---	54.6	73.6	73.4	50.2	6.0
MEAN	---	---	---	---	---	---	---	2.5	2.5	2.4	1.6	0.2
MIN	---	---	---	---	---	---	---	1.6	1.6	1.6	0.0	0.0
MAX	---	---	---	---	---	---	---	3.0	3.0	3.0	2.0	2.0
AC-FT	---	---	---	---	---	---	---	108.3	146.0	145.6	99.6	11.9

WATER YEAR 2006 TOTAL CFS:257.8 TOTAL AC-FT: 511

13124070 Freeman 2

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---	---	---	---	---	---	1.2	0	0
2	---	---	---	---	---	---	---	---	---	1.2	0	0
3	---	---	---	---	---	---	---	---	---	2	0	0
4	---	---	---	---	---	---	---	---	---	2	0	1
5	---	---	---	---	---	---	---	---	1.6	1.6	0	1
6	---	---	---	---	---	---	---	---	1.6	1.6	0	1
7	---	---	---	---	---	---	---	---	1.6	1.6	0.6	1
8	---	---	---	---	---	---	---	1	1.6	1.6	0.6	1
9	---	---	---	---	---	---	---	1	0	1.6	0.6	1
10	---	---	---	---	---	---	---	1	0	1	0.6	1
11	---	---	---	---	---	---	---	1	0	1	0.6	1
12	---	---	---	---	---	---	---	1	0.05	1	0.6	1
13	---	---	---	---	---	---	---	1	0.05	1	0.6	1
14	---	---	---	---	---	---	---	1	0.05	1	0	1
15	---	---	---	---	---	---	---	1	0.05	1	0	0
16	---	---	---	---	---	---	---	1	0.05	1	0	0
17	---	---	---	---	---	---	---	1	0.05	0.5	0	0
18	---	---	---	---	---	---	---	1	0.05	0.5	0	0
19	---	---	---	---	---	---	---	1	3	0.5	0	0
20	---	---	---	---	---	---	---	1	3	0.5	0	0
21	---	---	---	---	---	---	---	1	3	0.5	0	0
22	---	---	---	---	---	---	---	1	3	0.5	0	0
23	---	---	---	---	---	---	---	1	3	0.5	0	0
24	---	---	---	---	---	---	---	1	3	0.6	0	0
25	---	---	---	---	---	---	---	1	3	0.6	0	0
26	---	---	---	---	---	---	---	1	1.2	0.6	0	0
27	---	---	---	---	---	---	---	1	1.2	0.6	0	0
28	---	---	---	---	---	---	---	1	1.2	0.6	0	0
29	---	---	---	---	---	---	---	---	1.2	0.6	0	0
30	---	---	---	---	---	---	---	---	1.2	0.6	0	0
31	---	---	---	---	---	---	---	---	---	0	0	---
TOTAL	---	---	---	---	---	---	---	21.0	33.8	29.1	4.2	11.0
MEAN	---	---	---	---	---	---	---	1.0	1.3	0.9	0.1	0.4
MIN	---	---	---	---	---	---	---	1.0	0.0	0.0	0.0	0.0
MAX	---	---	---	---	---	---	---	1.0	3.0	2.0	0.6	1.0
AC-FT	---	---	---	---	---	---	---	41.7	67.0	57.7	8.3	21.8

WATER YEAR 2006 TOTAL CFS:99.1 TOTAL AC-FT: 197

13124075 Freeman 3

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---	---	---	---	---	---	0	0	1.2
2	---	---	---	---	---	---	---	---	---	0	0	1.2
3	---	---	---	---	---	---	---	---	---	1.2	0	1.2
4	---	---	---	---	---	---	---	---	---	1.2	0	1.2
5	---	---	---	---	---	---	---	---	1	1.2	0	1.2
6	---	---	---	---	---	---	---	---	1	1.2	0	1.2
7	---	---	---	---	---	---	---	---	1	1.2	0.6	1.2
8	---	---	---	---	---	---	---	0.6	1	1.2	0.6	1.2
9	---	---	---	---	---	---	---	0.6	0	1.2	0.6	1.2
10	---	---	---	---	---	---	---	0.6	0	1.2	0.6	1.2
11	---	---	---	---	---	---	---	0.6	0	1.2	0.6	1
12	---	---	---	---	---	---	---	0.6	0.05	1.2	0.6	1
13	---	---	---	---	---	---	---	0.6	0.05	1.2	0.6	1
14	---	---	---	---	---	---	---	0.6	0.05	1.2	0	1
15	---	---	---	---	---	---	---	1	0.05	1.2	0	0
16	---	---	---	---	---	---	---	1	0.05	1.2	0	0
17	---	---	---	---	---	---	---	1	0.05	0.6	0	0
18	---	---	---	---	---	---	---	1	0.05	0.6	0	0
19	---	---	---	---	---	---	---	1	2	0.6	0	0
20	---	---	---	---	---	---	---	1	2	0.6	0	0
21	---	---	---	---	---	---	---	1	2	0.6	0	0
22	---	---	---	---	---	---	---	1	2	0.6	0	0
23	---	---	---	---	---	---	---	1	2	0.6	1.2	0
24	---	---	---	---	---	---	---	1	2	0.6	1.2	0
25	---	---	---	---	---	---	---	1	2	0.6	1.2	0
26	---	---	---	---	---	---	---	1	0	0.6	1.2	0
27	---	---	---	---	---	---	---	1	0	0.6	1.2	0
28	---	---	---	---	---	---	---	1	0	0.6	1.2	0
29	---	---	---	---	---	---	---	---	0	0.6	1.2	0
30	---	---	---	---	---	---	---	---	0	0.6	0	0
31	---	---	---	---	---	---	---	---	---	0	0	---
TOTAL	---	---	---	---	---	---	---	18.2	18.4	25.2	12.6	16.0
MEAN	---	---	---	---	---	---	---	0.9	0.7	0.8	0.4	0.5
MIN	---	---	---	---	---	---	---	0.6	0.0	0.0	0.0	0.0
MAX	---	---	---	---	---	---	---	1.0	2.0	1.2	1.2	1.2
AC-FT	---	---	---	---	---	---	---	36.1	36.5	50.0	25.0	31.7

WATER YEAR 2006 TOTAL CFS:90.4 TOTAL AC-FT: 179

13124080 Freeman/Hill Pump

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---	---	---	---	---	---	---	---	---
2	---	---	---	---	---	---	---	---	---	---	---	---
3	---	---	---	---	---	---	---	---	---	---	---	---
4	---	---	---	---	---	---	---	---	---	---	---	---
5	---	---	---	---	---	---	---	---	---	---	---	---
6	---	---	---	---	---	---	---	---	---	---	---	---
7	---	---	---	---	---	---	---	---	---	---	---	---
8	---	---	---	---	---	---	---	---	---	---	---	---
9	---	---	---	---	---	---	---	---	---	---	---	---
10	---	---	---	---	---	---	---	---	---	---	---	---
11	---	---	---	---	---	---	---	---	---	---	---	---
12	---	---	---	---	---	---	---	---	---	---	---	---
13	---	---	---	---	---	---	---	---	---	---	---	---
14	---	---	---	---	---	---	---	---	---	---	---	---
15	---	---	---	---	---	---	---	---	---	---	---	---
16	---	---	---	---	---	---	---	---	---	---	---	---
17	---	---	---	---	---	---	---	---	---	---	---	---
18	---	---	---	---	---	---	---	---	---	---	---	---
19	---	---	---	---	---	---	---	---	---	---	---	---
20	---	---	---	---	---	---	---	---	---	---	---	---
21	---	---	---	---	---	---	---	---	---	---	---	---
22	---	---	---	---	---	---	---	---	---	---	---	---
23	---	---	---	---	---	---	---	---	---	---	---	---
24	---	---	---	---	---	---	---	---	---	---	---	---
25	---	---	---	---	---	---	---	---	---	---	---	---
26	---	---	---	---	---	---	---	---	---	---	---	---
27	---	---	---	---	---	---	---	---	---	---	---	---
28	---	---	---	---	---	---	---	---	---	---	---	---
29	---	---	---	---	---	---	---	---	---	---	---	---
30	---	---	---	---	---	---	---	---	---	---	---	---
31	---	---	---	---	---	---	---	---	---	---	---	---

TOTAL	---	---	---	---	---	---	---	---	---	---	---	---
MEAN	---	---	---	---	---	---	---	---	---	---	---	---
MIN	---	---	---	---	---	---	---	---	---	---	---	---
MAX	---	---	---	---	---	---	---	---	---	---	---	---
AC-FT	---	---	---	---	---	---	---	---	---	---	---	---

WATER YEAR 2006 TOTAL CFS:0.0 TOTAL AC-FT: 0

13124085 6X Ranch 5

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	2	---	---	---	---	---	---	---	2	1.6	2.4	0
2	2	---	---	---	---	---	---	---	2	1.6	2.4	0
3	---	---	---	---	---	---	---	---	2	2.4	2.4	0
4	---	---	---	---	---	---	---	---	2	2.4	2.4	0
5	---	---	---	---	---	---	---	---	4	2.4	2.4	0
6	---	---	---	---	---	---	---	---	4	2.4	2.4	0
7	---	---	---	---	---	---	---	---	4	2.4	0.9	0
8	---	---	---	---	---	---	---	---	4	2.4	0.9	0
9	---	---	---	---	---	---	---	---	4	2.4	0.9	0
10	---	---	---	---	---	---	---	3.6	4	2.4	0.9	0
11	---	---	---	---	---	---	---	3.6	4	2.4	0.9	0
12	---	---	---	---	---	---	---	3.6	2.4	2.4	0.9	0
13	---	---	---	---	---	---	---	3.6	2.4	2.4	0.9	0
14	---	---	---	---	---	---	---	3.6	2.4	2.4	0	0
15	---	---	---	---	---	---	---	4	2.4	2.4	0	0
16	---	---	---	---	---	---	---	4	2.4	2.4	0	0
17	---	---	---	---	---	---	---	4	2.4	0	0	0
18	---	---	---	---	---	---	---	4	2.4	0	0	0
19	---	---	---	---	---	---	---	4	4.4	0	0	0
20	---	---	---	---	---	---	---	4	4.4	0	0	0
21	---	---	---	---	---	---	---	4	4.4	0	0	0
22	---	---	---	---	---	---	---	4	4.4	0	0	0
23	---	---	---	---	---	---	---	4	4.4	0	0	0
24	---	---	---	---	---	---	---	4	4.4	3.2	0	0
25	---	---	---	---	---	---	---	4	4.4	3.2	0	0
26	---	---	---	---	---	---	---	4	1.6	3.2	0	0
27	---	---	---	---	---	---	---	4	1.6	3.2	0	0
28	---	---	---	---	---	---	---	4	1.6	3.2	0	0
29	---	---	---	---	---	---	---	2	1.6	3.2	0	0
30	---	---	---	---	---	---	---	2	1.6	3.2	0	0
31	---	---	---	---	---	---	---	2	---	2.4	0	---

TOTAL	4.0	---	---	---	---	---	---	80.0	91.6	61.6	20.7	0.0
MEAN	2.0	---	---	---	---	---	---	3.6	3.1	2.0	0.7	0.0
MIN	2.0	---	---	---	---	---	---	2.0	1.6	0.0	0.0	0.0
MAX	2.0	---	---	---	---	---	---	4.0	4.4	3.2	2.4	0.0
AC-FT	7.9	---	---	---	---	---	---	158.7	181.7	122.2	41.1	0.0

WATER YEAR 2006 TOTAL CFS:257.9 TOTAL AC-FT: 512

13124090 Johnson/Navarro Ditch

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	3	0	0	---	---	---	---	2	6	6	6	3.2
2	3	0	0	---	---	---	---	0	6	6	6	3.2
3	3	0	0	---	---	---	---	0	6	6	6	3.2
4	3	0	0	---	---	---	---	0	6	6	6	3.2
5	3	0	0	---	---	---	---	0	6	6	6	3.2
6	3	0	0	---	---	---	---	0	6	6	6	3.2
7	3	0	0	---	---	---	---	0	6	6	6	3.2
8	3	0	0	---	---	---	---	0	6	6	6	3.2
9	3	0	0	---	---	---	---	0	6	6	6	3.2
10	1.2	0	0	---	---	---	---	4	6	6	6	3.2
11	1.2	0	0	---	---	---	---	4	6	6	6	3.2
12	1.2	0	0	---	---	---	1	4	6	6	6	3.2
13	1.2	0	0	---	---	---	2	4	6	6	6	3.2
14	1.2	0	0	---	---	---	2	4	6	6	6	3.2
15	1.2	0	0	---	---	---	2	4	6	6	6	3.2
16	1	0	0	---	---	---	2	4	6	6	6	3.2
17	0	0	0	---	---	---	2	4	6	6	6	3.2
18	0	0	0	---	---	---	2	4	6	6	6	3.2
19	0	0	0	---	---	---	2	4	3	6	6	3.2
20	0	0	0	---	---	---	2	4	3	6	6	3.2
21	0	0	0	---	---	---	2	4	3	6	5	3.2
22	0	0	0	---	---	---	2	6	3	6	5	3.2
23	0	0	0	---	---	---	2	6	3	6	5	3.2
24	0	0	0	---	---	---	2	6	3	6	5	3.2
25	0	0	0	---	---	---	2	6	3	6	5	3.2
26	0	0	0	---	---	---	2	6	6	6	5	3.2
27	0	0	0	---	---	---	2	6	6	6	5	3.2
28	0	0	0	---	---	---	2	6	6	6	3.2	3.2
29	0	0	0	---	---	---	2	6	6	6	3.2	3.2
30	0	0	0	---	---	---	2	6	6	6	3.2	3.2
31	0	---	0	---	---	---	---	6	---	6	3.2	---
TOTAL	35.2	0.0	0.0	---	---	---	37.0	110.0	159.0	186.0	167.8	96.0
MEAN	1.1	0.0	0.0	---	---	---	1.9	3.5	5.3	6.0	5.4	3.2
MIN	0.0	0.0	0.0	---	---	---	1.0	0.0	3.0	6.0	3.2	3.2
MAX	3.0	0.0	0.0	---	---	---	2.0	6.0	6.0	6.0	6.0	3.2
AC-FT	69.8	0.0	0.0	---	---	---	73.4	218.2	315.4	368.9	332.8	190.4

WATER YEAR 2006 TOTAL CFS: 791.0 TOTAL AC-FT: 1,569

13124100 6X Ranch 6

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006

MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---	---	---	---	---	---	0.8	1.6	3
2	---	---	---	---	---	---	---	---	---	0.8	1.6	3
3	---	---	---	---	---	---	---	---	---	1.6	1.6	3
4	---	---	---	---	---	---	---	---	---	1.6	1.6	2
5	---	---	---	---	---	---	---	---	3	1.6	1.6	2
6	---	---	---	---	---	---	---	---	3	1.6	1.6	2
7	---	1	---	---	---	---	---	---	3	1.6	2.4	2
8	---	1	---	---	---	---	---	---	3	1.6	2.4	2
9	---	1	---	---	---	---	---	---	0	1.6	2.4	2
10	---	1	---	---	---	---	---	---	0	3	2.4	2
11	---	1	---	---	---	---	---	---	0	3	2.4	2
12	---	1	---	---	---	---	---	---	2	3	2.4	2
13	---	1	---	---	---	---	---	---	2	3	2.4	2
14	---	1	---	---	---	---	---	---	2	3	0	2
15	---	1	---	---	---	---	---	---	2	3	0	2
16	---	1	---	---	---	---	---	---	2	3	0	2
17	---	1	---	---	---	---	---	---	2	2	0	2
18	---	1	---	---	---	---	---	---	2	2	0	0
19	---	1	---	---	---	---	---	---	2	2	0	0
20	---	1	---	---	---	---	---	---	2	2	0	0
21	---	1	---	---	---	---	---	---	2	2	0	0
22	---	1	---	---	---	---	---	4	2	2	0	0
23	---	1	---	---	---	---	---	4	2	2	0	0
24	---	1	---	---	---	---	---	4	2	2.4	0	0
25	---	1	---	---	---	---	---	4	2	2.4	0	2
26	---	1	---	---	---	---	---	4	0.8	2.4	0	2
27	---	1	---	---	---	---	---	4	0.8	2.4	0	1
28	---	1	---	---	---	---	---	4	0.8	2.4	3	1
29	---	---	---	---	---	---	---	---	0.8	2.4	3	1
30	---	---	---	---	---	---	---	---	0.8	2.4	3	1
31	---	---	---	---	---	---	---	---	---	1.6	3	---
.....												
TOTAL	---	22.0	---	---	---	---	---	28.0	44.0	66.2	38.4	45.0
MEAN	---	1.0	---	---	---	---	---	4.0	1.7	2.1	1.2	1.5
MIN	---	1.0	---	---	---	---	---	4.0	0.0	0.8	0.0	0.0
MAX	---	1.0	---	---	---	---	---	4.0	3.0	3.0	3.0	3.0
AC-FT	---	43.6	---	---	---	---	---	55.5	87.3	131.3	76.2	89.3

WATER YEAR 2006 TOTAL CFS:243.6 TOTAL AC-FT: 483

13124130 Stoecklein 3

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	1.5	---	---	---	---	---	---	---	---	1.2	0	0.6
2	1.5	---	---	---	---	---	---	---	---	1.2	0	0.6
3	1.5	---	---	---	---	---	---	---	---	0	0	0.6
4	1.5	---	---	---	---	---	---	---	---	0	0	1
5	1.5	---	---	---	---	---	---	---	0.8	0	0	1
6	1.5	---	---	---	---	---	---	---	0.8	0	0	1
7	1.5	---	---	---	---	---	---	---	0.8	0	0	1
8	1.5	---	---	---	---	---	---	---	0.8	0	0	1
9	1.5	---	---	---	---	---	---	---	0.8	0	0	1
10	---	---	---	---	---	---	---	---	0.8	0.5	0	1
11	---	---	---	---	---	---	---	---	0.8	0.5	0	0
12	---	---	---	---	---	---	---	---	0	0.5	0	0
13	---	---	---	---	---	---	---	---	0	0.5	0	0
14	---	---	---	---	---	---	---	---	0	0.5	0	0
15	---	---	---	---	---	---	---	---	0	0.5	0	0
16	---	---	---	---	---	---	---	---	0	0.5	0	0
17	---	---	---	---	---	---	---	---	0	0	0	0
18	---	---	---	---	---	---	---	---	0	0	0	0
19	---	---	---	---	---	---	---	---	0	0	0	0
20	---	---	---	---	---	---	---	---	0	0	0	0
21	---	---	---	---	---	---	---	---	0	0	0	0
22	---	---	---	---	---	---	---	1	0	0	0	0
23	---	---	---	---	---	---	---	1	0	0	0	0
24	---	---	---	---	---	---	---	1	0	0.5	0	0
25	---	---	---	---	---	---	---	1	0	0.5	0	0
26	---	---	---	---	---	---	---	1	1.2	0.5	0	0
27	---	---	---	---	---	---	---	1	1.2	0.5	0	0
28	---	---	---	---	---	---	---	1	1.2	0.5	0	0
29	---	---	---	---	---	---	---	---	1.2	0.5	0	0
30	---	---	---	---	---	---	---	---	1.2	0.5	0.6	0
31	---	---	---	---	---	---	---	---	---	0	0.6	---
TOTAL	13.5	---	---	---	---	---	---	7.0	11.6	9.4	1.2	8.8
MEAN	1.5	---	---	---	---	---	---	1.0	0.4	0.3	0.0	0.3
MIN	1.5	---	---	---	---	---	---	1.0	0.0	0.0	0.0	0.0
MAX	1.5	---	---	---	---	---	---	1.0	1.2	1.2	0.6	1.0
AC-FT	26.8	---	---	---	---	---	---	13.9	23.0	18.6	2.4	17.5

WATER YEAR 2006 TOTAL CFS:51.5 TOTAL AC-FT: 102

13124160 Upper Fish Hatchery Canal

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	2	0	0	---	---	---	---	3.6	9.2	6	6	5
2	2	0	0	---	---	---	---	3.6	9.2	6	6	5
3	2	0	0	---	---	---	---	3.6	9.2	6	6	5
4	2	0	0	---	---	---	---	3.6	9.2	6	6	5
5	2	0	0	---	---	---	---	3.6	9.2	6	6	5
6	2	0	0	---	---	---	---	3.6	9.2	6	6	5
7	2	0	0	---	---	---	---	3.6	8.8	6	6	5
8	2	0	0	---	---	---	---	3.6	8.8	6	6	5
9	2	0	0	---	---	---	---	3.6	8.8	6	6	5
10	2	0	0	---	---	---	---	3.6	8.8	6	6	5
11	2	0	0	---	---	---	---	3.6	8.8	6	6	5
12	2	0	0	---	---	---	6	5	8.8	6	6	5
13	2	0	0	---	---	---	6	5	8.8	6	6	5
14	2	0	0	---	---	---	6	5	8.8	6	6	5
15	2	0	0	---	---	---	6	9.3	8.8	6	6	5
16	2	0	0	---	---	---	6	9.3	8.8	6	6	5
17	0	0	0	---	---	---	6	9.3	8.8	6	6	5
18	0	0	0	---	---	---	6	9.3	8.8	6	6	4.8
19	0	0	0	---	---	---	6	9.3	8.8	6	6	4.8
20	0	0	0	---	---	---	6	9.3	8.8	6	6	4.8
21	0	0	0	---	---	---	6	9.3	6	6	5	4.8
22	0	0	0	---	---	---	6	9	6	6	5	4.8
23	0	0	0	---	---	---	6	9	6	6	5	4.8
24	0	0	0	---	---	---	3.6	9	6	6	5	4.8
25	0	0	0	---	---	---	3.6	9	6	6	5	4
26	0	0	0	---	---	---	3.6	9	6	6	5	4
27	0	0	0	---	---	---	3.6	9	6	6	5	4
28	0	0	0	---	---	---	3.6	9	6	6	5	4
29	0	0	0	---	---	---	3.6	9.2	6	6	5	4
30	0	0	0	---	---	---	3.6	9.2	6	6	5	4
31	0	---	0	---	---	---	---	9.2	---	6	5	---
.....												
TOTAL	32.0	0.0	0.0	---	---	---	97.2	210.3	238.4	186.0	175.0	142.6
MEAN	1.0	0.0	0.0	---	---	---	5.1	6.8	7.9	6.0	5.6	4.8
MIN	0.0	0.0	0.0	---	---	---	3.6	3.6	6.0	6.0	5.0	4.0
MAX	2.0	0.0	0.0	---	---	---	6.0	9.3	9.2	6.0	6.0	5.0
AC-FT	63.5	0.0	0.0	---	---	---	192.8	417.1	472.9	368.9	347.1	282.8

WATER YEAR 2006 TOTAL CFS:1,081.5 TOTAL AC-FT: 2,145

13124165 Freeman Ditch

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006

MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---	---	---	---	---	---	2.6	2.6	1.2
2	---	---	---	---	---	---	---	---	---	2.6	2.6	1.2
3	---	---	---	---	---	---	---	---	---	2.6	2.6	1.2
4	---	---	---	---	---	---	---	---	---	2.6	2.6	1.2
5	---	---	---	---	---	---	---	---	---	2.6	2.6	1.2
6	---	---	---	---	---	---	---	---	---	2.6	2.6	1.2
7	---	---	---	---	---	---	---	---	2.8	2.6	2.6	1.2
8	---	---	---	---	---	---	---	---	2.8	2.6	2.6	1.2
9	---	---	---	---	---	---	---	---	2.8	2.6	2.6	1.2
10	---	---	---	---	---	---	---	---	2.8	2.6	2.6	1.2
11	---	---	---	---	---	---	---	---	2.8	2.6	2.6	1.2
12	---	---	---	---	---	---	---	---	0	2.6	2.6	1.2
13	---	---	---	---	---	---	---	---	0	2.6	2.6	1.2
14	---	---	---	---	---	---	---	---	0	2.6	0	1.2
15	---	---	---	---	---	---	---	---	0	2.6	0	1.2
16	---	---	---	---	---	---	---	---	0	2.6	0	1.2
17	---	---	---	---	---	---	---	---	0	2.6	0	1.2
18	---	---	---	---	---	---	---	---	0	2.6	0	0
19	---	---	---	---	---	---	---	---	0	2.6	0	0
20	---	---	---	---	---	---	---	---	0	2.6	0	0
21	---	---	---	---	---	---	---	---	0	2.6	0	0
22	---	---	---	---	---	---	---	---	0	2.6	0	0
23	---	---	---	---	---	---	---	---	0	2.6	0	0
24	---	---	---	---	---	---	---	---	0	2.6	0	0
25	---	---	---	---	---	---	---	---	0	2.6	0	0
26	---	---	---	---	---	---	---	---	2.6	2.6	0	0
27	---	---	---	---	---	---	---	---	2.6	2.6	0	0
28	---	---	---	---	---	---	---	---	2.6	2.6	1.2	0
29	---	---	---	---	---	---	---	---	2.6	2.6	1.2	0
30	---	---	---	---	---	---	---	---	2.6	2.6	1.2	0
31	---	---	---	---	---	---	---	---	---	2.6	1.2	---
TOTAL	---	---	---	---	---	---	---	---	27.0	80.6	38.6	20.4
MEAN	---	---	---	---	---	---	---	---	1.1	2.6	1.2	0.7
MIN	---	---	---	---	---	---	---	---	0.0	2.6	0.0	0.0
MAX	---	---	---	---	---	---	---	---	2.8	2.6	2.6	1.2
AC-FT	---	---	---	---	---	---	---	---	53.6	159.9	76.6	40.5

WATER YEAR 2006 TOTAL CFS:166.6 TOTAL AC-FT: 330

13124173 Stoecklein 1

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006

MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	1.6	---	---	---	---	---	---	---	0.5	0.5	0.5	1.2
2	1.6	---	---	---	---	---	---	---	0.5	0.5	0.5	1.2
3	3	---	---	---	---	---	---	---	0.5	0.7	0.5	1.2
4	3	---	---	---	---	---	---	---	0.5	0.7	0.5	0.6
5	3	---	---	---	---	---	---	---	1	0.7	0.5	0.6
6	3	---	---	---	---	---	---	---	1	0.7	0.5	0.6
7	3	---	---	---	---	---	---	---	1	0.7	0.7	0.6
8	3	---	---	---	---	---	---	0.8	1	0.7	0.7	0.6
9	3	---	---	---	---	---	---	0.8	1	0.7	0.7	0.6
10	---	---	---	---	---	---	---	0.8	1	0.9	0.7	0.6
11	---	---	---	---	---	---	---	0.8	1	0.9	0.7	1
12	---	---	---	---	---	---	---	0.8	0.5	0.9	0.7	1
13	---	---	---	---	---	---	---	0.8	0.5	0.9	0.7	1
14	---	---	---	---	---	---	---	0.8	0.5	0.9	0.6	1
15	---	---	---	---	---	---	---	3.2	0.5	0.9	0.6	1
16	---	---	---	---	---	---	---	3.2	0.5	0.9	0.6	1
17	---	---	---	---	---	---	---	3.2	0.5	0.6	0.6	1
18	---	---	---	---	---	---	---	3.2	0.5	0.6	0.6	0.6
19	---	---	---	---	---	---	---	3.2	0.6	0.6	0.6	0.6
20	---	---	---	---	---	---	---	3.2	0.6	0.6	0.6	0.6
21	---	---	---	---	---	---	---	3.2	0.6	0.6	0.6	0.6
22	---	---	---	---	---	---	---	3.6	0.6	0.6	0.6	0.6
23	---	---	---	---	---	---	---	3.6	0.6	0.6	0.6	0.6
24	---	---	---	---	---	---	---	3.6	0.6	1	0.6	0.6
25	---	---	---	---	---	---	---	3.6	0.6	1	0.6	0.6
26	---	---	---	---	---	---	---	3.6	0.5	1	0.6	0.6
27	---	---	---	---	---	---	---	3.6	0.5	1	0.6	0.6
28	---	---	---	---	---	---	---	3.6	0.5	1	1.2	0.6
29	---	---	---	---	---	---	---	0.5	0.5	1	1.2	0.6
30	---	---	---	---	---	---	---	0.5	0.5	1	0	0.6
31	---	---	---	---	---	---	---	0.5	---	0.5	0	---
TOTAL	24.2	---	---	---	---	---	---	54.7	19.2	23.9	18.7	22.6
MEAN	2.7	---	---	---	---	---	---	2.3	0.6	0.8	0.6	0.8
MIN	1.6	---	---	---	---	---	---	0.5	0.5	0.5	0.0	0.6
MAX	3.0	---	---	---	---	---	---	3.6	1.0	1.0	1.2	1.2
AC-FT	48.0	---	---	---	---	---	---	108.5	38.1	47.4	37.1	44.8

WATER YEAR 2006 TOTAL CFS:163.3 TOTAL AC-FT: 324

13124175 Stoecklein 2

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	3	---	---	---	---	---	---	---	---	0.6	0.6	0.6
2	3	---	---	---	---	---	---	---	---	0.6	0.6	0.6
3	---	---	---	---	---	---	---	---	---	0.8	0.6	0.6
4	---	---	---	---	---	---	---	---	---	0.8	0.6	0
5	---	---	---	---	---	---	---	---	1	0.8	0.6	0
6	---	---	---	---	---	---	---	---	1	0.8	0.6	0
7	---	---	---	---	---	---	---	---	1	0.8	0.5	0
8	---	---	---	---	---	---	---	1.2	1	0.8	0.5	0
9	---	---	---	---	---	---	---	1.2	1	0.8	0.5	0
10	---	---	---	---	---	---	---	1.2	1	0.5	0.5	0
11	---	---	---	---	---	---	---	1.2	1	0.5	0.5	0
12	---	---	---	---	---	---	---	1.2	0	0.5	0.5	0
13	---	---	---	---	---	---	---	1.2	0	0.5	0.5	0
14	---	---	---	---	---	---	---	1.2	0	0.5	0.8	0
15	---	---	---	---	---	---	---	0	0	0.5	0.8	0
16	---	---	---	---	---	---	---	0	0	0.5	0.8	0
17	---	---	---	---	---	---	---	0	0	0.8	0.8	0
18	---	---	---	---	---	---	---	0	0	0.8	0.8	0
19	---	---	---	---	---	---	---	0	0	0.8	0.8	0
20	---	---	---	---	---	---	---	0	0	0.8	0.8	0
21	---	---	---	---	---	---	---	0	0	0.8	0	0
22	---	---	---	---	---	---	---	1	0	0.8	0	0
23	---	---	---	---	---	---	---	1	0	0.8	0	0
24	---	---	---	---	---	---	---	1	0	0.5	0	0
25	---	---	---	---	---	---	---	1	0	0.5	0	0
26	---	---	---	---	---	---	---	1	0.6	0.5	0	0
27	---	---	---	---	---	---	---	1	0.6	0.5	0	0
28	---	---	---	---	---	---	---	1	0.6	0.5	0.6	0
29	---	---	---	---	---	---	---	---	0.6	0.5	0.6	0
30	---	---	---	---	---	---	---	---	0.6	0.5	0.6	0
31	---	---	---	---	---	---	---	---	---	0.6	0.6	---

TOTAL	6.0	---	---	---	---	---	---	15.4	10.0	20.0	15.1	1.8
MEAN	3.0	---	---	---	---	---	---	0.7	0.4	0.6	0.5	0.1
MIN	3.0	---	---	---	---	---	---	0.0	0.0	0.5	0.0	0.0
MAX	3.0	---	---	---	---	---	---	1.2	1.0	0.8	0.8	0.6
AC-FT	11.9	---	---	---	---	---	---	30.5	19.8	39.7	30.0	3.6

WATER YEAR 2006 TOTAL CFS:68.3 TOTAL AC-FT: 135

13124180 Stoecklein 4

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	0	---	---	---	---	---	---	0	0	0
2	0	0	0	---	---	---	---	---	---	0	0	0
3	0	0	0	---	---	---	---	---	---	0.8	0	0
4	0	0	0	---	---	---	---	---	---	0.8	0	0.6
5	0	0	0	---	---	---	---	---	0.8	0.8	0	0.6
6	1	0	0	---	---	---	---	---	0.8	0.8	0	0.6
7	1	0	0	---	---	---	---	---	0.8	0.8	0	0.6
8	1	0	0	---	---	---	---	---	0.8	0.8	0	0.6
9	1	0	0	---	---	---	---	---	0.8	0.8	0	0.6
10	---	0	0	---	---	---	---	---	0.8	0	0	0.6
11	---	0	0	---	---	---	---	---	0.8	0	0	0.6
12	---	0	0	---	---	---	---	---	0	0	0	0.6
13	---	0	0	---	---	---	---	---	0	0	0	0.6
14	---	0	0	---	---	---	---	---	0	0	0	0.6
15	---	0	0	---	---	---	---	---	0	0	0	0.6
16	---	0	0	---	---	---	---	---	0	0	0	0.6
17	0	0	0	---	---	---	---	---	0	0.5	0	0.6
18	0	0	0	---	---	---	---	---	0	0.5	0	0.6
19	0	0	0	---	---	---	---	---	0	0.5	0	0.6
20	0	0	0	---	---	---	---	---	0	0.5	0	0.6
21	0	0	0	---	---	---	---	---	0	0.5	0	0.6
22	0	0	0	---	---	---	---	0.8	0	0.5	0	0.6
23	0	0	0	---	---	---	---	0.8	0	0.5	0	0.6
24	0	0	0	---	---	---	---	0.8	0	0	0	0.6
25	0	0	0	---	---	---	---	0.8	0	0	0	0.6
26	0	0	0	---	---	---	---	0.8	0	0	0	0.6
27	0	0	0	---	---	---	---	0.8	0	0	0	0.6
28	0	0	0	---	---	---	---	0.8	0	0	0	0.6
29	0	0	0	---	---	---	---	---	0	0	0	0.6
30	0	0	0	---	---	---	---	---	0	0	0	0.6
31	0	---	0	---	---	---	---	---	---	0	0	---
TOTAL	4.0	0.0	0.0	---	---	---	---	5.6	5.6	9.1	0.0	16.2
MEAN	0.2	0.0	0.0	---	---	---	---	0.8	0.2	0.3	0.0	0.5
MIN	0.0	0.0	0.0	---	---	---	---	0.8	0.0	0.0	0.0	0.0
MAX	1.0	0.0	0.0	---	---	---	---	0.8	0.8	0.8	0.0	0.6
AC-FT	7.9	0.0	0.0	---	---	---	---	11.1	11.1	18.0	0.0	32.1

WATER YEAR 2006 TOTAL CFS:40.5 TOTAL AC-FT: 80

13124195 Shoupe Ditch

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---	---	---	---	---	4	3.8	3.8	3.2
2	---	---	---	---	---	---	---	---	4	3.8	4	3.2
3	---	---	---	---	---	---	---	---	4	0	4	3.2
4	---	---	---	---	---	---	---	---	4	0	4	0
5	---	---	---	---	---	---	---	---	3.8	0	4	0
6	---	---	---	---	---	---	---	---	3.8	0	4	0
7	---	---	---	---	---	---	---	---	3.8	0	4	0
8	---	---	---	---	---	---	---	---	3.8	0	4	0
9	---	---	---	---	---	---	---	---	3.8	0	4	0
10	---	---	---	---	---	---	---	---	3.8	0	4	0
11	---	---	---	---	---	---	---	---	3.8	0	4	0
12	---	---	---	---	---	---	---	3.2	3.8	0	4	0
13	---	---	---	---	---	---	---	3.2	3.8	0	4	0
14	---	---	---	---	---	---	---	3.2	3.8	0	4	0
15	---	---	---	---	---	---	---	3.2	3.8	0	4	3
16	---	---	---	---	---	---	---	3.2	3.8	0	4	3
17	---	---	---	---	---	---	---	3.2	3.8	3.4	4	3
18	---	---	---	---	---	---	---	3.2	3.8	3.4	4	3.2
19	---	---	---	---	---	---	---	3.2	3.8	3.4	4	3.2
20	---	---	---	---	---	---	---	3.2	3.8	3.4	4	3.2
21	---	---	---	---	---	---	---	3.2	3.8	3.7	4.3	3.2
22	---	---	---	---	---	---	---	3	3.8	3.7	4.3	3.2
23	---	---	---	---	---	---	---	3	3.8	3.7	4.3	3.2
24	---	---	---	---	---	---	---	3	3.8	3.8	4.3	3.2
25	---	---	---	---	---	---	---	3	3.8	3.8	4.3	3.2
26	---	---	---	---	---	---	---	4	3.8	3.8	4.3	3.2
27	---	---	---	---	---	---	---	4	3.8	3.8	4.3	3.2
28	---	---	---	---	---	---	---	4	3.8	3.8	3.2	3.2
29	---	---	---	---	---	---	---	4	3.8	3.8	3.2	3.2
30	---	---	---	---	---	---	---	4	3.8	3.8	3.2	3.2
31	---	---	---	---	---	---	---	4	---	3.8	3.2	---
TOTAL	---	---	---	---	---	---	---	68.0	114.8	62.7	122.7	60.2
MEAN	---	---	---	---	---	---	---	3.4	3.8	2.0	4.0	2.0
MIN	---	---	---	---	---	---	---	3.0	3.8	0.0	3.2	0.0
MAX	---	---	---	---	---	---	---	4.0	4.0	3.8	4.3	3.2
AC-FT	---	---	---	---	---	---	---	134.9	227.7	124.4	243.4	119.4

WATER YEAR 2006 TOTAL CFS:428.4 TOTAL AC-FT: 850

13124305 Gates Pump 1

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	---	---	---	---	---	---	---	1	0.5	1.8	0
2	0	---	---	---	---	---	---	---	1	0.5	1.8	0
3	---	---	---	---	---	---	---	---	1	1.6	1.8	0
4	---	---	---	---	---	---	---	---	1	1.6	1.8	1
5	---	---	---	---	---	---	---	---	2	1.6	1.8	1
6	---	---	---	---	---	---	---	---	2	1.6	1.8	0
7	---	---	---	---	---	---	---	---	2	1.6	1.8	0
8	---	---	---	---	---	---	---	---	2	1.6	1.8	0
9	---	---	---	---	---	---	---	---	1	1.6	1.8	0
10	---	---	---	---	---	---	---	---	1	1	1.8	0
11	---	---	---	---	---	---	---	---	1	1	1.8	0
12	---	---	---	---	---	---	---	---	1	1	1.8	0
13	---	---	---	---	---	---	---	---	1	1	1.8	0
14	---	---	---	---	---	---	---	---	1	1	1.8	0
15	---	---	---	---	---	---	---	---	1	1	1.8	0
16	---	---	---	---	---	---	---	---	1	1	1.8	0
17	---	---	---	---	---	---	---	---	1	1.4	1.8	0
18	---	---	---	---	---	---	---	---	1	1.4	1.8	0
19	---	---	---	---	---	---	---	---	1.8	1.4	1.8	0
20	---	---	---	---	---	---	---	---	1.8	1.4	1.8	0
21	---	---	---	---	---	---	---	---	1.8	1.4	1.8	0
22	---	---	---	---	---	---	---	1	1.8	1.4	1.8	0
23	---	---	---	---	---	---	---	1	1.8	1.4	1.8	0
24	---	---	---	---	---	---	---	1	1.8	1	1.8	0
25	---	---	---	---	---	---	---	1	1.8	1	1.8	0
26	---	---	---	---	---	---	---	1	0.5	1	1.8	0
27	---	---	---	---	---	---	---	1	0.5	1	1.8	0
28	---	---	---	---	---	---	---	1	0.5	1	1	0
29	---	---	---	---	---	---	---	1	0.5	1	1	0
30	---	---	---	---	---	---	---	1	0.5	1	0	0
31	---	---	---	---	---	---	---	1	---	1.8	0	---
TOTAL												
TOTAL	0.0	---	---	---	---	---	---	10.0	37.1	37.8	50.6	2.0
MEAN	0.0	---	---	---	---	---	---	1.0	1.2	1.2	1.6	0.1
MIN	0.0	---	---	---	---	---	---	1.0	0.5	0.5	0.0	0.0
MAX	0.0	---	---	---	---	---	---	1.0	2.0	1.8	1.8	1.0
AC-FT	0.0	---	---	---	---	---	---	19.8	73.6	75.0	100.4	4.0

WATER YEAR 2006 TOTAL CFS:137.5 TOTAL AC-FT: 273

13124340 Gates Pump 2

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---	---	---	---	---	---	1	1	0
2	---	---	---	---	---	---	---	---	---	1	1	0
3	---	---	---	---	---	---	---	---	---	1.2	1	0
4	---	---	---	---	---	---	---	---	---	1.2	1	1.8
5	---	---	---	---	---	---	---	---	1	1.2	1	1.8
6	---	---	---	---	---	---	---	---	1	1.2	1	0
7	---	---	---	---	---	---	---	---	1	1.2	1	0
8	---	---	---	---	---	---	---	---	1	1.2	1	0
9	---	---	---	---	---	---	---	---	1	1.2	1	0
10	---	---	---	---	---	---	---	---	1	1	1	0
11	---	---	---	---	---	---	---	---	1	1	1	0
12	---	---	---	---	---	---	---	---	1.8	1	1	0
13	---	---	---	---	---	---	---	---	1.8	1	1	0
14	---	---	---	---	---	---	---	---	1.8	1	1	0
15	---	---	---	---	---	---	---	---	1.8	1	1	0
16	---	---	---	---	---	---	---	---	1.8	1	1	0
17	---	---	---	---	---	---	---	---	1.8	1	1	0
18	---	---	---	---	---	---	---	---	1.8	1	1	0
19	---	---	---	---	---	---	---	---	1	1	1	0
20	---	---	---	---	---	---	---	---	1	1	1	0
21	---	---	---	---	---	---	---	---	1	1	1	0
22	---	---	---	---	---	---	---	1	1	1	1	0
23	---	---	---	---	---	---	---	1	1	1	1	0
24	---	---	---	---	---	---	---	1	1	1	1	0
25	---	---	---	---	---	---	---	1	1	1	1	0
26	---	---	---	---	---	---	---	1	1	1	1	0
27	---	---	---	---	---	---	---	1	1	1	1	0
28	---	---	---	---	---	---	---	1	1	1	1.8	0
29	---	---	---	---	---	---	---	---	1	1	1.8	0
30	---	---	---	---	---	---	---	---	1	1	0	0
31	---	---	---	---	---	---	---	---	---	1	0	---
TOTAL	---	---	---	---	---	---	---	7.0	31.6	32.4	30.6	3.6
MEAN	---	---	---	---	---	---	---	1.0	1.2	1.0	1.0	0.1
MIN	---	---	---	---	---	---	---	1.0	1.0	1.0	0.0	0.0
MAX	---	---	---	---	---	---	---	1.0	1.8	1.2	1.8	1.8
AC-FT	---	---	---	---	---	---	---	13.9	62.7	64.3	60.7	7.1

WATER YEAR 2006 TOTAL CFS:105.2 TOTAL AC-FT: 209

13124355 6X Ranch Pump

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---	---	---	---	---	2.4	2.4	2	1.8
2	---	---	---	---	---	---	---	---	2.4	2.4	2	1.8
3	---	---	---	---	---	---	---	---	2.4	2.2	2	1.8
4	---	---	---	---	---	---	---	---	2.4	2.2	2	1.8
5	---	---	---	---	---	---	---	---	2	2.2	2	1.8
6	---	---	---	---	---	---	---	---	2	2.2	2	0
7	---	---	---	---	---	---	---	---	1.5	2.2	1.8	0
8	---	---	---	---	---	---	---	2	1.5	2.2	1.8	0
9	---	---	---	---	---	---	---	2	1.5	2.2	1.8	0
10	---	---	---	---	---	---	---	2	1.5	2.4	1.8	0
11	---	---	---	---	---	---	---	2	1.5	2.4	1.8	1.8
12	---	---	---	---	---	---	---	2	2	2.4	1.8	1.8
13	---	---	---	---	---	---	---	2	2	2.4	1.8	1.8
14	---	---	---	---	---	---	---	2	2	2.4	0	1.8
15	---	---	---	---	---	---	---	2	2	2.4	0	0
16	---	---	---	---	---	---	---	2	2	2.4	0	0
17	---	---	---	---	---	---	---	2	2	3.4	0	0
18	---	---	---	---	---	---	---	2	2	3.4	0	0
19	---	---	---	---	---	---	---	2	2.8	3.4	0	0
20	---	---	---	---	---	---	---	2	2.8	3.4	0	0
21	---	---	---	---	---	---	---	2	1	3.4	0	0
22	---	---	---	---	---	---	---	2.4	1	3.4	0	0
23	---	---	---	---	---	---	---	2.4	1	3.4	0	0
24	---	---	---	---	---	---	---	2.4	1	2.2	0	0
25	---	---	---	---	---	---	---	2.4	1	2.2	0	1.8
26	---	---	---	---	---	---	---	2.4	2.4	2.2	0	1.8
27	---	---	---	---	---	---	---	2.4	2.4	2.2	0	1.8
28	---	---	---	---	---	---	---	2.4	2.4	2.2	0	1.8
29	---	---	---	---	---	---	---	2.4	2.4	2.2	0	1.8
30	---	---	---	---	---	---	---	2.4	2.4	2.2	1.8	1.8
31	---	---	---	---	---	---	---	2.4	---	2	1.8	---

TOTAL	---	---	---	---	---	---	---	52.0	57.7	78.2	28.2	27.0
MEAN	---	---	---	---	---	---	---	2.2	1.9	2.5	0.9	0.9
MIN	---	---	---	---	---	---	---	2.0	1.0	2.0	0.0	0.0
MAX	---	---	---	---	---	---	---	2.4	2.8	3.4	2.0	1.8
AC-FT	---	---	---	---	---	---	---	103.1	114.4	155.1	55.9	53.6

WATER YEAR 2006 TOTAL CFS:243.1 TOTAL AC-FT: 482

13124357 6X Ranch Navarre

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	1	---	---	---	---	---	---	0.6	1.6	1.4	1.3	0.6
2	1	---	---	---	---	---	---	0.6	1.6	1.4	1.3	0.6
3	1	---	---	---	---	---	---	0.6	1.6	1.4	1.3	0.6
4	1	---	---	---	---	---	---	0.6	1.6	1.4	1.3	0.6
5	1	---	---	---	---	---	---	0.6	1.6	1.4	1.3	0.6
6	1	---	---	---	---	---	---	0.6	1.6	1.4	1.3	0.6
7	1	---	---	---	---	---	---	0.6	1.6	1.4	1.2	0.6
8	1	---	---	---	---	---	---	1.8	1.6	1.4	1.2	0.6
9	1	---	---	---	---	---	---	1.8	1.6	1.4	1.2	0.6
10	1	---	---	---	---	---	---	1.6	1.6	1.4	1.2	0.6
11	1	---	---	---	---	---	---	1.6	1.6	1.4	1.2	0.6
12	1	---	---	---	---	---	---	1.6	1.6	1.4	1.2	0.6
13	1	---	---	---	---	---	---	1.6	1.6	1.4	1.2	0.6
14	1	---	---	---	---	---	---	1.6	1.6	1.4	1.2	0.6
15	1	---	---	---	---	---	---	1.6	1.6	1.4	1.2	0.6
16	---	---	---	---	---	---	---	1.6	1.6	1.4	1.2	0.6
17	---	---	---	---	---	---	---	1.6	1.6	1.2	1.2	0.6
18	---	---	---	---	---	---	---	1.6	1.6	1.2	1.2	0.6
19	---	---	---	---	---	---	---	1.6	1.6	1.2	1.2	0.6
20	---	---	---	---	---	---	---	1.6	1.6	1.2	1.2	0.6
21	---	---	---	---	---	---	---	1.6	1.5	1.2	1	0.6
22	---	---	---	---	---	---	---	2	1.5	1.2	1	0.6
23	---	---	---	---	---	---	---	2	1.5	1.2	1	0.6
24	---	---	---	---	---	---	---	2	1.5	1.2	1	0.6
25	---	---	---	---	---	---	---	2	1.5	1.2	1	1.2
26	---	---	---	---	---	---	---	2	1.4	1.2	1	1.2
27	---	---	---	---	---	---	---	2	1.4	1.2	1	1.2
28	---	---	---	---	---	---	---	2	1.4	1.2	0.6	1.2
29	---	---	---	---	---	---	---	1.6	1.4	1.2	0.6	1.2
30	---	---	---	---	---	---	---	1.6	1.4	1.2	0.6	1.2
31	---	---	---	---	---	---	---	1.6	---	1.3	0.6	---
TOTAL	15.0	---	---	---	---	---	---	45.8	46.5	40.5	34.0	21.6
MEAN	1.0	---	---	---	---	---	---	1.5	1.6	1.3	1.1	0.7
MIN	1.0	---	---	---	---	---	---	0.6	1.4	1.2	0.6	0.6
MAX	1.0	---	---	---	---	---	---	2.0	1.6	1.4	1.3	1.2
AC-FT	29.8	---	---	---	---	---	---	90.8	92.2	80.3	67.4	42.8

WATER YEAR 2006 TOTAL CFS:203.4 TOTAL AC-FT: 403

13124430 Gates/Woods 3

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---	---	---	---	---	0	0	0	0
2	---	---	---	---	---	---	---	---	0	0	0	0
3	---	---	---	---	---	---	---	---	0	0	0	0
4	---	---	---	---	---	---	---	---	0	0	0	0
5	---	---	---	---	---	---	---	---	0	0	0	0
6	---	---	---	---	---	---	---	---	0	0	0	0
7	---	---	---	---	---	---	---	---	0	0	0	0
8	---	---	---	---	---	---	---	---	0	0	0	0
9	---	---	---	---	---	---	---	---	0	0	0	0
10	---	---	---	---	---	---	---	---	0	0	0	0
11	---	---	---	---	---	---	---	---	0	0	0	0
12	---	---	---	---	---	---	---	---	0	0	0	0
13	---	---	---	---	---	---	---	---	0	0	0	0
14	---	---	---	---	---	---	---	---	0	0	0	0
15	---	---	---	---	---	---	---	---	0	0	0	0
16	---	---	---	---	---	---	---	---	0	0	0	0
17	---	---	---	---	---	---	---	---	0	0	0	0
18	---	---	---	---	---	---	---	---	0	0	0	0
19	---	---	---	---	---	---	---	---	0	0	0	0
20	---	---	---	---	---	---	---	---	0	0	0	0
21	---	---	---	---	---	---	---	---	0	0	0	0
22	---	---	---	---	---	---	---	0.8	0	0	0	0
23	---	---	---	---	---	---	---	0.8	0	0	0	0
24	---	---	---	---	---	---	---	0.8	0	0	0	0
25	---	---	---	---	---	---	---	0.8	0	0	0	0
26	---	---	---	---	---	---	---	0.8	0	0	0	0
27	---	---	---	---	---	---	---	0.8	0	0	0	0
28	---	---	---	---	---	---	---	0.8	0	0	0	0
29	---	---	---	---	---	---	---	0	0	0	0	0
30	---	---	---	---	---	---	---	0	0	0	0	0
31	---	---	---	---	---	---	---	0	---	0	0	---

TOTAL	---	---	---	---	---	---	---	5.6	0.0	0.0	0.0	0.0
MEAN	---	---	---	---	---	---	---	0.6	0.0	0.0	0.0	0.0
MIN	---	---	---	---	---	---	---	0.0	0.0	0.0	0.0	0.0
MAX	---	---	---	---	---	---	---	0.8	0.0	0.0	0.0	0.0
AC-FT	---	---	---	---	---	---	---	11.1	0.0	0.0	0.0	0.0

WATER YEAR 2006 TOTAL CFS:5.6 TOTAL AC-FT: 11

13124450 6X Ranch 3

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006

MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---	---	---	---	---	0	0	0	0
2	---	---	---	---	---	---	---	---	0	0	0	0
3	---	---	---	---	---	---	---	---	0	0	0	0
4	---	---	---	---	---	---	---	---	0	0	0	0
5	---	---	---	---	---	---	---	---	0	0	0	0
6	---	---	---	---	---	---	---	---	0	0	0	0
7	---	---	---	---	---	---	---	---	0	0	0	0
8	---	---	---	---	---	---	---	---	0	0	0	0
9	---	---	---	---	---	---	---	---	0	0	0	0
10	---	---	---	---	---	---	---	---	0	0	0	0
11	---	---	---	---	---	---	---	---	0	0	0	0
12	---	---	---	---	---	---	---	---	0	0	0	0
13	---	---	---	---	---	---	---	---	0	0	0	0
14	---	---	---	---	---	---	---	---	0	0	0	0
15	---	---	---	---	---	---	---	---	0	0	0	0
16	---	---	---	---	---	---	---	---	0	0	0	0
17	---	---	---	---	---	---	---	---	0	0	0	0
18	---	---	---	---	---	---	---	---	0	0	0	0
19	---	---	---	---	---	---	---	---	2.4	0	0	0
20	---	---	---	---	---	---	---	---	2.4	0	0	0
21	---	---	---	---	---	---	---	---	2.4	0	0	0
22	---	---	---	---	---	---	---	1	2.4	0	0	0
23	---	---	---	---	---	---	---	1	2.4	0	0	0
24	---	---	---	---	---	---	---	1	2.4	0	0	0
25	---	---	---	---	---	---	---	1	2.4	0	0	0
26	---	---	---	---	---	---	---	1	0	0	0	0
27	---	---	---	---	---	---	---	1	0	0	0	0
28	---	---	---	---	---	---	---	1	0	0	0	0
29	---	---	---	---	---	---	---	0	0	0	0	0
30	---	---	---	---	---	---	---	0	0	0	0	0
31	---	---	---	---	---	---	---	0	---	0	0	---
TOTAL	---	---	---	---	---	---	---	7.0	16.8	0.0	0.0	0.0
MEAN	---	---	---	---	---	---	---	0.7	0.6	0.0	0.0	0.0
MIN	---	---	---	---	---	---	---	0.0	0.0	0.0	0.0	0.0
MAX	---	---	---	---	---	---	---	1.0	2.4	0.0	0.0	0.0
AC-FT	---	---	---	---	---	---	---	13.9	33.3	0.0	0.0	0.0

WATER YEAR 2006 TOTAL CFS:23.8 TOTAL AC-FT: 47

13124460 6X Ranch 4

DISCHARGE, CUBIC FEET PER SECOND, IRRIGATION YEAR NOVEMBER 2005 TO OCTOBER 2006

MEAN VALUES

DAY	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
1	---	---	---	---	---	---	---	0	0	0	0	0
2	---	---	---	---	---	---	---	0	0	0	0	0
3	---	---	---	---	---	---	---	0	0	0	0	0
4	---	---	---	---	---	---	---	0	0	0	0	0
5	---	---	---	---	---	---	---	0	0	0	0	0
6	---	---	---	---	---	---	---	0	0	0	0	0
7	---	---	---	---	---	---	---	0	0	0	0	0
8	---	---	---	---	---	---	---	0	0	0	0	0
9	---	---	---	---	---	---	---	0	0	0	0	0
10	---	---	---	---	---	---	---	0	0	0	0	0
11	---	---	---	---	---	---	---	0	0	0	0	0
12	---	---	---	---	---	---	---	0	0	0	0	0
13	---	---	---	---	---	---	---	0	0	0	0	0
14	---	---	---	---	---	---	---	0	0	0	0	0
15	---	---	---	---	---	---	---	0	0	0	0	0
16	---	---	---	---	---	---	---	0	0	0	0	---
17	---	---	---	---	---	---	---	0	0	0	0	---
18	---	---	---	---	---	---	---	0	0	0	0	---
19	---	---	---	---	---	---	---	1.6	0	0	0	---
20	---	---	---	---	---	---	---	1.6	0	0	0	---
21	---	---	---	---	---	---	---	1.6	0	0	0	---
22	---	---	---	---	---	---	0.8	1.6	0	0	0	---
23	---	---	---	---	---	---	0.8	1.6	0	0	0	---
24	---	---	---	---	---	---	0.8	1.6	0	0	0	---
25	---	---	---	---	---	---	0.8	1.6	0	0	0	---
26	---	---	---	---	---	---	0.8	0	0	0	0	---
27	---	---	---	---	---	---	0.8	0	0	0	0	---
28	---	---	---	---	---	---	0.8	0	0	0	0	---
29	---	---	---	---	---	---	0	0	0	0	0	---
30	---	---	---	---	---	---	0	0	0	0	0	---
31	---	---	---	---	---	---	0	---	0	0	---	---
TOTAL	---	---	---	---	---	---	5.6	11.2	0.0	0.0	0.0	0.0
MEAN	---	---	---	---	---	---	0.6	0.4	0.0	0.0	0.0	0.0
MIN	---	---	---	---	---	---	0.0	0.0	0.0	0.0	0.0	0.0
MAX	---	---	---	---	---	---	0.8	1.6	0.0	0.0	0.0	0.0
AC-FT	---	---	---	---	---	---	11.1	22.2	0.0	0.0	0.0	0.0

IRRIGATION YEAR 2006 TOTAL CFS:16.8 TOTAL AC-FT: 33

**RIVER REACHES
IN
BIG LOST RIVER**

13126000 MACKAY DAM

RESERVOIR CONTENTS, ACRE FEET, IRRIGATION YEAR NOVEMBER 2005 TO OCTOBER 2006

MEAN VALUES

DAY	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
1	10270	17500	23740	28810	---	---	22880	38200	44150	33360	14890	4985
2	10520	17740	23930	28950	---	---	22940	37820	43970	32790	14450	4652
3	10750	17970	24150	29100	---	---	23040	37730	43810	32200	13980	4267
4	11000	18180	24310	29220	---	---	23050	38330	43660	31610	13570	3880
5	11250	18390	24470	29370	---	---	23150	39380	43540	31030	13150	3557
6	11480	18620	24660	29500	---	---	23240	40950	43580	30440	12580	3198
7	11760	18820	24840	29640	---	---	23320	42660	43680	29860	12030	2954
8	12020	19010	25020	29760	---	---	23530	44430	43620	29250	11810	2636
9	12290	19210	25170	---	---	---	23690	45060	43510	28630	11440	2340
10	12530	19420	25330	---	---	---	23670	44980	43410	28010	11080	2034
11	12810	19620	25510	---	---	---	23560	44470	43240	27410	10720	1758
12	13060	19820	25700	---	---	---	23500	43810	43040	26790	10350	1511
13	13300	20020	25850	---	---	---	23570	43860	42840	26190	9977	1281
14	13560	20220	26030	---	---	---	23860	44360	42570	25600	9618	1101
15	13800	20420	26210	---	---	---	24180	44500	42210	25020	9276	1013
16	14030	20610	26370	30740	---	---	24660	44000	41800	24300	8978	1088
17	14270	20800	26520	30866	---	---	25150	43730	41370	23740	8666	1088
18	14520	21000	26710	30992	---	---	26090	43830	40950	23070	8348	1088
19	14750	21190	26870	31118	---	---	27500	44110	40470	22440	8049	1088
20	14980	21380	27000	31244	---	---	29600	44290	39960	21800	7813	2473
21	15220	21570	27170	31370	---	---	32150	44370	39430	21180	7570	2722
22	15450	21770	27320	---	---	---	34930	44160	38820	20530	7294	3053
23	15680	21980	27480	---	---	---	37070	44160	38140	19890	7061	3369
24	15900	32150	27620	---	---	---	37950	44160	37420	19230	6817	3689
25	16130	22340	27780	---	---	---	38140	44225	36820	18590	6583	4014
26	16410	22540	27920	---	---	---	38350	44290	36370	17760	6360	4306
27	16640	22720	28080	---	---	---	39090	44410	35950	17440	6140	4595
28	16820	22920	28220	---	---	23540	39560	44270	35510	16910	5900	4877
29	17040	23150	28360	---	---	23300	39820	44190	35000	16370	5621	5159
30	17270	23330	28520	---	---	23110	39440	44190	34460	15870	5339	5438
31	---	23530	28650	---	---	---	38840	---	33900	15400	---	5703
TOTAL 415,510.0 647,940.0 815,510.0 420,680.0 --- 69,950.0 899,520.0 1,292,925.0 1,257,200.0 752,710.0 285,460.0 94,917.0												
MEAN 13,850.3 20,901.3 26,306.8 30,048.6 --- 23,316.7 29,016.8 43,097.5 40,554.8 24,281.0 9,515.3 3,061.8												
MIN 10,270.0 17,500.0 23,740.0 28,810.0 --- 23,110.0 22,880.0 37,730.0 33,900.0 15,400.0 5,339.0 1,013.0												
MAX 17,270.0 32,150.0 28,650.0 31,370.0 --- 23,540.0 39,820.0 45,060.0 44,150.0 33,360.0 14,890.0 5,703.0												
AC-FT 415,510.0 647,940.0 815,510.0 420,680.0 --- 69,950.0 899,520.0 1,292,925.0 1,257,200.0 752,710.0 285,460.0 94,917.0												

IRRIGATION YEAR 2006 TOTAL CFS:3,505,077.9 TOTAL AC-FT: 6,952,322

13127000 BIG LOST BLW MACKAY RES

DISCHARGE, CUBIC FEET PER SECOND, IRRIGATION YEAR NOVEMBER 2005 TO OCTOBER 2006

MEAN VALUES

DAY	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
1	---	---	---	---	---	---	299	1130	821	570	449	387
2	---	---	---	---	---	---	311	1050	789	563	447	393
3	---	---	---	---	---	---	355	976	764	562	445	398
4	---	---	---	---	---	---	379	920	750	562	443	393
5	---	---	---	---	---	---	380	867	717	561	441	395
6	---	---	---	---	---	---	406	831	694	556	438	395
7	---	---	---	---	---	---	423	846	696	550	434	399
8	---	---	---	---	---	---	446	1420	692	546	432	394
9	---	---	---	---	---	---	514	2180	660	538	430	379
10	---	---	---	---	---	---	579	2290	645	534	428	361
11	---	---	---	---	---	---	608	2050	641	529	425	345
12	---	---	---	---	---	---	605	1600	646	523	421	332
13	---	---	---	---	---	---	599	---	649	515	416	315
14	---	---	---	---	---	---	648	1450	653	511	412	297
15	---	---	---	---	---	---	728	1540	658	514	411	228
16	---	---	---	---	---	---	872	1380	656	530	405	---
17	---	---	---	---	---	---	966	1090	655	527	397	---
18	---	---	---	---	---	---	1050	981	659	518	394	---
19	---	---	---	---	---	---	1040	995	658	515	360	---
20	---	---	---	---	---	---	1220	1020	659	512	358.33	---
21	---	---	---	---	---	---	1550	1100	658	513	356.67	---
22	---	---	---	---	---	---	1720	1040	661	513	355	---
23	---	---	---	---	---	---	1870	982	665	507	351	---
24	---	---	---	---	---	---	1900	936	669	503	348	---
25	---	---	---	---	---	---	1830	917	647	499	345	---
26	---	---	---	---	---	---	1540	941	608	484	342	---
27	---	---	---	---	---	---	1320	961	604	475	346	---
28	---	---	---	---	---	---	295	1270	913	599	469	355
29	---	---	---	---	---	---	291	1260	852	596	456	367
30	---	---	---	---	---	---	289	1300	839	589	451	381
31	---	---	---	---	---	---	1240	---	582	451	---	---

TOTAL	---	---	---	---	---	---	875.0	29,228.0	34,097.0	20,640.0	16,057.0	5,411.0
MEAN	---	---	---	---	---	---	291.7	942.8	1,175.8	665.8	518.0	360.7
MIN	---	---	---	---	---	---	289.0	299.0	831.0	582.0	451.0	228.0
MAX	---	---	---	---	---	---	295.0	1,900.0	2,290.0	821.0	570.0	399.0
AC-FT	---	---	---	---	---	---	1,735.6	57,973.7	67,631.4	40,939.4	31,849.1	10,732.7

IRRIGATION YEAR 2006 TOTAL CFS:118,241.0 TOTAL AC-FT: 234,531

13130500 BIG LOST AT LESLIE

DISCHARGE, CUBIC FEET PER SECOND, IRRIGATION YEAR NOVEMBER 2005 TO OCTOBER 2006

MEAN VALUES

DAY	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
1	---	---	---	---	---	---	386	950	604	322	276	232
2	---	---	---	---	---	---	402	807	572	319	274	235
3	---	---	---	---	---	---	420	736	539	317	271	247
4	---	---	---	---	---	---	439	661	524	315	263	250
5	---	---	---	---	---	---	458	591	517	313	260	251
6	---	---	---	---	---	---	478	524	500	315	255	253
7	---	---	---	---	---	---	499	531	489	307	253	260
8	---	---	---	---	---	---	521	776	482	310	255	257
9	---	---	---	---	---	---	544	2100	463	311	259	249
10	---	---	---	---	---	---	568	2860	441	309	257	249
11	---	---	---	---	---	---	593	2750	433	306	255	245
12	---	---	---	---	---	---	619	2060	424	309	253	237
13	---	---	---	---	---	---	646	1330	417	306	203	230
14	---	---	---	---	---	---	675	1370	402	305	201	220
15	---	---	---	---	---	---	705	1450	391	304	199	197
16	---	---	---	---	---	---	691	1350	387	316	205	---
17	---	---	---	---	---	---	769	994	383	317	204	---
18	---	---	---	---	---	---	815	797	375	315	204	---
19	---	---	---	---	---	---	803	759	369	312	206	---
20	---	---	---	---	---	---	924	784	364	309	210	---
21	---	---	---	---	---	---	1260	824	361	310	210	---
22	---	---	---	---	---	---	1540	802	355	308	215	---
23	---	---	---	---	---	---	1610	732	354	304	213	---
24	---	---	---	---	---	---	1690	682	371	300	210	---
25	---	---	---	---	---	---	1740	650	375	303	207	---
26	---	---	---	---	---	---	1580	645	355	304	205	---
27	---	---	---	---	---	324	1300	694	347	295	205	---
28	---	---	---	---	---	338	1150	708	345	289	210	---
29	---	---	---	---	---	354	1130	649	341	281	218	---
30	---	---	---	---	---	370	1130	606	336	277	222	---
31	---	---	---	---	---	---	1080	---	328	278	---	---
TOTAL	---	---	---	---	---	1,386.0	27,165.0	31,172.0	12,944.0	9,486.0	6,878.0	3,612.0
MEAN	---	---	---	---	---	346.5	876.3	1,039.1	417.5	306.0	229.3	240.8
MIN	---	---	---	---	---	324.0	386.0	524.0	328.0	277.0	199.0	197.0
MAX	---	---	---	---	---	370.0	1,740.0	2,860.0	604.0	322.0	276.0	260.0
AC-FT	---	---	---	---	---	2,749.1	53,881.8	61,829.7	25,674.4	18,815.5	13,642.5	7,164.4

IRRIGATION YEAR 2006 TOTAL CFS:92,643.0 TOTAL AC-FT: 183,757

13132500 BIG LOST NR ARCO

DISCHARGE, CUBIC FEET PER SECOND, IRRIGATION YEAR NOVEMBER 2005 TO OCTOBER 2006
MEAN VALUES

DAY	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
1	---	---	---	---	---	---	64	368	61	0	0.8	1.8
2	---	---	---	---	---	---	75	292	50	0	1	2.7
3	---	---	---	---	---	---	72	235	30	0	1	3.7
4	---	---	---	---	---	---	59	206	19	0	1.1	3.7
5	---	---	---	---	---	---	71	179	12	0	1.1	3.7
6	---	---	---	---	---	---	62	138	21	0	0.9	3.7
7	---	---	---	---	---	---	54	86	30	0	0.8	3.7
8	---	---	---	---	---	---	70	87	22	0	0.8	3.7
9	---	---	---	---	---	---	68	310	19	0	0.8	4.2
10	---	---	---	---	---	---	84	581	14	0	0.7	18
11	---	---	---	---	---	---	92	688	7.3	0	0.8	24
12	---	---	---	---	---	---	84	712	0	0	0	29
13	---	---	---	---	---	---	66	611	0	0	0	31
14	---	---	---	---	---	---	53	511	0	0	0	30
15	---	---	---	---	---	---	63	547	0	0	0	29
16	---	---	---	---	---	---	81	572	0	0	0	---
17	---	---	---	---	---	---	111	470	0	0	0	---
18	---	---	---	---	---	---	146	315	0	0.2	3.2	---
19	---	---	---	---	---	---	162	226	0	0.2	3.2	---
20	---	---	---	---	---	---	185	194	0	0	2.8	---
21	---	---	---	---	---	---	232	190	0	0	2.4	---
22	---	---	---	---	---	---	302	213	0	0.6	2.4	---
23	---	---	---	---	---	---	373	177	0	0	2.4	---
24	---	---	---	---	---	---	399	140	0	0.3	2.4	---
25	---	---	---	---	---	---	457	102	0	0.5	2.4	---
26	---	---	---	---	---	---	478	88	0	0.9	2.4	---
27	---	---	---	---	---	---	508	92	0	0.3	1.9	---
28	---	---	---	---	---	58	514	106	0	0	1.7	---
29	---	---	---	---	---	50	494	106	0	0.7	2	---
30	---	---	---	---	---	51	488	82	0	1.1	2.2	---
31	---	---	---	---	---	---	429	---	0	0.8	---	---

TOTAL	---	---	---	---	---	159.0	6,396.0	8,624.0	285.3	5.6	41.2	191.9
MEAN	---	---	---	---	---	53.0	206.3	287.5	9.2	0.2	1.4	12.8
MIN	---	---	---	---	---	50.0	53.0	82.0	0.0	0.0	0.0	1.8
MAX	---	---	---	---	---	58.0	514.0	712.0	61.0	1.1	3.2	31.0
AC-FT	---	---	---	---	---	315.4	12,686.5	17,105.7	565.9	11.1	81.7	380.6

IRRIGATION YEAR 2006 TOTAL CFS:15,703.0 TOTAL AC-FT: 31,147

**DELIVERIES FROM
BIG LOST RIVER
TO CANALS**

13126500 SHARP

DISCHARGE, CUBIC FEET PER SECOND, IRRIGATION YEAR NOVEMBER 2005 TO OCTOBER 2006

MEAN VALUES

DAY	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
1	2	---	---	---	---	---	5	12.94	15.74	11.36	4	6.66
2	2	---	---	---	---	---	6.44	11.36	15.74	11.36	4	12.14
3	2	---	---	---	---	---	6.44	11.36	13.48	8.88	4	12.94
4	2	---	---	---	---	---	7.74	18.12	12.4	8.88	6.24	12.94
5	2	---	---	---	---	---	7.74	17.52	10.8	8.88	6.24	12.68
6	2	---	---	---	---	---	10.58	20	10.8	8.88	6.24	12.68
7	2	---	---	---	---	---	8.2	22.6	10.1	9.36	6.24	12.68
8	2	---	---	---	---	---	8.88	26.7	10.1	9.36	4.68	12.4
9	2	---	---	---	---	---	8.88	30.32	10.1	8.88	6.24	12.4
10	2	---	---	---	---	---	8.2	23.26	8.88	7.52	6.24	12.4
11	2	---	---	---	---	---	8.66	23.26	8.88	7.08	4.68	12.4
12	2	---	---	---	---	5	8.66	20	8.88	7.08	4.68	11.62
13	2	---	---	---	---	5	8.66	16.92	8.88	7.08	4.68	4.8
14	2	---	---	---	---	5	8.88	16.92	8.88	7.08	4.68	4.8
15	---	---	---	---	---	5	10.34	20	8.88	7.08	4.68	4.8
16	2	---	---	---	---	5	11.36	20	8.88	7.08	4.68	0.28
17	2	---	---	---	---	5	10.9	18.7	8.88	7.08	4.68	0.28
18	2	---	---	---	---	5	15.5	18.1	8.88	7.08	2.96	0.28
19	2	---	---	---	---	5	20	18.7	8.88	7.08	2.96	0.28
20	2	---	---	---	---	5	19.68	19.36	8.42	7.08	2.96	0.28
21	2	---	---	---	---	5	13.48	20	8.42	5.82	2.96	0.28
22	2	---	---	---	---	5	16.62	14.04	7.96	5.82	4.68	0.32
23	2	---	---	---	---	5	17.52	11.36	8.66	5.04	4.68	0
24	2	---	---	---	---	5	18.12	14.04	15.16	4.3	4.68	0.25
25	2	---	---	---	---	5	16.92	14.04	15.16	3.78	4.68	0.25
26	2	---	---	---	---	5	16.92	14.04	15.16	10.1	4.68	0.25
27	2	---	---	---	---	5	13.3	14.04	12.14	10.1	4.68	0.25
28	0	---	---	---	---	5	14.04	14.04	12.14	8.42	5.82	0.25
29	0	---	---	---	---	5	14.04	14.04	12.14	7.3	6.66	0.25
30	0	---	---	---	---	5	14.04	12.96	12.14	7.3	6.66	0.3
31	---	---	---	---	---	---	13.48	---	11.36	5.82	---	---
TOTAL	52.0	---	---	---	---	95.0	369.2	528.7	336.9	238.0	145.9	162.1
MEAN	1.8	---	---	---	---	5.0	11.9	17.6	10.9	7.7	4.9	5.4
MIN	0.0	---	---	---	---	5.0	5.0	11.4	8.0	3.8	3.0	0.0
MAX	2.0	---	---	---	---	5.0	20.0	30.3	15.7	11.4	6.7	12.9
AC-FT	103.1	---	---	---	---	188.4	732.3	1,048.7	668.2	472.1	289.4	321.5

IRRIGATION YEAR 2006 TOTAL CFS:1,927.8 TOTAL AC-FT: 3,824

13127500 STREETER

DISCHARGE, CUBIC FEET PER SECOND, IRRIGATION YEAR NOVEMBER 2005 TO OCTOBER 2006
MEAN VALUES

DAY	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
1	---	---	---	---	---	---	---	---	---	---	---	---
2	---	---	---	---	---	---	---	---	---	---	---	---
3	---	---	---	---	---	---	---	---	---	---	---	---
4	---	---	---	---	---	---	---	---	---	---	---	---
5	---	---	---	---	---	---	---	---	---	---	---	---
6	---	---	---	---	---	---	---	---	---	---	---	---
7	---	---	---	---	---	---	---	---	---	---	---	---
8	---	---	---	---	---	---	---	---	---	---	---	---
9	---	---	---	---	---	---	---	---	---	---	---	---
10	---	---	---	---	---	---	---	---	---	---	---	---
11	---	---	---	---	---	---	---	---	---	---	---	---
12	---	---	---	---	---	---	---	---	---	---	---	---
13	---	---	---	---	---	---	---	---	---	---	---	---
14	---	---	---	---	---	---	---	---	---	---	---	---
15	---	---	---	---	---	---	---	---	---	---	---	---
16	---	---	---	---	---	---	---	---	---	---	---	---
17	---	---	---	---	---	---	---	---	---	---	---	---
18	---	---	---	---	---	---	---	---	---	---	---	---
19	---	---	---	---	---	---	---	---	---	---	---	---
20	---	---	---	---	---	---	---	---	---	---	---	---
21	---	---	---	---	---	---	---	---	---	---	---	---
22	---	---	---	---	---	---	---	---	---	---	---	---
23	---	---	---	---	---	---	---	---	---	---	---	---
24	---	---	---	---	---	---	---	---	---	---	---	---
25	---	---	---	---	---	---	---	---	---	---	---	---
26	---	---	---	---	---	---	---	---	---	---	---	---
27	---	---	---	---	---	---	---	---	---	---	---	---
28	---	---	---	---	---	---	---	---	---	---	---	---
29	---	---	---	---	---	---	---	---	---	---	---	---
30	---	---	---	---	---	---	---	---	---	---	---	---
31	---	---	---	---	---	---	---	---	---	---	---	---
TOTAL	---	---	---	---	---	---	---	---	---	---	---	---
MEAN	---	---	---	---	---	---	---	---	---	---	---	---
MIN	---	---	---	---	---	---	---	---	---	---	---	---
MAX	---	---	---	---	---	---	---	---	---	---	---	---
AC-FT	---	---	---	---	---	---	---	---	---	---	---	---

IRRIGATION YEAR 2006 TOTAL CFS:0.0 TOTAL AC-FT: 0

13127600 SWAUGER

DISCHARGE, CUBIC FEET PER SECOND, IRRIGATION YEAR NOVEMBER 2005 TO OCTOBER 2006

MEAN VALUES

DAY	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
1	2	---	---	---	---	---	5	26.1	26.7	18.74	13.48	13.48
2	2	---	---	---	---	---	5.62	26.1	23.94	18.74	12.94	12.14
3	2	---	---	---	---	---	5.6	26.1	23.94	16.92	12.94	11.88
4	2	---	---	---	---	---	11.48	25.66	23.26	20.64	15.46	10.84
5	2	---	---	---	---	---	9.86	20	23.26	20.64	18.74	10.84
6	2	---	---	---	---	---	11.36	29.56	23.26	14.04	18.74	11.62
7	2	---	---	---	---	---	11.1	28.14	20.64	18.74	18.74	11.62
8	2	---	---	---	---	---	11.1	25.3	20	18.74	18.74	11.36
9	2	---	---	---	---	---	11.88	23.26	20	18.12	18.74	11.36
10	2	---	---	---	---	---	11.36	23.6	17.22	17.52	18.74	11.36
11	2	---	---	---	---	---	10.84	23.26	15.7	17.52	16.92	11.36
12	2	---	---	---	---	3	10.1	20	14.04	15.74	16.92	11.36
13	2	---	---	---	---	3	9.84	16.92	23.26	15.16	16.92	11.36
14	2	---	---	---	---	3	9.84	26	23.26	18.74	16.92	11.36
15	2	---	---	---	---	3	20	28.86	23.26	18.74	12.4	11.36
16	2	---	---	---	---	3	15.74	28.86	23.2	18.12	12.4	0.28
17	2	---	---	---	---	3	10.9	28.86	21.28	17.52	12.4	0.28
18	2	---	---	---	---	3	13.48	26.7	21.94	17.52	12.4	0.28
19	2	---	---	---	---	5	29.4	23.26	22.6	15.74	12.4	0.28
20	2	---	---	---	---	5	27.06	23.94	22.6	15.16	12.4	0.28
21	2	---	---	---	---	5	24.62	26.7	22.6	15.74	12.4	0.28
22	2	---	---	---	---	5	20	29.58	23.26	15.74	12.4	0.32
23	2	---	---	---	---	5	19.36	29.58	23.26	15.74	12.4	0.32
24	2	---	---	---	---	5	30.32	26.7	23.26	16.92	12.4	0.2
25	2	---	---	---	---	5	31	26.7	23.26	16.92	13.48	0.2
26	2	---	---	---	---	5	31	26	23.26	16.92	13.48	0.2
27	2	---	---	---	---	5	29.22	26	23.26	16.92	13.48	0.2
28	0	---	---	---	---	5	28.86	26	23.26	15.74	13.48	0.2
29	0	---	---	---	---	5	27.42	26.7	20	15.74	13.48	0.2
30	0	---	---	---	---	5	28.86	26.7	20	14.04	13.48	0.2
31	---	---	---	---	---	---	27.42	---	18.74	14.04	---	---
TOTAL	54.0	---	---	---	---	81.0	549.6	771.1	677.5	527.3	439.8	177.0
MEAN	1.8	---	---	---	---	4.3	17.7	25.7	21.9	17.0	14.7	5.9
MIN	0.0	---	---	---	---	3.0	5.0	16.9	14.0	14.0	12.4	0.2
MAX	2.0	---	---	---	---	5.0	31.0	29.6	26.7	20.6	18.7	13.5
AC-FT	107.1	---	---	---	---	160.7	1,090.1	1,529.5	1,343.8	1,045.9	872.3	351.1

IRRIGATION YEAR 2006 TOTAL CFS:3,277.3 TOTAL AC-FT: 6,501

13127735 DARLINGTON

DISCHARGE, CUBIC FEET PER SECOND, IRRIGATION YEAR NOVEMBER 2005 TO OCTOBER 2006

MEAN VALUES

DAY	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
1	3	---	---	---	---	---	13	42	50	43	23	20
2	3	---	---	---	---	---	14	53	49	43	31	17
3	3	---	---	---	---	---	19	52	49	41	31	15
4	3	---	---	---	---	---	28	52	43	41	31	15
5	3	---	---	---	---	---	21	49	43	41	31	15
6	3	---	---	---	---	---	22	63	41	41	31	15
7	3	---	---	---	---	---	22	63	41	40	31	15
8	3	---	---	---	---	---	23	72	40	40	31	13
9	3	---	---	---	---	---	24	52	40	40	31	13
10	3	---	---	---	---	---	23	39	40	41	31	13
11	3	---	---	---	---	---	25	39	35	43	31	13
12	3	---	---	---	---	---	25	50	41	36	31	12
13	3	---	---	---	---	---	23	44	41	36	31	12
14	3	---	---	---	---	13	23	48	40	36	31	12
15	3	---	---	---	---	13	37	52	40	36	26	12
16	3	---	---	---	---	13	25	52	40	36	26	0.6
17	3	---	---	---	---	13	13	43	40	36	26	0.6
18	3	---	---	---	---	13	40	43	40	36	17	0.6
19	3	---	---	---	---	13	32	44	40	36	17	0.6
20	3	---	---	---	---	13	29	67	40	39	17	0.6
21	3	---	---	---	---	13	17	69	40	43	17	0.6
22	2.5	---	---	---	---	13	25	91	40	43	17	0.58
23	2.5	---	---	---	---	13	41	69	48	39	17	0.58
24	2.5	---	---	---	---	13	41	69	48	36	17	0.28
25	2.5	---	---	---	---	13	40	69	48	31	20	0.28
26	2.5	---	---	---	---	13	41	68	48	31	20	0.28
27	2.5	---	---	---	---	13	39	69	46	31	20	0.28
28	---	---	---	---	---	13	39	68	46	31	20	0.28
29	---	---	---	---	---	13	39	68	46	31	20	0.28
30	---	---	---	---	---	13	35	50	46	23	20	0.32
31	---	---	---	---	---	---	38	---	43	23	---	---
.....												
TOTAL	78.0	---	---	---	---	221.0	876.0	1,709.0	1,332.0	1,143.0	743.0	218.8
MEAN	2.9	---	---	---	---	13.0	28.3	57.0	43.0	36.9	24.8	7.3
MIN	2.5	---	---	---	---	13.0	13.0	39.0	35.0	23.0	17.0	0.3
MAX	3.0	---	---	---	---	13.0	41.0	91.0	50.0	43.0	31.0	20.0
AC-FT	154.7	---	---	---	---	438.4	1,737.5	3,389.8	2,642.0	2,267.1	1,473.7	434.0

IRRIGATION YEAR 2006 TOTAL CFS:6,320.8 TOTAL AC-FT: 12,537

13127750 BURNETT

DISCHARGE, CUBIC FEET PER SECOND, IRRIGATION YEAR NOVEMBER 2005 TO OCTOBER 2006

MEAN VALUES

DAY	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
1	6	---	---	---	---	---	42	76	87	78	63	29
2	6	---	---	---	---	---	25	73	80	78	62	29
3	6	---	---	---	---	---	25	74	83	78	62	28
4	6	---	---	---	---	---	32	74	83	78	75	24
5	6	---	---	---	---	---	29	92	80	78	74	24
6	6	---	---	---	---	---	40	98	74	78	59	22
7	6	---	---	---	---	---	41	95	80	76	59	22
8	6	---	---	---	---	---	50	107	80	76	59	22
9	6	---	---	---	---	---	51	98	80	75	59	22
10	6	---	---	---	---	---	52	103	79	75	59	18
11	6	---	---	---	---	---	54	99	74	74	62	17
12	6	---	---	---	---	---	54	93	79	74	62	16
13	6	---	---	---	---	---	54	80	80	74	61	16
14	6	---	---	---	---	20	54	93	85	74	61	15
15	6	---	---	---	---	20	58	96	85	74	51	14
16	6	---	---	---	---	20	68	96	85	78	51	1
17	6	---	---	---	---	20	68	89	79	78	51	1
18	6	---	---	---	---	20	73	87	85	78	51	1
19	6	---	---	---	---	20	61.8	87	85	78	51	1
20	6	---	---	---	---	39	87	89	85	78	51	1
21	6	---	---	---	---	39	73	89	85	78	36	1
22	6	---	---	---	---	39	73	89	84	78	36	1
23	6	---	---	---	---	39	75	89	84	78	36	1
24	6	---	---	---	---	39	76	69	85	76	36	1
25	6	---	---	---	---	39	73	69	84	75	37	1
26	6	---	---	---	---	42	89	87	84	75	37	1
27	6	---	---	---	---	42	78	87	84	75	37	1
28	---	---	---	---	---	42	80	91	84	75	29	1
29	---	---	---	---	---	42	80	87	84	75	29	1
30	---	---	---	---	---	42	79	87	84	64	29	1
31	---	---	---	---	---	---	80	---	78	63	---	---
TOTAL	162.0	---	---	---	---	564.0	1,874.8	2,643.0	2,548.0	2,342.0	1,525.0	333.0
MEAN	6.0	---	---	---	---	33.2	60.5	88.1	82.2	75.5	50.8	11.1
MIN	6.0	---	---	---	---	20.0	25.0	69.0	74.0	63.0	29.0	1.0
MAX	6.0	---	---	---	---	42.0	89.0	107.0	87.0	78.0	75.0	29.0
AC-FT	321.3	---	---	---	---	1,118.7	3,718.7	5,242.4	5,054.0	4,645.4	3,024.8	660.5

IRRIGATION YEAR 2006 TOTAL CFS:11,991.8 TOTAL AC-FT: 23,786

13128105 SUTTER

DISCHARGE, CUBIC FEET PER SECOND, IRRIGATION YEAR NOVEMBER 2005 TO OCTOBER 2006

MEAN VALUES

DAY	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
1	---	---	---	---	---	---	---	5.9	2	0	0	0
2	---	---	---	---	---	---	---	0	0	0	0	0
3	---	---	---	---	---	---	---	0	0	0	0	0
4	---	---	---	---	---	---	---	0	0	0	0	0
5	---	---	---	---	---	---	---	0	0	0	0	0
6	---	---	---	---	---	---	---	0	0	0	0	0
7	---	---	---	---	---	---	---	0	6	0	0	0
8	---	---	---	---	---	---	---	0	6	0	0	0
9	---	---	---	---	---	---	---	0	6	0	0	0
10	---	---	---	---	---	---	---	0	0	0	0	0
11	---	---	---	---	---	---	---	0	0	0	3.44	0
12	---	---	---	---	---	---	---	0	0	0	3.44	0
13	---	---	---	---	---	---	---	0	0	0	3.44	0
14	---	---	---	---	---	---	---	0	0	0	3.44	0
15	---	---	---	---	---	---	---	0	0	0	3.44	0
16	---	---	---	---	---	---	2	0	0	0	3.44	---
17	---	---	---	---	---	---	2	2	2.4	0	3.44	---
18	---	---	---	---	---	---	2	2	2.4	0	3.44	---
19	---	---	---	---	---	---	2	0	2.86	0	3.44	---
20	---	---	---	---	---	---	2	0	2.86	0	3.44	---
21	---	---	---	---	---	---	2	0	2.86	0	3.44	---
22	---	---	---	---	---	---	2	0	2.86	0	3.44	---
23	---	---	---	---	---	---	2	0	2.86	0	3.44	---
24	---	---	---	---	---	---	2	2	2.86	0	3.44	---
25	---	---	---	---	---	---	2	2	2.86	0	0	---
26	---	---	---	---	---	---	2	2	2.86	0	0	---
27	---	---	---	---	---	---	0	2	2.86	0	0	---
28	---	---	---	---	---	---	0	0	2.86	0	0	---
29	---	---	---	---	---	---	0	0	0	0	0	---
30	---	---	---	---	---	---	0	2	0	0	0	---
31	---	---	---	---	---	---	0	---	0	0	---	---

TOTAL	---	---	---	---	---	---	22.0	19.9	53.4	0.0	48.2	0.0
MEAN	---	---	---	---	---	---	1.4	0.7	1.7	0.0	1.6	0.0
MIN	---	---	---	---	---	---	0.0	0.0	0.0	0.0	0.0	0.0
MAX	---	---	---	---	---	---	2.0	5.9	6.0	0.0	3.4	0.0
AC-FT	---	---	---	---	---	---	43.6	39.5	105.9	0.0	95.6	0.0

IRRIGATION YEAR 2006 TOTAL CFS:143.5 TOTAL AC-FT: 285

13129005 ANGELO

DISCHARGE, CUBIC FEET PER SECOND, IRRIGATION YEAR NOVEMBER 2005 TO OCTOBER 2006
MEAN VALUES

DAY	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
1	---	---	---	---	---	---	---	---	---	---	---	---
2	---	---	---	---	---	---	---	---	---	---	---	---
3	---	---	---	---	---	---	---	---	---	---	---	---
4	---	---	---	---	---	---	---	---	---	---	---	---
5	---	---	---	---	---	---	---	---	---	---	---	---
6	---	---	---	---	---	---	---	---	---	---	---	---
7	---	---	---	---	---	---	---	---	---	---	---	---
8	---	---	---	---	---	---	---	---	---	---	---	---
9	---	---	---	---	---	---	---	---	---	---	---	---
10	---	---	---	---	---	---	---	---	---	---	---	---
11	---	---	---	---	---	---	---	---	---	---	---	---
12	---	---	---	---	---	---	---	---	---	---	---	---
13	---	---	---	---	---	---	---	---	---	---	---	---
14	---	---	---	---	---	---	---	---	---	---	---	---
15	---	---	---	---	---	---	---	---	---	---	---	---
16	---	---	---	---	---	---	---	---	---	---	---	---
17	---	---	---	---	---	---	---	---	---	---	---	---
18	---	---	---	---	---	---	---	---	---	---	---	---
19	---	---	---	---	---	---	---	---	---	---	---	---
20	---	---	---	---	---	---	---	---	---	---	---	---
21	---	---	---	---	---	---	---	---	---	---	---	---
22	---	---	---	---	---	---	---	---	---	---	---	---
23	---	---	---	---	---	---	---	---	---	---	---	---
24	---	---	---	---	---	---	---	---	---	---	---	---
25	---	---	---	---	---	---	---	---	---	---	---	---
26	---	---	---	---	---	---	---	---	---	---	---	---
27	---	---	---	---	---	---	---	---	---	---	---	---
28	---	---	---	---	---	---	---	---	---	---	---	---
29	---	---	---	---	---	---	---	---	---	---	---	---
30	---	---	---	---	---	---	---	---	---	---	---	---
31	---	---	---	---	---	---	---	---	---	---	---	---
TOTAL	---	---	---	---	---	---	---	---	---	---	---	---
MEAN	---	---	---	---	---	---	---	---	---	---	---	---
MIN	---	---	---	---	---	---	---	---	---	---	---	---
MAX	---	---	---	---	---	---	---	---	---	---	---	---
AC-FT	---	---	---	---	---	---	---	---	---	---	---	---

IRRIGATION YEAR 2006 TOTAL CFS:0.0 TOTAL AC-FT: 0

13130525 BECK

DISCHARGE, CUBIC FEET PER SECOND, IRRIGATION YEAR NOVEMBER 2005 TO OCTOBER 2006

MEAN VALUES

DAY	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
1	1.5	---	---	---	---	---	10	0	12.8	17.02	11.2	8.62
2	1.5	---	---	---	---	---	0	0	12.8	17.02	11.2	7
3	1.5	---	---	---	---	---	0	0	12.8	17.02	11.2	7
4	1.5	---	---	---	---	---	0	0	12.8	17.02	8.2	3
5	1.5	---	---	---	---	---	0	12.9	19.7	17.02	8.2	3
6	1.5	---	---	---	---	---	0	12.9	19.7	17.02	8.2	3
7	1.5	---	---	---	---	---	0	12.9	21.08	17.02	8.2	3
8	1.5	---	---	---	---	---	0	12.9	18.34	17.02	8.2	3
9	1.5	---	---	---	---	---	0	12.9	18.34	17.02	8.2	2.74
10	1.5	---	---	---	---	---	0	12.9	18.34	14.5	8.2	2.74
11	1.5	---	---	---	---	---	0	12.9	18.34	14.5	8.2	2.74
12	1.5	---	---	---	---	10	0	12.8	18.34	14.5	8.2	2.74
13	1.5	---	---	---	---	10	0	12.8	18.34	14.5	8.62	2.74
14	1.5	---	---	---	---	10	0	12.8	18.34	14.5	8.62	2.74
15	1.5	---	---	---	---	10	0	12.8	18.34	14.5	8.62	2.74
16	1.5	---	---	---	---	10	0	12.8	18.34	14.5	8.62	0.14
17	1.5	---	---	---	---	10	0	12.8	19.7	13.3	8.62	0.14
18	1.5	---	---	---	---	10	0	12.8	19.7	13.3	8.62	0.14
19	1.5	---	---	---	---	10	11.7	12.8	19.7	13.3	8.62	0.14
20	1.5	---	---	---	---	10	11.7	12.8	19.7	13.3	8.62	0.14
21	1.5	---	---	---	---	10	11.7	12.8	19.7	17.02	8.62	0.14
22	1.2	---	---	---	---	10	0	12.8	19.7	17.02	8.62	0.16
23	1.2	---	---	---	---	10	0	12.8	19.7	14	8.62	---
24	1.2	---	---	---	---	10	0	12.8	19.7	14	8.62	---
25	1.2	---	---	---	---	10	0	12.8	18.3	14	8.62	---
26	1.2	---	---	---	---	10	0	12.8	18.34	14	8.62	---
27	1.2	---	---	---	---	10	0	12.8	18.34	14	8.62	---
28	---	---	---	---	---	10	0	12.8	18.34	14	8.62	---
29	---	---	---	---	---	10	0	12.8	18.34	11.2	8.62	---
30	---	---	---	---	---	10	0	12.8	18.34	11.2	8.62	---
31	---	---	---	---	---	---	0	---	17.02	11.2	---	---
TOTAL	38.7	---	---	---	---	190.0	45.1	333.5	561.4	459.5	262.6	57.8
MEAN	1.4	---	---	---	---	10.0	1.5	11.1	18.1	14.8	8.8	2.6
MIN	1.2	---	---	---	---	10.0	0.0	0.0	12.8	11.2	8.2	0.1
MAX	1.5	---	---	---	---	10.0	11.7	12.9	21.1	17.0	11.2	8.6
AC-FT	76.8	---	---	---	---	376.9	89.5	661.5	1,113.5	911.4	520.9	114.6

IRRIGATION YEAR 2006 TOTAL CFS:1,948.6 TOTAL AC-FT: 3,865

13130550 LOW BURNETT

DISCHARGE, CUBIC FEET PER SECOND, IRRIGATION YEAR NOVEMBER 2005 TO OCTOBER 2006
MEAN VALUES

DAY	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
1	---	---	---	---	---	---	---	---	---	---	---	---
2	---	---	---	---	---	---	---	---	---	---	---	---
3	---	---	---	---	---	---	---	---	---	---	---	---
4	---	---	---	---	---	---	---	---	---	---	---	---
5	---	---	---	---	---	---	---	---	---	---	---	---
6	---	---	---	---	---	---	---	---	---	---	---	---
7	---	---	---	---	---	---	---	---	---	---	---	---
8	---	---	---	---	---	---	---	---	---	---	---	---
9	---	---	---	---	---	---	---	---	---	---	---	---
10	---	---	---	---	---	---	---	---	---	---	---	---
11	---	---	---	---	---	---	---	---	---	---	---	---
12	---	---	---	---	---	---	---	---	---	---	---	---
13	---	---	---	---	---	---	---	---	---	---	---	---
14	---	---	---	---	---	---	---	---	---	---	---	---
15	---	---	---	---	---	---	---	---	---	---	---	---
16	---	---	---	---	---	---	---	---	---	---	---	---
17	---	---	---	---	---	---	---	---	---	---	---	---
18	---	---	---	---	---	---	---	---	---	---	---	---
19	---	---	---	---	---	---	---	---	---	---	---	---
20	---	---	---	---	---	---	---	---	---	---	---	---
21	---	---	---	---	---	---	---	---	---	---	---	---
22	---	---	---	---	---	---	---	---	---	---	---	---
23	---	---	---	---	---	---	---	---	---	---	---	---
24	---	---	---	---	---	---	---	---	---	---	---	---
25	---	---	---	---	---	---	---	---	---	---	---	---
26	---	---	---	---	---	---	---	---	---	---	---	---
27	---	---	---	---	---	---	---	---	---	---	---	---
28	---	---	---	---	---	---	---	---	---	---	---	---
29	---	---	---	---	---	---	---	---	---	---	---	---
30	---	---	---	---	---	---	---	---	---	---	---	---
31	---	---	---	---	---	---	---	---	---	---	---	---

TOTAL	---	---	---	---	---	---	---	---	---	---	---	---
MEAN	---	---	---	---	---	---	---	---	---	---	---	---
MIN	---	---	---	---	---	---	---	---	---	---	---	---
MAX	---	---	---	---	---	---	---	---	---	---	---	---
AC-FT	---	---	---	---	---	---	---	---	---	---	---	---

IRRIGATION YEAR 2006 TOTAL CFS:0.0 TOTAL AC-FT: 0

13130605 3IN1

DISCHARGE, CUBIC FEET PER SECOND, IRRIGATION YEAR NOVEMBER 2005 TO OCTOBER 2006

MEAN VALUES

DAY	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
1	---	---	---	---	---	---	23.5	36	33	23.6	24.6	6.86
2	---	---	---	---	---	---	23.5	33	33	23.6	24.6	6.86
3	---	---	---	---	---	---	23.5	33	35	23.6	24.6	6.86
4	---	---	---	---	---	---	23.5	33	34.8	23.6	24.6	6.86
5	---	---	---	---	---	---	23.5	32	34.8	23.6	24.6	6.86
6	---	---	---	---	---	---	23.5	32	34.8	23.6	23.1	6.86
7	---	---	---	---	---	---	23.5	30	34.8	23.1	23.1	6.86
8	---	---	---	---	---	---	9.2	30	34.8	23.1	19.8	6.86
9	---	---	---	---	---	---	9.2	21.2	34.8	23.1	15.3	4.9
10	---	---	---	---	---	---	9.2	21.2	32.32	23.1	12.4	4.9
11	---	---	---	---	---	---	9.2	11.2	32.32	23.1	12.4	4.96
12	---	---	---	---	---	17	9.2	21.2	32.32	23.1	6.86	4.96
13	---	---	---	---	---	17	9.2	21.2	32.32	23.1	6.86	4.96
14	---	---	---	---	---	17	9.2	21.2	32.32	23.1	6.86	4.38
15	---	---	---	---	---	17	9.2	25.2	32.32	23.1	6.86	4.38
16	---	---	---	---	---	17	9.2	25.2	32.32	28.2	6.86	---
17	---	---	---	---	---	17	9.2	25.2	9.2	28.2	6.86	---
18	---	---	---	---	---	17	9.2	25.2	9.2	28.2	6.86	---
19	---	---	---	---	---	22	9.2	28	9.2	28.2	6.86	---
20	---	---	---	---	---	22	9.2	28	2	28.2	6.86	---
21	---	---	---	---	---	22	9.2	28	2	28.2	6.86	---
22	---	---	---	---	---	22	28	28	2	28.2	7.54	---
23	---	---	---	---	---	22	29	28	2	28.2	7.54	---
24	---	---	---	---	---	22	29	28	14.4	28.2	7.54	---
25	---	---	---	---	---	22	28	28	14.4	28.2	7.54	---
26	---	---	---	---	---	25	28	30.4	14.4	28.2	7.54	---
27	---	---	---	---	---	25	26.66	30.4	10.6	28.2	7.54	---
28	---	---	---	---	---	25	18	31	10.6	25.6	6.86	---
29	---	---	---	---	---	25	26.66	31	10.6	25.6	6.86	---
30	---	---	---	---	---	25	26.66	33	10.6	25.6	6.86	---
31	---	---	---	---	---	---	26.66	---	23.6	25.6	---	---

TOTAL	---	---	---	---	---	398.0	559.9	828.8	680.8	790.3	363.5	88.3
MEAN	---	---	---	---	---	20.9	18.1	27.6	22.0	25.5	12.1	5.9
MIN	---	---	---	---	---	17.0	9.2	11.2	2.0	23.1	6.9	4.4
MAX	---	---	---	---	---	25.0	29.0	36.0	35.0	28.2	24.6	6.9
AC-FT	---	---	---	---	---	789.4	1,110.6	1,643.9	1,350.4	1,567.6	721.0	175.1

IRRIGATION YEAR 2006 TOTAL CFS:3,709.6 TOTAL AC-FT: 7,358

13130700 B&J

DISCHARGE, CUBIC FEET PER SECOND, IRRIGATION YEAR NOVEMBER 2005 TO OCTOBER 2006
MEAN VALUES

DAY	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
1	---	---	---	---	---	---	---	12	13	9	5.24	0
2	---	---	---	---	---	---	---	12	13	9	5.24	0
3	---	---	---	---	---	---	---	12	12.8	9	5.24	0
4	---	---	---	---	---	---	---	12	12.8	7	5.24	2
5	---	---	---	---	---	---	---	12	12.8	7	5.24	2
6	---	---	---	---	---	---	---	12	12.8	7	5.24	2
7	---	---	---	---	---	---	---	12	12.8	4	5.24	2
8	---	---	---	---	---	---	12	12.2	12.8	4	3.7	2
9	---	---	---	---	---	---	12	12.2	12.8	4	3.7	2
10	---	---	---	---	---	---	12	12.8	10.4	4	3.7	2
11	---	---	---	---	---	---	12	12.8	10.4	4	3.7	2
12	---	---	---	---	---	---	14	12.8	10.4	4	3.52	2
13	---	---	---	---	---	---	14	12.8	10.4	4	3.52	2
14	---	---	---	---	---	---	14	12.8	10.4	5	3.52	2
15	---	---	---	---	---	---	14	12.8	10.4	4.6	3.52	2
16	---	---	---	---	---	---	15	12.8	10.4	6	3.7	---
17	---	---	---	---	---	---	15	12.8	9	6	3.7	---
18	---	---	---	---	---	---	15	12.8	9	6	0	---
19	---	---	---	---	---	---	15	12.8	9	6	0	---
20	---	---	---	---	---	---	15	12.8	9	6	0	---
21	---	---	---	---	---	---	15	12.8	9	7.94	0	---
22	---	---	---	---	---	---	12	6.8	9	7.94	0	---
23	---	---	---	---	---	---	12	6.8	9	7.94	0	---
24	---	---	---	---	---	---	12	12.04	10.5	7.94	0	---
25	---	---	---	---	---	---	12	12.04	10.5	7.94	0	---
26	---	---	---	---	---	---	12	13	10.5	7.94	0	---
27	---	---	---	---	---	---	12	13	0	7.94	0	---
28	---	---	---	---	---	---	8	13	0	7.94	0	---
29	---	---	---	---	---	---	12	9	0	7.94	0	---
30	---	---	---	---	---	---	12	9	0	7.94	0	---
31	---	---	---	---	---	---	12	---	9	5.24	---	---
TOTAL	---	---	---	---	---	---	310.0	356.7	291.9	200.2	73.0	24.0
MEAN	---	---	---	---	---	---	12.9	11.9	9.4	6.5	2.4	1.6
MIN	---	---	---	---	---	---	8.0	6.8	0.0	4.0	0.0	0.0
MAX	---	---	---	---	---	---	15.0	13.0	13.0	9.0	5.2	2.0
AC-FT	---	---	---	---	---	---	614.9	707.5	579.0	397.1	144.8	47.6

IRRIGATION YEAR 2006 TOTAL CFS:1,255.8 TOTAL AC-FT: 2,491

13132050 MOORE

DISCHARGE, CUBIC FEET PER SECOND, IRRIGATION YEAR NOVEMBER 2005 TO OCTOBER 2006
MEAN VALUES

DAY	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
1	---	---	---	---	---	---	40	130	156	126	114	61
2	---	---	---	---	---	---	55	139	154	126	111	61
3	---	---	---	---	---	---	55	39	150	126	118	61
4	---	---	---	---	---	---	64	156	135	126	108	61
5	---	---	---	---	---	---	65	158	143	125	105	61
6	---	---	---	---	---	---	86	150	146	123	102	61
7	---	---	---	---	---	---	86	148	137	121	100	56
8	---	---	---	---	---	---	86	146	137	121	100	56
9	---	---	---	---	---	---	103	137	143	121	103	56
10	---	---	---	---	---	---	108	97	137	121	100	56
11	---	---	---	---	---	---	121	119	143	118	98	55
12	---	---	---	---	---	15	143	119	137	123	82	55
13	---	---	---	---	---	15	143	103	146	121	82	53
14	---	---	---	---	---	15	143	111	143	121	80	52
15	---	---	---	---	---	27	150	106	150	113	79	52
16	---	---	---	---	---	27	168	109	150	128	77	---
17	---	---	---	---	---	27	173	111	143	125	70	---
18	---	---	---	---	---	27	177	113	146	125	66	---
19	---	---	---	---	---	27	163	137	150	121	62	---
20	---	---	---	---	---	27	171	152	148	123	61	---
21	---	---	---	---	---	27	173	150	148	121	61	---
22	---	---	---	---	---	27	173	154	146	121	61	---
23	---	---	---	---	---	27	167	154	148	130	62	---
24	---	---	---	---	---	27	156	152	150	130	60	---
25	---	---	---	---	---	27	167	156	156	132	62	---
26	---	---	---	---	---	27	164	156	141	123	61	---
27	---	---	---	---	---	27	156	154	135	114	60	---
28	---	---	---	---	---	27	143	156	135	111	61	---
29	---	---	---	---	---	27	151	154	137	119	60	---
30	---	---	---	---	---	27	151	154	135	116	60	---
31	---	---	---	---	---	---	123	---	128	119	---	---
TOTAL	---	---	---	---	---	477.0	4,024.0	4,020.0	4,453.0	3,790.0	2,426.0	857.0
MEAN	---	---	---	---	---	25.1	129.8	134.0	143.6	122.3	80.9	57.1
MIN	---	---	---	---	---	15.0	40.0	39.0	128.0	111.0	60.0	52.0
MAX	---	---	---	---	---	27.0	177.0	158.0	156.0	132.0	118.0	61.0
AC-FT	---	---	---	---	---	946.1	7,981.6	7,973.7	8,852.5	7,517.5	4,812.0	1,699.9

IRRIGATION YEAR 2006 TOTAL CFS:20,047.0 TOTAL AC-FT: 39,763

13132060 EASTSIDE

DISCHARGE, CUBIC FEET PER SECOND, IRRIGATION YEAR NOVEMBER 2005 TO OCTOBER 2006

MEAN VALUES

DAY	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
1	---	---	---	---	---	---	85	131	151	97	94	61
2	---	---	---	---	---	---	88	128	148	97	94.5	62
3	---	---	---	---	---	---	88	128	147	99.5	94	62
4	---	---	---	---	---	---	88	128	145	99	79.5	62
5	---	---	---	---	---	---	88	131	145	99	79.5	62
6	---	---	---	---	---	---	88	137.5	97	99.5	79.5	62
7	---	---	---	---	---	---	88	158	96	99	79.5	54
8	---	---	---	---	---	---	88.5	167	95	97	72.5	54
9	---	---	---	---	---	---	88.5	174	94.5	97	72.5	54
10	---	---	---	---	---	---	89	164	94	95	72.5	54
11	---	---	---	---	---	---	89	157	97	95	64	51
12	---	---	---	---	---	53	89	167	104	94	64	51
13	---	---	---	---	---	53	91.5	157	97	94	60	51
14	---	---	---	---	---	53	89	153	96	94.5	61.5	48
15	---	---	---	---	---	53	89	148	100	94	61	48
16	---	---	---	---	---	73	117	150	100	94	61.5	---
17	---	---	---	---	---	73	113	146	110	94.5	61	---
18	---	---	---	---	---	73	107.5	148	109	94	60	---
19	---	---	---	---	---	73	101	140	110	94	60	---
20	---	---	---	---	---	73	97	142	110	94	61	---
21	---	---	---	---	---	85	101	140	109	94	60	---
22	---	---	---	---	---	85	138	144	108	94	61	---
23	---	---	---	---	---	85	138	144	105	94.5	61	---
24	---	---	---	---	---	85	137.5	146	105	94	60	---
25	---	---	---	---	---	85	139	140	104.5	94	60	---
26	---	---	---	---	---	85	136	146	108	94.5	60	---
27	---	---	---	---	---	85	131	146	107.5	94.5	60	---
28	---	---	---	---	---	85	129	153	107	94	61	---
29	---	---	---	---	---	85	129	150	107.5	94	61	---
30	---	---	---	---	---	85	128	144	107	94.5	60	---
31	---	---	---	---	---	---	129	---	96	94	---	---

TOTAL	---	---	---	---	---	1,427.0	3,297.5	4,407.5	3,410.0	2,957.0	2,036.0	836.0
MEAN	---	---	---	---	---	75.1	106.4	146.9	110.0	95.4	67.9	55.7
MIN	---	---	---	---	---	53.0	85.0	128.0	94.0	94.0	60.0	48.0
MAX	---	---	---	---	---	85.0	139.0	174.0	151.0	99.5	94.5	62.0
AC-FT	---	---	---	---	---	2,830.5	6,540.6	8,742.3	6,763.7	5,865.2	4,038.4	1,658.2

IRRIGATION YEAR 2006 TOTAL CFS:18,371.0 TOTAL AC-FT: 36,439

13132350 EASTSIDE OUT

DISCHARGE, CUBIC FEET PER SECOND, IRRIGATION YEAR NOVEMBER 2005 TO OCTOBER 2006

MEAN VALUES

DAY	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
1	---	---	---	---	---	---	---	27	0	90.5	78	56.06
2	---	---	---	---	---	---	---	26.6	0	89.76	77.34	43.64
3	---	---	---	---	---	---	---	27.5	0	91.2	78	43.64
4	---	---	---	---	---	---	---	26.6	0	88.5	73.3	43.64
5	---	---	---	---	---	---	---	21.7	0	92.2	73.3	43.64
6	---	---	---	---	---	---	---	18.4	0	91.86	76.86	30.74
7	---	---	---	---	---	---	---	18.8	0	91.2	76.86	30.74
8	---	---	---	---	---	---	---	23.9	0	88.4	64.86	30.74
9	---	---	---	---	---	---	---	25.7	0	87.66	64.86	30.74
10	---	---	---	---	---	---	---	23.9	58	84.86	64.86	30.74
11	---	---	---	---	---	---	---	21.7	59.3	85.56	54.8	27.74
12	---	---	---	---	---	---	4.14	41.4	54.2	83.46	54.8	27.74
13	---	---	---	---	---	---	5.72	41	53.1	82.8	54.26	27.74
14	---	---	---	---	---	---	3.9	41.4	71.3	78	56.06	25.52
15	---	---	---	---	---	---	3.9	41	79.4	78	55.46	25.52
16	---	---	---	---	---	---	9	40.6	65.2	76	56.06	---
17	---	---	---	---	---	---	8.68	39.8	87.66	76.66	55.46	---
18	---	---	---	---	---	---	8.36	39	82.1	76	56.06	---
19	---	---	---	---	---	---	5.44	39	82.8	73.96	55.46	---
20	---	---	---	---	---	---	2.98	39	76.66	74.6	54.26	---
21	---	---	---	---	---	---	2.12	39	78	76.66	56.06	---
22	---	---	---	---	---	---	5.72	39	85.56	78	57.26	---
23	---	---	---	---	---	---	4.92	39	80.06	76.66	57.26	---
24	---	---	---	---	---	---	5.18	39	80.06	77.4	55.46	---
25	---	---	---	---	---	---	5.72	39	82.1	78	56.06	---
26	---	---	---	---	---	---	5.18	0	87.66	76.66	56.06	---
27	---	---	---	---	---	---	5.72	0	89.06	77.4	54.8	---
28	---	---	---	---	---	---	4.92	0	89.06	78.7	55.46	---
29	---	---	---	---	---	---	26.6	0	87.66	78	55.46	---
30	---	---	---	---	---	---	27.9	0	87.66	78.7	56.06	---
31	---	---	---	---	---	---	25.7	---	89.76	79.38	---	---
TOTAL	---	---	---	---	---	---	171.8	819.0	1,706.4	2,536.7	1,840.9	518.6
MEAN	---	---	---	---	---	---	8.6	27.3	55.0	81.8	61.4	34.6
MIN	---	---	---	---	---	---	2.1	0.0	0.0	74.0	54.3	25.5
MAX	---	---	---	---	---	---	27.9	41.4	89.8	92.2	78.0	56.1
AC-FT	---	---	---	---	---	---	340.8	1,624.5	3,384.6	5,031.5	3,651.4	1,028.6

IRRIGATION YEAR 2006 TOTAL CFS:7,593.4 TOTAL AC-FT: 15,062

13132365 ARCO

DISCHARGE, CUBIC FEET PER SECOND, IRRIGATION YEAR NOVEMBER 2005 TO OCTOBER 2006
MEAN VALUES

DAY	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
1	---	---	---	---	---	---	10	49.2	50	36.1	39.6	29.9
2	---	---	---	---	---	---	23	49.7	59.3	36.6	35.1	26.1
3	---	---	---	---	---	---	23.04	48.6	54.2	36.6	34.6	34.6
4	---	---	---	---	---	---	19.2	48.6	54.2	36.6	35.6	32.6
5	---	---	---	---	---	---	19.2	57	51.9	35.6	35.6	32.6
6	---	---	---	---	---	---	18	60.5	49.2	36.6	38.6	32.6
7	---	---	---	---	---	---	19.2	75	48.1	35.6	38.6	31.4
8	---	---	---	---	---	---	16.4	76.3	47.5	34.6	30.7	31.4
9	---	---	---	---	---	---	16.8	79.4	48.1	34.6	30.7	30.2
10	---	---	---	---	---	---	19.2	81.3	42.7	33.6	30.7	30.2
11	---	---	---	---	---	---	19.6	80.1	47.5	33.6	29.9	30.2
12	---	---	---	---	---	6	19.2	52.72	48.1	32.6	28.4	30.2
13	---	---	---	---	---	6	18	51.32	40.6	32.6	27.5	30.2
14	---	---	---	---	---	6	18	52.72	45.4	33.1	27.5	30.2
15	---	---	---	---	---	6	18	52.02	44.8	35.1	29.3	30.2
16	---	---	---	---	---	6	24.8	51.32	48.6	35.6	29.3	1.58
17	---	---	---	---	---	6	25.7	51.32	38.1	35.6	29.3	1.58
18	---	---	---	---	---	6	26.1	49.26	38.1	35.1	28.86	1.58
19	---	---	---	---	---	6	25.7	45.4	37.1	33.6	29.3	1.58
20	---	---	---	---	---	6	26.1	47.5	36.1	32.6	34.6	1.58
21	---	---	---	---	---	6	26.6	48.6	36.1	33.1	34.1	1.58
22	---	---	---	---	---	6	26.1	49.2	35.6	32.6	30.2	1.52
23	---	---	---	---	---	6	27	49	35.1	33.1	30.2	1.52
24	---	---	---	---	---	6	27.5	45.4	34.1	33.6	29.9	1.91
25	---	---	---	---	---	6	26.6	45.4	33.6	33.1	29.9	1.91
26	---	---	---	---	---	10	25.7	32.6	38.6	33.1	29.9	1.91
27	---	---	---	---	---	10	23.4	44.3	39.92	32.6	29.3	1.91
28	---	---	---	---	---	10	26.1	53.6	38.6	33.6	29.9	1.91
29	---	---	---	---	---	10	48.6	53.6	38.6	33.6	29.3	1.91
30	---	---	---	---	---	10	49.2	50.8	39.92	35.1	29.9	1.94
31	---	---	---	---	---	---	48.6	---	35.6	39.6	---	8.04
TOTAL												
TOTAL	---	---	---	---	---	134.0	760.6	1,631.8	1,335.3	1,069.1	946.4	496.6
MEAN	---	---	---	---	---	7.1	24.5	54.4	43.1	34.5	31.5	16.0
MIN	---	---	---	---	---	6.0	10.0	32.6	33.6	32.6	27.5	1.5
MAX	---	---	---	---	---	10.0	49.2	81.3	59.3	39.6	39.6	34.6
AC-FT	---	---	---	---	---	265.8	1,508.7	3,236.7	2,648.6	2,120.6	1,877.2	985.0

IRRIGATION YEAR 2006 TOTAL CFS:6,373.8 TOTAL AC-FT: 12,642

13132375 MUNSEY

DISCHARGE, CUBIC FEET PER SECOND, IRRIGATION YEAR NOVEMBER 2005 TO OCTOBER 2006

MEAN VALUES

DAY	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
1	---	---	---	---	---	---	8	38.06	75	54.92	34.02	19.38
2	---	---	---	---	---	---	7.5	49.94	72	65.42	33.72	35.28
3	---	---	---	---	---	---	7.5	50.84	68.9	66.42	33.72	20.32
4	---	---	---	---	---	---	7.52	58.68	70.4	65.92	36.46	20.32
5	---	---	---	---	---	---	7.52	69.9	71.4	66.42	36.46	22.92
6	---	---	---	---	---	---	5.24	69.9	77	66.42	36.46	22.92
7	---	---	---	---	---	---		80.26	76.5	65.42	36.46	22.92
8	---	---	---	---	---	---	0	80.26	75.52	60.08	33.72	22.92
9	---	---	---	---	---	---	0	80.26	75.02	55.4	32.96	5.62
10	---	---	---	---	---	---	0	80.26	71.24	50.84	32.96	5.62
11	---	---	---	---	---	---	7.74	80.26	65.42	50.84	19.68	5.62
12	---	---	---	---	---	5	7.3	55.4	65.42	49.94	21.28	5.62
13	---	---	---	---	---	5	27.06	44.28	46.44	49.94	21.62	5.62
14	---	---	---	---	---	5	33.72	43.44	64.92	61.3	21.62	5.62
15	---	---	---	---	---	5	33.72	42.6	55.4	62.38	21.28	5.62
16	---	---	---	---	---	5	48.18	42.6	60.32	61.84	21.62	---
17	---	---	---	---	---	5	53.56	41.34	50.84	62.92	21.28	---
18	---	---	---	---	---	5	55.4	38.06	48.18	61.84	34.1	---
19	---	---	---	---	---	5	55.4	45.56	47.74	62.38	33.34	---
20	---	---	---	---	---	5	55.4	60.08	49.06	61.84	32.96	---
21	---	---	---	---	---	5	55.4	60.08	51.28	61.3	32.96	---
22	---	---	---	---	---	5	53.12	60.08	57.72	61.3	30.7	---
23	---	---	---	---	---	5	52.18	62	54.92	61.84	16.04	---
24	---	---	---	---	---	5	50.84	60	52.18	61.3	15.18	---
25	---	---	---	---	---	5	50.38	61	53.56	61.84	16.04	---
26	---	---	---	---	---	8	44.28	60.08	57.72	61.84	16.04	---
27	---	---	---	---	---	8	45.14	60.08	59.14	61.3	17.52	---
28	---	---	---	---	---	8	33.34	64.92	59.14	37.66	17.52	---
29	---	---	---	---	---	8	30.34	64.92	58.68	37.66	19.68	---
30	---	---	---	---	---	8	29.6	60.08	59.14	37.26	19.68	---
31	---	---	---	---	---	---	29.6	---	54	34.02	---	---
TOTAL	---	---	---	---	---	110.0	900.2	1,765.2	1,904.2	1,779.8	797.1	226.3
MEAN	---	---	---	---	---	5.8	29.0	58.8	61.4	57.4	26.6	15.1
MIN	---	---	---	---	---	5.0	0.0	38.1	46.4	34.0	15.2	5.6
MAX	---	---	---	---	---	8.0	55.4	80.3	77.0	66.4	36.5	35.3
AC-FT	---	---	---	---	---	218.2	1,785.5	3,501.3	3,777.0	3,530.2	1,581.0	448.9

IRRIGATION YEAR 2006 TOTAL CFS: 7,482.8 TOTAL AC-FT: 14,842

13132400 MILLER

DISCHARGE, CUBIC FEET PER SECOND, IRRIGATION YEAR NOVEMBER 2005 TO OCTOBER 2006

MEAN VALUES

DAY	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
1	---	---	---	---	---	---	---	3.3	0	0	0	0
2	---	---	---	---	---	---	---	3.3	0	0	0	0
3	---	---	---	---	---	---	---	3.3	0	0	0	0
4	---	---	---	---	---	---	---	3.3	0	0	0	0
5	---	---	---	---	---	---	---	4.3	0	0	0	0
6	---	---	---	---	---	---	---	4.3	0	0	0	0
7	---	---	---	---	---	---	---	4.3	0	0	0	0
8	---	---	---	---	---	---	---	4.3	0	0	0	0
9	---	---	---	---	---	---	---	4.3	0	0	0	0
10	---	---	---	---	---	---	---	4.3	0	0	0	0
11	---	---	---	---	---	---	---	0	0	0	0	0
12	---	---	---	---	---	---	---	0	0	0	0	0
13	---	---	---	---	---	---	---	0	0	0	0	0
14	---	---	---	---	---	---	---	0	0	0	0	0
15	---	---	---	---	---	---	---	0	0	0	0	0
16	---	---	---	---	---	---	---	0	0	0	0	---
17	---	---	---	---	---	---	---	0	0	0	0	---
18	---	---	---	---	---	---	---	0	0	0	0	---
19	---	---	---	---	---	---	---	0	0	0	0	---
20	---	---	---	---	---	---	---	0	0	0	0	---
21	---	---	---	---	---	---	---	0	0	0	0	---
22	---	---	---	---	---	---	---	0	0	0	0	---
23	---	---	---	---	---	---	---	0	0	0	0	---
24	---	---	---	---	---	---	---	0	0	0	0	---
25	---	---	---	---	---	---	---	0	0	0	0	---
26	---	---	---	---	---	---	---	0	0	0	0	---
27	---	---	---	---	---	---	---	0	0	0	0	---
28	---	---	---	---	---	---	---	0	0	0	0	---
29	---	---	---	---	---	---	3.3	0	0	0	0	---
30	---	---	---	---	---	---	3.3	0	0	0	0	---
31	---	---	---	---	---	---	3.3	---	0	0	---	---

TOTAL	---	---	---	---	---	---	9.9	39.0	0.0	0.0	0.0	0.0
MEAN	---	---	---	---	---	---	3.3	1.3	0.0	0.0	0.0	0.0
MIN	---	---	---	---	---	---	3.3	0.0	0.0	0.0	0.0	0.0
MAX	---	---	---	---	---	---	3.3	4.3	0.0	0.0	0.0	0.0
AC-FT	---	---	---	---	---	---	19.6	77.4	0.0	0.0	0.0	0.0

IRRIGATION YEAR 2006 TOTAL CFS:48.9 TOTAL AC-FT: 97

13132410 MCLAUGHLIN

DISCHARGE, CUBIC FEET PER SECOND, IRRIGATION YEAR NOVEMBER 2005 TO OCTOBER 2006

MEAN VALUES

DAY	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
1	---	---	---	---	---	---	---	4.18	3.44	0	0	0
2	---	---	---	---	---	---	---	4.18	3.2	0	0	0
3	---	---	---	---	---	---	---	3.8	3.2	0	0	0
4	---	---	---	---	---	---	---	3.8	3.2	0	0	0
5	---	---	---	---	---	---	---	3.44	2.98	0	0	0
6	---	---	---	---	---	---	---	3.2	3.08	0	0	0
7	---	---	---	---	---	---	---	7.02	2.98	0	0	0
8	---	---	---	---	---	---	---	7.02	2.86	0	0	0
9	---	---	---	---	---	---	---	8.96	2.98	0	0	0
10	---	---	---	---	---	---	---	8.3	0	0	0	0
11	---	---	---	---	---	---	3.56	8.3	0	0	0	0
12	---	---	---	---	---	---	3.56	8.14	0	0	0	0
13	---	---	---	---	---	---	3.44	7.98	0	0	0	0
14	---	---	---	---	---	---	3.68	8.14	0	0	0	0
15	---	---	---	---	---	---	3.68	7.98	0	0	0	0
16	---	---	---	---	---	---	3.68	7.02	0	0	0	---
17	---	---	---	---	---	---	3.92	7.5	2.96	0	0	---
18	---	---	---	---	---	---	4.32	6.12	2.96	0	0	---
19	---	---	---	---	---	---	4.06	3.44	2.96	0	0	---
20	---	---	---	---	---	---	4.32	3.68	2.96	0	0	---
21	---	---	---	---	---	---	4.44	3.68	1.5	0	0	---
22	---	---	---	---	---	---	4.32	3.92	0.5	0	0	---
23	---	---	---	---	---	---	4.44	4.1	1.5	0	0	---
24	---	---	---	---	---	---	4.32	4.1	0	0	0	---
25	---	---	---	---	---	---	4.58	3.2	0	0	0	---
26	---	---	---	---	---	---	4.18	0	0	0	0	---
27	---	---	---	---	---	---	4.32	0	0	0	0	---
28	---	---	---	---	---	---	4.18	2.59	0	0	0	---
29	---	---	---	---	---	---	4.58	2.59	0	0	0	---
30	---	---	---	---	---	---	4.44	2.98	0	0	0	---
31	---	---	---	---	---	---	---	---	0	0	---	---
TOTAL	---	---	---	---	---	---	82.0	149.4	43.3	0.0	0.0	0.0
MEAN	---	---	---	---	---	---	4.1	5.0	1.4	0.0	0.0	0.0
MIN	---	---	---	---	---	---	3.4	0.0	0.0	0.0	0.0	0.0
MAX	---	---	---	---	---	---	4.6	9.0	3.4	0.0	0.0	0.0
AC-FT	---	---	---	---	---	---	162.6	296.3	85.9	0.0	0.0	0.0

IRRIGATION YEAR 2006 TOTAL CFS:274.7 TOTAL AC-FT: 545

**EXCHANGE WELLS
ADDED TO
BIG LOST RIVER**

13132130 FOLKMAN EXCHANGE PUMP

DISCHARGE, CUBIC FEET PER SECOND, IRRIGATION YEAR NOVEMBER 2005 TO OCTOBER 2006

MEAN VALUES

DAY	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
1	---	---	---	---	---	---	---	---	---	4.4	0	0
2	---	---	---	---	---	---	---	---	---	4.4	0	0
3	---	---	---	---	---	---	---	---	---	4.4	0	0
4	---	---	---	---	---	---	---	---	---	4.4	0	0
5	---	---	---	---	---	---	---	---	---	4.4	0	0
6	---	---	---	---	---	---	---	---	---	4.4	0	0
7	---	---	---	---	---	---	---	---	---	4.4	0	0
8	---	---	---	---	---	---	---	---	---	4.4	0	0
9	---	---	---	---	---	---	---	---	---	4.4	0	0
10	---	---	---	---	---	---	---	---	---	4.4	0	0
11	---	---	---	---	---	---	---	---	---	4.4	0	0
12	---	---	---	---	---	---	---	---	---	4.4	0	0
13	---	---	---	---	---	---	---	---	---	4.4	0	0
14	---	---	---	---	---	---	---	---	---	4.4	0	0
15	---	---	---	---	---	---	---	---	---	4.4	0	0
16	---	---	---	---	---	---	---	---	---	4.4	0	---
17	---	---	---	---	---	---	---	---	---	0	0	---
18	---	---	---	---	---	---	---	---	---	0	0	---
19	---	---	---	---	---	---	---	---	---	0	0	---
20	---	---	---	---	---	---	---	---	---	0	0	---
21	---	---	---	---	---	---	---	---	---	0	0	---
22	---	---	---	---	---	---	---	---	---	0	0	---
23	---	---	---	---	---	---	---	---	---	0	0	---
24	---	---	---	---	---	---	---	---	4.4	0	0	---
25	---	---	---	---	---	---	---	---	4.4	0	0	---
26	---	---	---	---	---	---	---	---	4.4	0	0	---
27	---	---	---	---	---	---	---	---	4.4	0	0	---
28	---	---	---	---	---	---	---	---	4.4	0	0	---
29	---	---	---	---	---	---	---	---	4.4	0	0	---
30	---	---	---	---	---	---	---	---	4.4	0	0	---
31	---	---	---	---	---	---	---	---	4.4	0	---	---
TOTAL	---	---	---	---	---	---	---	---	35.2	70.4	0.0	0.0
MEAN	---	---	---	---	---	---	---	---	4.4	2.3	0.0	0.0
MIN	---	---	---	---	---	---	---	---	4.4	0.0	0.0	0.0
MAX	---	---	---	---	---	---	---	---	4.4	4.4	0.0	0.0
AC-FT	---	---	---	---	---	---	---	---	69.8	139.6	0.0	0.0

IRRIGATION YEAR 2006 TOTAL CFS:105.6 TOTAL AC-FT: 209

13132140 Potter Exchange Well - Formerly Jacobson

DISCHARGE, CUBIC FEET PER SECOND, IRRIGATION YEAR NOVEMBER 2005 TO OCTOBER 2006
MEAN VALUES

DAY	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
1	---	---	---	---	---	---	---	---	---	---	---	---
2	---	---	---	---	---	---	---	---	---	---	---	---
3	---	---	---	---	---	---	---	---	---	---	---	---
4	---	---	---	---	---	---	---	---	---	---	---	---
5	---	---	---	---	---	---	---	---	---	---	---	---
6	---	---	---	---	---	---	---	---	---	---	---	---
7	---	---	---	---	---	---	---	---	---	---	---	---
8	---	---	---	---	---	---	---	---	---	---	---	---
9	---	---	---	---	---	---	---	---	---	---	---	---
10	---	---	---	---	---	---	---	---	---	---	---	---
11	---	---	---	---	---	---	---	---	---	---	---	---
12	---	---	---	---	---	---	---	---	---	---	---	---
13	---	---	---	---	---	---	---	---	---	---	---	---
14	---	---	---	---	---	---	---	---	---	---	---	---
15	---	---	---	---	---	---	---	---	---	---	---	---
16	---	---	---	---	---	---	---	---	---	---	---	---
17	---	---	---	---	---	---	---	---	---	---	---	---
18	---	---	---	---	---	---	---	---	---	---	---	---
19	---	---	---	---	---	---	---	---	---	---	---	---
20	---	---	---	---	---	---	---	---	---	---	---	---
21	---	---	---	---	---	---	---	---	---	---	---	---
22	---	---	---	---	---	---	---	---	---	---	---	---
23	---	---	---	---	---	---	---	---	---	---	---	---
24	---	---	---	---	---	---	---	---	---	---	---	---
25	---	---	---	---	---	---	---	---	---	---	---	---
26	---	---	---	---	---	---	---	---	---	---	---	---
27	---	---	---	---	---	---	---	---	---	---	---	---
28	---	---	---	---	---	---	---	---	---	---	---	---
29	---	---	---	---	---	---	---	---	---	---	---	---
30	---	---	---	---	---	---	---	---	---	---	---	---
31	---	---	---	---	---	---	---	---	---	---	---	---

TOTAL	---	---	---	---	---	---	---	---	---	---	---	---
MEAN	---	---	---	---	---	---	---	---	---	---	---	---
MIN	---	---	---	---	---	---	---	---	---	---	---	---
MAX	---	---	---	---	---	---	---	---	---	---	---	---
AC-FT	---	---	---	---	---	---	---	---	---	---	---	---

IRRIGATION YEAR 2006 TOTAL CFS:0.0 TOTAL AC-FT: 0

13132160 JENSEN EXCHANGE PUMP

DISCHARGE, CUBIC FEET PER SECOND, IRRIGATION YEAR NOVEMBER 2005 TO OCTOBER 2006

MEAN VALUES

DAY	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
1	---	---	---	---	---	---	---	---	---	12.06	12.14	0
2	---	---	---	---	---	---	---	---	---	12.06	12.14	0
3	---	---	---	---	---	---	---	---	---	12.06	12.14	0
4	---	---	---	---	---	---	---	---	---	12.06	12.06	0
5	---	---	---	---	---	---	---	---	---	12.06	12.06	0
6	---	---	---	---	---	---	---	---	---	12.06	12.06	0
7	---	---	---	---	---	---	---	---	---	12.1	12.06	0
8	---	---	---	---	---	---	---	---	---	12.1	12.06	0
9	---	---	---	---	---	---	---	---	---	12.1	12.06	0
10	---	---	---	---	---	---	---	---	---	12.1	12.06	0
11	---	---	---	---	---	---	---	---	---	12.1	0	0
12	---	---	---	---	---	---	---	---	---	12.1	0	0
13	---	---	---	---	---	---	---	---	---	12.1	0	0
14	---	---	---	---	---	---	---	---	---	12.06	0	0
15	---	---	---	---	---	---	---	---	13.44	12.06	0	0
16	---	---	---	---	---	---	---	---	13.4	12.06	0	---
17	---	---	---	---	---	---	---	---	12.06	12.06	0	---
18	---	---	---	---	---	---	---	---	12.06	12.06	12.06	---
19	---	---	---	---	---	---	---	---	12.06	12.06	12.06	---
20	---	---	---	---	---	---	---	---	12.06	12.06	12.06	---
21	---	---	---	---	---	---	---	---	12.06	12.1	12.06	---
22	---	---	---	---	---	---	---	---	12.06	12.1	12.06	---
23	---	---	---	---	---	---	---	---	12.06	12.1	0	---
24	---	---	---	---	---	---	---	---	12.2	12.1	0	---
25	---	---	---	---	---	---	---	---	12.2	12.1	0	---
26	---	---	---	---	---	---	---	---	12.2	12.1	0	---
27	---	---	---	---	---	---	---	---	12.2	12.1	0	---
28	---	---	---	---	---	---	---	---	12.2	12.14	0	---
29	---	---	---	---	---	---	---	---	12.2	12.14	0	---
30	---	---	---	---	---	---	---	---	12.2	12.14	0	---
31	---	---	---	---	---	---	---	---	12.06	12.14	---	---
TOTAL	---	---	---	---	---	---	---	---	208.7	374.7	181.1	0.0
MEAN	---	---	---	---	---	---	---	---	12.3	12.1	6.0	0.0
MIN	---	---	---	---	---	---	---	---	12.1	12.1	0.0	0.0
MAX	---	---	---	---	---	---	---	---	13.4	12.1	12.1	0.0
AC-FT	---	---	---	---	---	---	---	---	414.0	743.2	359.2	0.0

IRRIGATION YEAR 2006 TOTAL CFS:764.5 TOTAL AC-FT: 1,516

13132190 ISOM 1 EXCHANGE PUMP

DISCHARGE, CUBIC FEET PER SECOND, IRRIGATION YEAR NOVEMBER 2005 TO OCTOBER 2006

MEAN VALUES

DAY	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
1	---	---	---	---	---	---	---	---	---	7.58	4.5	0
2	---	---	---	---	---	---	---	---	---	7.58	4.5	0
3	---	---	---	---	---	---	---	---	---	7.58	4.5	0
4	---	---	---	---	---	---	---	---	---	7.58	10	0
5	---	---	---	---	---	---	---	---	---	7.58	10	0
6	---	---	---	---	---	---	---	---	---	7.58	10	0
7	---	---	---	---	---	---	---	---	---	9.14	10	0
8	---	---	---	---	---	---	---	---	---	9.14	10	0
9	---	---	---	---	---	---	---	---	---	5	10	0
10	---	---	---	---	---	---	---	---	---	5	10	0
11	---	---	---	---	---	---	---	---	---	5	10	0
12	---	---	---	---	---	---	---	---	---	5	10	0
13	---	---	---	---	---	---	---	---	10.2	5	10	0
14	---	---	---	---	---	---	---	---	10.2	5	10	0
15	---	---	---	---	---	---	---	---	10.14	5	10	0
16	---	---	---	---	---	---	---	---	9.64	5	10	---
17	---	---	---	---	---	---	---	---	7	5	10	---
18	---	---	---	---	---	---	---	---	7	5	8	---
19	---	---	---	---	---	---	---	---	7	5	8	---
20	---	---	---	---	---	---	---	---	7	5	8	---
21	---	---	---	---	---	---	---	---	7	5	8	---
22	---	---	---	---	---	---	---	---	7	5	8	---
23	---	---	---	---	---	---	---	---	7	5	8	---
24	---	---	---	---	---	---	---	---	6.24	5	8	---
25	---	---	---	---	---	---	---	---	6.24	5	8.5	---
26	---	---	---	---	---	---	---	---	6.24	5	0	---
27	---	---	---	---	---	---	---	---	6.24	5	0	---
28	---	---	---	---	---	---	---	---	6.24	4.5	0	---
29	---	---	---	---	---	---	---	---	6.24	4.5	0	---
30	---	---	---	---	---	---	---	---	6.24	4.5	0	---
31	---	---	---	---	---	---	---	---	7.58	4.5	---	---

TOTAL	---	---	---	---	---	---	---	---	140.4	176.8	218.0	0.0
MEAN	---	---	---	---	---	---	---	---	7.4	5.7	7.3	0.0
MIN	---	---	---	---	---	---	---	---	6.2	4.5	0.0	0.0
MAX	---	---	---	---	---	---	---	---	10.2	9.1	10.0	0.0
AC-FT	---	---	---	---	---	---	---	---	278.5	350.7	432.4	0.0

IRRIGATION YEAR 2006 TOTAL CFS:535.2 TOTAL AC-FT: 1,062

13132195 PARKINSON EXCHANGE PUMP

DISCHARGE, CUBIC FEET PER SECOND, IRRIGATION YEAR NOVEMBER 2005 TO OCTOBER 2006
MEAN VALUES

DAY	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
1	---	---	---	---	---	---	---	---	---	6.6	6.24	0
2	---	---	---	---	---	---	---	---	---	6.6	6.24	0
3	---	---	---	---	---	---	---	---	---	6.6	6.24	0
4	---	---	---	---	---	---	---	---	---	6.6	6.2	0
5	---	---	---	---	---	---	---	---	---	6.6	6.2	0
6	---	---	---	---	---	---	---	---	---	6.6	6.2	0
7	---	---	---	---	---	---	---	---	---	6.54	0	0
8	---	---	---	---	---	---	---	---	---	6.54	0	0
9	---	---	---	---	---	---	---	---	---	6.54	0	0
10	---	---	---	---	---	---	---	---	---	0	0	0
11	---	---	---	---	---	---	---	---	---	0	0	0
12	---	---	---	---	---	---	---	---	---	0	0	0
13	---	---	---	---	---	---	---	---	7.98	0	0	0
14	---	---	---	---	---	---	---	---	7.16	6.44	0	0
15	---	---	---	---	---	---	---	---	6.84	6.44	0	0
16	---	---	---	---	---	---	---	---	6.54	6.44	0	---
17	---	---	---	---	---	---	---	---	6.38	6.44	0	---
18	---	---	---	---	---	---	---	---	6.32	6.44	6.36	---
19	---	---	---	---	---	---	---	---	6.32	6.44	6.36	---
20	---	---	---	---	---	---	---	---	6.32	6.44	6.36	---
21	---	---	---	---	---	---	---	---	6.28	6.4	6.36	---
22	---	---	---	---	---	---	---	---	6.28	6.4	6.36	---
23	---	---	---	---	---	---	---	---	6.32	6.4	0	---
24	---	---	---	---	---	---	---	---	6.66	6.4	0	---
25	---	---	---	---	---	---	---	---	6.66	6.4	0	---
26	---	---	---	---	---	---	---	---	6.66	6.4	0	---
27	---	---	---	---	---	---	---	---	6.66	6.4	0	---
28	---	---	---	---	---	---	---	---	6.66	6.24	0	---
29	---	---	---	---	---	---	---	---	6.66	6.24	0	---
30	---	---	---	---	---	---	---	---	6.66	6.24	0	---
31	---	---	---	---	---	---	---	---	6.6	6.24	---	---
TOTAL	---	---	---	---	---	---	---	---	126.0	174.1	69.1	0.0
MEAN	---	---	---	---	---	---	---	---	6.6	5.6	2.3	0.0
MIN	---	---	---	---	---	---	---	---	6.3	0.0	0.0	0.0
MAX	---	---	---	---	---	---	---	---	8.0	6.6	6.4	0.0
AC-FT	---	---	---	---	---	---	---	---	249.9	345.3	137.1	0.0

IRRIGATION YEAR 2006 TOTAL CFS:369.2 TOTAL AC-FT: 732

13132250 McDonald Exchange Well - Formerly Toone

DISCHARGE, CUBIC FEET PER SECOND, IRRIGATION YEAR NOVEMBER 2005 TO OCTOBER 2006

MEAN VALUES

DAY	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
1	---	---	---	---	---	---	---	---	---	7.8	6.9	0
2	---	---	---	---	---	---	---	---	---	7.8	6.9	0
3	---	---	---	---	---	---	---	---	---	7.8	6.9	0
4	---	---	---	---	---	---	---	---	---	7.8	6.9	0
5	---	---	---	---	---	---	---	---	---	7.8	6.9	0
6	---	---	---	---	---	---	---	---	---	7.8	6.9	0
7	---	---	---	---	---	---	---	---	---	7.42	6.9	0
8	---	---	---	---	---	---	---	---	---	7.42	0	0
9	---	---	---	---	---	---	---	---	---	7.42	0	0
10	---	---	---	---	---	---	---	---	---	7.42	0	0
11	---	---	---	---	---	---	---	---	---	7.42	0	0
12	---	---	---	---	---	---	---	---	---	7.42	0	0
13	---	---	---	---	---	---	---	---	---	7.42	0	0
14	---	---	---	---	---	---	---	---	---	7.18	0	0
15	---	---	---	---	---	---	---	---	---	7.18	0	0
16	---	---	---	---	---	---	---	---	---	7.18	0	---
17	---	---	---	---	---	---	---	---	---	7.18	0	---
18	---	---	---	---	---	---	---	---	---	7.18	0	---
19	---	---	---	---	---	---	---	---	---	7.18	0	---
20	---	---	---	---	---	---	---	---	---	7.18	0	---
21	---	---	---	---	---	---	---	---	---	7.2	0	---
22	---	---	---	---	---	---	---	---	---	7.2	0	---
23	---	---	---	---	---	---	---	---	---	7.2	0	---
24	---	---	---	---	---	---	---	---	7.8	7.2	0	---
25	---	---	---	---	---	---	---	---	7.8	7.2	0	---
26	---	---	---	---	---	---	---	---	7.8	7.2	0	---
27	---	---	---	---	---	---	---	---	7.8	7.2	0	---
28	---	---	---	---	---	---	---	---	7.8	6.9	0	---
29	---	---	---	---	---	---	---	---	7.8	6.9	0	---
30	---	---	---	---	---	---	---	---	7.8	6.9	0	---
31	---	---	---	---	---	---	---	---	7.8	6.9	---	---
TOTAL	---	---	---	---	---	---	---	---	62.4	227.0	48.3	0.0
MEAN	---	---	---	---	---	---	---	---	7.8	7.3	1.6	0.0
MIN	---	---	---	---	---	---	---	---	7.8	6.9	0.0	0.0
MAX	---	---	---	---	---	---	---	---	7.8	7.8	6.9	0.0
AC-FT	---	---	---	---	---	---	---	---	123.8	450.3	95.8	0.0

IRRIGATION YEAR 2006 TOTAL CFS:337.7 TOTAL AC-FT: 670

13132270 ISOM 2 EXCHANGE PUMP

DISCHARGE, CUBIC FEET PER SECOND, IRRIGATION YEAR NOVEMBER 2005 TO OCTOBER 2006

MEAN VALUES

DAY	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
1	---	---	---	---	---	---	---	---	---	10.56	3.4	0
2	---	---	---	---	---	---	---	---	---	10.56	3.4	0
3	---	---	---	---	---	---	---	---	---	10.56	3.4	0
4	---	---	---	---	---	---	---	---	---	10.56	6.9	0
5	---	---	---	---	---	---	---	---	---	10.56	6.9	0
6	---	---	---	---	---	---	---	---	---	10.56	6.9	0
7	---	---	---	---	---	---	---	---	---	8	6.9	0
8	---	---	---	---	---	---	---	---	---	8	6.9	0
9	---	---	---	---	---	---	---	---	---	3.14	6.9	0
10	---	---	---	---	---	---	---	---	---	3.14	6.9	0
11	---	---	---	---	---	---	---	---	---	3.14	6.5	0
12	---	---	---	---	---	---	---	---	---	3.14	6.5	0
13	---	---	---	---	---	---	---	---	9.56	3.14	6.5	0
14	---	---	---	---	---	---	---	---	9.56	3	6.5	0
15	---	---	---	---	---	---	---	---	9.56	3	6.5	0
16	---	---	---	---	---	---	---	---	9.56	3	6.5	---
17	---	---	---	---	---	---	---	---	9.56	3	6.5	---
18	---	---	---	---	---	---	---	---	9.56	3	6.5	---
19	---	---	---	---	---	---	---	---	9.56	3	6.5	---
20	---	---	---	---	---	---	---	---	9.56	3	6.5	---
21	---	---	---	---	---	---	---	---	9.56	3	6.5	---
22	---	---	---	---	---	---	---	---	9.56	3	6.5	---
23	---	---	---	---	---	---	---	---	9.56	3	6.5	---
24	---	---	---	---	---	---	---	---	8.56	3	6.5	---
25	---	---	---	---	---	---	---	---	8.56	3	8	---
26	---	---	---	---	---	---	---	---	8.56	3	0	---
27	---	---	---	---	---	---	---	---	8.56	3	0	---
28	---	---	---	---	---	---	---	---	8.56	3.4	0	---
29	---	---	---	---	---	---	---	---	8.56	3.4	0	---
30	---	---	---	---	---	---	---	---	8.56	3.4	0	---
31	---	---	---	---	---	---	---	---	10.56	3.4	---	---
TOTAL												
TOTAL	---	---	---	---	---	---	---	---	175.6	150.7	157.5	0.0
MEAN	---	---	---	---	---	---	---	---	9.2	4.9	5.3	0.0
MIN	---	---	---	---	---	---	---	---	8.6	3.0	0.0	0.0
MAX	---	---	---	---	---	---	---	---	10.6	10.6	8.0	0.0
AC-FT	---	---	---	---	---	---	---	---	348.3	298.9	312.4	0.0

IRRIGATION YEAR 2006 TOTAL CFS:483.8 TOTAL AC-FT: 960

13132280 QUIST EXCHANGE PUMP

DISCHARGE, CUBIC FEET PER SECOND, IRRIGATION YEAR NOVEMBER 2005 TO OCTOBER 2006

MEAN VALUES

DAY	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
1	---	---	---	---	---	---	---	---	---	---	---	---
2	---	---	---	---	---	---	---	---	---	---	---	---
3	---	---	---	---	---	---	---	---	---	---	---	---
4	---	---	---	---	---	---	---	---	---	---	---	---
5	---	---	---	---	---	---	---	---	---	---	---	---
6	---	---	---	---	---	---	---	---	---	---	---	---
7	---	---	---	---	---	---	---	---	---	---	---	---
8	---	---	---	---	---	---	---	---	---	---	---	---
9	---	---	---	---	---	---	---	---	---	---	---	---
10	---	---	---	---	---	---	---	---	---	---	---	---
11	---	---	---	---	---	---	---	---	---	---	---	---
12	---	---	---	---	---	---	---	---	---	---	---	---
13	---	---	---	---	---	---	---	---	---	---	---	---
14	---	---	---	---	---	---	---	---	---	---	---	---
15	---	---	---	---	---	---	---	---	---	---	---	---
16	---	---	---	---	---	---	---	---	---	---	---	---
17	---	---	---	---	---	---	---	---	---	---	---	---
18	---	---	---	---	---	---	---	---	---	---	---	---
19	---	---	---	---	---	---	---	---	---	---	---	---
20	---	---	---	---	---	---	---	---	---	---	---	---
21	---	---	---	---	---	---	---	---	---	---	---	---
22	---	---	---	---	---	---	---	---	---	---	---	---
23	---	---	---	---	---	---	---	---	---	---	---	---
24	---	---	---	---	---	---	---	---	---	---	---	---
25	---	---	---	---	---	---	---	---	---	---	---	---
26	---	---	---	---	---	---	---	---	---	---	---	---
27	---	---	---	---	---	---	---	---	---	---	---	---
28	---	---	---	---	---	---	---	---	---	---	---	---
29	---	---	---	---	---	---	---	---	---	---	---	---
30	---	---	---	---	---	---	---	---	---	---	---	---
31	---	---	---	---	---	---	---	---	---	---	---	---
TOTAL	---	---	---	---	---	---	---	---	---	---	---	---
MEAN	---	---	---	---	---	---	---	---	---	---	---	---
MIN	---	---	---	---	---	---	---	---	---	---	---	---
MAX	---	---	---	---	---	---	---	---	---	---	---	---
AC-FT	---	---	---	---	---	---	---	---	---	---	---	---

IRRIGATION YEAR 2006 TOTAL CFS:0.0 TOTAL AC-FT: 0

13132305 SCHUREMAN EXCHANGE PUMP

DISCHARGE, CUBIC FEET PER SECOND, IRRIGATION YEAR NOVEMBER 2005 TO OCTOBER 2006

MEAN VALUES

DAY	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
1	---	---	---	---	---	---	---	---	---	6.22	0	0
2	---	---	---	---	---	---	---	---	---	6.22	0	0
3	---	---	---	---	---	---	---	---	---	6.22	0	0
4	---	---	---	---	---	---	---	---	---	0	0	0
5	---	---	---	---	---	---	---	---	---	0	0	0
6	---	---	---	---	---	---	---	---	---	0	0	0
7	---	---	---	---	---	---	---	---	---	6.22	0	0
8	---	---	---	---	---	---	---	---	---	6.22	0	0
9	---	---	---	---	---	---	---	---	---	6.22	0	0
10	---	---	---	---	---	---	---	---	---	6.22	0	0
11	---	---	---	---	---	---	---	---	---	6.22	0	0
12	---	---	---	---	---	---	---	---	---	6.22	0	0
13	---	---	---	---	---	---	---	---	---	6.22	0	0
14	---	---	---	---	---	---	---	---	---	6.22	0	0
15	---	---	---	---	---	---	---	---	---	6.22	0	0
16	---	---	---	---	---	---	---	---	---	6.22	0	---
17	---	---	---	---	---	---	---	---	---	6.22	0	---
18	---	---	---	---	---	---	---	---	---	6.22	0	---
19	---	---	---	---	---	---	---	---	---	6.22	0	---
20	---	---	---	---	---	---	---	---	---	6.22	0	---
21	---	---	---	---	---	---	---	---	---	6.22	0	---
22	---	---	---	---	---	---	---	---	---	6.22	0	---
23	---	---	---	---	---	---	---	---	---	6.22	0	---
24	---	---	---	---	---	---	---	---	---	6.22	0	---
25	---	---	---	---	---	---	---	---	---	6.22	0	---
26	---	---	---	---	---	---	---	---	---	6.22	0	---
27	---	---	---	---	---	---	---	---	---	6.22	0	---
28	---	---	---	---	---	---	---	---	---	6.22	0	---
29	---	---	---	---	---	---	---	---	---	6.22	0	---
30	---	---	---	---	---	---	---	---	---	6.22	0	---
31	---	---	---	---	---	---	---	---	---	6.22	---	---
TOTAL	---	---	---	---	---	---	---	---	---	155.5	18.7	0.0
MEAN	---	---	---	---	---	---	---	---	---	6.2	0.6	0.0
MIN	---	---	---	---	---	---	---	---	---	6.2	0.0	0.0
MAX	---	---	---	---	---	---	---	---	---	6.2	6.2	0.0
AC-FT	---	---	---	---	---	---	---	---	---	308.4	37.1	0.0

IRRIGATION YEAR 2006 TOTAL CFS:174.2 TOTAL AC-FT: 346

13132430 FOLKMAN PUMP

DISCHARGE, CUBIC FEET PER SECOND, IRRIGATION YEAR NOVEMBER 2005 TO OCTOBER 2006
MEAN VALUES

DAY	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
1	---	---	---	---	---	---	---	---	---	---	---	---
2	---	---	---	---	---	---	---	---	---	---	---	---
3	---	---	---	---	---	---	---	---	---	---	---	---
4	---	---	---	---	---	---	---	---	---	---	---	---
5	---	---	---	---	---	---	---	---	---	---	---	---
6	---	---	---	---	---	---	---	---	---	---	---	---
7	---	---	---	---	---	---	---	---	---	---	---	---
8	---	---	---	---	---	---	---	---	---	---	---	---
9	---	---	---	---	---	---	---	---	---	---	---	---
10	---	---	---	---	---	---	---	---	---	---	---	---
11	---	---	---	---	---	---	---	---	---	---	---	---
12	---	---	---	---	---	---	---	---	---	---	---	---
13	---	---	---	---	---	---	---	---	---	---	---	---
14	---	---	---	---	---	---	---	---	---	---	---	---
15	---	---	---	---	---	---	---	---	---	---	---	---
16	---	---	---	---	---	---	---	---	---	---	---	---
17	---	---	---	---	---	---	---	---	---	---	---	---
18	---	---	---	---	---	---	---	---	---	---	---	---
19	---	---	---	---	---	---	---	---	---	---	---	---
20	---	---	---	---	---	---	---	---	---	---	---	---
21	---	---	---	---	---	---	---	---	---	---	---	---
22	---	---	---	---	---	---	---	---	---	---	---	---
23	---	---	---	---	---	---	---	---	---	---	---	---
24	---	---	---	---	---	---	---	---	---	---	---	---
25	---	---	---	---	---	---	---	---	---	---	---	---
26	---	---	---	---	---	---	---	---	---	---	---	---
27	---	---	---	---	---	---	---	---	---	---	---	---
28	---	---	---	---	---	---	---	---	---	---	---	---
29	---	---	---	---	---	---	---	---	---	---	---	---
30	---	---	---	---	---	---	---	---	---	---	---	---
31	---	---	---	---	---	---	---	---	---	---	---	---

TOTAL	---	---	---	---	---	---	---	---	---	---	---	---
MEAN	---	---	---	---	---	---	---	---	---	---	---	---
MIN	---	---	---	---	---	---	---	---	---	---	---	---
MAX	---	---	---	---	---	---	---	---	---	---	---	---
AC-FT	---	---	---	---	---	---	---	---	---	---	---	---

IRRIGATION YEAR 2006 TOTAL CFS:0.0 TOTAL AC-FT: 0

13132440 HUGGINS PUMP

DISCHARGE, CUBIC FEET PER SECOND, IRRIGATION YEAR NOVEMBER 2005 TO OCTOBER 2006

MEAN VALUES

DAY	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
1	---	---	---	---	---	---	---	---	---	---	---	---
2	---	---	---	---	---	---	---	---	---	---	---	---
3	---	---	---	---	---	---	---	---	---	---	---	---
4	---	---	---	---	---	---	---	---	---	---	---	---
5	---	---	---	---	---	---	---	---	---	---	---	---
6	---	---	---	---	---	---	---	---	---	---	---	---
7	---	---	---	---	---	---	---	---	---	---	---	---
8	---	---	---	---	---	---	---	---	---	---	---	---
9	---	---	---	---	---	---	---	---	---	---	---	---
10	---	---	---	---	---	---	---	---	---	---	---	---
11	---	---	---	---	---	---	---	---	---	---	---	---
12	---	---	---	---	---	---	---	---	---	---	---	---
13	---	---	---	---	---	---	---	---	---	---	---	---
14	---	---	---	---	---	---	---	---	---	---	---	---
15	---	---	---	---	---	---	---	---	---	---	---	---
16	---	---	---	---	---	---	---	---	---	---	---	---
17	---	---	---	---	---	---	---	---	---	---	---	---
18	---	---	---	---	---	---	---	---	---	---	---	---
19	---	---	---	---	---	---	---	---	---	---	---	---
20	---	---	---	---	---	---	---	---	---	---	---	---
21	---	---	---	---	---	---	---	---	---	---	---	---
22	---	---	---	---	---	---	---	---	---	---	---	---
23	---	---	---	---	---	---	---	---	---	---	---	---
24	---	---	---	---	---	---	---	---	---	---	---	---
25	---	---	---	---	---	---	---	---	---	---	---	---
26	---	---	---	---	---	---	---	---	---	---	---	---
27	---	---	---	---	---	---	---	---	---	---	---	---
28	---	---	---	---	---	---	---	---	---	---	---	---
29	---	---	---	---	---	---	---	---	---	---	---	---
30	---	---	---	---	---	---	---	---	---	---	---	---
31	---	---	---	---	---	---	---	---	---	---	---	---

TOTAL	---	---	---	---	---	---	---	---	---	---	---	---
MEAN	---	---	---	---	---	---	---	---	---	---	---	---
MIN	---	---	---	---	---	---	---	---	---	---	---	---
MAX	---	---	---	---	---	---	---	---	---	---	---	---
AC-FT	---	---	---	---	---	---	---	---	---	---	---	---

IRRIGATION YEAR 2006 TOTAL CFS:0.0 TOTAL AC-FT: 0

13132450 QUIST PUMP #1

DISCHARGE, CUBIC FEET PER SECOND, IRRIGATION YEAR NOVEMBER 2005 TO OCTOBER 2006

MEAN VALUES

DAY	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
1	---	---	---	---	---	---	---	---	---	---	---	---
2	---	---	---	---	---	---	---	---	---	---	---	---
3	---	---	---	---	---	---	---	---	---	---	---	---
4	---	---	---	---	---	---	---	---	---	---	---	---
5	---	---	---	---	---	---	---	---	---	---	---	---
6	---	---	---	---	---	---	---	---	---	---	---	---
7	---	---	---	---	---	---	---	---	---	---	---	---
8	---	---	---	---	---	---	---	---	---	---	---	---
9	---	---	---	---	---	---	---	---	---	---	---	---
10	---	---	---	---	---	---	---	---	---	---	---	---
11	---	---	---	---	---	---	---	---	---	---	---	---
12	---	---	---	---	---	---	---	---	---	---	---	---
13	---	---	---	---	---	---	---	---	---	---	---	---
14	---	---	---	---	---	---	---	---	---	---	---	---
15	---	---	---	---	---	---	---	---	---	---	---	---
16	---	---	---	---	---	---	---	---	---	---	---	---
17	---	---	---	---	---	---	---	---	---	---	---	---
18	---	---	---	---	---	---	---	---	---	---	---	---
19	---	---	---	---	---	---	---	---	---	---	---	---
20	---	---	---	---	---	---	---	---	---	---	---	---
21	---	---	---	---	---	---	---	---	---	---	---	---
22	---	---	---	---	---	---	---	---	---	---	---	---
23	---	---	---	---	---	---	---	---	---	---	---	---
24	---	---	---	---	---	---	---	---	---	---	---	---
25	---	---	---	---	---	---	---	---	---	---	---	---
26	---	---	---	---	---	---	---	---	---	---	---	---
27	---	---	---	---	---	---	---	---	---	---	---	---
28	---	---	---	---	---	---	---	---	---	---	---	---
29	---	---	---	---	---	---	---	---	---	---	---	---
30	---	---	---	---	---	---	---	---	---	---	---	---
31	---	---	---	---	---	---	---	---	---	---	---	---

TOTAL	---	---	---	---	---	---	---	---	---	---	---	---
MEAN	---	---	---	---	---	---	---	---	---	---	---	---
MIN	---	---	---	---	---	---	---	---	---	---	---	---
MAX	---	---	---	---	---	---	---	---	---	---	---	---
AC-FT	---	---	---	---	---	---	---	---	---	---	---	---

IRRIGATION YEAR 2006 TOTAL CFS:0.0 TOTAL AC-FT: 0

13132600 QUIST PUMP #2

DISCHARGE, CUBIC FEET PER SECOND, IRRIGATION YEAR NOVEMBER 2005 TO OCTOBER 2006

MEAN VALUES

DAY	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
1	---	---	---	---	---	---	---	---	---	---	---	---
2	---	---	---	---	---	---	---	---	---	---	---	---
3	---	---	---	---	---	---	---	---	---	---	---	---
4	---	---	---	---	---	---	---	---	---	---	---	---
5	---	---	---	---	---	---	---	---	---	---	---	---
6	---	---	---	---	---	---	---	---	---	---	---	---
7	---	---	---	---	---	---	---	---	---	---	---	---
8	---	---	---	---	---	---	---	---	---	---	---	---
9	---	---	---	---	---	---	---	---	---	---	---	---
10	---	---	---	---	---	---	---	---	---	---	---	---
11	---	---	---	---	---	---	---	---	---	---	---	---
12	---	---	---	---	---	---	---	---	---	---	---	---
13	---	---	---	---	---	---	---	---	---	---	---	---
14	---	---	---	---	---	---	---	---	---	---	---	---
15	---	---	---	---	---	---	---	---	---	---	---	---
16	---	---	---	---	---	---	---	---	---	---	---	---
17	---	---	---	---	---	---	---	---	---	---	---	---
18	---	---	---	---	---	---	---	---	---	---	---	---
19	---	---	---	---	---	---	---	---	---	---	---	---
20	---	---	---	---	---	---	---	---	---	---	---	---
21	---	---	---	---	---	---	---	---	---	---	---	---
22	---	---	---	---	---	---	---	---	---	---	---	---
23	---	---	---	---	---	---	---	---	---	---	---	---
24	---	---	---	---	---	---	---	---	---	---	---	---
25	---	---	---	---	---	---	---	---	---	---	---	---
26	---	---	---	---	---	---	---	---	---	---	---	---
27	---	---	---	---	---	---	---	---	---	---	---	---
28	---	---	---	---	---	---	---	---	---	---	---	---
29	---	---	---	---	---	---	---	---	---	---	---	---
30	---	---	---	---	---	---	---	---	---	---	---	---
31	---	---	---	---	---	---	---	---	---	---	---	---
TOTAL	---	---	---	---	---	---	---	---	---	---	---	---
MEAN	---	---	---	---	---	---	---	---	---	---	---	---
MIN	---	---	---	---	---	---	---	---	---	---	---	---
MAX	---	---	---	---	---	---	---	---	---	---	---	---
AC-FT	---	---	---	---	---	---	---	---	---	---	---	---

IRRIGATION YEAR 2006 TOTAL CFS:0.0 TOTAL AC-FT: 0

13132330 Waddoups Exchange Well

DISCHARGE, CUBIC FEET PER SECOND, IRRIGATION YEAR NOVEMBER 2005 TO OCTOBER 2006

MEAN VALUES

DAY	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
1	---	---	---	---	---	---	---	---	---	---	---	---
2	---	---	---	---	---	---	---	---	---	---	---	---
3	---	---	---	---	---	---	---	---	---	---	---	---
4	---	---	---	---	---	---	---	---	---	---	---	---
5	---	---	---	---	---	---	---	---	---	---	---	---
6	---	---	---	---	---	---	---	---	---	---	---	---
7	---	---	---	---	---	---	---	---	---	---	---	---
8	---	---	---	---	---	---	---	---	---	---	---	---
9	---	---	---	---	---	---	---	---	---	---	---	---
10	---	---	---	---	---	---	---	---	---	---	---	---
11	---	---	---	---	---	---	---	---	---	---	---	---
12	---	---	---	---	---	---	---	---	---	---	---	---
13	---	---	---	---	---	---	---	---	---	---	---	---
14	---	---	---	---	---	---	---	---	---	---	---	---
15	---	---	---	---	---	---	---	---	---	---	---	---
16	---	---	---	---	---	---	---	---	---	---	---	---
17	---	---	---	---	---	---	---	---	---	---	---	---
18	---	---	---	---	---	---	---	---	---	---	---	---
19	---	---	---	---	---	---	---	---	---	---	---	---
20	---	---	---	---	---	---	---	---	---	---	---	---
21	---	---	---	---	---	---	---	---	---	---	---	---
22	---	---	---	---	---	---	---	---	---	---	---	---
23	---	---	---	---	---	---	---	---	---	---	---	---
24	---	---	---	---	---	---	---	---	---	---	---	---
25	---	---	---	---	---	---	---	---	---	---	---	---
26	---	---	---	---	---	---	---	---	---	---	---	---
27	---	---	---	---	---	---	---	---	---	---	---	---
28	---	---	---	---	---	---	---	---	---	---	---	---
29	---	---	---	---	---	---	---	---	---	---	---	---
30	---	---	---	---	---	---	---	---	---	---	---	---
31	---	---	---	---	---	---	---	---	---	---	---	---
TOTAL	---	---	---	---	---	---	---	---	---	---	---	---
MEAN	---	---	---	---	---	---	---	---	---	---	---	---
MIN	---	---	---	---	---	---	---	---	---	---	---	---
MAX	---	---	---	---	---	---	---	---	---	---	---	---
AC-FT	---	---	---	---	---	---	---	---	---	---	---	---

IRRIGATION YEAR 2006 TOTAL CFS:0.0 TOTAL AC-FT: 0

13132260 Scouten Exchange Well

DISCHARGE, CUBIC FEET PER SECOND, IRRIGATION YEAR NOVEMBER 2005 TO OCTOBER 2006
MEAN VALUES

DAY	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
1	---	---	---	---	---	---	---	---	---	---	---	---
2	---	---	---	---	---	---	---	---	---	---	---	---
3	---	---	---	---	---	---	---	---	---	---	---	---
4	---	---	---	---	---	---	---	---	---	---	---	---
5	---	---	---	---	---	---	---	---	---	---	---	---
6	---	---	---	---	---	---	---	---	---	---	---	---
7	---	---	---	---	---	---	---	---	---	---	---	---
8	---	---	---	---	---	---	---	---	---	---	---	---
9	---	---	---	---	---	---	---	---	---	---	---	---
10	---	---	---	---	---	---	---	---	---	---	---	---
11	---	---	---	---	---	---	---	---	---	---	---	---
12	---	---	---	---	---	---	---	---	---	---	---	---
13	---	---	---	---	---	---	---	---	---	---	---	---
14	---	---	---	---	---	---	---	---	---	---	---	---
15	---	---	---	---	---	---	---	---	---	---	---	---
16	---	---	---	---	---	---	---	---	---	---	---	---
17	---	---	---	---	---	---	---	---	---	---	---	---
18	---	---	---	---	---	---	---	---	---	---	---	---
19	---	---	---	---	---	---	---	---	---	---	---	---
20	---	---	---	---	---	---	---	---	---	---	---	---
21	---	---	---	---	---	---	---	---	---	---	---	---
22	---	---	---	---	---	---	---	---	---	---	---	---
23	---	---	---	---	---	---	---	---	---	---	---	---
24	---	---	---	---	---	---	---	---	---	---	---	---
25	---	---	---	---	---	---	---	---	---	---	---	---
26	---	---	---	---	---	---	---	---	---	---	---	---
27	---	---	---	---	---	---	---	---	---	---	---	---
28	---	---	---	---	---	---	---	---	---	---	---	---
29	---	---	---	---	---	---	---	---	---	---	---	---
30	---	---	---	---	---	---	---	---	---	---	---	---
31	---	---	---	---	---	---	---	---	---	---	---	---

TOTAL	---	---	---	---	---	---	---	---	---	---	---	---
MEAN	---	---	---	---	---	---	---	---	---	---	---	---
MIN	---	---	---	---	---	---	---	---	---	---	---	---
MAX	---	---	---	---	---	---	---	---	---	---	---	---
AC-FT	---	---	---	---	---	---	---	---	---	---	---	---

IRRIGATION YEAR 2006 TOTAL CFS:0.0 TOTAL AC-FT: 0

**Diversions in CFS for
Antelope, Alder Creek, and Pass Creek
For Year 2006**

DIVERSION	MAY	JUNE	JULY	AUGUST	SEPT.	OCT.	TOTAL
Antelope	1,065.8	2,147.9	1,509.9	1,003	488.6	159.6	6,374.8
Alder Creek	873.86	621.9	254.28	88.4	70.66	65.24	1,974.34
Pass Creek	42.9	71.4	45.6	22.2	7	0	493.2
						Total	8,842.34

Diversion totals are reported in CFS/Cubic Feet per Second

13130840 Waddoups Bear 1

DISCHARGE, CUBIC FEET PER SECOND, IRRIGATION YEAR NOVEMBER 2005 TO OCTOBER 2006

MEAN VALUES

DAY	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
1	---	---	---	---	---	---	---	2	1.2	1	1	1.2
2	---	---	---	---	---	---	---	2	1.2	1	1	1.2
3	---	---	---	---	---	---	---	2	1.2	1	1	0.8
4	---	---	---	---	---	---	---	2	2	1	0.1	0.8
5	---	---	---	---	---	---	---	2	2	1	0.8	0.8
6	---	---	---	---	---	---	---	2	2	1	0.8	0.8
7	---	---	---	---	---	---	---	2	2	1	0.8	0.8
8	---	---	---	---	---	---	---	2	2	0.8	0.8	0.8
9	---	---	---	---	---	---	---	2	2	0.8	0.8	0.8
10	---	---	---	---	---	---	---	2	2	0.8	0.8	1
11	---	---	---	---	---	---	---	2	1.2	0.8	0.8	1
12	---	---	---	---	---	---	---	2	1.2	0.8	1	1
13	---	---	---	---	---	---	---	2	1.2	0.8	1	1
14	---	---	---	---	---	---	---	2	1.2	0.8	1	1
15	---	---	---	---	---	---	---	2	1.2	0.6	1	1
16	---	---	---	---	---	---	---	2	1.2	0.6	1	1
17	---	---	---	---	---	---	---	2	1.2	0.6	1	1
18	---	---	---	---	---	---	---	2	0.4	0.6	1	1
19	---	---	---	---	---	---	---	2	0.4	0.6	0.8	1
20	---	---	---	---	---	---	---	2	0	0.6	0.8	1
21	---	---	---	---	---	---	---	2	0	0.8	0.8	1
22	---	---	---	---	---	---	---	2	0	0.8	0.8	1
23	---	---	---	---	---	---	---	2	0	0.8	0.8	0.6
24	---	---	---	---	---	---	---	2	0	1	0.8	0.6
25	---	---	---	---	---	---	2	2	0.6	1	8	0.6
26	---	---	---	---	---	---	2	1.2	0.6	1	1.2	0.6
27	---	---	---	---	---	---	2	1.2	0.6	1	1.2	0.6
28	---	---	---	---	---	---	2	1.2	0.6	1	1.2	0.6
29	---	---	---	---	---	---	2	1.2	0.6	1	1.2	0.6
30	---	---	---	---	---	---	2	1.2	0.6	1	1.2	---
31	---	---	---	---	---	---	2	---	0.6	1	---	---
TOTAL	---	---	---	---	---	---	14.0	56.0	31.0	26.6	34.5	25.2
MEAN	---	---	---	---	---	---	2.0	1.9	1.0	0.9	1.2	0.9
MIN	---	---	---	---	---	---	2.0	1.2	0.0	0.6	0.1	0.6
MAX	---	---	---	---	---	---	2.0	2.0	2.0	1.0	8.0	1.2
AC-FT	---	---	---	---	---	---	27.8	111.1	61.5	52.8	68.4	50.0

IRRIGATION YEAR 2006 TOTAL CFS:187.3 TOTAL AC-FT: 372

13130880 Antelope 26 (AV/Harrop 2)

DISCHARGE, CUBIC FEET PER SECOND, IRRIGATION YEAR NOVEMBER 2005 TO OCTOBER 2006

MEAN VALUES

DAY	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
1	---	---	---	---	---	---	---	2	2	1.4	0	0
2	---	---	---	---	---	---	---	2	2	1.4	0	0
3	---	---	---	---	---	---	---	2	2	1.4	0	0
4	---	---	---	---	---	---	---	2	2.4	1.4	0	0
5	---	---	---	---	---	---	---	2	2.4	1.4	0	0
6	---	---	---	---	---	---	---	4	2.4	1.4	0	0
7	---	---	---	---	---	---	---	4	2.4	1.4	0	0
8	---	---	---	---	---	---	---	4	2.4	1.2	0	0
9	---	---	---	---	---	---	1.6	4	2.4	1.2	0	0
10	---	---	---	---	---	---	1.6	4	2.4	1.2	0	0
11	---	---	---	---	---	---	1.6	4	2	1.2	0	0
12	---	---	---	---	---	---	1.6	4	2	1.2	0	0
13	---	---	---	---	---	---	1.6	2.8	2	1.2	0	0
14	---	---	---	---	---	---	1.6	2.8	2	1.2	0	0
15	---	---	---	---	---	---	1.6	3.2	2	0.4	0	0
16	---	---	---	---	---	---	3	3.2	2	0.4	0	---
17	---	---	---	---	---	---	3	3.2	2	0.4	0	---
18	---	---	---	---	---	---	3	3.2	1.6	0.4	0	---
19	---	---	---	---	---	---	3	3.2	1.6	0.4	0	---
20	---	---	---	---	---	---	3	2.4	3.2	0.4	0	---
21	---	---	---	---	---	---	3	2.4	3.2	0	0	---
22	---	---	---	---	---	---	3	2	3.2	0	0	---
23	---	---	---	---	---	---	2.4	2	3.2	0	0	---
24	---	---	---	---	---	---	2.4	2	3.2	0	0	---
25	---	---	---	---	---	---	2.4	2	1.6	0	0	---
26	---	---	---	---	---	---	2.4	2.2	1.6	0	0	---
27	---	---	---	---	---	---	2.4	2.2	1.6	0	0	---
28	---	---	---	---	---	---	2.4	2.2	1.6	0	0	---
29	---	---	---	---	---	---	2.4	2	1.6	0	0	---
30	---	---	---	---	---	---	3	2	1.6	0	0	---
31	---	---	---	---	---	---	3	---	1.6	0	---	---
TOTAL	---	---	---	---	---	---	55.0	83.0	67.2	20.6	0.0	0.0
MEAN	---	---	---	---	---	---	2.4	2.8	2.2	0.7	0.0	0.0
MIN	---	---	---	---	---	---	1.6	2.0	1.6	0.0	0.0	0.0
MAX	---	---	---	---	---	---	3.0	4.0	3.2	1.4	0.0	0.0
AC-FT	---	---	---	---	---	---	109.1	164.6	133.3	40.9	0.0	0.0

IRRIGATION YEAR 2006 TOTAL CFS:225.8 TOTAL AC-FT: 448

13130902 Antelope 25 (Mountain/Smith 5)

DISCHARGE, CUBIC FEET PER SECOND, IRRIGATION YEAR NOVEMBER 2005 TO OCTOBER 2006

MEAN VALUES

DAY	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
1	---	---	---	---	---	---	---	6	5.2	5	2.4	0
2	---	---	---	---	---	---	---	6	5.2	5	2.4	0
3	---	---	---	---	---	---	---	6	5.2	4	2.4	0
4	---	---	---	---	---	---	---	6	5.6	4	2.4	0
5	---	---	---	---	---	---	---	6	5.6	4	0	0
6	---	---	---	---	---	---	---	7	5.6	4	0	0
7	---	---	---	---	---	---	---	7	5.6	4	0	0
8	---	---	---	---	---	---	---	7	5.6	4.2	0	0
9	---	---	---	---	---	---	---	7	5.6	4.2	0	0
10	---	---	---	---	---	---	---	7	5.6	4.2	0	0
11	---	---	---	---	---	---	---	7	4.4	4.2	0	0
12	---	---	---	---	---	---	---	7	4.4	4.2	0	0
13	---	---	---	---	---	---	---	4.4	4.4	4.2	0	0
14	---	---	---	---	---	---	---	4.4	4.4	4.2	0	0
15	---	---	---	---	---	---	---	5.2	4.4	2.6	0	0
16	---	---	---	---	---	---	6	5.2	4.4	2.6	0	---
17	---	---	---	---	---	---	6	5.2	4.4	2.6	0	---
18	---	---	---	---	---	---	6	5.2	5	2.6	0	---
19	---	---	---	---	---	---	6	5.2	5	2.6	1.2	---
20	---	---	---	---	---	---	6	6	5	2.6	1.2	---
21	---	---	---	---	---	---	6	6	5	2.4	1.2	---
22	---	---	---	---	---	---	6	6	5	2.4	1.2	---
23	---	---	---	---	---	---	9	6	5	2.4	1.2	---
24	---	---	---	---	---	---	9	6	5	2.4	1.2	---
25	---	---	---	---	---	---	9	6	4	2.4	1.2	---
26	---	---	---	---	---	---	9	5.6	4	2.4	0	---
27	---	---	---	---	---	---	9	5.6	4	2.4	0	---
28	---	---	---	---	---	---	9	5.6	4	2.4	0	---
29	---	---	---	---	---	---	9	5.2	4	2.4	0	---
30	---	---	---	---	---	---	6	5.2	4	2.4	0	---
31	---	---	---	---	---	---	6	---	4	2.4	---	---

TOTAL	---	---	---	---	---	---	117.0	177.0	148.6	101.4	18.0	0.0
MEAN	---	---	---	---	---	---	7.3	5.9	4.8	3.3	0.6	0.0
MIN	---	---	---	---	---	---	6.0	4.4	4.0	2.4	0.0	0.0
MAX	---	---	---	---	---	---	9.0	7.0	5.6	5.0	2.4	0.0
AC-FT	---	---	---	---	---	---	232.1	351.1	294.7	201.1	35.7	0.0

IRRIGATION YEAR 2006 TOTAL CFS:562.0 TOTAL AC-FT: 1,115

13130918 Antelope 12 (Antelope Cr. Waddoups)

DISCHARGE, CUBIC FEET PER SECOND, IRRIGATION YEAR NOVEMBER 2005 TO OCTOBER 2006
MEAN VALUES

DAY	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
1	---	---	---	---	---	---	---	9	5.2	1.6	1.8	1.2
2	---	---	---	---	---	---	---	9	5.2	1.6	1.8	1.2
3	---	---	---	---	---	---	---	9	5.2	1.6	1.8	1.2
4	---	---	---	---	---	---	---	9	6	1.6	1.8	1.2
5	---	---	---	---	---	---	---	9	6	1.6	2	1.2
6	---	---	---	---	---	---	---	14	4.8	1.6	2	1.2
7	---	---	---	---	---	---	---	14	4.8	1.6	2	1.2
8	---	---	---	---	---	---	---	14	4.8	1.2	2	1.2
9	---	---	---	---	---	---	---	14	4.8	1.2	2	1.2
10	---	---	---	---	---	---	---	14	4.8	1.2	2	1.2
11	---	---	---	---	---	---	---	14	0.6	1.2	2	1.2
12	---	---	---	---	---	---	---	14	0.6	1.2	1.5	1.2
13	---	---	---	---	---	---	---	9	0.6	1.2	1.5	1.2
14	---	---	---	---	---	---	---	9	0.6	1.2	1.5	1.2
15	---	---	---	---	---	---	---	9	0.6	2.8	1.5	1.2
16	---	---	---	---	---	---	6	9	0.6	2.8	1.5	---
17	---	---	---	---	---	---	6	9	0.6	2.8	1.5	---
18	---	---	---	---	---	---	6	9	1.2	2.8	1.5	---
19	---	---	---	---	---	---	6	9	1.2	2.8	1.2	---
20	---	---	---	---	---	---	6	6	2.4	2.8	1.2	---
21	---	---	---	---	---	---	6	6	2.4	2.4	1.2	---
22	---	---	---	---	---	---	6	6	2.4	2.4	1.2	---
23	---	---	---	---	---	---	16	6	2.4	2.4	1.2	---
24	---	---	---	---	---	---	16	6	2.4	2	1.2	---
25	---	---	---	---	---	---	16	6	1.2	2	1.2	---
26	---	---	---	---	---	---	16	4.8	1.2	2	1.2	---
27	---	---	---	---	---	---	16	4.8	1.2	2	1.2	---
28	---	---	---	---	---	---	16	4.8	1.2	1.8	1.2	---
29	---	---	---	---	---	---	16	5.2	1.2	1.8	1.2	---
30	---	---	---	---	---	---	9	5.2	1.2	1.8	1.2	---
31	---	---	---	---	---	---	9	---	1.2	1.8	---	---
.....												
TOTAL	---	---	---	---	---	---	172.0	266.8	78.6	58.8	46.1	18.0
MEAN	---	---	---	---	---	---	10.8	8.9	2.5	1.9	1.5	1.2
MIN	---	---	---	---	---	---	6.0	4.8	0.6	1.2	1.2	1.2
MAX	---	---	---	---	---	---	16.0	14.0	6.0	2.8	2.0	1.2
AC-FT	---	---	---	---	---	---	341.2	529.2	155.9	116.6	91.4	35.7

IRRIGATION YEAR 2006 TOTAL CFS:640.3 TOTAL AC-FT: 1,270

13130922 AV Cherry 3

DISCHARGE, CUBIC FEET PER SECOND, IRRIGATION YEAR NOVEMBER 2005 TO OCTOBER 2006
MEAN VALUES

DAY	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
1	---	---	---	---	---	---	---	12	12	5.6	2.4	1.6
2	---	---	---	---	---	---	---	12	12	5.6	2.4	1.6
3	---	---	---	---	---	---	---	12	12	5.6	2.4	0
4	---	---	---	---	---	---	---	12	12	5.6	2.4	0
5	---	---	---	---	---	---	---	12	12	5.6	0	0
6	---	---	---	---	---	---	---	16	11.6	5.6	0	0
7	---	---	---	---	---	---	---	16	11.6	5.6	0	0
8	---	---	---	---	---	---	---	17	11.6	4.8	0	0
9	---	---	---	---	---	---	4	7	11.6	4.8	0	0
10	---	---	---	---	---	---	4	17	11.6	4.4	0	0
11	---	---	---	---	---	---	4	17	9	4.4	0	0
12	---	---	---	---	---	---	4	17	9	4.4	1.6	0
13	---	---	---	---	---	---	4	9	9	4.4	1.6	0
14	---	---	---	---	---	---	4	9	9	4.4	1.6	0
15	---	---	---	---	---	---	4	12	9	4.8	1.6	0
16	---	---	---	---	---	---	6	12	9	4.8	1.6	---
17	---	---	---	---	---	---	6	12	9	4.8	1.6	---
18	---	---	---	---	---	---	6	12	11.2	4.8	1.6	---
19	---	---	---	---	---	---	6	12	11.2	4.8	0	---
20	---	---	---	---	---	---	6	13	7.5	4.8	0	---
21	---	---	---	---	---	---	6	13	7.5	0	0	---
22	---	---	---	---	---	---	6	12	7.5	0	0	---
23	---	---	---	---	---	---	5	12	7.5	0	0	---
24	---	---	---	---	---	---	5	12	7.5	0	0	---
25	---	---	---	---	---	---	5	12	7.2	0	0	---
26	---	---	---	---	---	---	5	12.8	7.2	0	1.6	---
27	---	---	---	---	---	---	5	12.8	7.2	0	1.6	---
28	---	---	---	---	---	---	5	12.8	7.2	0	1.6	---
29	---	---	---	---	---	---	12	12	7.2	0	1.6	---
30	---	---	---	---	---	---	12	12	7.2	0	1.6	---
31	---	---	---	---	---	---	12	---	7.2	2.4	---	---
TOTAL	---	---	---	---	---	---	136.0	381.4	291.3	102.0	28.8	3.2
MEAN	---	---	---	---	---	---	5.9	12.7	9.4	3.3	1.0	0.2
MIN	---	---	---	---	---	---	4.0	7.0	7.2	0.0	0.0	0.0
MAX	---	---	---	---	---	---	12.0	17.0	12.0	5.6	2.4	1.6
AC-FT	---	---	---	---	---	---	269.8	756.5	577.8	202.3	57.1	6.3

IRRIGATION YEAR 2006 TOTAL CFS:942.7 TOTAL AC-FT: 1,870

13130940 Antelope 11 (Keller Diversion 1)DISCHARGE, CUBIC FEET PER SECOND, IRRIGATION YEAR NOVEMBER 2005 TO OCTOBER 2006
MEAN VALUES

DAY	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
1	---	---	---	---	---	---	---	0.6	0.5	0.4	0	0
2	---	---	---	---	---	---	---	0.6	0.5	0.4	0	0
3	---	---	---	---	---	---	---	0.6	0.5	0.4	0	0
4	---	---	---	---	---	---	---	0.6	0.4	0.4	0	0
5	---	---	---	---	---	---	---	0.6	0.4	0.4	0	0
6	---	---	---	---	---	---	---	0.8	0.4	0.4	0	0
7	---	---	---	---	---	---	---	0.8	0.4	0.4	0	0
8	---	---	---	---	---	---	---	0.6	0.4	0.4	0	0
9	---	---	---	---	---	---	---	0.6	0.4	0.4	0	0
10	---	---	---	---	---	---	---	0.6	0.4	0.4	0	0
11	---	---	---	---	---	---	---	0.6	0.4	0.4	0	0
12	---	---	---	---	---	---	---	0.6	0.4	0.4	0	0
13	---	---	---	---	---	---	---	0.5	0.4	0.4	0	0
14	---	---	---	---	---	---	---	0.5	0.4	0.4	0	0
15	---	---	---	---	---	---	---	0.5	0.4	0.4	0	0
16	---	---	---	---	---	---	---	0.5	0.4	0.4	0	---
17	---	---	---	---	---	---	---	0.5	0.4	0.4	0	---
18	---	---	---	---	---	---	---	0.5	0.4	0.4	0	---
19	---	---	---	---	---	---	---	0.6	0.4	0.4	0	---
20	---	---	---	---	---	---	---	0.6	0	0.4	0	---
21	---	---	---	---	---	---	---	0.6	0	0	0	---
22	---	---	---	---	---	---	---	0.6	0	0	0	---
23	---	---	---	---	---	---	0.8	0.6	0	0	0	---
24	---	---	---	---	---	---	0.8	0.6	0	0	0	---
25	---	---	---	---	---	---	0.8	0.6	0.4	0	0	---
26	---	---	---	---	---	---	0.8	0.5	0.4	0	0	---
27	---	---	---	---	---	---	0.8	0.5	0.4	0	0	---
28	---	---	---	---	---	---	0.8	0.5	0.4	0	0	---
29	---	---	---	---	---	---	0.8	0.5	0.4	0	0	---
30	---	---	---	---	---	---	0.6	0.5	0.4	0	0	---
31	---	---	---	---	---	---	0.6	---	0.4	0	---	---
TOTAL	---	---	---	---	---	---	6.8	17.3	10.7	8.0	0.0	0.0
MEAN	---	---	---	---	---	---	0.8	0.6	0.3	0.3	0.0	0.0
MIN	---	---	---	---	---	---	0.6	0.5	0.0	0.0	0.0	0.0
MAX	---	---	---	---	---	---	0.8	0.8	0.5	0.4	0.0	0.0
AC-FT	---	---	---	---	---	---	13.5	34.3	21.2	15.9	0.0	0.0

IRRIGATION YEAR 2006 TOTAL CFS:42.8 TOTAL AC-FT: 85

13131025 Antelope 9 (Crawford Diversion)

DISCHARGE, CUBIC FEET PER SECOND, IRRIGATION YEAR NOVEMBER 2005 TO OCTOBER 2006
MEAN VALUES

DAY	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
1	---	---	---	---	---	---	---	1.6	2.4	1.2	0	0
2	---	---	---	---	---	---	---	1.6	2.4	1.2	0	0
3	---	---	---	---	---	---	---	1.6	2.4	1.2	0	0
4	---	---	---	---	---	---	---	1.6	2.4	1.2	0	0
5	---	---	---	---	---	---	---	1.6	2.4	1.2	1.6	0
6	---	---	---	---	---	---	---	4	2.4	1.2	1.6	0
7	---	---	---	---	---	---	---	4	2.4	1.2	1.6	0
8	---	---	---	---	---	---	---	4	2.4	1.2	1.6	0
9	---	---	---	---	---	---	---	4	2.4	1.2	1.6	0
10	---	---	---	---	---	---	---	4	2.4	1.2	1.6	0
11	---	---	---	---	---	---	2	4	1.2	1.2	1.6	0
12	---	---	---	---	---	---	2	4	1.2	1.2	0	0
13	---	---	---	---	---	---	2	2.8	1.2	1.2	0	0
14	---	---	---	---	---	---	2	2.8	1.2	1.2	0	0
15	---	---	---	---	---	---	2	2.8	1.2	1.2	0	0
16	---	---	---	---	---	---	2	2.8	1.2	1.2	0	---
17	---	---	---	---	---	---	2	2.8	1.2	1.2	0	---
18	---	---	---	---	---	---	2	2.8	1.2	1.2	0	---
19	---	---	---	---	---	---	2	2.8	1.2	1.2	0	---
20	---	---	---	---	---	---	2	3	3.4	1.2	0	---
21	---	---	---	---	---	---	2	3	3.4	0	0	---
22	---	---	---	---	---	---	2	3	3.4	0	0	---
23	---	---	---	---	---	---	1	3	3.4	0	0	---
24	---	---	---	---	---	---	1	3	3.4	0	0	---
25	---	---	---	---	---	---	1	3	1.2	0	0	---
26	---	---	---	---	---	---	1	2.6	1.2	0	0	---
27	---	---	---	---	---	---	1	2.6	1.2	0	0	---
28	---	---	---	---	---	---	1	2.6	1.2	0	0	---
29	---	---	---	---	---	---	1	2.4	1.2	0	0	---
30	---	---	---	---	---	---	1.6	2.4	1.2	0	0	---
31	---	---	---	---	---	---	1.6	---	1.2	0	---	---
TOTAL	---	---	---	---	---	---	34.2	86.2	60.2	24.0	11.2	0.0
MEAN	---	---	---	---	---	---	1.6	2.9	1.9	0.8	0.4	0.0
MIN	---	---	---	---	---	---	1.0	1.6	1.2	0.0	0.0	0.0
MAX	---	---	---	---	---	---	2.0	4.0	3.4	1.2	1.6	0.0
AC-FT	---	---	---	---	---	---	67.8	171.0	119.4	47.6	22.2	0.0

IRRIGATION YEAR 2006 TOTAL CFS:215.8 TOTAL AC-FT: 428

13131050 Antelope 8 (HANRAHAN)

DISCHARGE, CUBIC FEET PER SECOND, IRRIGATION YEAR NOVEMBER 2005 TO OCTOBER 2006
MEAN VALUES

DAY	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
1	---	---	---	---	---	---	---	25.6	24	19	16	0
2	---	---	---	---	---	---	---	25.6	24	19	16	0
3	---	---	---	---	---	---	---	25.6	24	17.5	16	21.2
4	---	---	---	---	---	---	---	25.6	25	17.5	16	21.2
5	---	---	---	---	---	---	---	25.6	25	17.5	16.4	19.6
6	---	---	---	---	---	---	---	30	25.5	17.5	16.4	19.6
7	---	---	---	---	---	---	---	30	25.5	17.5	16.4	19.6
8	---	---	---	---	---	---	---	30	25.5	18	16.4	19.6
9	---	---	---	---	---	---	14.5	30	25.5	18	16.4	19.6
10	---	---	---	---	---	---	14.5	30	25.5	16	16.4	21.6
11	---	---	---	---	---	---	14.5	30	23	16	16.4	21.6
12	---	---	---	---	---	---	14.5	30	23	16	19	19.2
13	---	---	---	---	---	---	14.5	25	25	16	19	19.2
14	---	---	---	---	---	---	14.5	25	25	16	16	19.2
15	---	---	---	---	---	---	14.5	25	25	16	16	19.2
16	---	---	---	---	---	---	27	25	25	16	16	8
17	---	---	---	---	---	---	27	25	25	16	16	8
18	---	---	---	---	---	---	27	25	25	16	16	8
19	---	---	---	---	---	---	27	25	25	16	19.2	8
20	---	---	---	---	---	---	27	23	17	16	19.2	8
21	---	---	---	---	---	---	27	23	17	17	19.2	8
22	---	---	---	---	---	---	27	24	17	17	19.2	8
23	---	---	---	---	---	---	28	24	17	17	19.2	8
24	---	---	---	---	---	---	28	24	17	17	19.2	8
25	---	---	---	---	---	---	32	24	17	17	19.2	8
26	---	---	---	---	---	---	32	24.16	17	17	21.2	8
27	---	---	---	---	---	---	32	24.16	17	17	21.2	8
28	---	---	---	---	---	---	32	24.16	17	17	21.2	8
29	---	---	---	---	---	---	32	24	17	17	0	8
30	---	---	---	---	---	---	25.6	24	17	17	0	---
31	---	---	---	---	---	---	25.6	---	17	16	---	---
TOTAL	---	---	---	---	---	---	557.7	775.5	674.5	523.5	494.8	372.4
MEAN	---	---	---	---	---	---	24.2	25.9	21.8	16.9	16.5	12.8
MIN	---	---	---	---	---	---	14.5	23.0	17.0	16.0	0.0	0.0
MAX	---	---	---	---	---	---	32.0	30.0	25.5	19.0	21.2	21.6
AC-FT	---	---	---	---	---	---	1,106.2	1,538.2	1,337.9	1,038.4	981.4	738.7

IRRIGATION YEAR 2006 TOTAL CFS:3,398.4 TOTAL AC-FT: 6,741

13131075 South Fork 1

DISCHARGE, CUBIC FEET PER SECOND, IRRIGATION YEAR NOVEMBER 2005 TO OCTOBER 2006

MEAN VALUES

DAY	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
1	---	---	---	---	---	---	---	2	2	0	0	0
2	---	---	---	---	---	---	---	2	2	0	0	0
3	---	---	---	---	---	---	---	2	2	0	0	0
4	---	---	---	---	---	---	---	2	5	0	0	0
5	---	---	---	---	---	---	---	2	5	0	0	0
6	---	---	---	---	---	---	---	8	5	0	0	0
7	---	---	---	---	---	---	---	8	5	0	0	0
8	---	---	---	---	---	---	---	8	5	0	0	0
9	---	---	---	---	---	---	---	8	5	0	0	0
10	---	---	---	---	---	---	---	8	5	0	0	0
11	---	---	---	---	---	---	---	8	3	0	0	0
12	---	---	---	---	---	---	---	8	3	0	0	0
13	---	---	---	---	---	---	---	5	5	0	0	0
14	---	---	---	---	---	---	---	5	5	0	0	0
15	---	---	---	---	---	---	---	5	5	0	0	0
16	---	---	---	---	---	---	8	5	5	0	0	---
17	---	---	---	---	---	---	8	5	5	0	0	---
18	---	---	---	---	---	---	8	5	0	0	0	---
19	---	---	---	---	---	---	8	5	0	0	0	---
20	---	---	---	---	---	---	8	4	0	0	0	---
21	---	---	---	---	---	---	8	4	0	0	0	---
22	---	---	---	---	---	---	8	2	0	0	0	---
23	---	---	---	---	---	---	8	2	0	0	0	---
24	---	---	---	---	---	---	8	2	0	0	0	---
25	---	---	---	---	---	---	6	2	0	0	0	---
26	---	---	---	---	---	---	6	2	0	0	0	---
27	---	---	---	---	---	---	6	2	0	0	0	---
28	---	---	---	---	---	---	6	2	0	0	0	---
29	---	---	---	---	---	---	6	2	0	0	0	---
30	---	---	---	---	---	---	2	2	0	0	0	---
31	---	---	---	---	---	---	2	---	0	0	---	---
.....												
TOTAL	---	---	---	---	---	---	106.0	127.0	72.0	0.0	0.0	0.0
MEAN	---	---	---	---	---	---	6.6	4.2	2.3	0.0	0.0	0.0
MIN	---	---	---	---	---	---	2.0	2.0	0.0	0.0	0.0	0.0
MAX	---	---	---	---	---	---	8.0	8.0	5.0	0.0	0.0	0.0
AC-FT	---	---	---	---	---	---	210.3	251.9	142.8	0.0	0.0	0.0

IRRIGATION YEAR 2006 TOTAL CFS:305.0 TOTAL AC-FT: 605

13131080 S. Fk. Antelope Ck into 3 in 1 canal

DISCHARGE, CUBIC FEET PER SECOND, IRRIGATION YEAR NOVEMBER 2005 TO OCTOBER 2006

MEAN VALUES

DAY	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
1	---	---	---	---	---	---	---	---	---	---	---	---
2	---	---	---	---	---	---	---	---	---	---	---	---
3	---	---	---	---	---	---	---	---	---	---	---	---
4	---	---	---	---	---	---	---	---	---	---	---	---
5	---	---	---	---	---	---	---	---	---	---	---	---
6	---	---	---	---	---	---	---	---	---	---	---	---
7	---	---	---	---	---	---	---	---	---	---	---	---
8	---	---	---	---	---	---	---	---	---	---	---	---
9	---	---	---	---	---	---	---	---	---	---	---	---
10	---	---	---	---	---	---	---	---	---	---	---	---
11	---	---	---	---	---	---	---	---	---	---	---	---
12	---	---	---	---	---	---	---	---	---	---	---	---
13	---	---	---	---	---	---	---	---	---	---	---	---
14	---	---	---	---	---	---	---	---	---	---	---	---
15	---	---	---	---	---	---	---	---	---	---	---	---
16	---	---	---	---	---	---	---	---	---	---	---	---
17	---	---	---	---	---	---	---	---	---	---	---	---
18	---	---	---	---	---	---	---	---	---	---	---	---
19	---	---	---	---	---	---	---	---	---	---	---	---
20	---	---	---	---	---	---	---	---	---	---	---	---
21	---	---	---	---	---	---	---	---	---	---	---	---
22	---	---	---	---	---	---	---	---	---	---	---	---
23	---	---	---	---	---	---	---	---	---	---	---	---
24	---	---	---	---	---	---	---	---	---	---	---	---
25	---	---	---	---	---	---	---	---	---	---	---	---
26	---	---	---	---	---	---	---	---	---	---	---	---
27	---	---	---	---	---	---	---	---	---	---	---	---
28	---	---	---	---	---	---	---	---	---	---	---	---
29	---	---	---	---	---	---	---	---	---	---	---	---
30	---	---	---	---	---	---	---	---	---	---	---	---
31	---	---	---	---	---	---	---	---	---	---	---	---

TOTAL	---	---	---	---	---	---	---	---	---	---	---	---
MEAN	---	---	---	---	---	---	---	---	---	---	---	---
MIN	---	---	---	---	---	---	---	---	---	---	---	---
MAX	---	---	---	---	---	---	---	---	---	---	---	---
AC-FT	---	---	---	---	---	---	---	---	---	---	---	---

IRRIGATION YEAR 2006 TOTAL CFS:0.0 TOTAL AC-FT: 0

WATER DISTRICT 34
ANNUAL VOLUME ESTIMATES FOR GROUND WATER WELLS

Annual volume estimates are based on power use data provided by Lost River Electric Cooperative (LRE) and PCC measurement data provided by Water District 34.

PCC acre-foot qualifier codes:

Z = zero power consumption

N = no PCC measurement or estimate available

9 = PCC was estimated, not measured. Where PCC measurements were not provided by Water District 34, PCCs were estimated, usually by estimating the power demand from the motor horsepower reported by LRE and estimating the flow rate using water right flow rate limits. Where Water District 34 provided a measured flow rate, it was used with an estimated power demand to estimate the PCC. For POD number 68, the PCC measured by the Water District at POD number 71 was used for the estimate.

Under Idaho Code and Public Utility Commission Rules, IDWR and Water District staff are prohibited from releasing power data to the public. Power data contained in this spreadsheet is for internal use only. Please forward any requests for data to the IDWR Water Distribution Section.

Well Number	Pump#	Last Name/First Name	Meter#	pod-Descrip	site_id	Report Year	Utility/SAH	PCC Date	Total PCC	Acre Feet	Acre Feet Qual	CFS Usage
5174		ANDERSON/BRIAN M	1122680	03N26E01NNVNW		2006	0	31-Jan-05	168.96	0 Z		0
61740		BAILEY & DARLENE H	44535452	03N26E02NENE	A0010033	2006	0			N	Unknown	
6217		ISOM/CHARLES B	1132717	03N26E02SENV	A0010087	2006	9839	29-Jul-05	392.49	25.07	1	12.6
9561		ISOM FARMS LLC/	20860204	03N26E02NESW	A0010086	2006	94826	25-Aug-03	1034.26	91.69	1	46.2
10836		SORENSEN/MITCHEL	15715667	03N26E02NNWSW	A0010092	2006	194340	29-Jul-05	463.67	419.13	1	211.1
11282		COLLINS JR FLOYD	85656513	03N26E02SWSE		2006	0			N	Unknown	
125		PARKINSON **OUT**	61252026	03N26E11NESW	A0010093	2006	0	29-Jul-05	702.69	0 1		0
146		PARKINSON/RALPH S	18121472	03N26E11NESE	A0010031	2006	59782	06-Aug-04	529.93	112.81	1	56.8
1513		SCHUREMAN/DOUGL	84060314	03N26E12SESW	A0010078	2006	42	06-Aug-04	326.88	0.13	1	0.1
178		PARKINSON/RALPH S	10880628	03N26E14NESE	A0010081	2006	35965	01-Aug-06	656.09	54.55	1	27.5
21427		WALKER/YOUNG HA	1119894	03N27E06SWNE	A0010030	2006	0	21-Aug-01	847.9	0 Z		0
22455		MCATTEE/JOHN E	1132719	03N27E06LT03		2006	0			N	Unknown	
23326		RISH/RONALD C	10880643	03N27E06LT04		2006	0	31-Dec-03	890.56	0 Z		0
25336		SUNSET TRUST ORG	1132716	03N27E06SWNW	A0008050	2006	23549	11-Jun-04	302.09	77.95	2	39.3
30729		HENDRICKS & TYLER	1256491	04N26E03LT02	A0008144	2006	0	26-May-04	229.36	0 1		0
31583		ISOM ACRES LP/	24410189	04N 26E 03 SENW	A0004048	2006	102340	21-May-04	281.79	363.18	1	182.9
32638		QUISTA, LARRY	1119919	04N 26E 03 SESENV	A0006780	2006	0	28-Jan-05	169.72	0 Z		0
33337		SCHUREMAN/DOUGL	85346123	04N26E03SWSE	A0013495	2006	34077	11-Aug-06	73.37	464.45	1	233.9
34443		RASMUSSEN/LARRY	1119896	04N26E03SWSE	A0013494	2006	0	14-Jun-03	154.17	0 Z		0
35405		SORENSEN/MITCHEL	1119890	04N26E04NNVNE	A0010064	2006	116680	03-Aug-04	277.27	420.82	1	212
3643		BEAL EST. & L N HAN	84455065	04N26E04NNVNW	A0008060	2006	447	25-Jul-05	208.93	2.14	1	1.1
37192		GOODSON/PATSY A	19313308	04N26E04SENV	A0010066	2006	56862	20-Jun-06	431.74	131.7	1	66.3
38425		ANDERSEN/JOEL S	19348504	04N26E04SWSW	A0008051	2006	41059	07-Jun-04	432.66	94.9	1	47.8
3942		JENSEN/JACK A	22823171	04N26E04NWSE	A0010044	2006	0	07-May-04	224.54	0 Z		0
4044		SORENSEN/MITCHEL	85346067	04N26E06SENE	A0010026	2006	293200	23-Jun-05	730.62	401.3	1	202.1
41339		MICKELSEN PROPER	44514461	04N26E06SENV	A0006777	2006	0	12-Jun-03	2696.95	0 Z		0
42327		HANSEN/MARC T	84602527	04N26E06SENV	A0006779	2006	155280	12-May-04	412.33	376.59	1	189.7
43871		ANDERSEN/JAY A &	84629647	04N26E06SWNW	A0006784	2006	20560	12-May-04	603.44	34.07	1	17.2
44353		PERKES & MARC T H	82145165	04N26E06SENV	A0006765	2006	0	12-May-04	463.3	0 Z		0
45674		PERKES/MARSHAL T	84060304	04N26E06SENV	A0006763	2006	52800	04-May-04	374.09	141.14	1	71.1
4641		ANDERSEN & ROBER	22623299	04N26E06SESW	A0010048	2006	0	07-May-04	254.21	0 Z		0
47219		PERKES/MARSHAL T	84455044	04N26E08NNVNW	A0008763	2006	125768	25-Jul-05	423.24	297.16	1	149.7
48335		AIKEL & MARC T H	20680212	04N26E08NESE	A0010037	2006	84160	22-Jul-05	431.53	195.03	1	98.2
49517		JENSEN/KIRBY A	14488108	04N26E08SWSE	A0010082	2006	58766	25-Jul-05	179.5	327.39	1	164.9
5133		PEARSON & LARMAN	84455049	04N26E09NESE	A0008048	2006	3332	11-Jun-04	168.89	19.73	1	9.9
52213		PRO INDIVISO INC /	82302170	04N26E10NNVNW		2006	0	05-Aug-03	99.03	0 Z		0
53546		ANDERSEN/TREVOR	49260601	04N26E10NESW	A0010084	2006	107682	05-Aug-06	631.32	202.67	1	102.1
54782		LORD/CHRISTOPHER	1209378	04N26E11NNVNW		2006	29126			N	Unknown	
55188		SPRAKER/JOSEPHIN	1286554	04N26E11NEVNW	A0007518	2006	0	31-Dec-03	152.95	0 Z		0
571496		WALKER/REVA W	10815362	04N26E11NNVSW	A0007517	2006	0			N	Unknown	
6031		TUTHILL EST. RICHAL	23128983	04N26E11NNVSW	A0006762	2006	235741	27-Jul-05	153.2	1538.78	1	775.1
61631		PERKES/MARSHAL T	18137500	04N26E11NENE	A0006767	2006	69540	07-Jun-04	317.38	218.69	1	110.2
6232		PERKES & BILL HAR	84434117	04N26E11NNVNE	A0006768	2006	0	15-May-04	156.27	0 Z		0
6340		BUXTON/C. BROOKS	19313313	04N26E11NNVSW		2006	0	18-Jun-03	359.13	0 Z		0
6430		GRANITE TRUST ORG	84080343	04N26E11NESE	A0008071	2006	0	10-Aug-04	303.38	0 Z		0
65475		JENSEN/KIRBY A	14488085	04N26E17SENE	A0010091	2006	49832	15-May-04	647.58	76.95	1	38.8

66	318	JENSEN KIRBY A.	1119889	04N26E17SENW	A0010083	2006	170060	20-Jun-06	235.37	720.58	1	363
67	183	AIKELE JUEL	1139484	04N26E17NE SW	A0010035	2006	132380	10-Aug-04	300.71	440.22	1	221.7
68	38	HANSEN/MARC T.	85346126	04N26E17NW SW	A0010034	2006	70624	06-Aug-99	231	305.73	1	154
69	37	AIKELE JUEL	24410192	04N26E17SW SW	A0008042	2006	200	31-Dec-03	428.41	0.47	1	0.2
70	268	HANSEN/MARC T.	84455045	04N26E17SW SW	A0010036	2006	24920	31-Dec-03	257.74	96.69	1	48.7
71	36	AIKELE JUEL	1119875	04N26E17SW SW	A0010080	2006	67280	05-Aug-06	239.61	280.79	1	141.4
72	34	AIKELE & G CRAIG S	18121456	04N26E20NW NE	A0008036	2006	0	17-Aug-06	68.88	0.2	1	0
73	35	AIKELE & GERALD S	14098091	04N26E20NW NW	A0010094	2006	1677	06-May-04	344.6	4.87	1	2.5
74	345	AIKELE/HERMAN	13124032	04N26E20SW NW	A0011175	2006	122080	18-Aug-03	868.16	183.26	1	92.3
75	308	BAUCHMAN/STEPHE	84602528	04N26E20SE SE	A0003605	2006	389880	18-Jun-06	851.82	457.7	1	230.5
76	271	BAUCHMAN/STEPHE	84606302	04N26E21SW SE	A0003603	2006	450340	29-Jul-05	371.1	1213.53	1	611.3
77	448	SPRAKER/JOSEPHIN	18197515	04N26E22SW NW	A0010079	2006	65166	01-Aug-06	315.8	206.35	1	103.9
78	798	MCDONALD/DARREL	84813940	04N26E23SW SE	A0004902	2006	25413	05-Aug-06	215.8	117.75	1	59.3
79	885	HUELSMAN L. JAMES	24410078	04N26E23SW SE	A0004903	2006	100863	22-Jul-05	540.76	186.52	1	94
80	845	MCATFEER/RENN C.	76885151	04N26E23SW SE	A0004904	2006	0				N	Unknown
93	828	AIKELE/ERIC	16053353	04N26E27SENW	A0008067	2006	267080	05-Jul-04	561.49	459.3	1	231.4
94	266	AIKELE/ERIC	49275548	04N26E27SW SE	A0006775	2006	209160	01-Aug-06	612.53	341.47	1	172
95	302	BAUCHMAN/STEPHE	85662702	04N26E28SW NE	A0003604	2006	3283	31-Dec-03	228.93	14.53	1	7.3
111	689	LEAVITT/JOSEPH	15715654	05N25E01SW NE	A0008077	2006	142433	20-Jul-04	552.77	257.67	1	129.8
112	86	KELLY/MARCUS D.	14084169	05N25E01SW NW		2006	5880	17-Jul-00	165.54	31.89	1	16
113	80	SAYER/TIMOTHY P.	15053352	05N25E01SW SW		2006	30360	01-Sep-03	352	86.26	1	43.4
114	81	SAYER/TIMOTHY P.	23288825	05N25E01NW SE	A0008078	2006	99280	20-Jul-04	360.72	275.23	1	138.5
115	85	VANETTEN/DEE J.	84060297	05N25E02SE NE	A0010039	2006	0				N	Unknown
116	869	DOTZENROD & A.M.	20680191	05N25E02SE NW		2006	0	31-Dec-03	136.21	0.2	1	0
117	202	DOTZENROD & A.M.	85346140	05N25E02SE SE	A0010046	2006	40167	20-Jul-04	514.61	78.1	1	39.3
118	84	KIPPES/ANTHONY J.	46060831	05N25E11NW NW		2006	0	01-Sep-03	194.94	0.2	1	0
119	544	CRUMP/ROBERT M.	84180188	05N25E12NW NW		2006	5555	01-Sep-03	441.48	12.58	1	6.3
120	461	CRUMP/ROBERT M.	19854205	05N25E12NW NW		2006	12065	01-Sep-03	456.79	26.41	1	13.3
121	451	MCCRAY/JOHN A.	84557573	05N26E04SW NW	A0010038	2006	34803	16-Jun-05	346.46	99.88	1	50.3
122	884	PURSER/RANDY R.	22623331	05N26E04SW SW		2006	0	27-Aug-03	169.94	0.2	1	0
123	247	HARWOOD/LEON W.	84060303	05N26E05NE NE	A0008080	2006	35680	09-Aug-06	230.63	154.62	1	77.9
124	688	PURSER/RANDY R.	16977439	05N26E05NW SE	A0008073	2006	10588	27-Aug-03	147.98	71.58	1	36
126	714	PURSER/RANDY R.	84455055	05N26E06LT01		2006	0	08-Aug-05	201.36	0.2	1	0
127	817	PURSER/RANDY R.	11092542	05N26E06LT01		2006	0	04-Feb-05	191.04	0.2	1	0
128	829	PURSER/RANDY R.	14578811	05N 26E 06 SW NE NE	A0008075	2006	209360	20-Jul-04	574.99	364.11	N	183.4
129	660	HUELSMAN L. JAM	84884556	05N26E08NE SW	A0008044	2006	0	21-Jun-00	489.82	0.2	1	0
130	702	SMITH/TERRY L.	85346162	05N26E08NW SW		2006	173593	26-Aug-03	685.1	253.38	1	127.6
131	713	SMITH/TERRY L.	84455073	05N26E08SE SW	A0007514	2006	152554	02-Aug-06	561.81	271.54	1	138.8
132	359	JR-N-CC INC/	82280070	05N26E09NE NE	A0008045	2006	2082	14-Jun-04	283.18	7.35	1	3.7
133	67	DICKERSON/ANDREW	10880666			2006	9473	14-Jun-04	594	16.22	1	8.2
135	751	HANEYM. DUANE	1144320	05N26E09SENW		2006	95380	31-Dec-03	573.84	166.18	1	83.7
138	66	JR-N-CC INC/	19313317	05N26E10NE NW	A0008046	2006	46787	21-Jun-06	278.02	168.29	1	84.8
140	504	SMITH/DALE E.	1140564	05N26E14NW SW	A0008055	2006	204180	09-Aug-05	365.58	558.51	1	281.3
141	506	SLAYTON & JULIETT	10880627	05N26E15SW NE		2006	0	25-Jul-94	387.41	0.2	1	0
142	63	FOLKMAN/LEON	22623187	05N26E15NE NW		2006	14241	13-Aug-01	194.7	73.14	1	36.8
143	847	KING/STEPHEN B. & S	1119680	05N26E15NE SW		2006	0	29-Aug-03	205.81	0.2	1	0
144	164	DUNCAN/LARRY E.	85348159	05N26E16NE NE	A0007536	2006	73706	31-May-04	407.09	181.06	1	91.2
145	168	KING/STEPHEN B.	18121461	05N26E16NW NE	A0008054	2006	112528	17-Aug-06	398.53	282.36	1	142.2
146	188	KING/STEPHEN B.	14296349	05N26E16SW NE	A0011820	2006	153080	31-May-04	326.78	488.45	1	236
147	662	HUELSMAN L. JAMES	84061662	05N26E16NW NW	A0008053	2006	131795	17-Aug-06	308.11	430.55	1	216.9
148	65	HUELSMAN L. JAMES	1119929	05N26E16NW NW	A0008052	2006	0	31-May-04	278.23	0.2	1	0
149	76	HUELSMAN L. JAMES	18121443	05N26E17NW NE		2006	0	16-Aug-01	249.7	0.2	1	0
150	842	Buckwalter or Hlbarger		05N26E20NW NE	A0006797	2006	95183	03-Aug-04	312.28	304.61	1	153.6
151	732	RINDFLEISCH JR. & A	84455058	05N26E21SW NE		2006	30130	02-Aug-99	315.38	95.54	1	48.1
152	584	TUTHILL EST. RICHAL	14488067	05N26E21NW NW	A0010049	2006	35173	17-May-04	237.68	147.99	1	74.5
153	276	SORENSEN/MITCHEL	84455043	05N 26E 21 SW NW NW	A0010055	2006	0	13-Jul-05	208.76	0.2	1	0
154	73	FELTON/MARY LOU	14230864	05N26E21SW NW		2006	28				N	Unknown
155	685	SMITH/M. CAROLYN	18121471			2006	0	21-Jun-00	153.19	0.2	1	0
157	58	JENSEN ESTATE/L V	18197518	05N26E22NE NE	A0008056	2006	0	04-Aug-05	156.64	0.2	1	0
158	61	KING/D.E. VANSTRO	84189873	05N26E22NE NW	A0008073	2006	0	04-Aug-05	178.68	0.2	1	0
159	408	SMITH/DALE E.	24410260	05N26E22NE SW	A0008059	2006	59530	03-Aug-05	419.18	142.02	1	71.5
160	55	JENSEN/TEOLA E.	19313310	05N26E22NW SW	A0008058	2006	0	26-May-04	183.09	0.2	1	0
161	616	KING/STEPHEN K.	46044912	05N26E22NW SE	A0008057	2006	102419	09-Aug-05	431.67	237.26	1	119.5
163	56	WHEELER ESTATE/L	46033846			2006	0	22-Aug-01	116.2	0.2	1	0
165	270	POTTER/RICHARD	19854205			2006	0	11-Jul-01	111.3	0.2	1	0
166	690	JENSEN/JAY VAUGHN	46002281	05N26E27SW SW	A0013496	2006	122000	09-Aug-05	160.77	758.85	1	382.2
167	48	THORNGREN/LYDIA	30062359	05N26E28NW NW	A0010068	2006	0	05-Jun-03	247.67	0.2	1	0

169	46	WADDOLPS/BINGHA	46033833	05N26E28SVSW	A0008040	2006	0	09-Aug-05	146.86	0	Z	0
172	49	CARPENTER/NATHAN	24410067	05N26E29NENW	A0010067	2006	0	03-Aug-04	567.7	0	Z	0
173	47	BABCOCK & MICKELS	46004255	05N26E29NWSE		2006	26	31-Dec-03	150.51	0	17	0.1
174	512	SORENSEN/MITCHEL	44514453	05N26E32SENE	A0006771	2006	0	14-Jul-05	374.38	0	Z	0
175	409	SORENSEN/MITCHEL	42611551	05N26E32NESE	A0006772	2006	0	21-May-04	528.85	0	Z	0
176	525	ROGERS/W. GARY	20680190	05N26E32NWSE	A0006766	2006	28080	06-Sep-06	115.68	242.74	1	122.3
177	596	SORENSEN/MITCHEL	84629642	05N26E32SWSE	A0006776	2006	144200	21-May-04	723.61	199.28	1	100.4
178	891	ROGERS/W. GARY	20554720	05N26E32SWSE	A0010085	2006	5540	31-Dec-03	204.12	27.14	1	13.7
179	216	AIKE/LESTEVEN J.	62205392	05N26E32SESE	A0006770	2006	126580	01-Jun-04	353.7	357.87	1	180.3
180	53	SMITH/DALE E.	18197516	05N26E33SVNE	A0010047	2006	37675	09-Aug-05	160.01	235.46	1	118.6
182	1600	FELTON/MARY LOU	15542172	05N26E33SENE	A0007519	2006	44631	21-Jun-06	371.93	120	1	60.4
183	45	BROWNE/JERRY L.	19313324	05N 26E 33 SWSWNW	A0010089	2006	0	17-May-04	245.34	0	Z	0
184	584	BLEAK/BRUCE D.	84087579	05N26E33SVSE	A0010088	2006	0	07-May-04	329.74	0	Z	0
185	889	SOWARDS/NORMAN	24410070	05N26E34SENW	A0008061	2006	0			N		Unknown
186	402	ISOM ACRES LP/	20680206	05N26E34NWSW	A0007516	2006	195020	11-Jul-05	233.11	836.6	1	421.4
187	435	PARKINSON/RALPH	823268524	05N26E34SVSW	A0007515	2006	166560	14-Jun-04	348.32	478.24	1	240.9
188	851	MCDONALD/DARREL	14579420	05N26E34SESW	A0008143	2006	8504	08-Jul-04	170.42	49.9	1	25.1
189	676	SOWARDS/NORMAN	46051047	05N26E34NESE	A0008061	2006	40463	02-Aug-06	242.38	166.94	1	84.1
190	390	PEHRSON/RANDY D.	84050337	06N24E02SVNE		2006	0			N		Unknown
192	145	SMITH/JENNIE MARIE	18121451	06N24E02NWSE	A0008068	2006	0	03-Aug-05	69.25	0	Z	0
193	695	SEEFRIED/WILLIAM	84060333	06N24E03LT01		2006	20194	24-Jul-00	182.05	110.93	1	55.9
194	672	LARKIN & ISABEL L.	19313307			2006	0	27-Jul-00	301.21	0	Z	0
195	114	LEWIS/KEITH D.	24410195	06N25E01NENW		2006	0	09-Sep-03	320.34	0	Z	0
196	766	STOKES/KENT L.	19654219	06N25E01NESE	A0007523	2006	0	09-Sep-03	197.98	0	Z	0
197	859	PEHRSON/RANDY D.	20680274	06N25E02SENW	A0010050	2006	0	30-Jul-04	178.78	0	Z	0
198	121	METCALF/LYNN J.	49260603	06N25E02SVSW		2006	32678	09-Sep-03	127.86	255.58	1	128.7
199	343	PEHRSON/RANDY D.	13354654	06N25E02SESW		2006	46541	09-Sep-03	221.28	210.32	1	105.9
200	745	LEWIS/KEITH D.	84607303	06N25E02SESE		2006	339520	17-Aug-06	418.41	811.46	1	408.7
201	123	MCAFFEE/RYAN Q.	84060310	06N25E03SVSW	A0010054	2006	933	03-Sep-05	77.28	12.07	1	6.1
202	120	SAYER/BYRON M.	24410307	06N25E03NESE	A0008085	2006	153078	07-Aug-06	298.6	521.38	1	262.6
203	873	KIMBALL/GARY L.	6033218	06N25E04NWNE	A0007524	2006	38111	18-Jun-04	341.91	111.47	1	58.1
204	663	NELSON/GERALD DA	11032548	06N25E04NWNW	A0008062	2006	89537	09-Aug-06	194.05	461.41	1	232.4
205	124	PEHRSON/BYRON R.	20554804	06N25E04SVNW	A0008063	2006	236040	09-Aug-06	203.12	1162.07	1	583.3
206	237	NIELSON/ROBERT N.	16977416	06N25E04SWSW		2006	11896	06-Jun-96	215.9	55.1	1	27.8
207	234	COBURN/DAVID R.	46069667	06N25E04SVSW	A0007526	2006	0	23-Jun-98	355.3	0	Z	0
208	177	PEHRSON/BYRON R.	19654204	06N25E04SESW	A0008064	2006	129032	09-Aug-06	307.53	419.58	1	211.3
209	601	WILLIAMS/LOGAN E.	23128982	06N25E05NWNE	A0007505	2006	54403	10-Aug-06	223.02	243.94	1	122.9
211	127	NIELSON/ROBERT N.	84061660	06N25E05NESE		2006	52516	10-Aug-06	215.23	244	1	122.9
212		Dains				2006	25904	18-Jul-05	46.16	561.18	1	282.7
215		Dains				2006	20559	02-Aug-05	343.49	59.85	1	30.1
216	718	KIMBALL/GARY L.	46004250	06N25E05VWNW	A0003607	2006	56107	10-Aug-06	338.13	165.93	1	83.6
217	681	ALOSI/ANTHONY O.	1119877	06N25E06NWNE	A0003618	2006	156860	10-Aug-06	244.66	641.13	1	322.9
219	630	ELLWEIN & BOLEN U.	49253189	06N25E07SVNW		2006	16196	21-Aug-01	578.1	28.02	1	14.1
220	151	KITSOBA/CONSTANTIN	44514451	06N25E08SVSW	A0007504	2006	172060	03-Aug-05	333.93	515.26	1	259.5
222	108	FREEMAN/RICHARD	22623208	06N25E10SVNW	A0008043	2006	30652	18-Jun-04	228.56	135.29	1	68.1
223	122	METCALF/LYNN J.	12258483	06N25E10SENW	A0008096	2006	36192	18-Jun-04	288.55	125.43	1	63.2
224	106	WILBURN/DARRELL	85348122	06N25E11NWVW		2006	3525	04-Feb-05	171.06	20.6	1	10.4
227	679	MONSON/TERRY V.	84455068	06N25E12NWNE	A0010052	2006	83815	15-Jun-05	400.03	209.52	1	105.5
228	788	METCALF/LYNN J.	20651001	06N25E12NWNW	A0007522	2006	92112	29-Jun-06	281.01	327.79	1	165.1
229	632	Lynn Rothwell		06N25E12SWSW	A0007521	2006	190066	29-Jun-06	419.55	459.6	1	231.5
230	639	HOLBROOK/DOUGLA	84455072	06N25E13SVNW	A0010053	2006	190066	07-Aug-06	410.52	462.98	1	233.2
231	855	FULLMER JR. & BRE	19313322	06N25E13NESE	A0010051	2006	0	30-Jul-04	216.29	0	Z	0
233	160	GOFF/ERNEST L.	NOE	06N25E16NWNE		2006	0			N		Unknown
234	611	LAST RANCH LLC/	84629641	06N25E23NESE	A0007532	2006	78840	13-Aug-05	357.02	220.83	1	111.2
235	777	LAST RANCH LLC/	85662696	06N25E23SESE	A0007533	2006	290916	09-Aug-06	393.11	638.28	1	321.5
236	763	WILLIAMS/LEON L.	84087580	06N25E24SENE	A0007513	2006	52939	07-Aug-06	309.74	170.91	1	86.1
237	876	METCALF/LYNN J.	20554802	06N25E24NWSE	A0010056	2006	117320	18-Jun-04	354.66	330.81	1	166.6
238	250	LAST RANCH LLC/	1131281	06N25E26NWNE	A0010057	2006	290240	07-Aug-06	372.19	779.82	1	392.8
240	245	PEHRSON/ESTATEM	84060346	06N25E26NWSE		2006	69649	07-Aug-06	237.66	293.04	1	147.6
241	186	DOTZENROD & A.M.	15716468	06N25E34SENE		2006	17101	02-Aug-00	460.67	37.12	1	18.7
242	360	DOTZENROD & A.M.	84060334	06N25E35NWNE	A0010040	2006	604	01-Sep-03	568.34	1.06	1	0.5
243	744	PEHRSON/BYRON R.	84884553	06N25E36SVNE		2006	44042	01-Sep-03	324.9	135.56	1	68.3
244	803	WILLIAMS/LEON L.	84061579	06N25E36NWSW		2006	0	31-Dec-03	206.9	0	Z	0
245	757	BELL/PRESTON K.	10890679	06N25E36SVSW	A0010041	2006	18737	02-Aug-06	137	136.77	1	68.9
246	834	LEWIS/KEITH D.	1144317	06N26E06SENW	A0007531	2006	192120	29-Jun-06	166.36	1154.84	1	581.7
247	698	PEHRSON/JOSHUA C.	14084168	06N26E06SVSW	A0007530	2006	189080	18-Jun-03	504.37	374.88	1	188.8
248	906	WILLIAMS/LEON L.		06N26E07SVNE	A0003614	2006	2680	19-Aug-05	204	13.14	1	6.6

249	103	FULLMER JR. & LEON	44517859	06N26E08SWSE	A0003615	2006	0				N		Unknown	0
252	646	WILLIAMS LEON L.	16377438	06N26E18SWNW	A0010023	2006	0	26-Jun-04	170.63		D Z			0
253	249	PEHRSON LOY G.	11092471	06N26E19NESW	A0007512	2006	122172	07-Aug-06	277.58	439.97	1		221.6	
254	788	BINGHAM MAX J.	1256554	06N26E18SESW		2006	0				N		Unknown	
256	97	SHELTON & HARRY	10880650	06N26E21SWSE	A0010059	2006	0	24-Jul-04	272.74		D Z		0	
257	96	BROADIE MOJANET	48060834	06N26E28NWSE	A0010060	2006	5425	24-Jul-04	333.96	16.24	1		8.2	
258	436	DOTZENROD & A.M.	44535449	06N26E29NENW	A0010045	2006	55540	07-Aug-06	306.24	181.36	1		91.4	
259	746	GUTHRIE GLENN T.		06N26E31NWNE		2006	0				N		Unknown	
260	783	COLERICHARD L.	14488119	06N26E31NWSW	A0008074	2006	0	15-Jun-05	130.58		D Z		0	
261	779	MOSS ROBERT K.	1132728	06N26E32SESW	A0007510	2006	35	14-Jul-04	161.04	0.22	1		0.1	
263	191	HARP ROGER H.	84060312	07N24E07NWWSW		2006	5649	18-Jul-99	342.61	16.49	1		8.3	
264	510	MCACFFEE SCOTT L.	1119205	07N24E07SWWSW	A0007541	2006	31021	28-Aug-06	297.72	104.2	1		52.6	
267	162	MCACFFEE SCOTT L.	1132718	07N24E18NWNE		2006	51281	05-Jun-96	113.5	451.81	1		227.6	
268	158	MCCASLIN NANCY J.	24410069	07N24E20NE NE	A0003616	2006	42568	20-Jun-05	566.34	75.16	1		37.9	
269	161	David G Nelson		07N24E20NW NW		2006	0	23-May-00	335.34		D Z		0	
270	160	MCKELVEY JAMES D.	80171763	07N24E20SE NW		2006	2980	13-Jul-99	697.49	4.27	1		2.2	
271	159	PEHRSON RANDY D.	82034377	07N24E20SE NW		2006	39772	19-Jul-94	263.4	150.99	1		78.1	
273	154	BIG LOST RIVER CEM	55203297	07N24E21SESE		2006	12246	18-Jul-99	482.63	25.37	1		12.8	
275	441	HINTZ EAM. MARX	19348505	07N24E21SESW	A0010014	2006	71578	31-Dec-03	144.7	494.66	1		249.2	
276	682	NELSON GERALD DA	22823301	07N24E27NWSE		2006	0	17-Jul-03	173.23		D Z		0	
277	153	HINTZ FARMS INC	84060308	07N24E27NWSE		2006	0	21-May-04	81.38		D Z		0	
280	611	FULLMER K. DEWAY	20548090	07N24E28NESW		2006	1463	04-Feb-05	135.41	10.8	1		5.4	
282	167	SAYER ESTATE SARA	84060341	07N24E28SESW		2006	0	28-Jan-05	95.04		D Z		0	
284	224	SCHOOL DISTRICT #	84060309	07N24E28NWSE		2006	6513	17-Jul-99	1957.34	4.35	1		2.2	
286	551	LAMBSON KATHLEEN	84060307	07N24E29NE NE		2006	26843	18-Jul-99	393.85	68.16	1		34.3	
288	231	MARINAC MICHAEL L.	10815363	07N24E29SE NE		2006	18467	31-Dec-03	1431.23	12.9	1		6.5	
293	333	MARZAR NOLD E.	11092445	07N24E34NW NW	A0008069	2006	2420	16-Aug-05	425.78	5.68	1		2.9	
294	155	TAYLOR IVA	16121459	07N24E34NE SW		2006	0	24-Jul-00	262.5		D Z		0	
295	731	TAYLOR & P. KENNE	14230851	07N24E35SW NW		2006	0	27-Jul-99	318.38		D Z		0	
299	143	PITTMAN ROBERT E.	13364689	07N24E35SW SW	A0007599	2006	0	16-Aug-99	79.02		D Z		0	
300	700	PITTMAN ROBERT E.	84061661	07N24E35SW SE		2006	2420	15-Jun-05	536.12	4.5	1		2.3	
301	636	NO-TELLUM CREEK	16121442	07N24E36NW NW	A0007600	2006	33290	31-Dec-03	68.74	375.14	1		189	
302	727	PEHRSON BYRON R.	14230860	07N24E36SW SE	A0003608	2006	117638	21-Aug-06	275.19	427.48	1		215.3	
303	818	SPENGLER REVOCAL	1130264	07N25E28SE NE	A0007542	2006	257580	08-Sep-03	252.99	1018.14	1		512.8	
304	134	LEZAMIZ FAMILY LP	11092544	07N25E31NW NE	A0007525	2006	20038	08-Sep-05	70.73	283.3	1		142.7	
305	137	KITBOS ROSENKRAN	19348510	07N25E31NE SW	A0003609	2006	0	23-Jun-04	76.86		D Z		0	
308	193	LORD DONALD R.	84060327	07N25E32SW NW	A0008083	2006	0	22-Jun-04	91.59		D Z		0	
309	132	COLSON F. SCOTT	84783870	07N25E32NE SE	A0003611	2006	0				N		Unknown	
311	410	ANDERSON FARMER	20651000	07N 25E 32 NW NESE	A0003610	2006	0	18-Jun-04	104.49		D Z		0	
312	762	LEZAMIZ FAMILY LP	1119879	07N25E33NW NW	A0003612	2006	133720	22-Jun-04	299.4	446.63	1		225	
313	173	LAMBERT HAROLD C	NOE	07N26E18SE SE		2006	0				N		Unknown	
315	257	DONAHUE TERRENC	85346142	08N22E14SE SE	A0000482	2006	0	17-Jun-04	181.43		D Z		0	
316	667	ZOLLINGER BRET L.	50934905	08N 22E 24 SW SESE		2006	0	17-Aug-95	519.2		D Z		0	
317	163	SIMMONS EST. DELO	15212348	08N22E24SW SW	A0007537	2006	76174	14-Jul-04	273.05	278.97	1		140.5	
318	614	6X RANCH LLC	84411184	08N22E28SW NE	A0007507	2006	71773	28-Aug-06	164.64	388.72	1		195.8	
319	735	6X RANCH LLC	1005047	08N22E28NE SW	A0007508	2006	151120	05-Aug-05	156.49	965.68	1		486.4	
320	272	JOHNSON VICTOR A.	14579401	08N22E36SW SW	A0008039	2006	49449	14-Aug-06	308.76	180.15	1		80.7	
321	548	WARM SPRINGS CR	13266910	08N22E36SE SE	A0007506	2006	147357	14-Aug-06	379.86	387.92	1		195.4	
322	289	UNGER ROBERT A.	5278877	08N23E29NE SW	A0007540	2006	44030	26-May-00	394.32	111.49	1		56.2	
323	622	MOUNTAIN SPRINGS	1001594	08N21E24NW SW	A0007538	2006	135520	28-Jan-05	443.46	305.58	1		153.9	
324	228	MOUNTAIN SPRINGS	20554719	08N21E25SW NW	A0007539	2006	189540	14-Aug-06	527.12	359.58	1		181.1	
325	461	DICKEY LIVESTOCK	144517014	09N22E33SW NW		2006	3315	15-Jun-01	251.3	13.19	1		6.5	
327	666	SMITHALOYD L.	84813949	06N24E02NW SE		2006	42261	31-Dec-03	385.19	109.71	1		55.3	
326	612	AIKELE JUEL	14084171	04N26E21SW SW	A0003606	2006	0	07-Jun-04	390.9		D Z		0	
334	749	Philip Scott				2006	0	20-Jul-05	504.19		D Z		0	
336	280	SORENSEN MITCHEL	1140563	04N26E05NE NW	A0006778	2006	242240	04-May-04	365.68	562.44	1		333.7	
337	607	COBURN MARTY T.	12256453	05N26E04SE SW	A0007509	2006	0				N		Unknown	
339	340	HIBARGER GERTRUI	46069668	05N26E20NW NE	A0007520	2006	0	11-Aug-06	239.61		D Z		0	
340	704	BELL EST. JRRIG #2	84087579	03N26E12NW NW	A0003602	2006	0				N		Unknown	
341	705	BELL EST. JRRIG #3	84087580	03N26E12NW NW	A0003601	2006	0				N		Unknown	
345	805	PEHRSON BYRON R.	1149424	05N26E05NE NE	A0007535	2006	155098	02-Aug-06	277.7	558.51	1		281.3	
348	858	SORENSEN MITCHEL	20513002	04N 26E 05 SW SESE	A0000485	2006	0	08-May-04	508.58		D Z		0	
351	864	SOWARDS NORMAN	22623302	05N 26E 34 SW NW		2006	0	05-Jul-04	318.36		D Z		0	
352	865	KIMBALL GARY L.	20680275	06N 25E 05 SW NW		2006	54384	02-Sep-06	284.24	191.33	1		96.4	
353	866	COLSON F. SCOTT	30062327	07N 25E 32 NE SE		2006	0	18-Jun-04	106.36		D Z		0	
354	826	METCALF ALYNN J.	12258454	06N 25E 05 SW NESE	D0006258	2006	11372	19-Jul-01	331.4	34.32	1		17.3	
355	854	SAVEREVAN K.	19348351	07N 24E 36 SE SW		2006	20308	03-Jun-05	314.79	64.51	1		32.5	

356	888	WALKER/JACK L OR	24410079	05N 26E 21 SWSWSE		2006	37226	04-Aug-05	454.78	81.86	1	41.2
357	288	JR-N-CC-INC/	10890658	06N 26E 10 NESW	A0008037	2006	72831	21-May-04	349.78	208.22	1	104.9
358	872	SMITH/M. SHAWN	22623188	05N 26E 06 NWNW 4	A0008076	2006	33778	18-May-05	378.98	89.10	1	44.9
359	654	IDAHO COWBOY CO	84415665	08N 22E 36 SWNW	A0005195	2006	117374	28-Aug-06	538.08	219.30	1	110.5
364	822	PEHRSON/LOY G.	14230842	06N 26E 19 SENE	A0010058	2006	79650	24-Jul-04	275.17	289.46	1	145.8
366	683	BLACKMER/BRUCE B	85346157	04N 26E 03 SESWSW	A0008082	2006	38413	05-Jul-04	334.85	117.7	1	59.3
366	74	Bruce Solzburg			A0008070	2006	0	11-Feb-05	358.15	0.2		0
367	824	Marty Coburn			A0008072	2006	0	14-Feb-05	288.09	0.2		0