

Director Gary Spackman

June 12, 2013

Page 2 of 3

- Decree Called*
6/3-5-1-87
6/6-5/31/94
6/1/88 120" East
6/1/1894 160"
DECREE ON Munsey
4. The watermaster has failed to maintain a list of water users who are calling for water delivery.
 5. The watermaster has failed to enforce the Department's regulations on the adequacy of water diversions and their associated measuring devices.
 6. The watermaster has failed to limit water use to the authorized places of use of certain water users, even after having actual knowledge of these violations.
 7. The watermaster has failed to continually adjust water deliveries to water users by priority as the different water type supplies change. For example, on Monday June 3rd, Mr. Jensen turned on one of his ground water wells that diverts into one of the local canals. Mr. Jensen ordered the delivery of other water the next day (June 4th). When nothing was delivered under either request, he once again ordered his water supplies on Thursday, June 6th. Despite these requests for water, the Jensens finally began receiving usable quantities of water on Sunday, June 9th, nearly a full week after his well was turned on.

All of the above actions are in violation of the Department of Water Resources Water Distribution Rules—Water District 34 found at IDAPA 37.03.12, the *Water District 34 Guidelines for Operation* prepared by IDWR (dated October 29, 2006), and other provisions of Idaho law. Further, we reserve the right to supplement this complaint with additional items as that information becomes known to us.

In 2006, Kent Foster of my firm submitted a request similar to this complaint for an investigation of the watermaster pursuant to Idaho Code § 42-605(9) citing similar concerns regarding water measurement and accounting in Water District No. 34. The result of that petition was the *Water District 34 Guidelines for Operation* prepared by IDWR (dated October 29, 2006). Only when the guidance was provided did Mr. Foster's clients withdraw their request for further action. Unfortunately, we now know the water users received only guidance, not compliance. The time has come for compliance.

We understand that under the provisions of Idaho Code § 42-605(9) you will commence an investigation, and may commence a hearing with the other water users of Water District No. 34 regarding these allegations. We look forward to hearing from you on the date and time of when you intend to commence your investigation, and when you intend to hold a hearing, if at all.

We recognize that Water District No. 34 has a long history of water disputes, and we are concerned that this complaint may be treated simply as another instance of a complaint being brought because of drought conditions, or that this is something that the water users in Water District No. 34 "just do." However, the problems associated with the current watermaster run

JAY JENSEN

Decree on Munsey 6/1/1894 160"

NO DECREE ON 6/10/2013

CALLED DECREE

Decree on 6/3/2013 - 5/1/188

Decree on 6/6/2013 - 5/31/189

* Decree on 6/10/2012 - 3/1/1902

Deputy Water Master Log 2013

MONDAY

DATE June	TIME	WEIR/GAGE READING	STEM HEIGHT HEAD GATE	HEADING	DIVERSION	COMMENTS
3		1.21		30.0	ARCO DIVERSION *	
3		927		2.06	McDonald Exch. Well (#1182 Arco)	
3		910		2.02	McDonald Exch. Well (Small one Arco)	
3					Quist Exchange Pump (Arco)	off
3				285.44 5.7	Rasmussen Exch. Pump (Arco)	
3		1.68		45.56	MUNSEY HEADING (Inc. McLaughlin)	
3		0.80		7.28	Folkman Exchange Pump (Munsey)	
3					Jensen Exchange Pump (Munsey)	off
3		4444		9.88	Parkinson Exchange Pump	
3		0.95		9.46	Telford Exch. Pump (Upper Lg. Pump) *	
3		0.78		7	Telford Exch Pump (Lower Sm. Pump) *	
3		287		5.74	Schureman Exchange Pump	
3		0.64		11.7	Jensen Weir / Island *	
3		2850		6.34	McDonald Exchange Well (ISLAND) *	
3		1.45		56.5	Felton Weir *	
3		1.79	N: 27 1/2 S: 8 5/8	80	EASTSIDE HEADING	
3		189		3.78	HENDRICKS/McDONALD WELL *	
3		0		0	MILLER	
3		1.90		83.9	EASTSIDE OUT	
3		0.92	W: 15" E: 7"	20.0	ISLAND HEADING *	
3					HUGGINS PUMP (Folkman Ditch) *	
3						

Deputy Water Master Log 2013

TUESDAY

DATE June 2013	TIME	WEIR/GAGE READING	STEM HEIGHT HEAD GATE	HEADING	DIVERSION	COMMENTS
4		6/3/13 Reading 1.21		30.0	ARCO DIVERSION	Ed made Multiple changes
4		893		1.98	McDonald Exch. Well (#1182 Arco)	
4		816		1.52	McDonald Exch. Well (Small one Arco)	
4					Quist Exchange Pump (Arco)	Off
4				5.74	Rasmussen Exch. Pump (Arco)	Rasmussen must level pipe not to get accurate reading
4				46.43	MUNSEY HEADING (Inc. McLaughlin)	Unable to get accurate reading Ed made Multiple changes
4		0.80		7.28	Folkman Exchange Pump (Munsey)	
4					Jensen Exchange Pump (Munsey)	Off
4		4444		9.88	Parkinson Exchange Pump	
4		0.95		9.46	Telford Exch. Pump (Upper Lg. Pump)	
4		0.78		7	Telford Exch Pump (Lower Sm. Pump)	
4		287		5.74	Schureman Exchange Pump	
4		0.64		11.7	Jensen Weir / Island	
4		2850		6.34	McDonald Exchange Well (ISLAND)	
4		1.45		56.5	Felton Weir	
4		1.79	N: 278 S: 88	80	EASTSIDE HEADING	
4		189		3.78	HENDRICKS/McDONALD WELL	
4		0		0	MILLER	
4		1.90		83.9	EASTSIDE OUT	
4		0.92	W: 15" E: 7"	20.0	ISLAND HEADING	
4					HUGGINS PUMP (Folkman Ditch)	
4						

Deputy Water Master Log 2013

WEDNESDAY

DATE June 2013	TIME	WEIR/GAGE READING	STEM HEIGHT HEAD GATE	HEADING	DIVERSION	COMMENTS
5		1.12	118.2	33.6	ARCO DIVERSION	
5		8.33		1.98	McDonald Exch. Well (#1182 Arco)	
5		8.12		1.82	McDonald Exch. Well (Small one Arco)	
5					Quist Exchange Pump (Arco)	off
5				5.7	Rasmussen Exch. Pump (Arco)	
5		1.68	5.15	45.53	MUNSEY HEADING (Inc. McLaughlin)	
5		0.81		7.42	Folkman Exchange Pump (Munsey)	
5				25.9	Jensen Exchange Pump (Munsey)	off
5		44.41		9.86	Parkinson Exchange Pump	
5		0.94		9.3	Telford Exch. Pump (Upper Lg. Pump)	
5		0.78		7	Telford Exch Pump (Lower Sm. Pump)	
5		28.0		5.2	Schureman Exchange Pump	
5		0.64		11.7	Jensen Weir / Island	
5		28.30		2.34	McDonald Exchange Well (ISLAND)	
5		1.45		52.5	Felton Weir	
5		1.79		8.0	EASTSIDE HEADING	
5		18.9		3.78	HENDRICKS/McDONALD WELL	
5		0		0	MILLER	
5		1.75		7.74	EASTSIDE OUT	
5		0.72		70.0	ISLAND HEADING	
5			W315"		HUGGINS PUMP (Folkman Ditch)	
5						

Deputy Water Master Log 2013

THURSDAY

DATE June 2013	TIME	WEIR/GAGE READING	STEM HEIGHT HEAD GATE	HEADING	DIVERSION	COMMENTS
6		1.12	E:18 ³ / ₈ W:26 ⁵ / ₈	38.6	ARCO DIVERSION	
6		889		1.98	McDonald Exch. Well (#1182 Arco)	
6		720		1.6	McDonald Exch. Well (Small one Arco)	
6					Quist Exchange Pump (Arco)	off
6		167"		3.34	Rasmussen Exch. Pump (Arco)	
6		1.68	S:14 ⁷ / ₈ N:16 ³ / ₄	45.56	MUNSEY HEADING (Inc. McLaughlin)	
6		0.81		7.42	Folkman Exchange Pump (Munsey)	
6		4247		9.44	Jensen Exchange Pump (Munsey)	
6		4438		9.86	Parkinson Exchange Pump	
6		0.93		9.16	Telford Exch. Pump (Upper Lg. Pump)	
6		0.79		7.12	Telford Exch Pump (Lower Sm. Pump)	
6		310		6.2	Schureman Exchange Pump	
6		0.46		10.3	Jensen Weir / Island	
6		2826		6.28	McDonald Exchange Well (ISLAND)	
6		1.30		48.1	Felton Weir	
6		1.80		81	EASTSIDE HEADING	
6		186		3.72	HENDRICKS/McDONALD WELL	
6		0		0	MILLER	
6		1.75		74.4	EASTSIDE OUT	
6		0.92	W:7" E:15"	20.0	ISLAND HEADING	
6					HUGGINS PUMP (Folkman Ditch)	
6						

2013	Date	6/4/2013					TUESDAY			Gauge Reading	TIME	
Ed Zartuche	Main Heading	MUNSEY HEADING					Heading: 2278			168		
		DEC	ROT	STO	Pum	Recharge	Total					
Does total match head reading		FALSE					Total delivered by div					
		DEL	PUM	CRED								
Name	ACCT	IN Heading	DEC	ROT	STO	Pum	Recharge					
		Time if visually check										
Lambert, Cliff & Marilyn	126		135					121			#DIV/0!	#DIV/0!
Hochstedler was Casper	125										#DIV/0!	#DIV/0!
Buxton, Brooks	11A, 110		25		57			74			#DIV/0!	#DIV/0!
Northrup, Don	117D1 / 132										#DIV/0!	#DIV/0!
Anderson, Brian	7		70					41			#DIV/0!	#DIV/0!
Andersen, Jay	13/132				129			118			#DIV/0!	#DIV/0!
Folkman, Leon (out)	10D										#DIV/0!	#DIV/0!
Folkman, Leon	1	295				364		265			#DIV/0!	#DIV/0!
Telford, Mike (Isom)	1193OD	391				483		360			#DIV/0!	#DIV/0!
Telford, Mike Lower (Isom)		292				361		226			#DIV/0!	#DIV/0!
McFarland, Ken	17/28B										#DIV/0!	#DIV/0!
Telford, Mark was Lyle(hans)	18										#DIV/0!	#DIV/0!
Parkinson Farms-1	1206OD					497		300			#DIV/0!	#DIV/0!
Parkinson Farms-2	1206OD										#DIV/0!	#DIV/0!
Schureman, Doug In district	1/14/2001										#DIV/0!	#DIV/0!
Schureman, Doug (out)	1140OD					320		230			#DIV/0!	#DIV/0!
Parkinson Farms-3	1206OD										#DIV/0!	#DIV/0!
Jensen, Jay V.	1192										#DIV/0!	#DIV/0!
Jensen, Jay V. (out)	1192OD										#DIV/0!	#DIV/0!
Jensen, Jay Waste	1192Waste										#DIV/0!	#DIV/0!
Recharge											#DIV/0!	#DIV/0!
MCLAUGHLIN											#DIV/0!	#DIV/0!
Parkinson Farms	39										#DIV/0!	#DIV/0!
Huggins, Charlie	39A/47										#DIV/0!	#DIV/0!
Braswell, Dennis	44/45/46										#DIV/0!	#DIV/0!
Hansen, Marc	44/45/46A										#DIV/0!	#DIV/0!
Totals											#DIV/0!	#DIV/0!
End includes ??		Reading	Time	Difference from ??							#DIV/0!	#DIV/0!
Recharge											#DIV/0!	#DIV/0!
Totals											#DIV/0!	#DIV/0!
Totals											#DIV/0!	#DIV/0!

2013 Date		6/5/2013		WEDNESDAY						Gauge Reading		TIME							
Ed Zartuche		Main Heading		Heading: 2431						1.75									
MUNSEY HEADING				DEC		ROT		STO		Pum		Recharge		Total					
Does total match head reading				FALSE								Total deliered by div							
				DEL		PUM		CRED		Canal Shrink		#DIV/0!		#DIV/0!					
												delivered		Shrink					
Name				ACCT		IN Heading		Time if visually check		DEC		ROT		STO		Pum		Recharge	
Lambert, Cliff & Marilyn				126						135									
Hochstedler was Casper				125															
Buxton, Brooks				11A, 110						25				57					
Northrup, Don				117D1 / 132															
Anderson, Brian				7						←70									
Andersen, Jay				13/132										129					
Folkman, Leon (out)				10D															
Folkman, Leon				1										364					
Telford, Mike (Isom)				1193OD										483					
Telford, Mike Lower (Isom)														361					
McFarland, Ken				17/28B															
Telford, Mark was Lyle(hans				18															
Parkinson Farms- 1				1206OD										497					
Parkinson Farms-2				1206OD															
Schureman, Doug In district				1/14/2001															
Schureman, Doug (out)				1140OD										320					
Parkinson Farms-3				1206OD															
Jensen, Jay V.				1192															
Jensen, Jay V. (out)				1192OD															
Jensen, Jay Waste				1192Waste															
Recharge																			
MCLAUGHLIN																			
Parkinson Farms				39															
Huggins, Charlie				39A/47															
Braswell, Dennis				44/45/46															
Hansen, Marc				44/45/46A															
Totals																			
End includes ??				Reading		Time		Difference from ??											
Recharge																			
Totals																			
Totals																			

2013	Date	6/6/2013							THURSDAY			Gauge Reading	TIME
Ed Zartuche	Main Heading								2431			1.75	
MUNSEY HEADING		Heading:							Total				
		DEC		ROT	STO	Pum	Recharge						
Does total match head reading		FALSE							Total delivered by div				
		DEL		PUM	CRED				Canal Shrink				
		#DIV/0!		#DIV/0!				#DIV/0!			#DIV/0!		
		delivered		Shrink									
Name	ACCT	IN Heading	Time if visually check	DEC	ROT	STO	Pum	Recharge					
Lambert, Cliff & Marilyn	126	135	135						121			#DIV/0! #DIV/0!	
Hochstedler was Casper	125											#DIV/0! #DIV/0!	
Buxton, Brooks	11A, 110		25			57			74			#DIV/0! #DIV/0!	
Northrup, Don	117D1 / 132											#DIV/0! #DIV/0!	
Anderson, Brian	7		70						163			#DIV/0! #DIV/0!	
Andersen, Jay	13/132											#DIV/0! #DIV/0!	
Folkman, Leon (out)	10D											#DIV/0! #DIV/0!	
Folkman, Leon	1					364			265			#DIV/0! #DIV/0!	
Telford, Mike (Isom)	1193OD					483			360			#DIV/0! #DIV/0!	
Telford, Mike Lower (Isom)						361			226			#DIV/0! #DIV/0!	
McFarland, Ken	17/28B											#DIV/0! #DIV/0!	
Telford, Mark was Lyle(hans)	18											#DIV/0! #DIV/0!	
Parkinson Farms-1	1206OD					397			265			#DIV/0! #DIV/0!	
Parkinson Farms-2	1206OD											#DIV/0! #DIV/0!	
Schureman, Doug in district	1/14/2001					320			230			#DIV/0! #DIV/0!	
Schureman, Doug (out)	1140OD											#DIV/0! #DIV/0!	
Parkinson Farms-3	1206OD											#DIV/0! #DIV/0!	
Jensen, Jay V.	1192											#DIV/0! #DIV/0!	
Jensen, Jay V. (out)	1192OD											#DIV/0! #DIV/0!	
Jensen, Jay Waste	1192Waste											#DIV/0! #DIV/0!	
Recharge												#DIV/0! #DIV/0!	
MCLAUGHLIN												#DIV/0! #DIV/0!	
Parkinson Farms	39											#DIV/0! #DIV/0!	
Huggins, Charlie	39A/47											#DIV/0! #DIV/0!	
Braswell, Dennis	44/45/46											#DIV/0! #DIV/0!	
Hansen, Marc	44/45/46A											#DIV/0! #DIV/0!	
Totals												#DIV/0! #DIV/0!	
End includes ??	Reading	Time	Difference from ??								#DIV/0! #DIV/0!		
Recharge											#DIV/0! #DIV/0!		
Totals											#DIV/0! #DIV/0!		
Totals											#DIV/0! #DIV/0!		

2013	Date	6/8/2013
Ed Zartuche	Main Heading	
MUNSEY HEADING		
		Heading:
DEC	ROT	STO
Pum	Recharge	Total
Does total match head reading		FALSE
		SATURDAY
		Gauge Reading
		TIME
		1.69
		Total delivered by div
		DEL PUM CRED
		Canal Shrink #DIV/O!
		#DIV/O! delivered Shrink
Name	ACCT	IN Heading Time if visually check DEC ROT STO Pum Recharge
Lambert, Cliff & Marilyn	126	135
Hochstedler was Casper	125	
Buxton, Brooks	11A, 110	25 57
Northrup, Don	117D1 / 132	
Anderson, Brian	7	70
Andersen, Jay	13/132	
Folkman, Leon (out)	10D	
Folkman, Leon	1	364
Telford, Mike (Isom)	1193OD	483
Telford, Mike Lower (Isom)		361
McFarland, Ken	17/28B	
Telford, Mark was Lyle(hans	18	
Parkinson Farms- 1	1206OD	397
Parkinson Farms-2	1206OD	
Schureman, Doug in district	1/14/2001	320
Schureman, Doug (out)	1140OD	
Parkinson Farms-3	1206OD	
Jensen, Jay V.	1192	467
Jensen, Jay V. (out)	1192OD	
Jensen, Jay Waste BELL		235
Recharge		
MCLAUGHLIN		
Parkinson Farms	39	
Huggins, Charlie	39A/47	
Braswell, Dennis	44/45/46	
Hansen, Marc	44/45/46A	
Totals		
Reading		Time
End includes ??		Difference from ??
Recharge		
Totals		
Totals		

2013	Date	6/9/2013									
Ed Zartuche	Main Heading			SUNDAY				Gauge Reading		TIME	
MUNSEY HEADING				Heading: 2587				1.82			
				DEC	ROT	STO	Pum	Recharge	Total		
Does total match head reading				FALSE				Total delivered by div			
				DEL	PUM	CRED			Canal Shrink	#DIV/0!	#DIV/0!
										delivered	Shrink
Name	ACCT	IN Heading	Time if visually check	DEC	ROT	STO	Pum	Recharge			
Lambert, Cliff & Marilyn	126			135					114		#DIV/0! #DIV/0!
Hochstedler was Casper	125										#DIV/0! #DIV/0!
Buxton, Brooks	11A, 110			OFF							#DIV/0! #DIV/0!
Northrup, Don	117D1 / 132										#DIV/0! #DIV/0!
Anderson, Brian	7			70					63		#DIV/0! #DIV/0!
Andersen, Jay	13/132			116		15			118		#DIV/0! #DIV/0!
Folkman, Leon (out)	10D										#DIV/0! #DIV/0!
Folkman, Leon	1					364			220		#DIV/0! #DIV/0!
Telford, Mike (Isom)	1193OD					483			260		#DIV/0! #DIV/0!
Telford, Mike Lower (Isom)						361			203		#DIV/0! #DIV/0!
McFarland, Ken	17/28B										#DIV/0! #DIV/0!
Telford, Mark was Lyle(hans	18										#DIV/0! #DIV/0!
Parkinson Farms- 1	1206OD					397			255		#DIV/0! #DIV/0!
Parkinson Farms-2	1206OD										#DIV/0! #DIV/0!
Schureman, Doug in district	1/14/2001					320			230		#DIV/0! #DIV/0!
Schureman, Doug (out)	1140OD										#DIV/0! #DIV/0!
Parkinson Farms-3	1206OD										#DIV/0! #DIV/0!
Jensen, Jay V.	1192					467			230		#DIV/0! #DIV/0!
Jensen, Jay V. (out)	1192OD										#DIV/0! #DIV/0!
Jensen, Jay V. (out) BELL	1192Waste			235					177		#DIV/0! #DIV/0!
Recharge											#DIV/0! #DIV/0!
MCLAUGHLIN											#DIV/0! #DIV/0!
Parkinson Farms	39										#DIV/0! #DIV/0!
Huggins, Charlie	39A/47										#DIV/0! #DIV/0!
Braswell, Dennis	44/45/46										#DIV/0! #DIV/0!
Hansen, Marc	44/45/46A										#DIV/0! #DIV/0!
Totals											#DIV/0! #DIV/0!
	Reading	Time	Difference from ??								#DIV/0! #DIV/0!
End includes ??											#DIV/0! #DIV/0!
Recharge											#DIV/0! #DIV/0!
Totals											#DIV/0! #DIV/0!
Totals											#DIV/0! #DIV/0!

2013	Date	6/10/2013														
Ed Zartuche		Main Heading	2564						MONDAY		Gauge Reading	TIME				
MUNSEY HEADING				Heading:							1.81					
				DEC	ROT	STO	Pum	Recharge	Total							
Does total match head reading				FALSE							Total deliered by div					
											DEL	PUM	CRED	Canal Shrink	#DIV/0!	#DIV/0!
															delivered	Shrink
Name	ACCT	IN Heading	Time if visually check	DEC	ROT	STO	Pum	Recharge								
Lambert, Cliff & Marilyn	126			135					97							
Hochstedler was Casper	125															
Buxton, Brooks	11A, 110															
Northrup, Don	117D1 / 132			69					45							
Anderson, Brian	7			70					46							
Andersen, Jay	13/132			158					118							
Folkman, Leon (out)	10D						343		111							
Folkman, Leon	1															
Telford, Mike (Isom)	1193OD						435		481							
Telford, Mike Lower (Isom)							309									
McFarland, Ken	17/28B			250					155							
Telford, Mark was Lyle(hans	18															
Parkinson Farms-1	1206OD						491		240							
Parkinson Farms-2	1206OD															
Schureman, Doug in district	1/14/2001						320		206							
Schureman, Doug (out)	1140OD															
Parkinson Farms-3	1206OD															
Jensen, Jay V.	1192															
Jensen, Jay V. (out)	1192OD						467		332							
Jensen, Jay Waste	1192Waste															
Recharge																
MCLAUGHLIN																
Parkinson Farms	39															
Huggins, Charlie	39A/47															
Braswell, Dennis	44/45/46															
Hansen, Marc	44/45/46A			136					105							
Totals																
End includes ??	Reading	Time	Difference from ??													
Recharge																
Totals																
Totals																

{ 527 8251 } (6/7/13)
 LEON FULKMER

KEVIN WILLIAMS
 CREW

11 AM
 Greg Parkinson 80" mglagh
 73" 1st pump up airport hill
 Leon turning off
 Greg turning on mglagh
 turned off #2
 Running 81" pump #1

Arco canal Bill Monker
 503 = 56" 11:10 AM
 .36 4' weir = 160"
 HEAD of CENTER

DENER 55
 John Lazamiz 1.00 = 103"
 12:15 PM also shut off
 PEARSON at spring .200
 DON LINDS .45 2.5 126" 120"

AVERT dig 871.0 97"
 MEL als S. E. on
 No READING
 John Bared is off
 END of BURNETT .59 = 262
 S. END of Arco .29 = 240"
 END of Munsey .49 = 323"
 PARKINSON END 956 = 106"
 HEAD of Munsey 1.70 2.322
 HEAD of Arco 1.15 1.960
 (680 9368

BILLY HAWKS CREW LEAD

.94

4.150
2.450

Sat 4/8/13

HEAD OF Burnett: 2.15 = 4.150 END: .65 = 306"

Head of Darlington 1.70 = 2.450 END: .35 = 274"

11:00 A.M. HEAD OF EASTSIDE 1.84 = 4.200"

HEAD OF Island .94 = 1.035"

IRM HEAD of S. P. Muncie 1.69

HEAD of ARCO 1.15

EASTSIDE OUT 1.80

Turn under Inn 3' appoletti

1:44 p.m. Kenny McKarland & Munsey .57 = 217"

2:00 p.m. END of Munsey .56 = 341"

END of Arco .50 = 465"

Stanjee Box company

Turn place of 2' arch

2:30 p.m. Head of Cemetery .82 = 430"

NEAVA .38 ~~300~~ 1 1/2' WIDE

NEAVA 4 PM .70 = 133" Behind Auto Body shop

6 PM END of Burnett .56 = 242"

94
at 300

ic
heads

no dinner all
well

476

6/9 Sun

3:28pm Jays Well - ~~458~~ - 4189 - 465"
Alvin off & locked Jensen Weir 0.54 - 10.4 - 520"

End Area Starby .92 x .7 = .22 x (18 x 18)
(3.25 x 50) = ~~112~~ 113" 18 x 24

End Area Weir - 0.26 x 8 = 3.51 = 176"

Staley has 60" can get rid of 100

Mare 0.66 - 3.17 - 159" & has 78" needs 100"

Scott has 0.62 x 3' Rectangle - 4.68 = 234" 32% Shrink

32% Shrink from Falkman to Mare Hansen
Head Falkman 0.68 x 2' = 4.40 = 220 - No Shrink to

Falkman - 27% Shrink from Head to Mare

Parkinson - 0 by paved

Schurman - 0.6 x 2' = 3.62 = 181"

Telford lower Upper 1.08 - 18.07 - 904" > 508"

Lower 0.86 - 7.91 - 396

4:54 Lock has been cut - chain link.

Parkinsons new off

Parkinsons end 956 - 106"

4:58 End Murray 0.5 x 5' - 3.77 - 189"

Falkman go to 3.44 = .58 need to drop from .22 to .58

Parkinson Ralph 7972 - ~~7972~~ 89"

locked Telford on Bell & Falkman

Telford at Collins 1200 = 133"

Dear .24" x .5" = .26 1ft² = 2.50 - 125"


Lambert 986 = 110"


Murray Head 1.88 x 5' = 54.46 - 2723 112

Roger need (Area) - 1.22 Staff 43.8 need 41.8 - 124 112

1.70 Murray - 46.43

tabbles
EXHIBIT
Dablio Wines
Page 1 of 2






Public Exhibit #2, Page 2 of 2

Public Witness Exhibit #3



6/13/13

11-11:30 a.m



Public Witness Exhibit #3



6/13/13
11-11:30 a.m

Public Works Exhibit #3



6/13/13
11-11:30 a.m.

Public Wehess Exhibit #3



taken
6/13/13
between 11-11:30 a.m.