

Identification No. 11-7017

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant BEAR LAKE WEST, INC.
post office address Hotel Ben Lomond, Ogden, Utah
2. Source of water supply ground water which is a tributary of _____
3. a. Location of point of diversion is SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 27 Township 16 S
Range 43 E B.M. Bear Lake County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into Bear Lake at a point in SE $\frac{1}{4}$
of SE $\frac{1}{4}$ of Section 27 Township 16 S Range 43 E B.M. U.S. Survey
4. Water will be used for the following purposes:
Amount 150 ^(cfs or acre-feet per annum) for Domestic purpose from Jan 1. to Dec. 31 (both dates inclusive)
Amount 27 ^(cfs or acre-feet per annum) for Domestic purpose from _____ to _____ (both dates inclusive)
Amount _____ ^(cfs or acre-feet per annum) for _____ purpose from _____ to _____ (both dates inclusive)
5. Total quantity to be appropriated:
a. 27 ^{*} cubic feet per second and/or
b. 150 acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. 8" well, 150 g.p.m. pump,
6" pipes and 1" laterals to homesites (storage will also be provided)

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 8 inches; proposed depth of well is 350 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 2 years.
b. Estimated construction cost is \$ 50,000.00.
8. Description of proposed uses:
a. If water is not for irrigation:
(1) Give the place of use of water: SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 27 Township 16 S
Range 43 E B.M. Bear Lake
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served Bear Lake West, or number of families to be
supplied with domestic water 300 Potential
(5) If water is to be used for other purposes describe: _____

11 7017

11 7017

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. _____


9. a. Who owns the property at the point of diversion Leslie C. Kimball

b. Who owns the land to be irrigated or place of use Leslie Kimball and Donald Erickson

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing Purchase agreements dated in March 1970, for purchase of property's by Bear Lake West, Inc. (Patrick C. O'Keefe and Dennis F. Bullock)

10. Remarks Plans are: to construct a nine hole golf course with adjacent homesites, irrigation and other outside uses, will be taken care of by existing water rights in the adjacent canal.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 4 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

[Signature]
 x *Dennis H. Mullins, Pres.*
 (Applicant)
 Bear Lake West, Inc.

IN WITNESS

11 7017

Received by el Date 8.6.70 Time 8:00 AM
Preliminary check by pt Fee \$ 25.00
Receipted by el Date 8-10-70
Publication prepared by de Date 11-4-70
Published in Hema Examiner
Publication dates 11-12 + 11-19, 1970
Publication approved de Date 12-9-70
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by Deny De BDF

Notice of Correction
1-28-71 & 2-4-71 dr
2-24-71 dr

APPROVED

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 11-7017, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:
 - a. SUBJECT TO ALL PRIOR WATER RIGHTS.
 - b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 1973.
 - c. Other: _____

2. Denial of said application is for the following reasons: _____

Witness my hand this 4th day of March, 19 71.

R. Keith Higgs
Director

RECEIVED
THE NEWS-EXAMINER

FEB 22 1971 MONTPELIER, IDAHO

Department of Water Administration

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,)
County of Bear Lake,) ss.

W. Jerome Taylor

being first duly sworn, deposes and says
he is Publisher and Foreman of the
News-Examiner; that the said News-Examiner
is a weekly newspaper published at Montpelier,
County of Bear Lake, State of Idaho, of general
circulation in said County and State.

That the notice attached was published in
the said News-Examiner, and not in a
supplement, for two
successive weeks, commencing with the issue
dated January 28, 1971
and ending with the issue
dated February 4, 1971

W. Jerome Taylor
Publisher and Foreman.

Subscribed and sworn to before me this 19th day of February, 1971

Tom Z. Buehler
Notary Public.

NOTICE OF CORRECTION
APPLICATION FOR
WATER PERMIT

Notice is hereby given that Appli-
cation for Permit No. 11-7017 in the
name of Bear Lake West, Inc.,
Hotel Ben Lomond, Utah, was ad-
vertised incorrectly.

The application was originally
advertised as proposing the appro-
priation of 0.27 cubic feet per sec-
ond of water from a ground water
source to be used for domestic
purposes in the NE $\frac{1}{4}$ and NW $\frac{1}{4}$ of
Sec. 27, T. 16S, R. 43E, B. M.
Whereas, the actual place of use is
within the SW $\frac{1}{4}$ and SE $\frac{1}{4}$ of Sec.
27, T. 16S, R. 43E, B. M.

Any protest against the granting
of the above permit must be filed
with the Idaho Department of
Water Administration, Statehouse,
Boise, Idaho, on or before Febru-
ary 15, 1971.

R. KEITH HIGGINSON
Director

Published in The News-Examiner,
Montpelier, Idaho, on January 28
and February 4, 1971.

(j-28; f-4)

11 7017

THE NEWS-EXAMINER
MONTPELIER, IDAHO

RECEIVED

DEC 7 1970

AFFIDAVIT OF PUBLICATION

Department of Water Administration

STATE OF IDAHO,)
County of Bear Lake,) ss.

W. Jerome Taylor

being first duly sworn, deposes and says
he is Publisher and Foreman of the
News-Examiner; that the said News-Examiner
is a weekly newspaper published at Montpelier,
County of Bear Lake, State of Idaho, of general
circulation in said County and State.

That the notice attached was published in
the said News-Examiner, and not in a
supplement, for two
successive weeks, commencing with the issue
dated November 12, 1970
and ending with the issue
dated November 19, 1970

W. Jerome Taylor
Publisher and Foreman.

**NOTICE OF APPLICATION FOR
PERMIT TO APPROPRIATE THE
PUBLIC WATERS OF THE
STATE OF IDAHO**

Notice is hereby given that Bear
Lake West, Inc., Hotel Ben Lo-
mond, Ogden, Utah, has on August
6, 1970, submitted Application No.
11-7017 to appropriate the public
waters of a ground water source.

The application proposes a maxi-
mum diversion and appropriation
of 0.27 cubic feet per second of wa-
ter to be diverted by well, pump
and pipe within the SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec.
27, T. 16S, R. 43E, B. M., Bear
Lake County, and is to be used
within the NE $\frac{1}{4}$, NW $\frac{1}{4}$, Sec. 27, T.
16S, R. 43E, B. M. for domestic
purposes from January 1 to De-
cember 31.

Any permit issued pursuant to
this application will be subject to
ALL PRIOR WATER RIGHTS and
subject to the CONTROL OF A
STATE WATERMASTER. Any
protest against this application
must be filed with the Idaho De-
partment of Water Administration,
Statehouse, Boise, Idaho, on or be-
fore November 30, 1970.

R. KEITH HIGGINSON
Director

Published in The News-Examin-
er, Montpelier, Idaho, on Novem-
ber 12 and November 19, 1970.

n12/19)

Subscribed and sworn to before me this 4th day of December, 1970

J. L. Bunge

Notary Public.

11 7017

August 18, 1970

Bear Lake West Inc.
Hotel Ben Lamond
Ogden, Utah

C ATTENTION: Dennis Bullock

C Dear Mr. Bullock:

We are in receipt of your application for permit and check in the amount of \$25.00.

O We have begun processing of this application. However, before we can take final action, we will need to know your rate of diversion. That is, the amount of water that you are intending to appropriate in cubic feet/second. We would appreciate this information as soon as possible.


P If we can be of any further assistance in this matter, please feel free to contact us.

Very truly yours,

Y Dorian Clay,
Appropriation Examiner

DC/DG

11 7017



GREAT BASIN ENGINEERING & SURVEYING, INC.

PHONE 394-4515 3505 GRANT AVENUE, OGDEN, UTAH 84401

RECEIVED

AUG 27 1970

August 25, 1970

Department of Water Administration

State of Idaho
Department of Water Administration
Statehouse -- Annex 2
Boise, Idaho 83707

Attn: Mr. Dorian Clay

RE: Bear Lake West,
well application


Gentlemen:

We have been requested by Bear Lake West, Inc. to furnish the information requested in your letter of August 18, 1970.

The amount of water intended for appropriation is 120 gallons per minute, or 0.267 CFS.

If further information is required, please let us know. Thank you.

Very truly yours,


Jay R. Anderson

JRA/e

cc: Bear Lake West, Inc.

11-7017

11 7017

October 6, 1970

Re: Application for Permit Nos. 11-7017
11-7018

Mr. J. G. Haight
Hydrologic Section
Utah Power and Light Co.
P.O. Box 898
Salt Lake City, Utah

Dear Mr. Haight:

As requested in our telephone conversation of October 6, 1970, please find enclosed a copy of application no. 11-7017 and 11-7018. The fee for these copies will be \$2.00.

If we may be of any further assistance, please feel free to contact us.

Very truly yours,

Dorian Clay,
Appropriation Examiner

DC/DG
Enc: copies

11 7017

filed

UTAH POWER & LIGHT COMPANY

1407 WEST NORTH TEMPLE STREET

P. O. BOX 899

SALT LAKE CITY, UTAH 84110

October 9, 1970

Mr. Dorian Clay
Appropriation Examiner
State of Idaho
Department of Water Administration
Statehouse - Annex 2
Boise, Idaho 83707

Re: Applications for Permit
Nos. 11-7017 and 11-7018

Dear Mr. Clay:

Enclosed is our check in the amount of \$2.00 in payment
for copies of the above applications which you sent us under date of
October 6.

Very truly yours,

J. Golden Haight

J. Golden Haight
Hydrologic Section

cp
encl.

11 7017

October 13, 1970

Re: Application for Permit No. 11-7017

Bear Lake West, Inc.
Hotel Ben Lomond
Ogden, Utah

ATTENTION: J. R. Anderson

Dear Mr. Anderson:

In reviewing your application for permit, we find that we must once again correspond with you to clarify your place of use on the above referenced permit. Under item 8a, 1, of the application, you have indicated that the water is to be used in Sec. 27, T. 16 S, R. 43 E. This description would exclude that portion of Sec. 28, and that portion of Sec. 31, T. 15 N, R. 5 E, that is listed on your map on page 3.


As soon as you have clarified this issue, we shall continue with the processing of this application.

Very truly yours,

Dorian Clay
Appropriation Examiner

DC:cm

11 7017



GREAT BASIN ENGINEERING & SURVEYING, INC.

PHONE 394-4515 / 3505 GRANT AVENUE, OGDEN, UTAH 84401

October 20, 1970

RECEIVED
OCT 22 1970
Department of Water Administration

State of Idaho
Department of Water Administration
Statehouse - - Annex 2
Boise, Idaho 83707

Attn: Mr. Dorian Clay

Re: Bear Lake West
Application No. 11-7017

Gentlemen:

In reply to your letter dated October 13, 1970, we submit the following information.

It is expected all of the water from this well will be utilized in the North half of Section 27, T16S, R43E. Within this area there will be developed approximately 350 single family lots, together with a clubhouse for the proposed golf course and a small commercial development near the highway.

We are certain that as this project develops another well will be needed for this Section and for the other Sections which you mentioned in your letter.

If you have any further questions, please let us know.

Very truly yours,

J.R. Anderson
Jay R. Anderson

JRA/e

cc: Bear Lake West, Inc.

11 7017

NOTICE OF APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF IDAHO

Notice is hereby given that Bear Lake West, Inc., Hotel Ben Lomond,
Ogden, Utah, has on August 6, 1970,
submitted Application No. 11-7017 to appropriate the public waters of
a ground water source

~~The / d d d d d d d d / d d d d / d d d~~

The application proposes a maximum diversion and appropriation of 0.27
cubic feet per second ~~d d d d / d d d d~~ of water to be diverted by well, pump and
pipe within the SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 27,
T. 16S, R. 43E, B.M., Bear Lake County,

and is to be used within the NE $\frac{1}{4}$, NW $\frac{1}{4}$, Sec. 27, T. 16S, R. 43E, B.M. for
41 domestic purposes from Jan. 1 to Dec. 31

Any permit issued pursuant to this application will be subject to ALL PRIOR
WATER RIGHTS and subject to the CONTROL OF A STATE WATERMASTER. Any protest
against this application must be filed with the Idaho Department of Water Adminis-
tration on or before November 30, 1970.

Statehouse, Boise, Idaho,

R. KEITH HIGGINSON
Director

Published in the News Examiner, Montpelier, Idaho,
on November 12 and November 19, 1970.

11 7017

November 4, 1970

Re: Application No. 11-7017 - Bear Lake West, Inc.

News Examiner
P.O. Box 278
Montpelier, Idaho 83254

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM:DR
Enc: Legal notice

Bill submitted 12-9-70 By ds

11 7017

**NOTICE OF APPLICATION FOR
PERMIT TO APPROPRIATE THE
PUBLIC WATERS OF THE
STATE OF IDAHO**

Notice is hereby given that Bear Lake West, Inc., Hotel Ben Lomond, Ogden, Utah, has on August 6, 1970, submitted Application No. 11-7017 to appropriate the public waters of a ground water source.

The application proposes a maximum diversion and appropriation of 0.27 cubic feet per second of water to be diverted by well, pump and pipe within the SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 27, T. 16S, R. 43E; B. M., Bear Lake County, and is to be used within the NE $\frac{1}{4}$, NW $\frac{1}{4}$, Sec. 27, T. 16S, R. 43E, B. M. for domestic purposes from January 1 to December 31.

Any permit issued pursuant to this application will be subject to ALL PRIOR WATER RIGHTS and subject to the CONTROL OF A STATE WATERMASTER. Any protest against this application must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, on or before November 30, 1970.

R. KEITH HIGGINSON
Director

Published in The News-Examiner, Montpelier, Idaho, on November 12 and November 19, 1970.

n12/19)

11 7017

December 2, 1970

Re: Application No. 11-7017 - Bear Lake West, Inc.

C News Examiner
P.O. Box 278
Montpelier, Idaho 83254

O Gentlemen:

Would you please submit an affidavit of publication and certified bill in connection with the above referenced application. The legal notice was to have been published in your paper on November 12th and 19th, 1970.

Your cooperation in this matter is most appreciated.

P Very truly yours,

Y Donald W. McEldowney
Appropriation Supervisor

DWM:DR

11 7017

December 11, 1970

Re: Application for Permit No. 11-7017

Bear Lake West, Inc.
Hotel Ben Lamond
Ogden, Utah

ATTENTION: J. R. Anderson

Dear Mr. Anderson:

In the final evaluation of the above referenced application, it is noted that the map submitted on page three of the application is in error, and our letter of October 13, 1970 would also be in error. In reviewing the plats submitted with the application, we find that the actual place of use will be in the S $\frac{1}{2}$, Sec. 27, T. 16S, R. 43E, B.M., instead of the N $\frac{1}{2}$, Sec. 27, T. 16S, R. 43E, B.M.

Please verify this by return mail, as we will have to readvertise this application.


Your assistance in this matter is appreciated.

Very truly yours,

Dorian Clay,
Appropriation Examiner

DC/DG

11 7017



GREAT BASIN ENGINEERING & SURVEYING, INC.

PHONE 394-4515 3505 GRANT AVENUE, OGDEN, UTAH 84401

December 16, 1970

RECEIVED
DEC 21 1970
Department of Water Administration

State of Idaho
Department of Water Administration
Statehouse - Annex 2
Boise, Idaho 83707

Attn: Dorian Clay
Appropriation Examiner

Gentlemen:

We are in receipt of your letter dated December 11, 1970.
We hereby verify the actual place of use for this well
will be in the S₁² of Sec. 27, T16S, R43E, Boise Base and
Meridian.

Please send a copy of the original application so we can
determine what caused this problem you have pointed out.
Thank you.

Very truly yours,


J. R. Anderson

JRA/e

11 7017

December 22, 1970

Re: Permit No. 11-7017

GREAT BASIN ENGINEERING & SURVEYING, INCORPORATED
3505 Grant Avenue
Ogden, Utah 84401

ATTENTION: J. R. Anderson

Dear Mr. Anderson:

Pursuant to your letter of December 16, 1970, please find enclosed a copy of the

map originally submitted with the above referenced permit. Please note that we
have indicated North on the map and deleted that portion outside of Section 27.

We now have sufficient information to complete the processing of your application.

If you should have any questions in reference to this matter, please feel free
to contact us.

Very truly yours,

Dorian Clay
Appropriation Examiner

DC:cm

Enc: copy of above referenced map

11 7017


STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

Statehouse - Annex 2

Boise, Idaho 83707

(208) 384-2215



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

December 22, 1970

Re: Permit No. 11-7017

GREAT BASIN ENGINEERING & SURVEYING, INCORPORATED
3505 Grant Avenue
Ogden, Utah 84401

ATTENTION: J. R. Anderson

Dear Mr. Anderson:

Pursuant to your letter of December 16, 1970, please find enclosed a copy of the map originally submitted with the above referenced permit. Please note that we have indicated North on the map and deleted that portion outside of Section 27. We now have sufficient information to complete the processing of your application. If you should have any questions in reference to this matter, please feel free to contact us.

Very truly yours,

Dorian Clay
Dorian Clay
Appropriation Examiner

DC:cm

Enc: copy of above referenced map

NOTHING ENCLOSED

11 7017

December 31, 1970

Re: Permit No. 11-7017

C Great Basin Engineering & Surveying Inc.
3505 Grant Avenue
Ogden, Utah 84401

ATTENTION: J. R. Anderson

O Dear Mr. Anderson:

P Please forgive our error of December 22, 1970. As stated in that letter, please find enclosed a copy of the map originally submitted with the above referenced permit. Again, please note that we have indicated North on the map and deleted that portion outside of Section 27.

If you should have any further questions in reference to this matter, please feel free to contact us.

Y Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM:CM

Enc: copy of above referenced map

11 7017

NOTICE OF CORRECTION
APPLICATION FOR WATER PERMIT

Notice is hereby given that Application for Permit No. 11-7017 in the name of Bear Lake West, Inc., Hotel Ben Lomond, Ogden, Utah, was advertised incorrectly.

C
O
P
Y
The application was originally advertised as proposing the appropriation of 0.27 cubic feet per second of water from a ground water source to be used for domestic purposes in the NE $\frac{1}{4}$ and NW $\frac{1}{4}$ of Sec. 27, T. 16S, R. 43E, B.M. Whereas, the actual ~~place~~ place of use is within the SW $\frac{1}{4}$ and SE $\frac{1}{4}$ of Sec. 27, T. 16S, R. 43E, B.M.

Any protest against the granting of the above permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, on or before February 15, 1971.

R. KEITH HIGGINSON
Director

Published in the News-Examiner, Montpelier, Idaho, on January 28 and February 4, 1971.

11 7017

January 19, 1971

Re: Application No. 11-7017 - Bear Lake West, Inc.

The News-Examiner
P.O. Box 278
Montpelier, Idaho 83254

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM/DG

Enc: legal notice (notice of correction)

Bill submitted 2-24-71 By dr

11 7017

**NOTICE OF CORRECTION
APPLICATION FOR
WATER PERMIT**

Notice is hereby given that Application for Permit No. 11-7017 in the name of Bear Lake West, Inc., Hotel Ben Lomond, Utah, was advertised incorrectly.

The application was originally advertised as proposing the appropriation of 0.27 cubic feet per second of water from a ground water source to be used for domestic purposes in the NE $\frac{1}{4}$ and NW $\frac{1}{4}$ of Sec. 27, T. 16S, R. 43E, B. M. Whereas, the actual place of use is within the SW $\frac{1}{4}$ and SE $\frac{1}{4}$ of Sec. 27, T. 16S, R. 43E, B. M.

Any protest against the granting of the above permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, on or before February 15, 1971.

R. KEITH HIGGINSON
Director

Published in The News-Examiner,
Montpelier, Idaho, on January 28
and February 4, 1971.

(j-28; f-4)

11 7017

February 17, 1971

Re: Application No. 11-7017 -- Bear Lake West, Inc.

C
News-Examiner
P.O. Box 278
Montpelier, Idaho 83254

Gentlemen:

Would you please submit an affidavit of publication and certified bill in connection with the above referenced application. The legal notice was to have been published in your paper on January 28th and February 4th, 1971.

If you have already forwarded the above items, please disregard this letter. Otherwise, we would appreciate your prompt attention to this matter.

P
Very truly yours,

Y
Donald W. McEldowney
Appropriation Supervisor

DWM:DR

11 7017

March 8, 1971

Re: Permit No. 11-7017

BEAR LAKE WEST, INC.
Hotel Ben Lomond
Ogden, Utah

ATTENTION: J. R. Anderson

Dear Mr. Anderson:

Enclosed is a copy of your approved Application for Permit No. 11-7017. We direct your attention to the conditions of approval as listed on the fourth page.

Very truly yours,

BOBBY D. FLEENOR
Assistant Director

BDF:kh

Enc: informational letter
receipt #5032 (\$25.00)

11 7017

GREAT BARN ENGINEERING & SURVEYING
3505 GRANT AVENUE • OGDEN, UTAH 84401 • PHONE 394-4515

4
6
24
25
120

M E S S A G E

R E P L Y

TO

State of Idaho
Department of Reclamation
Statehouse - Annex 2
Boise, Idaho 83707

DATE

August 10, 1972

DATE

RECEIVED

Department of Water Administration

Gentlemen:

Please send us six copies of the Application for Permit, Department of Water Administration, State of Idaho; identification number 11-7017, which has been approved for Bear Lake West, Inc. Thank you.

Gary L. Newman

11 7017

BY

NO-273 © The Drawing Board Inc., Box 505, Dallas, Texas

INSTRUCTIONS TO SENDER:

1. KEEP YELLOW COPY. 2. SEND WHITE AND PINK COPIES WITH CARBON INTACT.

SIGNED

INSTRUCTIONS TO RECEIVER:

1. WRITE REPLY. 2. DETACH STUB, KEEP PINK COPY, RETURN WHITE COPY TO SENDER.

August 14, 1972

C RE: Application No. 11-7017
Bear Lake West, Inc.

G Gary L. Newman
Great Basin Engineering & Surveying
3505 Grant Avenue
Ogden, Utah 84401

P Dear Mr. Newman:

Enclosed herewith are the copies of the above referenced permit you requested per letter of August 10, 1972. The fee for these copies is \$6.00 which you may remit at your earliest convenience.

Y Very truly yours,

ELEANOR J. WOODS
Records Supervisor

EJW:ej

Enclosures

Permit # 8724

11 7017

January 31, 1973 CERTIFIED MAIL #24255

Re: Permit No. 11-7017

Bear Lake West, Inc.
Valley Professional Bldg.
2520 South State St.
Salt Lake City, Utah 84115

Gentlemen:

One of the conditions of approval of your water Permit No. 11-7017 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before April 1, 1973. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

Enc: Proof affidavit

11 7017

SENDER: Be sure to follow instructions on other side

PLEASE FURNISH SERVICE(S) INDICATED BY CHECKED BLOCK(S)
(Additional charges required for these services)

☐ Show to whom, date and address
where delivered

☐ Deliver ONLY
to addressee

RECEIPT

Received the numbered article described below

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE (Must always be filled in)

CERTIFIED NO.

24255

1

SIGNATURE OF ADDRESSEE'S AGENT IF ANY

INSURED NO.

2

DATE DELIVERED

SHOW WHERE DELIVERED (Only if requested, and include ZIP Code)

3

11 7017

ST. LA.
FEB 5
5 P 1
1973

U.S. POSTAL SERVICE
OFFICIAL BUSINESS

11 701



PENALTY FOR PRIVATE USE TO AVOID
PAYMENT OF POSTAGE, \$300

Postmark of Delivering Office

SENDER INSTRUCTIONS

Print in the space below your name, address, including ZIP Code.

- If special services are desired, check block(s) on other side.
- Moisten gummed ends and attach to back of article.

RETURN
TO

DEPARTMENT OF WATER ADMINISTRATION
STATEHOUSE ANNEX #2
BOISE, IDAHO 83707

PS Form 3811 Nov. 1970 655-16-81277-1

March 5, 1973

Re: Permit No. 11-7017 - Bear Lake West, Inc.

Mr. J. R. Anderson
Great Basin Engineering &
Surveying, Inc.
3505 Grant Avenue
Ogden, UT 84403

Dear Mr. Anderson:

We are in receipt of your letter requesting an extension of time on the above referenced permit. Before this Department can consider your request, it must be filed on the appropriate form. Enclosed is the necessary form for filing an extension of time.

If we can be of further assistance, please do not hesitate to contact this office.


Very truly yours,

NORMAN C. YOUNG
District Engineer

NCY:ba

11 7017

Enclosure



GREAT BASIN ENGINEERING & SURVEYING, INC.

PHONE 394-4515 3505 GRANT AVENUE, OGDEN, UTAH 84403

RECEIVED

March 1973

Department of Water Administration

RECEIVED

MAR 5 1973

Mr. R. Keith Higginson
Director - Department of Water Administration
Statehouse Annex No. 2
Boise, Idaho 83707

Department of Water Administration
Eastern District Office

Dear Sir:


RE: Permit No. 11-7017; Proof of Application of Water
to Beneficial Use.

On behalf of Bear Lake West, Inc., we request a two year extension before submitting the evidence of the extent of development as proof of application of water to beneficial use. This action would extend the deadline for submission of proof from April 1, 1973 to April 1, 1975.

We request this extension due to the fact that housing construction is presently slow. Although only two residences are in place at this time, lot sales have far exceeded construction starts. We feel that this extension is necessary in order to adequately submit proof of application of water to beneficial use.

Bear Lake West, Inc. has asked us to act as their agent in this matter.

Very truly yours,


Jay R. Anderson

e

cc: Bear Lake West, Inc.
Mr. Stephen Bastian
Mr. Jerry O'Neal

11 7017

C
March 24, 1973

O
Re: Permit No. 11-7017

P
Bear Lake West, Inc.
Box 63
Fish Haven, Idaho 83261

Gentlemen:

Enclosed please find a copy of the approved application for extension of time in connection with the above referenced permit.

Y
The time within which to submit proof of beneficial use of water has been extended to April 1, 1978.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:cd


Enclosure

11 7017



VALLEY PROFESSIONAL BUILDING
2520 South State Street
Salt Lake City, Utah 84115

11 7047



GREAT BASIN ENGINEERING & SURVEYING, INC.

PHONE 394-4515 / 3505 GRANT AVENUE, OGDEN, UTAH 84403

March 9, 1973

RECEIVED

MAR 14 1973

Department of Water Administration
Eastern District Office


Mr. Norman C. Young
Department of Water Administration
240 South Holmes Avenue
Idaho Falls, Idaho 83401

Dear Mr. Young:

RE: Well Permit No. 11-7017; Bear Lake West, Inc.
Proof of Application of Water to Beneficial
Use.

Enclosed is the application for an extension of time for the
above referenced well permit, as per your letter of March 5,
1973.

Very truly yours,


Jay R. Anderson

se
Encl:

cc: Bear Lake West, Inc.

11 7017

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

MAR 14 1973

APPLICATION FOR EXTENSION OF TIME

Department of Water Administration
Eastern District Office

State of Idaho)
County of Bear Lake)

Permit No. 11-7017

Bear Lake West, Inc. of Box 63, Fish Haven, Idaho
(name) (address)

State of Idaho, being first duly sworn, upon his oath deposes and says:

That he is the holder, or the duly authorized agent of the holder *, of Permit to Appropriate the Public Waters of the State of Idaho No. 11-7017.

That under the terms and conditions of said permit, work thereunder was required to be completed on or before 1 April, 19 73.

That he has heretofore performed the following work described under said permit:

The well has been dug, a pump house has been built, and approximately 3000 feet
of main has been laid. Additional watermain, a storage reservoir, and service
laterals will be constructed in 1973 and the balance in 1974 (Additional cost \$40,000 ±)
Costing \$ 20,000.00

That he is unable to complete the remainder of the work within the required time for the following reasons, to-wit: Housing construction is presently slow. Although only two

residences are in place at this time, lot sales have far exceeded construction

starts. We expect more construction starts in the near future.

Wherefore, he asks that the Department of Water Administration extend the time for the completion of obligations under said permit to 1 April, 19 75.

James J. Bullard, Pres.
(signature) *

Subscribed and sworn before me this 9th day of March, 19 73.

seal

Shirley A. Eitner
(notary public)

My commission expires Aug 25 1974

ACTION OF THE DEPARTMENT OF WATER ADMINISTRATION

I, R. KEITH HIGGINSON, Director of the Idaho Department of Water Administration, State of Idaho, hereby approve the above application for extension of time for Permit
No. 11-7017 to April 1, 1978.

Witness my hand this 23 day of March, 19 73.

R. Keith Higgins
Director

* IF OTHER THAN HOLDER, Power of Attorney must be supplied. Forms are available through the Department of Water Administration, Statehouse - Annex 2, Boise, Idaho, 83707.

11-7017

August 18, 1970

Bear Lake West Inc.
Hotel Ben Lamond
Ogden, Utah

C ATTENTION: Dennis Bullock

C Dear Mr. Bullock:

We are in receipt of your application for permit and check in the amount of \$25.00.

O We have begun processing of this application. However, before we can take final action, we will need to know your rate of diversion. That is, the amount of water that you are intending to appropriate in cubic feet/second. We would appreciate

P this information as soon as possible.


P If we can be of any further assistance in this matter, please feel free to contact us.

Very truly yours,

Y Dorian Clay,
Appropriation Examiner

DC/DG

11 7017



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR EXTENSION OF TIME

RECEIVED

FEB 21 1978

Department of Water Resources
Eastern District Office

State of Idaho)
County of Bear Lake)

Permit No. 11-7017

Bear Lake West, Inc. of Fish Haven
(name) (address)

State of Idaho, being first duly sworn, upon his oath deposes and says:

That he is the holder, or the duly authorized agent of the holder *, of Permit to
Appropriate the Public Waters of the State of Idaho No. 11-7017.

That under the terms and conditions of said permit, work thereunder was required
to be completed on or before April 1, 19 78.

That he has heretofore performed the following work described under said permit:

The well has been drilled, & the pump
installed. One 50,000 gal storage facility
has been completed

Costing \$

That he is unable to complete the remainder of the work within the required time for
the following reasons, to-wit: One extension has already

been granted for 5 years. Bear Lake West
Inc. has developed only a small fraction
of the potential no. of domestic units 32 units / 42 units

Wherefore, he asks that the Department of Water Resources extend the time for the
completion of obligations under said permit to April 1, 19 83.

[Signature]
(signature) *

Subscribed and sworn before me this 17 day of FEB, 19 78.

seal

Frank W. Johnson
Notary Public residing at
OGDEN UTAH

My commission expires MY COMMISSION EXPIRES OCT. 8, 1979

ACTION OF THE DIRECTOR OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above application for extension of time be DENIED
pursuant to Sec. 42-204, Idaho Code, which states that a permit holder may only
be granted one extension of time, not exceeding five years.

Witness my hand this 28 day of February, 19 78.

Betty D. Fleener

* IF OTHER THAN HOLDER, Power of Attorney must be supplied. Forms are available
through the Department of Water Resources, Statehouse, Boise, Idaho 83720.

January 31, 1978

CERTIFIED MAIL

138365

Re: Permit No. 11-7017 & 11-7035


Bear Lake West, Inc.
Box 63
Fish Haven, Idaho 83261

Gentlemen:

One of the conditions of approval of your water Permit No. ~~11-7017, 11-7035~~ (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before ~~April 1, 1978~~. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



C. STEPHEN ALLRED
Director

CSA:jfr

Enc: Proof affidavit

March 2, 1978

Re: Permit No. 11-7017 & 11-7035

Bear Lake West, Inc.
Box 63
Fish Haven, Idaho 83261

Gentlemen:

Enclosed is a copy of the DENIED application for extension of time submitted in connection with Permit No. 11-7017. We suggest that you submit proof of beneficial use on the portion of your project that has been completed and at the time you are ready to continue with the development of the remainder of the project a new application for permit will have to be filed. A proof of beneficial use form has been enclosed for your use.

Also enclosed is a copy of the APPROVED application for extension of time on Permit No. 11-7035. The time within which to submit proof of beneficial use of water has been extended to April 1, 1983.

If you have any questions, please do not hesitate to contact us.

Sincerely,

BOBBY D. FLEENOR

BDF:JFR

Encs.



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse
Boise, Idaho 83720
(208) 384-2215

April 10, 1978

Bear Lake West, Inc.
Box 63
Fish Haven, Idaho 83261

Gentlemen:

You are hereby notified that under the provisions of Section 42-218a of the Idaho Code, Permit No. 11-7017 has lapsed since you have not notified us that you have completed the project by the date required on your permit. You were provided forms for that purpose in our notice to you dated January 31, 1978 .

Your permit cannot be reinstated unless you submit the proof of beneficial use affidavit, enclosed, or show other reasonable cause why the permit should be reinstated within 60 days from the date of this lapse notice.

A handwritten signature in cursive script, reading "C. Stephen Allred", is written over a horizontal line.

C. STEPHEN ALLRED
Director

CSA:jfr

Encl.

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT)
NO. 11-7017 IN THE NAME)
OF BEAR LAKE WEST, INC.)

ORDER OF REINSTATEMENT

WHEREAS, on March 4, 1971, the Director of the Department of Water Resources issued Permit No. 11-7017 with a condition of approval that proof of construction of works and application of water to beneficial use be submitted on or before April 1, 1978; and,

WHEREAS, on January 31, 1978, the Department sent a proof due notice to the permit holder; and,

WHEREAS, on April 10, 1978, the Department sent a lapse notice to the permit holder since neither proof of beneficial use nor a request for extension of time had been received from the permit holder; and,


WHEREAS, on April 25, 1983, proof of beneficial use was submitted by the permit holder; and,

WHEREAS, amendments to Section 42-218A, Idaho Code, effective April 8, 1983, provide that the Director may reinstate a permit upon which proof has been submitted subsequent to the sixty day period after the notice of lapsing; and,

WHEREAS, permit holder has shown adequate cause that the permit can be reinstated;

IT IS, THEREFORE, HEREBY ORDERED that permit No. 11-7017 be reinstated; and It Is Further ordered that the priority be advanced to April 25, 1983.

Dated this 15th day of March, 1984.


L. GLEN SAXTON
Chief, Operations Bureau

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 11-7017
~~11-7035~~

Name(s) of Permit Holder: BEAR LAKE WEST, INC.

Post Office Address: P.O. BOX 396

Fish Haven, Idaho 83261

Tel. No. 945-2221

Source of Water: Two (2) Well's

Extent of Use: ☒ Domestic (411) 55 hookups (number of households)
☐ Stockwater _____ (number and type of stock)
☐ Irrigation _____ (acres)
☐ Other _____

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No
Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.



April 22, 1983
Date

Bear Lake West ok
B. W. Johnson
Signature of Permit Holder

REAR L. DE WEST, II.

P.O. Box 396

Fish Haven, Idaho 83261



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

May 20, 1983

Bear Lake West, Inc.
P. O. Box 396
Fish Haven, ID 83261

Gentlemen:

Re: Permit No. 11-7017

The Department received your proof of beneficial use postcard in connection with the above-referenced permit on April 25, 1983. The permit lapsed on April 1, 1978, so the 60-day late period during which the permit can be readily reinstated has passed.

Pursuant to Section 42-218a, Idaho Code, (copy enclosed) the permit can now be reinstated only if you submit the following:

- a) Evidence to show that beneficial use of the water did commence during the authorized permit period of March 4, 1971 to April 1, 1978. This evidence could be in several forms such as a convincing combination of a well driller's log, pumping or power records, affidavits, aerial photos, receipts, etc.
- b) Reasonable cause why the proof of beneficial use was filed late.

Your proof of beneficial use postcard together with any information which may have been submitted with it will remain on file in this office for 60 days to allow you an opportunity to assemble and submit the additional required information.

Please feel free to contact this office if you have additional questions.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

Enclosure

RECEIVED

Bear Lake West

P. O. Box 396
FISH HAVEN, IDAHO 83261

General Offices — Phone (208) 945-2221
Sales Offices — (208) 945-2286 or 945-2287

July 8, 1983

Mr. L. Glen Saxton
Chief, Operations Bureau
State of Idaho
Department of Water Resources
Statehouse
Boise, Idaho 83720

Dear Mr. Saxton:

Pursuant to your letter dated May 20, 1983, please find enclosed documents evidencing beneficial use of Water Permit No. 11-7017 prior to April 1, 1978.

On May 9, 1983, Bear Lake West received confirmation on a Plan of Reorganization under Chapter 11 of the Bankruptcy Code. August 26, 1981, and prior to that time, the Company was disorganized, understaffed, and had tremendous financial problems and did not file the proof of beneficial use on time. Management has undergone various changes also during this period. Because of all of these past internal problems, would you be so kind to reinstate the Water Permit No. 11-7017 because it was and is in actual use.

Sincerely,

Ron W. Lofthouse

RON W. LOFTHOUSE
Controller

RWL/jp

enc.

In the heart of Bridgerland, Bear Lake West cordially invites you to experience a new way of recreational living.

IDAHO DEPARTMENT OF HEALTH & WELFARE
Environmental Services
Boise

D R A F T

REPORT OF WATER SUPPLY

RECEIVED

JUL 12 1983

Year 1976

Place Bear Lake West County Bear Lake Census Population _____

Ownership Blane Hancey, Box 10, Logan, Utah

Supply used by Public

Population served _____

FIELD SURVEY DATA

DESCRIPTION OF SUPPLY: Give a brief description of the source and the main features of treatment, pumping equipment, storage available, adequacy of system, distribution or direct pumping, supervision of additions and extensions from a public health viewpoint, adequacy of pressures, separation between sewers and water mains, laboratory and related controls of quality. If supply is untreated or chlorinated only, describe protection against entrance of contamination. Attach additional sheets if necessary.

General - The system consists of a well, reservoir, and booster pump. Fire hydrants are located on 6" lines only. Another well and reservoir will be added in the future.

Well #1 - A _____ HP submersible pump provides water for the existing system. The system is provided with a gate valve, air release valve and pressure gauge that does not appear to be working. There is no check valve in the pump house. The casing sits 6" above the floor and has a sanitary seal.

The building itself sits on ground level and is heated and lighted. The door needs repair. There is no floor drain and there are numerous mice droppings.

Reservoir - The reservoir is concrete, provided with an overlapping, locked cover, and has an unscreened air vent. The overflow and drain discharge locations are unknown.

(Continued - Attached Sheet)

PUBLIC HEALTH DEFECTS: Describe briefly the sanitary defects such as by-passes, cross connections, emergency intakes to unsafe supplies, inadequate protection against sources of pollution, inadequacy of treatment, defective structural features, possibility of flooding, deficient operating practices, inadequate sanitary control of additions or extensions to system, lack of proper plumbing regulations and enforcement, inadequate control of water in distribution system. Attach additional sheets if necessary.

See Conclusions and Recommendations

Engineer Monty G. Marchus Date of investigation May 18, 1976

Description of Supply (Continued)

Bear Lake West

Booster Pump - The ____ HP booster pump is located in a locked building that is heated and lighted. The building is inadequately protected against surface runoff. The system is provided with a gate valve, check valve, and unscreened air release valve. The method of controlling the booster pump is unknown. The pressure gauge is inoperative.

GREAT BASIN ENGINEERING
3505 Grant Ave.
OGDEN, UTAH 84403

Phone 394-4515

TO BEAR LAKE WEST INC.
P.O. BOX 10
LOGAN, UTAH 84321

LETTER OF TRANSMITTAL

RECEIVED

DATE	SEPT. 9, 1976	JOB NO.	
ATTENTION	MR. BLAINE HANCEY JUL 10 1976		
RE:	BEAR LAKE WESTERN WATER SYSTEM		

GENTLEMEN:

WE ARE SENDING YOU ☒ Attached ☐ Under separate cover via _____ the following items:

☐ Shop drawings ☒ Prints ☐ Plans ☐ Samples ☐ Specifications
☐ Copy of letter ☐ Change order ☐ _____

COPIES	DATE	NO.	DESCRIPTION
1			INFORMATION ON WELL No. 1 PUMP
1			INFORMATION ON PUMP AT RESERVOIR No. 1

THESE ARE TRANSMITTED as checked below:

☐ For approval ☐ Approved as submitted ☐ Resubmit _____ copies for approval
☒ For your use ☐ Approved as noted ☐ Submit _____ copies for distribution
☒ As requested ☐ Returned for corrections ☐ Return _____ corrected prints
☐ For review and comment ☐ _____
☐ FOR BIDS DUE _____ 19 _____ ☐ PRINTS RETURNED AFTER LOAN TO US

REMARKS _____

COPY TO _____

SIGNED: Kent L. Jones

SPECIFICATIONS

2.00 Pipe

This specification covers rigid polyvinyl chloride pipe and fittings, and hereafter called PVC pipe and fittings. PVC pipe shall be manufactured of Type I, Grade L, 2000 psi design stress compound, designated as PVC 1120 and will conform to ASTM D-1784 compound specifications. This pipe will have a maximum hydrostatic working pressure of 200 psi, and will bear the National Sanitary Foundation (NSF) Seal of Approval. Gasketed couplers or integral belled gasket couplers will be used in lieu of solvent welding. The coupler must not display any lack of conformity, i.e., out-of-roundness, off center alignment, irregular end cut; and it shall be homogeneous throughout and free from visible cracks, holes, and foreign inclusions. The coupling shall have a positive pipe stop that will automatically and accurately position the pipe ends within the coupling. The pipe stop shall also permit the thermal expansion or contraction of the pipe ends. A sample of each type of fitting to be used in this system shall be submitted for the engineer's approval and his approval obtained before the purchase of the fittings. The use of white pipe is preferred to reduce heat generated by sun rays.

2.01 Service Connections

All service connections shall be made by means of PVC saddle tees with a stainless steel band and heavy duty lugs and bolt, with coupon retaining steel cutter (Hays Continental "FASTTAP" 714-60F or approved equal). The service line shall be 1 inch CTS Polyethylene tubing as defined by ASTM D-1248-68 as PE Type III (3306). Pipe shall be permanently imprinted with manufacturers brand name, pipe size, commercial standard notation, NSF identification mark of approval, recommended working pressure and production code. The pipe shall have a working pressure of 160 psi at 73.4 F., and must be capable of maintaining a minimum pressure of 340 psi at 73.4 F. for 1000 hours with a minimum burst pressure of 630 psi. Pipe surfaces shall be mirror smooth, and shall be free from bumps and irregularities.

2.02 Pumps

Well No. 1 - The pump located at the site of Well No. 1 is presently supplying pressure within Zone I. Upon completion of Reservoir No. 1, this pump will supply that reservoir directly, resulting in a gravity-pressure system thereafter. The design criteria called for was 90 gpm at 455 feet of total head. The pump in use is a turbine submersible, Fairbanks-Morse Model No. 1506 XL10, which has 15 horse-power, 10 stages, and is 3 phase. Rated capacities are 0 gpm @ 625 feet of head; 75 gpm @ 525 feet of head; and 100 gpm @ 450 feet of head.


Reservoir No. 1 - A pump will be located at the site of Reservoir No. 1 to supply pressure to Zone II until the completion of Reservoir No. 2, at which time this pump will supply directly into the second reservoir, and Zone II will become a gravity-pressure system. The minimum design criteria for this pump is a capability of 65 gpm @ a total head of 300 feet.

Attn: Ken Jones Great Basin Engineering
3505 Grant Ave. #4403
P.O. Box 4403

BERKELEY PUMP COMPANY

TWO STAGE CENTRIFUGAL PUMPS





MOTOR DRIVE



DIMENSIONS 4700
DATE 3-25-70
PAGE 1

SUPERSEDES
NEW

Pump @ Reservoir #1



Model	Fig.	Section	Discharge	D ₁	F ₁	G ₁	H ₁	H ₂	L	Q	λ	Y	Z
1: XPL2	1	2" NPT	1 1/2" NPT	5 1/2"				9/16"	7"		6 1/2"	4-1/16"	3"
1: XPH2	1	2" NPT	1 1/2" NPT	5 1/2"				9/16"	7"		7"	3-3/8"	2 1/2"
1: TP2	1	2" NPT	1 1/2" NPT	5 1/2"				9/16"	7"		7"	3-3/8"	2 1/2"
2: WPL2	3	2" x 6"	2" x 4 1/2"	7"	4"	5"	9/16"	2-7/16"			6"	7-1/8"	4"
2: WPH2	2	2" x 7"	1 1/2" x 6"	7"	1 1/2"	5"	5/8"	1-5/16"			8 1/2"	6-1/8"	1 1/2"
2: ZP2	4	2" x 7"	2" x 6"	7"	5"	5"	9/16"	1-1/16"			9"	6"	1 1/2"
2: EP2	4	3" x 7 1/2"	2 1/2" x 6"	7"	5"	5"	9/16"	2-7/16"			10"	7-1/8"	

Model	Fig.	Frame	A	B ₁	B ₂	D ₂	E ₂	F	G ₂	H ₂	CP	OP	T
1: XPL2	1	182C	8 1/2"		5 1/2"	4 1/2"	3 1/2"	2 1/2"	5/16"	13/32"		11"	
1: XPH2	1	184C	8 1/2"		6 1/2"	4 1/2"	3 1/2"	2 1/2"	5/16"	13/32"		11 1/2"	
1: TP2	1	213C	10 1/2"		7"	5 1/2"	4 1/2"	2 1/2"	5/16"	13/32"		12 1/2"	
2: WPL2	3	215C	10 1/2"		8 1/2"	5 1/2"	4 1/2"	3 1/2"	5/16"	13/32"		12 1/2"	
2: WPH2	2											14"	
2: ZP2	4											14 1/2"	
2: EP2	4											14 1/2"	
2: XPL2	3	256C	12 1/2"		12 1/2"	6 1/2"	5"	5"	3/4"	17/32"		13"	
2: XPH2	2											13 1/2"	
2: TP2	2											13 1/2"	
2: WPL2	3	284C	13 1/2"		12 1/2"	7"	5 1/2"	4 1/2"	3/4"	17/32"		13"	
2: WPH2	2											13 1/2"	
2: ZP2	4											13 1/2"	
2: EP2	4											13 1/2"	
2: XPL2	3	286C	13 1/2"		13 1/2"	7"	5 1/2"	5 1/2"	3/4"	17/32"		13"	
2: XPH2	2											13 1/2"	
2: TP2	2											13 1/2"	
2: WPL2	3	324C	15 1/2"		13 1/2"	8"	6 1/2"	5 1/2"	7/8"	21/32"		16 1/2"	
2: WPH2	2											16 1/2"	
2: ZP2	4	326C	15 1/2"		15 1/2"	8"	6 1/2"	6"	7/8"	21/32"		16 1/2"	
2: EP2	4											16 1/2"	
1: WPL2	1	213C	10 1/2"		7"	5 1/2"	4 1/2"	2 1/2"	5/16"	13/32"		12 1/2"	

*Dimension varies with motor manufacturer, contact factory.
The above dimensions are approximate and not to be used for construction purposes. Certified dimension prints will be furnished upon request.

CLOSE COUPLED CENTRIFUGAL PUMP WITH 10 H.P.

3/60/230-460 VOLT 3500 R.P.M. MOTOR




60 G.P.M. @ 300' D.H.
TYPE "A" TWO STAGE MOTOR DRIVE
CENTRIFUGAL PUMPS

3450 RPM

CURVE	4700
DATE	June 10, 1963
PAGE	7
SUPERSEDES	
Section 2205 No 4.00	
Dated 1-4-54	

Supersedes C-599
Date 4-49

Case: C B L-446, L-447
Impeller: C D LH M-269/S-2045 Full Dia. 7-7/16"
RH M-269A/S-2046




C-4869 BASED ON T-682

Date 12-1-51

MODEL 1 1/2 WP2

Supersedes C-206
Date 1-48

Case: C B M-200
Impeller: C D LH M-186/S-2377 Full Dia. 6-15/16"
RH M-186/S-2378



C-4874 BASED ON T-173

Date 12-1-51

MODEL 2WPL2

3



Bulletin 4700
August 15, 1963

TYPE "A" TWO STAGE HORIZONTAL CENTRIFUGAL PUMPS

FOR FIRE, INDUSTRIAL, FARM AND GENERAL APPLICATION
CAPACITIES: 30 To 400 GPM • HEADS: To 650 Feet

APPLICATION: Berkeley two stage centrifugal pumps are designed for applications beyond the pressure range of single stage centrifugal pumps and for specific conditions requiring limited speeds. High pressure and high efficiency, combined with rugged and compact construction, make these pumps ideal for water supply from wells and streams, hydraulic mining, booster service and other special and general purpose applications.


CONSTRUCTION: The pump, bracket and case are bolted together to form an integral, compact unit, alignment is assured by tenon fits. Impellers are mounted back to back to minimize end thrust. The stuffing box is subjected to only one-half of differential pump pressure plus suction pressure. Renewable wear rings protect case and suction cover against wear when liquids containing abrasives are handled. For salt water or corrosive liquids, pump parts of special alloys can be furnished. Also available with seal construction and replaceable shaft sleeves, or with grease lubricated stuffing box.

SELECTION: Selections are made according to performance curves. When used as a booster pump, the incoming pressure added to pump pressure must not exceed maximum case pressure as indicated in Table 1.


DRIVERS: Berkeley two stage centrifugal pumps are available with electric motors (1750 and 3450 RPM), air-cooled engines and belt, or coupling drives.

ORDERING: When ordering refer to price list for specific pump. Order by complete model number. On engine or motor drive pumps, specify complete driver requirements. All models are available with discharge nozzle in any of four positions, 90 degrees apart.


MOTOR DRIVE



ENGINE DRIVE



BELT DRIVE



MODEL	SUCT. SIZE	DISCHARGE	MAX. CASE PRESS.
1 1/2 T-2	2" N.P.T.	1 1/2" N.P.T.	250 Lbs.
1 1/2 X-2	2" N.P.T.	1 1/2" N.P.T.	300 Lbs.
1 1/2 W-2	2" Flg.	1 1/2" Flg.	300 Lbs.
2Z-2	2 1/2" Flg.	2" Flg.	350 Lbs.
2W-2	2 1/2" Flg.	2" Flg.	350 Lbs.
2E-2	2 1/2" Flg.	2" Flg.	300 Lbs.
2 1/2 E-2	3" Flg.	2 1/2" Flg.	350 Lbs.

TABLE 1

BERKELEY PUMP COMPANY

P. O. Box 7, Station A
Berkeley, California 94712

556 Tift Street
Atlanta, Georgia 30310

P. O. Box 5146
Amarillo, Texas 79107

P. O. Box 336
Grand Island, Nebraska 68801

2740 N.W. 22nd Place
Portland, Oregon 97210

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

MAR 14 1973

APPLICATION FOR EXTENSION OF TIME

Department of Water Administration
Eastern District Office

State of Idaho)

County of Bear Lake)

Permit No. 11-7017

JUL 1983

Bear Lake West, Inc.
(name)

of Box 63, Fish Haven, Idaho
(address)

State of Idaho, being first duly sworn, upon his oath deposes and says:

That he is the holder, or the duly authorized agent of the holder *, of Permit to Appropriate the Public Waters of the State of Idaho No. 11-7017.

That under the terms and conditions of said permit, work thereunder was required to be completed on or before 1 April, 19 73.

That he has heretofore performed the following work described under said permit:

The well has been dug, a pump house has been built, and approximately 3000 feet

of main has been laid. Additional watermain, a storage reservoir, and service

laterals will be constructed in 1973 and the balance in 1974 (Additional cost \$40,000 ±)

Costing \$ 20,000.00

That he is unable to complete the remainder of the work within the required time for the following reasons, to-wit: Housing construction is presently slow. Although only two

residences are in place at this time, lot sales have far exceeded construction

starts. We expect more construction starts in the near future.

Wherefore, he asks that the Department of Water Administration extend the time for the completion of obligations under said permit to 1 April, 19 75.

* [Signature] *
(signature) *

Subscribed and sworn before me this 9th day of March, 19 73.

seal

[Signature]
(notary public)

My commission expires Aug 25, 1974

ACTION OF THE DEPARTMENT OF WATER ADMINISTRATION

I, R. KEITH HIGGINSON, Director of the Idaho Department of Water Administration, State of Idaho, hereby approve the above application for extension of time for Permit
No. 11-7017 to April 1, 1978.

Witness my hand this 23 day of March, 19 73.

[Signature]
Director

* IF OTHER THAN HOLDER, Power of Attorney must be supplied. Forms are available through the Department of Water Administration, Statehouse - Annex 2, Boise, Idaho, 83707.

7017

REPORT OF WELL DRILLER
State of Idaho

State law requires that this report shall be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

WELL OWNER:

Name BEAR LAKE WEST

Address 2520 So STATE STREET
SALT LAKE CITY 10th

Owner's Permit No. _____

NATURE OF WORK (check): Replacement well ☐

New well ☒ Deepened ☐ Abandoned ☐

Water is to be used for: DOMESTIC

METHOD OF CONSTRUCTION: Rotary ☐ Cable ☒

Dug ☐ Other _____

(explain)

CASING SCHEDULE: Threaded ☐ Welded ☒

10 1/2" Diam. from 4 1 ft. to 4 5 ft.

8 3/4" Diam. from 4 1 ft. to 1 30 ft.

6 3/4" Diam. from 1 24 ft. to 1 80 ft.

"Diam. from _____ ft. to _____ ft.

Thickness of casing: 250 Material:

Steel ☒ concrete ☐ wood ☐ other ☐

(explain)

PERFORATED? Yes ☒ No ☐ Type of

perforator used: TORCH

Size of perforations: 6" by 1/4"

194 perforations from 7 3 ft. to 1 28 ft.

70 perforations from 1 24 ft. to 1 78 ft.

perforations from _____ ft. to _____ ft.

perforations from _____ ft. to _____ ft.

WAS SCREEN INSTALLED? Yes ☐ No ☐

Manufacturer's name _____

Type _____ Model No. _____

Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.

Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.

CONSTRUCTION: Well gravel packed? Yes ☐

No. ☐ size of gravel _____ Gravel

placed from _____ ft. to _____ ft. Surface seal

provided? Yes ☒ No ☐ To what depth?

4 5 ft. Material used in seal: CEMENT GRAVEL

Did any strata contain unusable water? Yes ☐

No. ☒ Type of water: _____


Depth of strata _____ ft. Method of sealing

strata off: _____

Surface casing used? Yes ☒ No ☐

Cemented in place? Yes ☒ No ☐

Locate well in section



LOCATION OF WELL: County BEAR LAKE

WY & SE Sec. 27 T. 16 N/S R. 43E

Size of drilled hole: 5" Total
depth of well: 203 Standing water
level below ground: 58-6 Temp.
Fahr. _____ ° Test delivery: 90 gpm
or _____ cfs Pump? ☒ Bail ☐

Size of pump and motor used to make test:

300 GPM TURBINE

Length of time of test: 3 Hrs. 25 Min.

Drawdown: 115 ft. Artesian pressure: ft.

above land surface _____ Give flow _____ cfs

or _____ gpm. Shutoff pressure:

Controlled by: Valve ☐ Cap ☐ Plug ☐

No control ☐ Does well leak around casing?

Yes ☐ No ☐

DEPTH		MATERIAL	WATER YES OR NO
FROM	TO		
FEET	FEET		
0	1	BLACK SILT	
1	6	Boulders	
6	16	TAN CLAY	
16	18	Boulders	
18	36	RED CLAY	
36	42	" " SOME GRAVEL	
42	45	RED & WHITE CLAY & GRAVEL	
45	73	WHITE ROCK HARD	
73	75	" " LOOSE	YES
75	92	" " HARD	
92	118	" " CRACKED	YES
118	121	" " LOOSE	YES
121	133	" " CRACKED	YES
133	147	" " BROKEN	YES
147	155	" " SOLID	
155	160	" " CRACKED	YES
160	165	" " SOLID	
165	180	" " CRACKED LOOSE	YES
180	192	" " CRACKED	YES
192	196	" " LOOSE ROCK	YES
196	203	" " SOLID	

Work started: July 31st 1970

Work finished: JUNE 12 1971

Well Driller's Statement: This well was drilled under my supervision and this report is true to the best of my knowledge.

Name: WESTLAKE DRILLING CONTRACTOR

Address: BENNINGTON IDAHO

Signed by: Bert Westlake

License No. 114 Date: JUNE 26

1971

Use other side for additional remarks

Reinstatement Review

P.N. ~~11-7017~~ 11-7017

Proof Due Date : 4-1-78

DATE PROOF RECEIVED: ~~7/15/83~~ 4/25/83

Additional Info Submitted:

1. H&W Field Survey (Report of Water Supply) 1976
2. Engineer's Report on Pumps
3. Pump Specifications
4. Copy of well drillers Report -drilled June 12, 1971

Reason for not sending in proof timely stated in letter dated July 8, 1983; appears to be acceptable.

sc 3/1/84

March 22, 1984

RE: Permit No. 11-7017

Bear Lake West, Inc.
Box 396
Fish Haven, ID 83261

Gentlemen:

We acknowledge receipt of the statement of beneficial use postcard and the supporting documentation for reinstating the above referenced permit. Enclosed is a copy of the Order of Reinstatement. Please note that the priority date has been advanced to April 25, 1983.

Before a license can be issued, a field examination will be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you or a representative may show him the system.

If you have any questions regarding this matter, please contact this office or our Eastern Regional Office at 525-7161.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc
Enclosure