

Form 202
3/85

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 11-7358
RECEIVED
AUG 25 1986

APPROVED

To appropriate the public waters of the State of Idaho

Department of Water Resources

1. Name of applicant Idaho Dept. of Parks & Recreation Phone 334-3840
Post office address Statehouse Mail, Boise, ID 83720
2. Source of water supply Groundwater which is a tributary of N/A
3. Location of point of diversion is SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of NA $\frac{1}{4}$, Govt. Lot NA
Sec. 13 Township 16 S. Range 44 E. B.M. Bear Lake County; additional
points of diversion if any: None * As per tele- con with Mr. Mews 8-29-86 HWJ
4. Water will be used for the following purposes:
Amount 0.20 for Recreation purposes from May 1 to Sept. 30 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.20 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. 6" diameter well approx. 175'
deep. A 5 hp. 1 phase pump with 10,000 storage tank

b. Height of storage dam None feet; active reservoir capacity N.A. acre-feet; total
reservoir capacity N.A. acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is 6" inches; proposed depth of well is 175' feet.
d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
2 years years (minimum 1 year).

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. N.A.
- b. Stockwatering; list number and kind of livestock. N.A.
- c. Municipal; show name of municipality. N.A.
- d. Domestic; show number of households. N.A.
- e. Other; describe fully. Supply water for campground, day use and shower and restroom facilities at Bear Lake State Park (East side).

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
16S	44E.	13															R		
16S	44E.	24					R												

Total number of acres to be irrigated None

10. Describe any other water rights used for the same purposes as described above. None


11. a. Who owns the property at the point of diversion? Applicant
- b. Who owns the land to be irrigated or place of use? Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. N.A.

12. Remarks: _____

T. 15 S.

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

R. 44 E. R. 45 E.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

M. H. Mawds
(Applicant)

CHIEF, DEVELOPMENT BUREAU

Received by LL Date 8/25/86 Time 1:50 pm Proposed Priority 8/25/86
Fee \$ \$300 Receipted by MD # 39861 Date 8-29-86
Publication prepared by MD Date 9-3-86 Published in NEWS EXAMINER
Publication approved MD Date 10-21-86

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 11-7358, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 19 88.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
Use of water under this permit shall be non-consumptive.

Witness my hand this 14th day of November, 1986.

A. Glen Saylor
Chief, Operations Bureau

No 3161

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Bear Lake

ss.

Therese Stamm

being duly sworn,

deposes and says:

That he is the Editor of THE NEWS-EXAMINER, a weekly newspaper published at Montpelier, in the County of Bear Lake and State of Idaho; and said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Montpelier; that the advertisement, a copy of which is attached hereto, was published in said newspaper once a week for 2 consecutive weeks in the regular and entire issue of said paper during the period and time of publication, and was published in the newspaper proper and not a supplement; that said paper has been established and regularly published for more than seventy-eight consecutive weeks prior to the date of first publication of said advertisement.

Such notice was published in the issue beginning with

October 2, 1986, and ending

with the issue of October 9, 1986

Therese Stamm

Fees, \$23.66

Subscribed and sworn to before me this 10th day
of Oct, 1986

Lin D. Allen

Notary Public, Residing at Montpelier, Idaho

My Commission Expires June 7, 1992

RECEIVED

OCT 20 1986

Department of Water Resources
Eastern District Office

NOTICE OF CORRECTION

Notice is hereby given that Application No. 11-7358 in the name of State of Idaho Dept. of Parks and Rec., Statehouse, Boise, Idaho was incorrectly advertised on Sept. 18, 1986. The Point of Diversion was advertised as being within SWSE Sec. 13 T. 16S R. 44E and the Place of Use as SWSE Sec. 13 T. 16S R. 44 E NENW Sec. 24 T. 16S R. 44 E.

WHEREAS the actual point of diversion is within the SWSE Sec. 13 T. 16S R. 44E and the place of use is within the SWSE Sec. 13 T. 16S R. 44 E NENW Sec. 24 T. 16S R. 44 E.

Any protests against the granting of this permit as a result of this correction must be filed with the Idaho Department of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402, on or before Oct. 20, 1986.

A. Kenneth Dunn
Director

Legal No: 3161-261- Published Oct. 2 and Oct. 9, 1986.

INTER-DEPARTMENT MEMO — 1

FROM Michele Davis

DATE November 3, 1986

TO File

SUBJECT Advertising

The legal advertisement published 9/18/86 had errors in it, so was cancelled before the second advertising. A notice of correction was written and published on 10/2/86 and 10/9/86.

M. Davis

SIGNATURE

NOTICE OF APPLICATION

FOR WATER RIGHT

The following applications have been filed to appropriate
the public waters of the State of Idaho:

11-7358

STATE OF IDAHO

DEPT. OF PARKS & REC., STATEHOUSE, BOISE, ID 83720

Source: GROUNDWATER

Diversion Pt: SWSE Sec 13 T 16S R 44E

Use: RECREATION (0.2 CFS)

Date Filed: 08/25/1986

In: SWSE Sec 13 T 16S R 44E MENW Sec 24 T 16S R 44E

The permits will be subject to all prior water rights.
Protests may be submitted based on the criteria of Sec. 42-203A,
Idaho Code and/or the public interest criteria of Sec. 42-203C,
Idaho Code. Protests must be filed with the Director, Dept. of
Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho,
83402 on or before October 6, 1986.

KEN DUNN

Director

Published 9/18/86 & 9/25/86.

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following applications have
been filed to appropriate the public
waters of the State of Idaho:

11-7358

STATE OF IDAHO

DEPT. OF PARKS & REC.,
STATEHOUSE, BOISE, ID 83720

Source: GROUNDWATER

Diversion Pt.: SWSE Sec 13 T(165)R
44 E

Use: RECREATION (0.2 CFS)

Date Filed: 08/25/1986

In: SWSE Sec 13 T(165)R 44E NENW
Sec 24 T(165)R 44 E

The permits will be subject to all
prior water rights. Protests may be
submitted based on the criteria of Sec.
42-203A, **Idaho Code** and/or the
public interest criteria of Sec. 42-
203C, **Idaho Code**. Protests must be
filed with the Director, Dept. of
Water Resources, 150 Shoup Ave.,
Suite 15, Idaho Falls, Idaho, 83402 on
or before October 6, 1986.

KEN DUNN

Director

Legal No. 3156 —28L— Publish
Sept. 18, 25, 1986.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

150 Shoup Ave., Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

SEPTEMBER 3, 1986

The News-Examiner
P. O. Box 278
Montpelier, Idaho 83254

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billings to this office before OCTOBER 6, 1986.

Yours truly,

RONALD D. CARLSON
Supervisor
Eastern Region

Encl.

September 11, 1986

Idaho Department of Parks & Recreation
Statehouse Mall
Boise, Idaho 83720

Re: Applications for permit No. 11-7358

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned identification no. 11-7358. Please refer to this number in all further correspondence.

This office is currently in the process of advertising the application in the News Examiner. The advertisement will be published for two weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When the permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Enclosed please find your receipt, no. 39861 for the amount of \$30.00

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

Ernest Carlsen
Assistant Regional Supervisor

EC/md

NOTICE OF CORRECTION

Notice is hereby given that Application No. 11-7358 in the name of State of Idaho Dept. of Parks & Rec., Statehouse, Boise, Idaho was incorrectly advertised on Sept. 18, 1986. The Point of Diversion was advertised as being within SWSE Sec 13 T 165 R 44E and the Place of Use as SWSE Sec 13 T 165 R 44E NENW Sec 24 T 165 R 44E.

WHEREAS the actual point of diversion is within the SWSE Sec 13 T 165 R 44E and the place of use is within the SWSE Sec 13 T 165 R 44E NENW Sec 24 T 165 R 44E.

Any protests against the granting of this permit as a result of this correction must be filed with the Idaho Department of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402, on or before Oct. 20, 1986.

A. Kenneth Dunn

Director

Published Oct. 2 and Oct. 9, 1986

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

150 Shoup Ave., Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

SEPTEMBER 24, 1986

The News-Examiner
P. O. Box 278
Montpelier, Idaho 83254

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before OCTOBER 20, 1986.

Yours truly,

RONALD D. CARLSON
Supervisor
Eastern Region

Encl.

NOTICE OF CORRECTION

Notice is hereby given that Application No. 11-7358 in the name of State of Idaho Dept. of Parks and Rec., Statehouse, Boise, Idaho was incorrectly advertised on Sept. 18, 1986. The Point of Diversion was advertised as being within SWSE Sec. 13 T 16S R 44E and the Place of Use as SWSE Sec. 13 T 16S R 44 E NENW Sec. 24 T 16S R 44 E.

WHEREAS the actual point of diversion is within the SWSE Sec. 13 T 16S R 44E and the place of use is within the SWSE Sec. 13 T 16S R 44E NENW Sec. 24 T 16S R 44E.

Any protests against the granting of this permit as a result of this correction must be filed with the Idaho Department of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402, on or before Oct. 20, 1986.

A. Kenneth Dunn
Director

Legal No: 3161 -26L- Published Oct. 2 and Oct. 9, 1986.

September 24, 1986

Idaho Department of Parks & Recreation
Statehouse Mail
Boise, Idaho 83720

Re: Application for permit No. 11-7358

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned identification no. 11-7358. Please refer to this number in all further correspondence.

This office is currently in the process of advertising the application in the News Examiner. The advertisement will be published for two weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When the permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

Ernest Carlsen
Assistant Regional Supervisor

EC/md

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
NOVEMBER 14, 1986

STATE OF IDAHO
DEPT. OF PARKS & REC.
STATEHOUSE
BOISE, ID 83720

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 11-7358

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

YOU SHOULD BE AWARE THAT THE GROUNDWATER YOU PROPOSE TO DIVERT IS LOCATED WITHIN A DRAINAGE BASIN WHERE SURFACE WATERS ARE REGULATED DURING THE MONTHS OF LOW FLOW. IT IS POSSIBLE THAT DIVERSION OF GROUNDWATER MAY HAVE AN ADVERSE IMPACT ON THESE SURFACE WATER FLOWS. INFORMATION AVAILABLE TO US AT THIS TIME DOES NOT WARRANT REFUSING TO ISSUE PERMITS IN YOUR AREA, BUT WE DO CAUTION THAT DIVERSIONS OF GROUNDWATER ARE NOT ALLOWED TO DEplete FLOWS AVAILABLE FOR SURFACE WATER USERS WITH EARLIER PRIORITY DATES. SITING YOUR WELL AS FAR FROM SURFACE SOURCES AS POSSIBLE AND CASING OUT UPPER WATER PRODUCING ZONES MAY REDUCE THE POTENTIAL OF INTERFERENCE.

PLEASE NOTE THE REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

Form 204-p
6/82

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 11-7358
Name(s) of Permit Holder(s): STATE OF ID., Dept. Parks & Rec.
Post Office Address: Statehouse Mail
Boise, Id. Tel. No. 334-3840

☒ I hereby certify that construction of diversion works for the above referenced permit began on 6-23-87 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is
not an acceptable reason.

6-26-87
Date

Melvin M. M...
Signature of Permit Holder

PLACE
STAMP
HERE

RECEIVED

JUN 29 1987



Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPT. OF PARKS & REC.
STATEHOUSE
BOISE, ID 837200000

September 30, 1988

138476

RE: PERMIT NO. 11-07358 PROOF DUE NOTICE

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before December 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

Form 217
03/86

RECEIVED
NOV 30 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received \$50.00
Date 12/1/88
Receipt # 1003708
Receipt by [signature]
Reviewed by [signature]
Sent to region 11.90

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 11-07358

Name(s) of Permit Holder: IDAHO DEPARTMENT OF PARKS AND RECREATION

Post Office Address: STATEHOUSE MAIL, BOISE, IDAHO 83720

Telephone No. 334-2154

Source of Water: GROUNDWATER

Extent of Use:

Domestic _____ (number of households) Stockwater _____ (number and type of stock)

Irrigation _____ (acres) Other/Remark DOMESTIC WATER FOR

DAY USE AREA, R.V. DUMP STATION AND FUTURE CAMPGROUND

Total rate and/or volume for which proof is submitted 0.20 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: MAY 1, 1988

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Fee enclosed \$ 50.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

KIRK RICH - PARK MANAGER
(Name)

945-2790
(Telephone Number)

BOX 252, PARIS, IDAHO 83261
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

11-29-88
Date

[Signature] Chief, Development
Bureau
Signature of Permit Holder (and title, if appropriate)

To: File 11-7358

From: Groundwater Protection

Date: 12/14/88

Drilling Permit: ☐ Not Applicable
☐ Found and in file
☒ Not Found

?

Well Drillers Report:

☐ Not found, due to reported age of well
probably not available
☐ Found and is in file
☒ Not found

?

Follow-up

☒ Request from permit holder the well
drillers report and/or the name of the
well driller, and date drilled.
☐ Ask permit holder when well was drilled
and notify holder of drilling permit
requirement if after July 01, 1987.

December 15, 1988

Idaho Dept. of Parks and Recreation
Statehouse Mail
Boise, ID 83720

RE: Permit No. 11-7358

Gentlemen:

The department received your proof of beneficial use form, however, before completing processing, additional information is needed.

If you have a well driller's report, please send a copy to the department. If you do not have one, please let me know who drilled the well and when it was drilled.

Please remit the requested information by January 15, 1989. Upon receipt of the well information, the department will continue processing the proof by notifying the region that a field exam is needed.

If you have any questions concerning this matter, feel free to contact this office.

Sincerely,

JODI I. SCHULTZ
Clerical Assistant

E. Certification by a registered professional engineer that the project was constructed as approved or as-built drawings within one month of project completion.

RECEIVED
JAN 09 1989

C. Well information:

Well driller Wright Drilling Location: Lat 42° 01' 30" N

Longitude 111° 15' W. Well log Attached.

Test pump information: 5 HP. Water level after pumping (if multiple wells are within 200 yards of each other, they must be pumped simultaneously) 97'.

Maximum pumping rate 50 gpm. Other test pump method or data Pumped 50 gpm for 1 hr draw down stabilized at 4", recover less than 1 min. Test pumped at 100 gpm drawdown stabilized in 1 hr at 18" recovery less than 1 min.

Number of hours for pump test Pump run at 50 gpm or more ~ 4 hrs immediate recovery

Pump curves Attached sample to

private
company

D. Chemical tests* Sample to Bill Smith Bacteria tests* Bill Smith

E. Miscellaneous:

Hydrostatic test results 100 gpm at 100 feet

Pitless adapter test results okay. Chlorine residual remaining after 24 hours of disinfection greater than 5 ppm

Form of chlorine applied (liquid or hypochloride) liquid

Points of application in system through sanitary seal plug


* The necessary sample bottles and forms can be obtained from the State Labs in Pocatello and Idaho Falls. Pay particular attention to the sampling instructions since strong acids are used as preservatives in several bottles. After the initial testing, one bacteria sample shall be collected monthly to insure a permanently safe water supply. This one monthly sample is analyzed free of charge.

Deborah D. Davis
Signature of Project Engineer

Aug 7 1987
Date


Pump installed is a SP8-15

Performance Curves



MODEL
SP 8

NOM. FLOW RATE
40 GPM
FLOW RANGE
22 to 56 GPM
PUMP OUTLET
2" NPT




DIMENSIONS AND WEIGHTS

MODEL NO.	HP	LENGTH (L)	APPROX. UNIT SHIPPING WT. (LBS.)
SP 8-3	1	27 7/8"	35
SP 8-5	1 1/2	33 3/4"	43
SP 8-7	2	41 7/8"	54
SP 8-9	3	47 5/8"	70
SP 8-12	5	58 5/8"	91
SP 8-15	5	63 5/8"	97
SP 8-21	7 1/2*	75 3/4"	164
SP 8-25	7 1/2*	82 3/8"	172
SP 8-30	10*	94 3/8"	201

* A 6" minimum well diameter is required for the SP 8-21 (7 1/2 HP), SP 8-25 (7 1/2 HP) and SP 8-30 (10 HP) models.

Specifications are subject to change without notice.

REMARKS: 2nd



2nd HELPER:

REMARKS 2nd:



Wright Drilling Co.

2800 SOUTH MAIN
NIBLEY, UTAH 84321
PHONE 753-3787

WELL OWNER: *East Shore St Park*

CASING SIZE: *8"-6"*

DATE: *6-23-87*

1st DRILLER: *Scott Harding*

1st HELPER:

2nd DRILLER:

2nd HELPER:

Hours Worked	DEPTH OF HOLE			CHARACTER OF MATERIAL	Depth Encountered		PIPE TALLEY	
	Start of Shift	End of Shift	Feet Drilled		From	To	Joint	Total
1st							<i>8'</i>	
<i>9</i>	<i>9</i>	<i>19'</i>	<i>10'</i>	<i>Shale</i>	<i>2'</i>		<i>19-4</i>	
2nd								

REMARKS 1st:

REMARKS 2nd:

2800 SOUTH MAIN
NIBLEY, UTAH 84321
PHONE 753-3787

WELL OWNER: East Shore St. Park

CASING SIZE: 8'-6"

DATE: 6-24-87

1st DRILLER: SCOTT HARDING

1st HELPER:

2nd DRILLER:

2nd HELPER:

[illegible]

REMARKS 1st: Changed Tool's; made up heavy set of tools; poured socket

REMARKS 2nd:



Wright Drilling Co.

2800 SOUTH MAIN
NIBLEY, UTAH 84321
PHONE 753-3787

WELL OWNER: *East Shore St. Park*

CASING SIZE: *8" - 6"*

DATE: *6-25-87*

1st DRILLER: *Scott Harding*

1st HELPER:

2nd DRILLER:

2nd HELPER:

Hours Worked	DEPTH OF HOLE			CHARACTER OF MATERIAL	Depth Encountered		PIPE TALLEY	
	Start of Shift	End of Shift	Feet Drilled		From	To	Joint	Total
1st								
<i>7</i>	<i>29</i>	<i>35'</i>	<i>7</i>	<i>Shale</i>	<i>2'</i>			
2nd								

REMARKS 1st:

REMARKS 2nd:



Wright Drilling Co.

2800 SOUTH MAIN
NIBLEY, UTAH 84321
PHONE 753-3787

WELL OWNER: East Shore St. Park

CASING SIZE: 8" - 6"

DATE: 6-26-87

1st DRILLER: Scott Harding

1st HELPER:

2nd DRILLER:

2nd HELPER:

Hours Worked	DEPTH OF HOLE			CHARACTER OF MATERIAL	Depth Encountered		PIPE TALLEY	
	Start of Shift	End of Shift	Feet Drilled		From	To	Joint	Total
1st								
7	35	45	10	Shale	2'			
2nd								

REMARKS 1st:

REMARKS 2nd:



Wright Drilling Co.

2800 SOUTH MAIN
NIBLEY, UTAH 84321
PHONE 753-3787

WELL OWNER: East Shore St. Park

CASING SIZE: 8" - 6"

DATE: 6-29-87

1st DRILLER: Scott Harding

1st HELPER:

2nd DRILLER:

2nd HELPER:

Hours Worked	DEPTH OF HOLE			CHARACTER OF MATERIAL	Depth Encountered		PIPE TALLEY	
	Start of Shift	End of Shift	Feet Drilled		From	To	Joint	Total
1st								
10	45	61	16	Shale	2			
2nd								

REMARKS 1st:

REMARKS 2nd:



Wright Drilling Co.

2800 SOUTH MAIN
NIBLEY, UTAH 84321
PHONE 753-3787

WELL OWNER: *East Shore st. Park*

CASING SIZE: *8"-6"*

DATE: *6-30-87*

1st DRILLER: *Scott Harding*

1st HELPER:

2nd DRILLER:

2nd HELPER:

Hours Worked	DEPTH OF HOLE			CHARACTER OF MATERIAL	Depth Encountered		PIPE TALLEY	
	Start of Shift	End of Shift	Feet Drilled		From	To	Joint	Total
1st								
	<i>6</i>	<i>61</i>	<i>68</i>	<i>7</i>	<i>Shale</i>	<i>2</i>	<i>61</i>	
				<i>Limestone</i>	<i>61</i>			
2nd								

REMARKS 1st: *Drilling very slow at 61*

REMARKS 2nd:



Wright Drilling Co.

2800 SOUTH MAIN
NIBLEY, UTAH 84321
PHONE 753-3787

WELL OWNER: *East Shore St. Park*

CASING SIZE: *8"-6"*

DATE: *7-1-87*

1st DRILLER: *Scott Harding*

1st HELPER:

2nd DRILLER:

2nd HELPER:

Hours Worked	DEPTH OF HOLE			CHARACTER OF MATERIAL	Depth Encountered		PIPE TALLEY	
	Start of Shift	End of Shift	Feet Drilled		From	To	Joint	Total
1st								
<i>6</i>	<i>68</i>	<i>75</i>	<i>7</i>	~~<i>shale</i>~~ <i>Gray Limestone</i>	<i>Q</i>			
				<i>shale</i>	<i>61</i>	<i>71</i>		
					<i>71</i>			
2nd								

REMARKS 1st: *Drilling better at 71; Cable broke at Socket. I went to Logan to get Fishing tools*

REMARKS 2nd:



2800 SOUTH MAIN
NIBLEY, UTAH 84321
PHONE 753-3787

WELL OWNER: East Shore St. Park

CASING SIZE: 2"-6"

DATE: 7-2-57

1st DRILLER: Scott Marchinko

1st HELPER:

2nd DRILLER:

2nd HELPER:

REMARKS 1st: making up fishing tools; fishing
for tools finally get a hold of tools
(yell)

REMARKS 2nd:



Wright Drilling Co.

2800 SOUTH MAIN
NIBLEY, UTAH 84321
PHONE 753-3787

WELL OWNER: East shore St. Park

CASING SIZE: 8" - 6"

DATE: 7-3-87

1st DRILLER: Scott Harding

1st HELPER:

2nd DRILLER:

2nd HELPER:

Hours Worked	DEPTH OF HOLE			CHARACTER OF MATERIAL	Depth Encountered		PIPE TALLEY	
	Start of Shift	End of Shift	Feet Drilled		From	To	Joint	Total
1st								
8	75'	83'	8	shale	71	80		
				Hard shale	80			
				Gravel				
2nd								

REMARKS 1st preparing a new socket Began to drill

REMARKS 2nd:



Wright Dolling Co.

2800 SOUTH MAIN
NIBLEY, UTAH 84321
PHONE 753-3787

WELL OWNER: East Shore St. Park

CASING SIZE: 8-6

DATE: 7-8-87

1st DRILLER: Scell Hardin 1st HELPER:

2nd DRILLER: _____ 2nd HELPER: _____

[illegible]

REMARKS 1st: Helping dock

REMARKS 2nd:



Wright Drilling Co.

2800 SOUTH MAIN
NIBLEY, UTAH 84321
PHONE 753-3787

WELL OWNER: Bear Lake State Park East Shore

CASING SIZE: 8"-6"

DATE: 7-9-87

1st DRILLER: Scott Harding

1st HELPER:

2nd DRILLER:

2nd HELPER:

Hours Worked	DEPTH OF HOLE			CHARACTER OF MATERIAL	Depth Encountered		PIPE TALLEY	
	Start of Shift	End of Shift	Feet Drilled		From	To	Joint	Total
1st								
18	100	117	17	Shale & Gravel	97'	108		
				Gray Limestone	108			
2nd								

REMARKS 1st: Picking 1 1/2 inch water at 108'

REMARKS 2nd:



Wright Drilling Co.

2800 SOUTH MAIN
NIBLEY, UTAH 84321
PHONE 753-3787

WELL OWNER: East Shore state Park

CASING SIZE: 8" - 6"

DATE: 7-14-87

1st DRILLER: Scott Harding

1st HELPER:

2nd DRILLER:

2nd HELPER:

Hours Worked	DEPTH OF HOLE			CHARACTER OF MATERIAL	Depth Encountered		PIPE TALLEY	
	Start of Shift	End of Shift	Feet Drilled		From	To	Joint	Total
1st		135	17					
8	117	100	100	Grey Limestone	108			
2nd								

REMARKS 1st:

REMARKS 2nd:



Wright Drilling Co.

2800 SOUTH MAIN
NIBLEY, UTAH 84321
PHONE 753-3787

WELL OWNER: East Shore State Park

CASING SIZE: 8"-6"

DATE: 7-16-87

1st DRILLER: Scott Harding

1st HELPER:

2nd DRILLER:

2nd HELPER:

Hours Worked	DEPTH OF HOLE			CHARACTER OF MATERIAL	Depth Encountered		PIPE TALLEY	
	Start of Shift	End of Shift	Feet Drilled		From	To	Joint	Total
1st								
8	135	142	7	Grey Limestone	108			
2nd								

REMARKS 1st:

REMARKS 2nd:



Wright Drilling Co.

2800 SOUTH MAIN
NIBLEY, UTAH 84321
PHONE 753-3787

WELL OWNER: East Shore State Park

CASING SIZE: 8"-6"

DATE: 6-7-17-87

1st DRILLER: Scott

1st HELPER:

2nd DRILLER:

2nd HELPER:

Hours Worked	DEPTH OF HOLE			CHARACTER OF MATERIAL	Depth Encountered		PIPE TALLEY	
	Start of Shift	End of Shift	Feet Drilled		From	To	Joint	Total
1st								
5								
2nd								

REMARKS 1st: Leak layered tools down in ground
Break joints in fishing tools leading
up trailer with tools

REMARKS 2nd: poured New Socket



Wright Drilling Co.

2800 SOUTH MAIN
NIBLEY, UTAH 84321
PHONE 753-3787

WELL OWNER: East Shore State Park

CASING SIZE: 4" DATE: 7-27-87

1st DRILLER: Scott Harding 1st HELPER:

2nd DRILLER: 2nd HELPER:

Hours Worked	DEPTH OF HOLE			CHARACTER OF MATERIAL	Depth Encountered		PIPE TALLEY	
	Start of Shift	End of Shift	Feet Drilled		From	To	Joint	Total
1st								
10	142	147	5	gray Limestone	108			
2nd								

REMARKS 1st:

REMARKS 2nd:



Wright Drilling Co.

2800 SOUTH MAIN
NIBLEY, UTAH 84321
PHONE 753-3787

WELL OWNER: East Shore State Park

CASING SIZE: 6"

DATE: 7-28-87

1st DRILLER: Scott Harding

1st HELPER:

2nd DRILLER:

2nd HELPER:

Hours Worked	DEPTH OF HOLE			CHARACTER OF MATERIAL	Depth Encountered		PIPE TALLEY	
	Start of Shift	End of Shift	Feet Drilled		From	To	Joint	Total
1st								
12 1/2	147	154		Gray Limestone	108			
2nd								

REMARKS 1st:

REMARKS 2nd:



Wright Drilling Co.

2800 SOUTH MAIN
NIBLEY, UTAH 84321
PHONE 753-3787

WELL OWNER: East Shore State Park

CASING SIZE: 6"

DATE: 7-29-87

1st DRILLER: Scott

1st HELPER:

2nd DRILLER:

2nd HELPER:

Hours Worked	DEPTH OF HOLE			CHARACTER OF MATERIAL	Depth Encountered		PIPE TALLEY	
	Start of Shift	End of Shift	Feet Drilled		From	To	Joint	Total
1st								
10	154	178	24	Gray Limestone	108			
2nd								

REMARKS 1st: drilling better this morning at 155-164 slowed down at 164
15 batters in 50 minutes Bailer is 17 long & 6" wide water level had a drop.

REMARKS: Brake down 7" tools made up
perforated 6" pipe



Wright Drilling Co.

2800 SOUTH MAIN
NIBLEY, UTAH 84321
PHONE 753-3787

WELL OWNER: *Bear Lake Park East Shore*

CASING SIZE: *6"* DATE: *7-31-87*

1st DRILLER: *Scott Harding* 1st HELPER:

2nd DRILLER: 2nd HELPER:

Hours Worked	DEPTH OF HOLE			CHARACTER OF MATERIAL	Depth Encountered		PIPE TALLEY	
	Start of Shift	End of Shift	Feet Drilled		From	To	Joint	Total
1st	<i>A.M.</i>	<i>P.M.</i>						
<i>8</i>	<i>8.00</i>	<i>4.00</i>					<i>20'-0"</i>	<i>40'-0"</i>
							<i>20'-0"</i>	<i>60'-0"</i>
							<i>20'-0"</i>	<i>80'-0"</i>
							<i>20'-0"</i>	<i>100'-0"</i>
							<i>20'-0"</i>	<i>120'-0"</i>
							<i>20'-0"</i>	<i>140'-0"</i>
2nd								
							<i>20'-0"</i>	<i>160'-0"</i>
							<i>20'-0"</i>	<i>180'-0"</i>
							<i>20'-0"</i>	

REMARKS 1st: *Running 6" pipe*

REMARKS 2nd:



Wright Drilling Co.

2800 SOUTH MAIN
NIBLEY, UTAH 84321
PHONE 753-3787

WELL OWNER: *Bear Lake State park East Shore*

CASING SIZE: *6"*

DATE: *8-4-87*

1st DRILLER: *Scott Harding*

1st HELPER: *Ken Wright*

2nd DRILLER:

2nd HELPER:

Hours Worked	DEPTH OF HOLE			CHARACTER OF MATERIAL	Depth Encountered		PIPE TALLEY	
	Start of Shift	End of Shift	Feet Drilled		From	To	Joint	Total
1st	<i>Pm</i>	<i>Pm</i>						
<i>1 Hr</i>	<i>11:35</i>	<i>12:35</i>		<i>Test Pump</i>				
<i>1/2</i>	<i>12:35</i>	<i>1:05</i>		<i>Recovery</i>				
2nd								

REMARKS 1st: *Water temp 38.49° F.*

REMARKS 2nd:

MICROFILMED

MAR 02 1990



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

January 18, 1983

Kenneth S. Wright
Wright Drilling Co.
2800 S. Main
Nibley, UT 84321

Dear Mr. Wright:

Enclosed is your Idaho Well Driller's Certificate of License No. 422 for the year ending June 30, 1983, and a card for your wallet.

Departmental Receipt No. 9898 in the amount of \$25 covering the fee (is enclosed/has previously been given to you).

Also enclosed is driller's plate No. 422 which is to be securely attached to your rig in a visible place.

A supply of Idaho Well Driller Reports are also enclosed. A report for each well drilled should be sent to our Idaho Falls Office within 30 days after the well is completed.

Sincerely,

John E. Beal

JOHN E. BEAL, Supervisor
Construction Permits Section

JEB:ldt

Enclosures

NAME & ADDRESS

WRIGHT, KENNETH S.
2800 South Main Street
Nibley, UT 84321

Phone: (801) 753-3787

License No. 422 issued 1/18/83

PLACE & DATE OF TEST

Idaho Falls - 7/6/81
H8174



IDAHO DEPARTMENT of PARKS & RECREATION

Cecil D. Andrus, Governor

Yvonne S. Ferrell, Director

January 6, 1989

Jodi I. Schultz
Clerical Assistant
Department of Water Resources
Statehouse Mail
Boise, ID 83720

RECEIVED
JAN 09 1989

RE: Permit No. 11-7358

Department of Water Resources

Dear Ms. Schultz:

Enclosed is the Well Driller's report and Pump Curve data for the above referenced well.

If you need more information or have any questions, please give me a call at 334-2154.

Sincerely,

Roger R. Ford
Development Technician

bgm4159J

Enclosure

February 12, 1990

Idaho Department of Parks and Recreation
Statehouse Mail
Boise, ID 83720

Gentlemen:

Re: Permit No. 11-7358
Bear Lake State Park (East Side)

The proof of beneficial use form has been received and the next step is for the department to conduct a field inspection to confirm the use and determine the extent of beneficial use.

An agent from our Eastern Regional office will contact you to schedule a convenient time.

If you have any questions concerning this matter, please contact this office or the Eastern Regional office at 525-7161.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

c: Eastern Region