Identification No. 15 7008

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Cordell Williams &/or Verlin Moon
   post office address Malad City, Idaho 83252
2. Source of water supply ground water which is a tributary of _____
3. a. Location of point of diversion is NE ¼ of NE ¼ of Section 27 Township 15 S
   Range 36 E B.M. Oneida County; additional points of diversion if any: _____

   b. If water is not consumed, it will be discharged into _____ at a point in _____ ¼
   of _____ ¼ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
   Amount 2.80 (cfs or acre-feet per annum) for irrigation purpose from April 1 to Nov. 1 (both dates inclusive)
   Amount 0.02 (cfs or acre-feet per annum) for stockwater purpose from Jan. 1 to Dec. 31 (both dates inclusive)
   Amount _____ (cfs or acre-feet per annum) for _____ purpose from _____ to _____ (both dates inclusive)
5. Total quantity to be appropriated:
   a. 2.82 cubic feet per second and/or
   b. _____ acre feet per annum.
6. Proposed diverting works:
   a. Description of ditches, flumes, pumps, headgates, etc. drilled well, pump, motor & pipe

   b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____
   Period of year during which storage will occur _____ (Mo. Day) to _____ (Mo. Day) inclusive.

   c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years.

   b. Estimated construction cost is $ _____.
8. Description of proposed uses:
   a. If water is **not** for irrigation: Same as 8 b

   (1) Give the place of use of water: _____ ¼ of _____ ¼ of Section _____ Township _____
   Range _____ B.M.

   (2) Amount of power to be generated: _____ hp under _____ feet of head.

   (3) List number of each kind of livestock to be watered 200 head

   (4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

   (5) If water is to be used for other purposes describe: _____

15 7008

15 7008

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
15S	36E	26					40	40											80
		27	40	40			40	40											160

Total number of acres to be irrigated 240

c. Describe any other water rights used for the same purposes as described above.

~~Diversion No. 15-2060, 1.98 cfs, 98 acres~~

Permit No. 15-2060, 1.98 cfs, 98 acres

NCY


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

(Applicant)

15 7008

15 7008

Received by BDF Date 3/8/72 Time 11:30 A

Preliminary check by BDF Fee $45.00 — Rec't # 8145

Receipted by bj Date 3-8-72

Publication prepared by bj Date 3-10-72

Published in Idaho Enterprise, Malad City, ID

Publication dates 3-16&23-72 NCJ

Publication approved CR Date 3-29-72

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by BDF

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 15-7008, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

   a. SUBJECT TO ALL PRIOR WATER RIGHTS.

   b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 1977.

   c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 19 day of April, 1972.

L. Keith Higginson
Director

DEPARTMENT OF WATER ADMINISTRATION

STAFF ANALYSIS

Application No. 15-7008 Name Cordell Williams &/or Verlin Moon,

Source Ground Water

Point of Diversion NE¼NE¼, Sec. 27, T. 15S, R. 36E, B.M., Oneida County

Quantity 2.82 cfs Use irrigation Period Apr. 1 to Nov. 1

Quantity 0.02 cfs Use stockwater Period Jan. 1 to Dec. 31

Quantity _____ Use _____ Period _____

Well Size _____ Diameter _____ Proposed Depth _____ Feet

Use Stockwater for 200 head of livestock; irrigation of 240 acres.

Date Forwarded _____ Date Returned _____ Received by _____

COMMENTS: The NE¼NE¼, Sec. 27 is already licensed for 1"/acre; however, enough additional land is included so that the requested amount does not exceed 1"/acre. Significant water level declines have not been noted in this area. Only a limited amount of ground water irrigation in the immediate area. Artesian aquifer.

RECOMMENDED:

Applied:	Qty.	2.80	Use	irrig.	Period	4/1-11/1	AF/A 3.5	AF 700
	Qty.	0.02	Use	stock	Period	1/1-12/31	AF/A ---	AF 3
	Qty.		Use		Period		AF/A	AF
Maximum:	Qty.	4.0	Use	irrig.	Period	4/1-11/1	AF/A 3.5	AF 700
	Qty.	0.05	Use	stock	Period	1/1-12/31	AF/A ---	AF 3
	Qty.		Use		Period		AF/A	AF

ACTION: Approved x Denied _____

Conditions of approval or reason for denial: The NE¼NE¼, Sec. 27 is fully licensed, no additional water is recommended for it.

Livestock: Rate - (200 x 15)(12)/6500 = 0.05 max.

Volume - (3000)(365)/327,000 = 3 A.F./yr.

By NCY Title District Engineer

NORMAN C. YOUNG Date 3-10-72

15 7008

RECEIVED

MAR 27 1972

Department of Water Administration
Eastern District Office

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Cordell Williams &/or Verlin Moon, Malad City, Idaho has on 3-8-72 submitted Application No. 15-7008 for a permit to appropriate 2.82 cubic feet per second of water from a ground-water source by means of well and pump within the NE¼NE¼, Sec. 27, T. 15S, R. 36E, B.M., Oneida County; to be used from Jan. 1 to Dec. 31 for stockwater purposes for 200 head of livestock, and from Apr. 1 to Nov. 1 for the irrigation of 240 acres within the N½NW¼, Sec. 26; N½NE¼, N½NW¼, Sec. 27, T. 15S, R. 36E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of this permit must be filed with the Idaho Department of Water Administration, 240 South Holmes, Idaho Falls, Idaho 83401, on or before April 3, 1972.

R. KEITH HIGGINSON
Director

Published in the Idaho Enterprise, Malad City, Idaho on March 16 and 23.

Affidavit of Publication

State of Idaho
County of Oneida, ss.

Norma Champneys being first duly sworn on h.. oath, states: That she is Clerk
of the Idaho Enterprise, a newspaper of general circulation in Oneida County, Idaho published weekly at Malad, in said county, that said newspaper has been published in said county uninterruptedly and continuously for over seventy-eight consecutive weeks, prior to the first publication of the annexed notice or advertisement:

That said Idaho Enterprise was at all of the times of publication of said notice a newspaper of general circulation made up of at least four pages of at least five columns each, printed from type matter or stereotyped forms of at least seventeen and three fourths inches depth, and said newspaper during all of the times of publication aforesaid had more than 200 bonafide subscribers thereto living within the county of Oneida in which said newspaper was published at regular intervals not less frequently than once a week.

That the annexed notice was published per clipping attached in the regular and entire edition of said newspaper and not in any supplement thereof for ... successive weekly issues thereof the date of the first publication being the 16. day of March 19.72 the date of the last publication being the 23 day of March 19.72

Norma Champneys

Subscribed and sworn to before me this 23 day of March, 19 72

R. D. Naylor

Notary Public, residing at Malad, Idaho

My Commission expires the 10. day of Oct..., 19 72

Costs: 34. lines at ~~13c~~ 23c per line first insertion $ 7.82

..... lines tabulated at 20c per line $.....

15
~~10c~~ per line each subsequent insertion $ 5.10

TOTAL ..... $ 12.92

(Rates for legal notices are fixed by Idaho law)

15 7008

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that **Cordell Williams &/or Verlin Moon, Malad City, Idaho**

has on **3-8-72** submitted Application No. **15-7008**

for a permit to appropriate **2.82** cubic feet per second ~~acre feet per annum~~

of water from **a ground-water source**

by means of **well and pump**

within the **NE¼NE¼, Sec. 27, T. 15S, R. 36E, B.M., Oneida County;**

to be used from **Jan. 1 to Dec. 31 for stockwater purposes for 200 head of livestock, and from Apr. 1 to Nov. 1 for the irrigation of 240 acres**

for ~~xxxx~~

within the **N½NW¼, Sec. 26; N½NE¼, N½NW¼, Sec. 27, T. 15S, R. 36E, B.M.**

.

If issued, this permit will be subject to all prior water rights. Protests against the granting of this permit must be filed with the Idaho Department of Water Administration, 240 South Holmes, Idaho Falls, Idaho, 83401, on or before

April 3, 1972.

R. KEITH HIGGINSON

Director

Published in the **Idaho Enterprise, Malad City, Idaho**

on ~~March 16~~ and ~~23~~.

acy

15-7008

March 10, 1972

Re: Application for Permit No. 15-7008 - Cordell Williams &/or Verlin Moon

Idaho Enterprise
P.O. Box 205
Malad City, Idaho 83252

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for our review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

> "I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

Very truly yours,

Norman C. Young
District Engineer

NCY:BJ
Enc: Legal notice

Bill submitted 3-29-72. cc

15 7008

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
Statehouse – Annex 2
Boise, Idaho 83707
(208) 384-2215

R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

April 20, 1972

Re: Permit No. 15-7008 - Cordell Williams &/or Verlin Moon

Cordell Williams &/or Verlin Moon
Malad City,
Idaho 83252

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 15-7008. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Very truly yours,

BOBBY D. FLEENOR
Assistant Director

BDF:cr

Enclosures

15 7008

bcc: Eastern District Office

October 29, 1973

Re: Permit No. 15-7008

Cordell Williams &/or Verlin Moon
Malad City,
Idaho 83252

Gentlemen:

Enclosed is a copy of the approved application for amendment in connection with the above referenced permit.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF/JC/jr

Enclosure

15 7008

1515 Lincoln Road

October 18, 1973

Re: Permit No. 15-7008

Mr. Verlin Moon
Malad,
Idaho 83252

Dear Mr. Moon:

We find it necessary to return the application for amendment that we received regarding the above referenced permit and your check No. 92-86 in the amount of $11.00, as the filing fee for amendments is only $10.00.

Please return the amendment with the appropriate filing fee and we will be happy to process it.

I am also returning the proposed withdrawal of Application for Permit No. 15-7019. It was my understanding that at the time of your visit, you wished to have this application approved for the maximum legal amount. I have forwarded it to Boise with the recommendations that it be approved for 0.8 c.f.s.

If you have any questions, do not hesitate to contact this office.

Very truly yours,

NORMAN C. YOUNG
District Engineer

NCY:mb
Enc: Check No. 92-86
Amendment

15 7008

1515 Lincoln Road

October 24, 1973

Re: Permit No. 15-7008

Mr. Verlin W. Moon
Malad,
Idaho 83252

Dear Mr. Moon:

Attached herewith is departmental receipt No. 12601 in the amount of $10.00 for amending the above permit which was received in this office under the above date.

Very truly yours,

NORMAN C. YOUNG
District Engineer

NCY:mb

Attachment

15 7008

RECEIVED
$10.00 Receipt# 12601
OCT 18 1973
MB
Department of Water Administration
Eastern District Office

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

APPLICATION FOR AMENDMENT

Permit No. 15-7008

Comes now Cordell Williams &/or Verlin Moon of (address) Malad City, Idaho, and represents to the State Reclamation Department of Water Administration

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 15-7008, and requests that the permit and permit map be changed as follows:

1. Point of diversion: NE ¼ NE ¼; Sec. 27, T. 15S, R. 36E, B.M. Other points of diversion NE¼NW¼, Sec. 26, T. 15S, R. 36E, B.M.

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)

NO CHANGE mo. - day mo. - day

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

3. Place of use or land to be irrigated:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
15S	36E	27	20	20			40	40											120
"	"	26					40	40		40									120


Total number of acres to be irrigated 240

IDAHO DEPARTMENT OF WATER ADMINISTRATION
EASTERN DISTRICT OFFICE
210 S. HOLMES
IDAHO FALLS, IDAHO 83401

15 7008

15 7008

Complete the following map by showing land and point of diversion as proposed by this amendment. Show 40 acre subdivisions, sections, townships, ranges, and ditches.



Scale: 2 inches equal 1 mile

That no one will be injured by such change, and that such change will be made at permit holder's own risk

Signed at MALAD CITY, this 16 day of October 19 73

Dulin Moon
(signature)

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

I, R. KEITH HIGGINSON, Director of the Department of Water Administration hereby approve the above application for amendment for Permit No. 15-7008.

Witness my hand this 29 day of October, 19 73

R. Keith Higginson
Director

January 31, 1977 CERTIFIED MAIL 138229

Re: Permit No. 15-7008

Gordell Williams &/or Verlin Moon
Malad,
Idaho 83252

Dear Mr. Williams and Mr. Moon:

One of the conditions of approval of your water Permit No. 15-7008 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before April 1, 1977. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.

R. Keith Higginson

R. KEITH HIGGINSON
Director

RKH:jg
Enc: Proof affidavit

March 2, 1977

C Re: Permit No. 15-7008

O Cordell Williams &/or Verlin Moon
Malad,
Idaho 83252

Gentlemen:

P We are returning the proof affidavit you recently submitted as we need additional information. We have marked the places in red which you should complete. Enclosed is a copy of the permit and amendment to assist you.

Sincerely,

V JANICE RENK
Water Rights

Encl.

May 4, 1977

Re: Permit No. 15-7008

Cordell Williams &/or Verlin Moon
Malad City,
Idaho 83252

Gentlemen:

On April 1, 1977, the proof of beneficial use was due on your Permit No. 15-7008. We received your proof of beneficial use in March, 1977 but returned it to you for additional information. As of this date we have not heard from you concerning your proof. Enclosed is an additional proof of beneficial use affidavit for your use.

If you have any questions in completing the affidavit please contact us or you might wish to visit our office in Idaho Falls at 1515 Lincoln Rd.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jfr

Encl.

June 7, 1977

Re: Permit No. 15-7008

Cordell Williams &/or Verlin Moon
Malad City, Idaho
83252

Gentlemen:

Enclosed is a form for filing proof of beneficial use of water on the above referenced permit. Please complete and return this form to us on or before June 28, 1977, or this permit will have to lapse and be of no further force or effect. Enclosed is a copy of your permit to assist you in the completion of this proof affidavit.

If you have any questions regarding this matter, please contact this office or you may wish to visit our Regional Office at 1515 Lincoln Road in Idaho Falls. Their phone number is 523-7186.

Sincerely,

BOBBY D. FLEENOR
Chief, Operations Bureau

BDF:jfr

Encls.

RECEIVED
JUN 24 1977
Department of Water Resources
Eastern District Office

OK per letter dated 3/2/77

Identification No. _____

Permit No. 15-7008

RECEIVED
JUN 27 1977
Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

1. a) Name of Permit Holder CORDELL WILLIAMS/ OR VERLIN MOON

b) Post Office Address RT 1 MALAD, IDAHO 83252

2. Permit Number 15-7008

3. Date of Priority that you are prepared to establish 3-08-72

4. a) Source from which water was appropriated ground water

b) Location of the point of diversion: NE ¼ NE ¼, Section 27 Township 15S, Range 36E Boise Meridian, Other points of diversion: NE¼NW¼, Sec. 26, T. 15S, R. 36E, B.M.

5. a) The amount of water and use to which the water has been applied:

Amount 2.80 (cfs and/or acre-feet per annum) for Irrigation purposes from Apr. 1 (Month-Day) to Nov. 1 (Month-Day) incl.

Amount 0.02 (cfs and/or acre-feet per annum) for Stockwater purposes from Jan. 1 (Month-Day) to Dec. 31 (Month-Day) incl.

Amount _____ (cfs and/or acre-feet per annum) for _____ purposes from _____ (Month-Day) to _____ (Month-Day) incl.

b) Total amount appropriated 2.82 cfs and/or acre-feet per annum

c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: N.A.

6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:

a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: N.A.

b) Describe the agreement or understanding by which you take water from the works: N.A.

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 100 Hp. w/ 12" casing 320 ft. deep (27) (26) 40 Hp. 12" well , sprinkler system, stockwatering troughs

b) Describe the type and size of measuring device which you have installed at your point of diversion: BADGER METER

c) Give well driller's name and address and the date the well was completed: Yarbrough Well Drilling, completed in June 1976

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use: Stockwater for 200 head livestock

7/19/77 by

If you are irrigating 15 or more acres, please submit an aerial photo of the property with this affidavit.

9. Irrigation uses: describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: _____

T	R	SEC.	NE¼				NW¼				SW¼				SE¼				TOTAL
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
15S	36E	27	20	20			40	40											120
		26					40	40		40									120

Total number of acres irrigated 240

10. Remarks: _____

The above information is a true statement of the extent to which the above numbered permit has been developed.

6/24/77
(Date)

Wallace Mower
(Signature)

State of Idaho)
) ss.
County of Bonneville)

On this 24th day of June, 1977, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Ronald D Carlson
Notary Public residing at
Idaho Falls, Idaho

My commission expires 2/14/78

July 25, 1977

Re: Permit No. 15-7008

Cordell Williams &/or Verlin Moon
Route 1
Malad, Idaho 83252

Gentlemen:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our Regional Office in Idaho Falls.

Sincerely,

JANICE RENK
Water Rights

RECEIVED

MAR 27 1972

Department of Water Administration
Eastern District Office

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Cordell Williams &/or Verlin Moon, Malad City, Idaho has on 3-8-72 submitted Application No. 15-7008 for a permit to appropriate 2.82 cubic feet per second of water from a ground-water source by means of well and pump within the NE¼NE¼, Sec. 27, T. 15S, R. 36E, B.M., Oneida County, to be used from Jan. 1 to Dec. 31 for stockwater purposes for 200 head of livestock, and from Apr. 1 to Nov. 1 for the irrigation of 240 acres within the N½NW¼, Sec. 26; N½NE¼, N½NW¼, Sec. 27, T. 15S, R. 36E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of this permit must be filed with the Idaho Department of Water Administration, 240 South Holmes, Idaho Falls, Idaho 83401, on or before April 3, 1972.

R. KEITH HIGGINSON
Director

Published in the Idaho Enterprise, Malad City, Idaho on March 16 and 23.

Affidavit of Publication

State of Idaho
County of Oneida, ss.

Norma Champney being first duly sworn on h.. oath, states: That she is Clerk

of the Idaho Enterprise, a newspaper of general circulation in Oneida County, Idaho published weekly at Malad, in said county, that said newspaper has been published in said county uninterruptedly and continuously for over seventy-eight consecutive weeks, prior to the first publication of the annexed notice or advertisement:

That said Idaho Enterprise was at all of the times of publication of said notice a newspaper of general circulation made up of at least four pages of at least five columns each, printed from type matter or stereotyped forms of at least seventeen and three fourths inches depth, and said newspaper during all of the times of publication aforesaid had more than 200 bonafide subscribers thereto living within the county of Oneida in which said newspaper was published at regular intervals not less frequently than once a week.

That the annexed notice was published per clipping attached in the regular and entire edition of said newspaper and not in any supplement thereof for ... successive weekly issues thereof the date of the first publication being the 16. day of March 19.72 the date of the last publication being the 23. day of March 19.72

Norma Champney

Subscribed and sworn to before me this 23. day of March, 19 72

N. A. Naylor

Notary Public, residing at Malad, Idaho

My Commission expires the 10. day of Oct., 1973

Costs: 34. lines at ~~12~~ 23 c per line first insertion $. 7.82

..... lines tabulated at 20c per line $.....

~~10~~ 15 c per line each subsequent insertion $. 5.10

TOTAL $12.92

(Rates for legal notices are fixed by Idaho law)

15 7008

DEPARTMENT OF WATER ADMINISTRATION

STAFF ANALYSIS

Application No. 15-7008 Name Cordell Williams &/or Verlin Moon,

Source Ground Water

Point of Diversion NE¼NE¼, Sec. 27, T. 15S, R. 36E, B.M., Oneida County

Quantity 2.82 cfs Use irrigation Period Apr. 1 to Nov. 1

Quantity 0.02 cfs Use stockwater Period Jan. 1 to Dec. 31

Quantity _____ Use _____ Period _____

Well Size _____ Diameter _____ Proposed Depth _____ Feet

Use Stockwater for 200 head of livestock; irrigation of 240 acres.

Date Forwarded _____ Date Returned _____ Received by _____

COMMENTS: The NE¼NE¼, Sec. 27 is already licensed for 1"/acre; however, enough additional land is included so that the requested amount does not exceed 1"/acre. Significant water level declines have not been noted in this area. Only a limited amount of ground water irrigation in the immediate area. Artesian aquifer.

RECOMMENDED:

Applied: Qty. 2.80 Use irrig. Period 4/1-11/1 AF/A 3.5 AF 700

Qty. 0.02 Use stock Period 1/1-12/31 AF/A --- AF 3

Qty. _____ Use _____ Period _____ AF/A _____ AF _____

Maximum: Qty. 4.0 Use irrig. Period 4/1-11/1 AF/A 3.5 AF 700

Qty. 0.05 Use stock Period 1/1-12/31 AF/A --- AF 3

Qty. _____ Use _____ Period _____ AF/A _____ AF _____

ACTION: Approved X Denied _____

Conditions of approval or reason for denial: The NE¼NE¼, Sec. 27 is fully licensed, no additional water is recommended for it.

Livestock: Rate - (200 x 15)(12)/6500 = 0.05 max.

Volume - (3000)(365)/327,000 = 3 A.F./yr.

By NCY Title District Engineer

NORMAN C. YOUNG Date 3-10-72

15 7008

Identification No. 15 7008

Application No. _____

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho

(TYPE OR PRINT IN INK)

1. Name of applicant Cordell Williams &/or Verlin Moon

   post office address Malad City, Idaho 83252

2. Source of water supply ground water which is a tributary of _____

3. a. Location of point of diversion is NE ¼ of NE ¼ of Section 27 Township 15 S

   Range 36 E B.M. Oneida County; additional points of diversion if any: _____

   b. If water is not consumed, it will be discharged into _____ at a point in _____ ¼

   of _____ ¼ of Section _____ Township _____ Range _____ B.M. _____

4. Water will be used for the following purposes:

   Amount 2.80 (cfs or acre-feet per annum) for irrigation purpose from April 1 to Nov. 1 (both dates inclusive)

   Amount 0.02 (cfs or acre-feet per annum) for stockwater purpose from Jan. 1 to Dec. 31 (both dates inclusive)

   Amount _____ (cfs or acre-feet per annum) for _____ purpose from _____ to _____ (both dates inclusive)

5. Total quantity to be appropriated:

   a. 2.82 cubic feet per second and/or

   b. _____ acre feet per annum.

6. Proposed diverting works:

   a. Description of ditches, flumes, pumps, headgates, etc. drilled well, pump, motor & pipe

   b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____

   Period of year during which storage will occur _____ (Mo. Day) to _____ (Mo. Day) inclusive.

   c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years.

   b. Estimated construction cost is $ _____.

8. Description of proposed uses:

   a. If water is **not** for irrigation: Same as 8 b

   (1) Give the place of use of water: _____ ¼ of _____ ¼ of Section _____ Township _____ Range _____ B.M.

   (2) Amount of power to be generated: _____ hp under _____ feet of head.

   (3) List number of each kind of livestock to be watered 200 head

   (4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

   (5) If water is to be used for other purposes describe: _____

15 [illegible]

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
15S	36E	26					40	40											80
		27	40	40			40	40											160

Total number of acres to be irrigated: 240

c. Describe any other water rights used for the same purposes as described above.

~~Diversion No. 15-2060, 1.07 cfs, 98 acres~~

Permit No. 15-2060, 1.98 cfs, 98 acres


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

(Applicant)

15 7008

Received by BDF Date 3/8/72 Time 11:30 A

Preliminary check by BDF Fee $45.00 — Rec't # 8145

Receipted by [illegible] Date 3-9-72

Publication prepared by bj Date 3-10-72

Published in Idaho Enterprise, Malad City, ID

Publication dates 3-16&23-72

Publication approved CR Date 3-29-72

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by BDF

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 15-7008, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

   a. SUBJECT TO ALL PRIOR WATER RIGHTS.

   b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 1977.

   c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 19 day of April, 1972.

Director

RECEIVED
$10.00 Receipt # 12601
OCT 18 1975
MB
Department of Water Administration
Eastern District Office

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

APPLICATION FOR AMENDMENT

Permit No. 15-7008

Comes now Cordell Williams &/or Verlin Moon of (address) Malad City, Idaho, and represents to the State Reclamation Department of Water Administration

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 15-7008, and requests that the permit and permit map be changed as follows:

1. Point of diversion: NE ¼ NE ¼, Sec. 27, T. 15S, R. 36E, B.M. Other points of diversion NE¼NW¼, Sec. 26, T. 15S, R. 36E, B.M.

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)

NO CHANGE mo. - day mo. - day

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

3. Place of use or land to be irrigated:


TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
15S	36E	27	20	20			40	40											120
"	"	26					40	40		40									120

Total number of acres to be irrigated 240

IDAHO DEPARTMENT OF WATER ADMINISTRATION
EASTERN DISTRICT OFFICE
HOLMES
FALLS, IDAHO 83401

15 7008

Complete the following map by showing land and point of diversion as proposed by this amendment. Show 40 acre subdivisions, sections, townships, ranges, and ditches.



Scale: 2 inches equal 1 mile

That no one will be injured by such change, and that such change will be made at permit holder's own risk

Signed at MALAD CITY, this 16 day of October, 19 73

Dallie Moon
(signature)

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

I, R. KEITH HIGGINSON, Director of the Department of Water Administration hereby approve the above application for amendment for Permit No. 15-7008.

Witness my hand this 29 day of October, 19 73

R. Keith Higginson
Director

State of Idaho

Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 15-7008 Priority March 8, 1972 Amount 2.80 cfs

THIS IS TO CERTIFY, that CORDELL WILLIAMS &/or VERLIN MOON of Malad City, Idaho, has complied with the terms and conditions of Permit No. 15-7008 issued pursuant to Application for Permit dated March 8, 1972, and has submitted proof to the Department of Water Resources on June 27, 1977, that he has applied water to a beneficial use; an examination by the Department indicates that the works have a capacity for the diversion of 4.49 cfs of water from a groundwater source, tributary to _____, and that the permit holder has applied to a beneficial use and established a right to use water as follows:

Beneficial Use	Period of Use		Rate of Diversion	Annual Volume
Irrigation	from April 1	to November 1	at 2.80 cfs and	840 acre feet
	from	to	at cfs and	
	from	to	at cfs and	

(both dates inclusive)

Subject, however, to the condition that no more than 2.80 cfs of water be diverted at any one time, and that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed 840 acre feet per year, said waters to be diverted within the NE¼NE¼, Sec. 27; NE¼NW¼ Sec. 26, Twp. 15S, Rge. 36E, B.M. in the County of Oneida

Description and location of place of use:

Twp.	Range	Sec.	NE¼				NW¼				SW¼				SE¼				Totals
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
15S	36E	26					40	11		40									91
		27					40	40											80

Total number of acres irrigated 171

This license when used in combination with License No. 15-2060 shall provide the diversion of no more than 2.22 cfs from well # 1, located in the NE¼NE¼, Sec. 27, Twp. 15S, Rge. 36E, B.M., County of Oneida.
Maximum rate of diversion of well # 2, located within the NE¼NW¼, Sec. 26, Twp.15S Rge. 36E, shall not exceed 2.27 cfs.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 30 day of April, 19 81.

Director

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Cordell Williams &/or Verlin Moon, Malad City, Idaho

has on 3-8-72 submitted Application No. 15-7008

for a permit to appropriate 2.82 cubic feet per second ~~acre feet per annum~~

of water from a ground-water source

by means of well and pump

within the NE¼NE¼, Sec. 27, T. 15S, R. 36E, B.M., Oneida County;

to be used from Jan. 1 to Dec. 31 for stockwater purposes for 200 head of livestock, and from Apr. 1 to Nov. 1 for the irrigation of 240 acres

~~for~~

within the N½NW¼, Sec. 26; N½NE¼, N½NW¼, Sec. 27, T. 15S, R. 36E, B.M.

.

If issued, this permit will be subject to all prior water rights. Protests against the granting of this permit must be filed with the Idaho Department of Water Administration, 240 South Holmes, Idaho Falls, Idaho, 83401, on or before April 3, 1972.

R. KEITH HIGGINSON

Director

Published in the Idaho Enterprise, Malad City, Idaho

on ~~March 16~~ and 23.

ACY

15-7008

March 10, 1972

Re: Application for Permit No. 15-7008 - Cordell Williams &/or Verlin Moon

Idaho Enterprise
P.O. Box 205
Malad City, Idaho 83252

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for our review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

Very truly yours,

Norman C. Young
District Engineer

Bill submitted 3-29-72. cl

NCY:BJ
Enc: Legal notice

15 7008

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
Statehouse – Annex 2
Boise, Idaho 83707
(208) 384-2215

R. Keith Higginson
Director
Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

April 20, 1972

Re: Permit No. 15-7008 - Cordell Williams &/or Verlin Moon

Cordell Williams &/or Verlin Moon
Malad City,
Idaho 83252

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 15-7008. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Very truly yours,

BOBBY D. FLEENOR
Assistant Director

BDF:cr

Enclosures

15 7008

bcc: Eastern District Office

October 29, 1973

Re: Permit No. 15-7008

Cordell Williams &/or Verlin Moon
Malad City,
Idaho 83252

Gentlemen:

Enclosed is a copy of the approved application for amendment in connection with the above referenced permit.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF/JC/jr

Enclosure

15 7008

1515 Lincoln Road

October 18, 1973

Re: Permit No. 15-7008

Mr. Verlin Moon
Malad,
Idaho 83252

Dear Mr. Moon:

We find it necessary to return the application for amendment that we received regarding the above referenced permit and your check No. 92-86 in the amount of $11.00, as the filing fee for amendments is only $10.00.

Please return the amendment with the appropriate filing fee and we will be happy to process it.

I am also returning the proposed withdrawal of Application for Permit No. 15-7019. It was my understanding that at the time of your visit, you wished to have this application approved for the maximum legal amount. I have forwarded it to Boise with the recommendations that it be approved for 0.8 c.f.s.

If you have any questions, do not hesitate to contact this office.

Very truly yours,

NORMAN C. YOUNG
District Engineer

NCY:mb
Enc: Check No. 92-86
Amendment

15 7019

1515 Lincoln Road

October 24, 1973

Re: Permit No. 15-7008

Mr. Verlin W. Moon
Malad,
Idaho 83252

Dear Mr. Moon:

Attached herewith is departmental receipt No. 12601 in the amount of $10.00 for amending the above permit which was received in this office under the above date.

Very truly yours,

NORMAN C. YOUNG
District Engineer

NCY:mb

Attachment

15 7008

Overlap Review for 15-7008 & 15-7019

License 15-2060 same P/D gw NENE Sec. 27 #1

1.96 cfs / 98 AC = .02 cfs/AC

P/U Sec 27 NENE(36) NWNE(38)
Sec 26 NWNW(24)

Permit 15-7008

2.8 cfs / 171 AC = .016 cfs/AC

P/D gw NENE Sec. 27 #1
NENW Sec. 26 #2

P/U Sec. 27 NENW(40) NWNW(40)
Sec. 26 NENW(40) NWNW(11)
SENW(40) no overlap w/ 15-2060

Permit 15-7019

This right will not confine issuance of license 15-7008

.80 cfs / 91 AC = .009 cfs/AC

P/D gw NENW Sec. 26 #2

P/U Sec. 26 NENW(40) NWNW(11)
SENW(40) no overlap w/ 15-2060

RA 3/25/81

1.96
2.80
4.76

4.49 = capacity of pump
use conditions limiting diversion to capacity.

DEPARTMENT OF WATER RESOURCES
FIELD REPORT

JUL 27 1977
Department of Water Resources
Eastern District Office

1. Name of permit holder Cordell Williams &/or Verlin Moon
   Post office address Rt. 1, Malad Idaho 83252 Phone _____
   Person to contact _____ Phone _____

2. Source of water supply: Groundwater ☑ Surface water ☐ _____
   (name spring, stream, etc.)
   Tributary to _____

3. Water will be used for the following purposes:
   Amount 2.80 c.f.s. for Irrigation
   _____ AF/Annum (nature of use)
   Period of Use: from Apr. 1 to Nov. 1
   (mo.-day) inclusive (mo.-day)
   Amount 0.02 c.f.s. for Stockwater (200 head)
   _____ AF/Annum (nature of use)
   Period of Use: from Jan. 1 to Dec. 31
   (mo.-day) inclusive (mo.-day)
   Amount _____ c.f.s. for _____
   _____ AF/Annum (nature of use)
   Period of Use: from _____ to _____
   (mo.-day) inclusive (mo.-day)
   Other uses: _____

Permit No. 15-7008
Examination for b/u

4. Total amount to be appropriated:
   Max Rate of Diversion 2.82 cubic feet per second and annual volume _____ AF/Annum.

5. Location of Point(s) of Diversion:
   Township 15S N/S, Range 36E E/W, B.M., Section 27, Subdivision NE ¼ NE ¼, Oneida County
   Township " N/S, Range " E/W, B.M., Section 26, Subdivision NE ¼ NW ¼, _____ County
   Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ ¼ _____ ¼, _____ County
   Other Points of Diversions: _____

Description of diverting works: 100 hp w/12" casing, 320' deep (Sec. 27) 40 hp 12" well, sprinkler system, stockwatering troughs (Sec. 26)

Measuring device required: yes ☑ no ☐

6. Lands to be irrigated or place of use.

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
15S	36E	27	20	20			40	40											120
		26					40	40		40									120

TOTAL ACREAGE 240

Rge. 36E






Diagram of System



ARK



THIS PHOTO COPY IS NOT TO SCALE
1970 FLIGHT

NOT TO SCALE

DATE OF EXAM 13th day of July, 1979

ACREAGE
Found 268a ✓
Recommended 171a ✓

Irrigation Requirement 3.5 Ac Ft/Ac

USE
Irrigation Q= 2.80 c.f.s. V= 840 AF/Ann. from April 1 to Nov 1
Domestic Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____
Livestock Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____

Is water co-mingled? yes____ no X

Name source: not applicable
twp.____N/S, Rge____E/W, B.M., Sec.____, Sub.____¼____¼____
County

Exchange? yes____ no X

Name source exchanged with: not applicable
twp.____N/S, Rge____E/W, B.M., Sec.____, Sub.____¼____¼____
County

Point of injection: not applicable
twp.____N/S, Rge____E/W, B.M., Sec.____, Sub.____¼____¼____
County

Point of exchange: not applicable
twp.____N/S, Rge____E/W, B.M., Sec.____, Sub.____¼____¼____
County

Total Q measured 4.49 cfs Method of measurement Annubar

Total Q recommended 2.80 Meter No. Eagle eyemeter 80 meter Type 7.98 amm Condition Standard

Total V recommended 840 AF/yr

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
(None)

MEASUREMENT CALCULATION: well #1 - NE¼ NE¼ sec 27 -
measured 997 gpm; 997 gpm ÷ 448.8 gpm/cfs = 2.22 cfs
well #2 - NE NW Sec 26 - measured 1,019 gpm; 1,019 gpm ÷ 448.8 gpm/cfs = 2.27 cfs.
@ total = 4.49 c/s. Allow 2.8 AS per permit

V= 240a x 3.5 AF/a = 840 AF/yr
1.9835 x 2.80 x 214 dys = 1188.5 AF/yr

SYSTEM DESCRIPTION:
Well #1 - NE¼NE¼ Sec 27 - Groundwater is diverted by a 40HP U.S Motors electric Vertical pump motor - 3ph - 5/a - 3130497. and by a Peerless Vertical turbine pump #193181.
Well #2 - NE¼NW¼ sec 26 - Groundwater is diverted by a 100 HP General Electric tri-clad Vertical induction motor - m/a - 5K6267XH1A, s/n - DMJ-414148 and by a Johnston Vertical turbine pump. #5852OR. Acreage is irrigated by ¾ - ⅞ mi long lateral handlines and 3-¼ mi long lateral wheel moves in Sec 26 & sec 27 P/D only

REMARKS:
License # 15-2060 for 1.96 cfs for 98 ac which overlap with lands under this permit. The 2 wells are not presently interconnected but they can be during times of need.

System shown, operated & described by Cordell Williams & Vontine Moore

Examiner's Signature Anthony R. Kozlowski Date Nov. 1, 1979

Checked by Josh D. Carlson Date 4/10/80

Approved by Robyn Date 3/25/81

See attached

S e of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

March 26, 1981

Cordell Williams &
Verlin Moon
Rt. 1
Malad, Idaho 83252

Dear Sirs,

A representative of this Department has made an examination of the works covered by your Permit No. 15-7008 , and has found the following:

Amount of water that can be recognized as beneficially used under Idaho law: 2.80 cfs Source: groundwater

The maximum quantity diverted shall not exceed 840 acre feet per year.

Point(s) of diversion: NE¼NE¼, Sec. 27; NE¼NW¼, Sec. 26, Twp. 15S, Rge. 36E, B.M.

Beneficial use: Irrigation of 91 acres within the N½NW¼, SE¼NW¼, Sec. 26; 80 acres within the N½NW¼, Sec. 27, Twp. 15S, Rge. 36E.

Priority date established: March 3, 1972

Conditions (if any): ~~This right when combined with all other rights shall provide no more than 3.5 afa per acre for the lands above.~~ removed from original letter Jim (2) This license when used in combination with License No. 15-2060 shall provide the diversion of no more than 2.22 cfs from well # 1 located in the NE¼NE¼, Sec. 27, Twp. 15S, Rge. 36E, B.M., County of Oneida.

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

INTER-DEPARTMENT MEMO — 1

FROM Tyler S

DATE 4-10-81

TO Jim J

SUBJECT Jim, I agree w/ NCY note.
I think the lic should show
that "the max rate of div under
this lic + lic 15-2060 ~~should~~ shall not
exceed 4.49 cfs."

TYS

SIGNATURE

15-2060 (1.76)
15-7008 (2.85)

Cap-2.77


15-7008 (2.90)
15-7019 (.89)

Cap=2.77

Jim:
Let's discuss

Jim J.
Show cond
Max. diversion
rate shall not exceed
4.49 cfs —
I don't see how this
is achieved by restricting
only one well.
JCG

2.80	=	.0164
(62)	=	.0068
3.42		.0232



1.96 + 2.3 = 4.26 Asmt used #4

9.8 ➤

State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
~~K. STEPHEN ALLRED~~
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

May 4, 1981

Cordell Williams &
Verlin Moon
Rt. 1
Malad City, Itaho 83252

Dear Sirs,

RE: License No. 15-7008

Enclosed is a copy of the Water Right License issued on the above referenced Permit.

Please be advised that one of the conditions of your permit was that a measuring device be installed as part of your diversion works. That requirement has been waived with issuance of the enclosed license. However, in the event that water supply shortages become a problem installation of measuring devices may be required.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:mr
Enclosure