

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 15-7123

To appropriate the public waters of the State of Idaho

1. Name of applicant David E. Evans Phone (707) 446-9052
Post office address 519 Fruitvale Rd. Vacaville, CA 95688
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is _____ 1/4 of NW 1/4 of NE 1/4, Govt. Lot _____
Sec. 15 Township 14S Range 36E B.M. Oneida County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.03 for Stockwater purposes from 4-1 to 12-30 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.03 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. Well and pump for stockwater - up to
100 head.
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 8 inches; proposed depth of well is 170 feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

8. Description of proposed uses (if irrigation only, go to item 9):
- a. Hydropower; show total feet of head and proposed capacity in KW. _____
 - b. Stockwatering; list number and kind of livestock. 100
 - c. Municipal; show name of municipality. _____
 - d. Domestic; show number of households. _____
 - e. Other; describe fully. _____

9. Description of place of use:
- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
 - b. If water is used for other purposes, place a symbol of the use (example: *D* for *Domestic*) in the corresponding place of use below. See instructions for standard symbols.


TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
14S	36E	15		S															

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. NA
11. a. Who owns the property at the point of diversion? Applicant
- b. Who owns the land to be irrigated or place of use? Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

David E. Evans
(Applicant)

Received by PAW Date 6-25-90 Time 11:55A Preliminary check by
Fee \$ 30.00 Received by HUT # E014900 Date 6-25-90
Publication prepared by LB Date 9-4-90 Published in Idaho Enterprise
Publication approved LB Date 10-12

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. , and said application is hereby .

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before , 19 .
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

No 1260

AFFIDAVIT OF PUBLICATION

RECEIVED

STATE OF IDAHO, }
County of Oneida }

OCT 4 1990

Department of Water Resources
Eastern District Office

Sandra Strubbs being duly sworn,

deposes and says: That she is the secretary of THE IDAHO ENTERPRISE, a weekly newspaper published at Malad, in the County of Oneida and State of Idaho; that said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Malad; that the advertisement, a copy of which is attached hereto, was published in said newspaper once a week for 2 consecutive weeks in the regular and entire issue of said paper during the period of time of publication, and was published in the newspaper proper and not a supplement; that said paper has been established and regularly published for more than seventy-eight consecutive weeks prior to the date of first publication of said advertisement.

Such notice was published in the issue beginning with

September 6, 19 90, and ending with the issue of September 13, 19 90

Sandra Strubbs

Fee \$ 65.84

Subscribed and sworn to before me this 3rd day

of October, 19 90

Wanda A. Lottman

Notary Public, Residing at Malad, Idaho

My Commission Expires 29, 19 94

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

15-07117

ALDER, JENNIE
ALDER, JEFF
440 S. MAIN
MALAD, ID 83252
Source: GROUNDWATER
Diversions Pt:

NENE Sec 4 T 15S R 36E
Use: IRRIGATION (3,000 CFS)
Total Diversion: (3,000 CFS)

Date Filed: 1/19/1990

In: T15S R36E S04

NENE NWNE SWNE SENE
NESE NWSE

150.0 ACRES TOTAL

15-07122

JONES, CAROL D.
JONES, DEON D.
RT. 1 BOX 133
MALAD CITY, ID 83252
Source: SPRING Tributary: SINKS
Diversions Pt:

SESENE Sec 8 T 14S R 36E
Use: IRRIGATION (.100 CFS)
STOCKWATER (.030 CFS)

Total Diversion: (.100 CFS)

Date Filed: 4/17/1990

In: T14S R36E S08

NESW

5.0 ACRES TOTAL

15-07123

EVANS, DAVID E
519 FRUITVALE ROAD
VACAVILLE, CALIFORNIA 95688
Source: GROUNDWATER
Diversions Pt:

NWNE Sec 15 T 14 S R 36E
Use: STOCKWATER (.030 CFS)

Total Diversion: (.030 CFS)

Date Filed: 6/25/1990

In: T14S R36E S15

NWNE

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Eastern Region, 150 Shoup Avenue, Suite 15, Idaho Falls, Idaho 83402 on or before SEPTEMBER 24, 1990.

R. KEITH HIGGINSON,
Director

No. 1260
9-6-13 T2

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 15-07123

Proposed Priority: June 25, 1990 Maximum Diversion Rate: 0.03 CFS

This is to certify, that DAVID E. EVANS
519 FRUITVALE RD.
VACAVILLE, CA 95688

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
STOCKWATER	04/01 to 12/30	0.03 CFS

LOCATION OF POINT(S) OF DIVERSION: NWNE Sec. 15, Township 14S, Range 36E
ONEIDA County

PLACE OF USE: STOCKWATER

TWN RGE SEC


14S 36E 15 NWNE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 1991.
2. Subject to all prior water rights.
3. Stockwater use is for 100 head.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

14th day of November, 1990.

for 
R. Keith Higginson, Director

14-Aug-1990

DAVID E. EVANS
519 FRUITVALE RD.
VACAVILLE, CA 95688

RE: Application for Permit No. 15-7123

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Idaho Enterprise on SEPTEMBER 6 & 13, 1990. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Eastern Region, 150 Shoup Avenue, Suite 15, Idaho Falls, Idaho 83402 on or before SEPTEMBER 24, 1990.

R. KEITH HIGGINSON, Director

Published 9/ 6/1990 & 9/13/1990

15-07123

EVANS, DAVID E.
519 FRUITVALE RD.
VACAVILLE, CA 95688

Source: GROUNDWATER

Diversion Pt: NWNE Sec 15 T 14S R 36E

Use: STOCKWATER (.030 CFS)
Total Diversion: (.030 CFS)

Date Filed: 6/25/ 1990

In: T14S R36E S15 NWNE



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

November 15, 1990

DAVID E. EVANS
519 FRUITVALE RD.
VACAVILLE, CA 95688

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 15-07123

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

Form 235-1
7/90

Drilling Permit No. 15-90-E-008
Water Right Permit No. _____
Injection Permit No. _____

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT

RECEIVED
AUG 2 1990

Department of Water Resources

1. Applicant (please print) BOB EVANS
2. Mailing Address 42 E. SPENCERLAND
MALAD, ID 83252 Telephone _____
(X) Well Owner () Well Operator () Other, specify _____
3. Proposed well location NW 1/4 NE 1/4, or Gov't Lot No. _____
Sec. 15, Twp. 14S, Rge. 36E, County Bannock
Street Address of Well Site _____
Lot, block and subdivision _____
4. Proposed use of well:
(X) Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purposes in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.
Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.
() Non-Domestic: Any beneficial use not included within the definition of domestic.
() Injection
() Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____
5. Well construction information:
A. (X) New well () Deepen () Replace - See Condition 9
B. Proposed Surface Diameter 6" Proposed Maximum Depth 300'
C. Anticipated bottom hole temperature:
(X) 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212° or more (Geothermal well)
6. Construction Start Date 6-5-90
7. Anticipated Well Driller DUBBE DRILLING
NOTE: The actual well driller must be identified prior to drilling.
8. Applicant's signature _____ Date _____
Title _____
(Owner, Firm Representative, Other)

ACTION OF THE DEPARTMENT OF WATER RESOURCES


This Permit is APPROVED Date 7-31-90

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:



Signature of Authorized Department Representative

EASTERN REGIONAL MANAGER

Title


Receipt No. E015060 Received by RB Fee \$10.00 Date 7-31-90

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

[illegible]



STATE OF IDAHO

For Office Use Only
Amt. of Fee \$
Date
Receipt No. N/A
Received by

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 15-07123 Telephone No. (707) 446-9052
2. Name(s) of Permit Holder(s): DAVID E. EVANS
3. Post Office Address: 519 FRUITVALE Rd VACAVILLE CALIF. - 95688
4. Source of Water: GROUND WATER
 - a. If ground water, well driller's name: W.H. Dubbe Date drilled: 6-90
 - b. Pump horsepower: one Pressure (psi): -0- Dynamic pumping level (ft.): 285'
5. Extent of Use:

Domestic _____ (No. of households)	Irrigation _____ (No. of acres)
Stockwater <u>100</u> (No. and type of stock)	Other _____
6. Total rate and/or volume for which proof is submitted 1.03 cfs -0- acre/feet
7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device:	Required? <u>Yes</u> ☒ <u>No</u>	Installed? <u>Yes</u> ☐ <u>No</u>
OR		
Flow Measurement Port:	Required? <u>Yes</u> ☒ <u>No</u>	Installed? <u>Yes</u> ☐ <u>No</u>
8. Fee Enclosed: \$ None (See License Examination Fee Schedule)
9. Person to contact to accompany the Department representative during the field examination:

<u>Robert H. Evans</u> Name	<u>(208) 766-4585</u> Telephone No.
<u>Malad Idaho Downey Route 83252</u> Address	
10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Nov. 28, 1990
Date

David E. Evans
Signature (and title if on behalf of a company or organization)

January 3, 1991

DAVID E. EVANS
519 FRUITVALE RD.
VACAVILLE, CA 95688

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 15-07123

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 15-07123

Priority: June 25, 1990

Maximum Diversion Rate:

0.03 CFS

Maximum Diversion Volume:

1.1 AF

This is to certify, that DAVID E EVANS
519 FRUITVALE RD
VACAVILLE CA 95687

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated June 25, 1990; and
has submitted Proof of Beneficial Use on November 30, 1990. An examination indicates
that the works have a diversion capacity of .040 cfs of water from a GROUNDWATER
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	04/01 to 12/30	0.03 CFS	1.1 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNE , Sec. 15, Township 14S, Range 36E
ONEIDA County

PLACE OF USE: STOCKWATER

TWN RGE SEC

14S 36E 15 NWNE

CONDITIONS/REMARKS:


1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Stockwater use is for 100 range cattle.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 24TH
day of MARCH, 1994.

Acting for. Keith Higginson, Director

[illegible]

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GEORGEOS	1 1/2	# 9218	—	82456905

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

E. NARRATIVE/REMARKS/COMMENTS

* WELL WITH SUB. PUMP TO TWO STOCKWATER TROUGHS.

PUMP IS OPEN DISCHARGE TO TROUGHS

* USED APRIL 1 TO DEC. 30

* USE FOR 100 RANGE CATTLE

Have conditions of permit approval been met? ☐ yes ☐ no

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

$$Q_{THEOR} = \frac{HP(8.814)EFF}{LIFT + (2.308 * PSE)}$$

* STATIC H₂O 230
FR. WELL LOG

* PSI 5 LBS/IN²
OPEN DISCHARGE

$$Q_{THEOR} = \frac{1.5HP(8.814) * .7 EFF}{230' LIFT + (2.308 * 5 PSI)} = 0.04 CFS$$

G. VOLUME CALCULATIONS

LIMITED BY PERMIT TO 0.03

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$$

2. Volume Calculations for Other Uses:

FROM IDWR SDS: 100 RANGE CATTLE = 1.4 AFA (ALL YEAR)

SEASON = 274 DAYS (4-1 TO 12-30)

$$AFA = \frac{274 \text{ DAYS}}{365 \text{ DAYS}} * 1.4 AFA = 1.05 AFA$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
STOCKWATER	4-1	12-30	0.03	1.05
Totals:			0.03	1.05 AFA

2. Recommended Amendments


☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name PAUL MEYER Date 1-12-94


Reviewer _____ Date _____ SEAL

15-07123



GEUNTOR 1.5 x 9212

MODEL 82456905



connector pipe at ground level



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 25, 1994

DAVID E EVANS
519 FRUITVALE RD
VACAVILLE CA 95688

RE: WATER RIGHT NO. 15-07123

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in cursive script, appearing to read 'Jim Johnson'.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure