

U O I D

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To appropriate the public waters of the State of Idaho

Ident. No. 15-7195
#68935

1. Name of Applicant KIRK CORBRIDGE Phone 208-766-0919
Mailing address 2390 N. 100 W. MALAD, ID. 83252
2. Source of water supply groundwater which is a tributary of _____
3. Location of point of diversion is Township 14S Range 36E Sec. 9, in the _____ 1/4,
NE 1/4, NE 1/4, Govt. Lot _____, B.M. Cweida County;
additional points of diversion if any: _____
4. Water will be used for the following purposes:
- | | |
|---|--|
| Amount <u>6.38</u> for <u>Irrigation</u> | purposes from <u>4-1</u> to <u>10-31</u> (both dates inclusive) |
| (cfs or acre-feet per annum) | |
| Amount <u>2 cfs</u> for <u>Stockwater</u> | purposes from <u>1 Jan</u> to <u>31 Dec</u> (both dates inclusive) |
| (cfs or acre-feet per annum) | |
| Amount _____ for _____ | purposes from _____ to _____ (both dates inclusive) |
| (cfs or acre-feet per annum) | |
| Amount _____ for _____ | purposes from _____ to _____ (both dates inclusive) |
| (cfs or acre-feet per annum) | |
| Amount _____ for _____ | purposes from _____ to _____ (both dates inclusive) |
| (cfs or acre-feet per annum) | |
| Amount _____ for _____ | purposes from _____ to _____ (both dates inclusive) |
| (cfs or acre-feet per annum) | |
5. Total quantity to be appropriated is (a) 6.40 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
- a. Describe type and size of devices used to divert water from the source well; pump to a sprinkler system for irrigation and troughs for stockwater
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet
- c. Proposed well diameter is 20" inches; proposed depth of well is 200' feet
- d. Is ground water with a temperature of greater than 85°F being sought? NO
- e. If well is already drilled, when? _____; Drilling firm _____;
Well was drilled for (well owner) _____; Drilling Permit No. _____
7. Time required for completion of works and application of water to proposed beneficial use is 5 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
- a. Hydropower; show total feet of head and proposed capacity in kW.
- b. Stockwatering; list number and kind of livestock. 450 cows + 450 calves
- c. Municipal; show name of municipality.
- d. Domestic; show number of households.
- e. Other; describe fully. _____

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
14S	36E	9	40 ³	40	40	25							40	40 ³					225
		16		40 ³	14		30	30											114
																			339

Total number of acres to be irrigated 339

10. Describe any other water rights used for the same purposes as described above. Shares in deep creek irrigation & Malad Valley Irrigation.

11. a. Who owns the property at the point of diversion? applicant

b. Who owns the land to be irrigated or place of use? applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____


12. Remarks: _____

13. MAP OF PROPOSED PROJECT REQUIRED - Attach an 8½"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Frank Carlsberg
Signature of Applicant (and title, if applicable)

Received by DD Date 2-28-01 Time _____ Preliminary check by JWF
Fee \$ 490 Receipted by APRIL SUMM # ED26505 Date 28-Feb-01
Publication prepared by SC Date 3/15 & 3/22/01 Published in Idaho Enterprises
Publication approved _____ Date _____



RECEIVED

MAY - 4 2001

Department of Water Resources

Ident. No. 15-7195

State of Idaho
DEPARTMENT OF WATER RESOURCES

Amended

APPLICATION FOR PERMIT

Amended

To appropriate the public water of the State of Idaho

1. Name: KIRK CORBRIDGE
2390 N. 100 W.
MALAD ID 83252

2. Source: GROUND WATER

3. Location of Point of
GROUND WATER
ONEIDA County

SE1/4NE1/4

Sec. 9, Twp 14S, Rge 36E, B.M.

4. Water will be used for the following

Purpose	From	To	RATE OF DIVERSION	ANNUAL VOLUME
IRRIGATION	04/01	to 10/31	6.38 CFS	
STOCKWATER	01/01	to 12/31	0.20 CFS	

5. Total quantity to be appropriated is: 6.40 CFS

6. Proposed diverting works:

Point of Diversion #1

Description of ditches, flumes, pumps, headgates, etc.
Well and pump to a sprinkler system and water troughs.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 year(s).

8. PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
14S 36E 9	40.0	40.0	40.0	25.0							40.0	40.0					225.0
14S 36E 16			40.0	14.0	30.0	30.0											114.0

Total Acres: 339

PLACE OF USE: STOCKWATER

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
14S	36E	9	X											X					
14S	36E	16		X															

9a. Who owns the property at the point of diversion? If other than applicant, describe the arrangement enabling the applicant to make this filing.

APPLICANT

9b. Who owns the land to be irrigated or place of use? If other than applicant, describe the arrangement enabling the applicant to make this filing.

APPLICANT

10. Remark

Shares in Deep Creek Irrigation and Marsh Valley Irrigation. The point of diversion has been amended from the original advertisement.

11. Map of proposed point of diversion and place of use attached? []

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Received by _____ Date _____ Time _____ Preliminary check by Applicant
Publication prepared by SC Date 4/5 & 4/12/01 Published in The Enterprise
Publication approved _____ Date _____

Receipt No. E026505

Date: _____

Received by: _____

See letter
from applicant

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 15-07195

Priority: 02/28/2001

Maximum Diversion Rate: 6.40 CFS

This is to certify, that KIRK CORBRIDGE
2390 N 100 W
MALAD ID 83252

has applied for a permit to appropriate water from:

Source: GROUND WATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 10/31	6.38 CFS
STOCKWATER	01/01 to 12/31	0.20 CFS

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER SE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 9, Twp 14S, Rge 36E, B.M. ONEIDA County

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
14S 36E 9	40.0	40.0	40.0	25.0							40.0	40.0					225.0
14S 36E 16		40.0	14.0		30.0	30.0											114.0

Total Acres: 339

PLACE OF USE: STOCKWATER

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
14S 36E 9	X											X					
14S 36E 16		X															

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before July 1, 2006.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
5. After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.


State of Idaho
Department of Water Resources
Permit to Appropriate Water


NO. 15-07195

CONDITIONS OF APPROVAL

6. The right holder shall use the full allotment of appurtenant surface water rights in conjunction with groundwater diverted for irrigation purposes under this right and shall only divert groundwater under this right for irrigation purposes when water from the appurtenant surface water rights cannot be delivered to the right holder.
7. If the surface water right(s) appurtenant to the place of use is sold, transferred, leased or used on any other place of use, this right to divert groundwater shall not be used for irrigation purposes without an approved transfer pursuant to Section 42-222, Idaho Code, or approval of the Department if a transfer is not required.
8. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.5 afa per acre at the field headgate for irrigation of the lands above.
9. Stockwater use is for 900 cows and calves.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 2nd day of July, 2001.


for
KARL J DREHER, Director



Form 100-10070

Drilling Permit No.

Tag No.

Water Right Permit No.

Injection Permit No.

0021033

768688

15-07195

WELL DRILLER: PLEASE COMPLETE FOR VERBALS

DWR Employee Issuing Verbal:

Verbal Issued Date:



State of Idaho

Department of Water Resources

app 865934

well 340681

APPLICATION FOR DRILLING PERMIT
(FOR THE CONSTRUCTION OF A WELL)

1. Applicant (please print): Kirk Corbridge

2. Mailing Address: 2390 N. 100W

City & State MALAD ID.

Zip Code 83252

Telephone 208-766-0919

☒ Well Owner

☐ Well Operator

☐ Contractor or Other, specify

3. Proposed Well Location: Twp 14S, Rge 36E, Sec 9, SE 1/4 NE 1/4

Gov't Lot No. _____ County ONEIDA Lat. _____ Long. _____

Street Address of Well Site SAME City MALAD

Lot, block and subdivision _____

4. Proposed Use of Well:

☐ DOMESTIC: The use of water for homes, organization camps, public campgrounds, livestock (1,000 head or less) and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 15,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

NON-DOMESTIC:

☒ Irrigation

☐ Municipal

☐ Industrial

☒ Stock

☐ Test

☐ Other

(Describe)

☐ INJECTION

☐ MONITORING: A well bore schematic and map is required for each blanket permit.

No. of proposed wells: _____

5. Well Construction Information:

A. ☒ New Well

☐ Modify

☐ Replace

B. Proposed Casing Diameter 20"

Proposed Maximum Depth 400'

C. Anticipated bottom hole temperature:

☐ 35 F or less

☐ 35 F to 212 F

☐ 212 F or more

(Cold Water Well)

(Low Temp. Geo. Well)

(Geothermal Well)

Construction Start Date: May 10-01

Anticipated Well Driller:

(Mike FRANSSEN)

Drilling

MT. WEST

Driller's Lic. No.

543

NOTE: The actual well driller must be identified prior to drilling

4/25/01

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is approved Date April 25-2001

If Approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY.

GENERAL CONDITIONS:

1. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless extension has been granted.
2. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well. All wells must be drilled a minimum distance of 100 feet from a drain field. Domestic and Public Water Supply well must be drilled a minimum of 50 feet and 100 feet respectively from a septic tank.
3. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
4. Approval of this drilling permit does not authorize trespass on the land of another party.
5. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
6. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
7. If a bottom hole temperature of 85 or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.

SPECIFIC CONDITIONS:

Donnie Dunn Idaho Water Resources Dept
Signature of Authorized Department Representative Title

Receipt No. ED26659 Received by DIO Fee 200.00 Date 4/25/01

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____
Extension expires _____



Drilling Permit No. D0021033
15-7195

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

REQUEST FOR EXPEDITED ISSUANCE OF A DRILLING PERMIT

Kirk Corbridge, Applicant, requests issuance of a drilling permit prior to approval of a pending Application for Permit or Application for Transfer on file with this department. The request is made for the following reasons:

Redoing our whole pump station, new plot, mainline
and what requirements needed for power are determined
by water & size of horse hp. So we would like to get this
done all in one project and know where we stand for
Electricity to finish the project. Hoping this will
be done so we can irrigate before our reservoir water
runs out in July.

Applicant acknowledges that by accepting a drilling permit and commencing construction he accepts all risk that the well may not ultimately be approved for use.

4/25/01
Date

Kirk Corbridge
Signature

ADDENDUM TO DRILLING PERMIT

1. APPLICATIONS, AS NECESSARY, ARE ON FILE SEEKING AUTHORIZATION TO USE THE WELL FOR THE PURPOSE FOR WHICH IT IS BEING DRILLED.
2. THERE ARE NO APPARENT REASONS THAT THE PENDING APPLICATIONS WILL NOT BE APPROVED AUTHORIZING USE OF THE WELL.
3. THE APPLICANT HAS REQUESTED BY LETTER THROUGH HIS AGENT THAT EXPEDITED APPROVAL IS NEEDED FOR IMMEDIATE CONSTRUCTION.
4. THE DRILLING PERMIT IS CONDITIONED TO SHOW THAT THERE IS NO AUTHORIZATION FOR DIVERSION AND USE OF WATER UNTIL THE WATER RIGHT APPLICATION IS APPROVED.
5. THE APPLICANT BY ACCEPTING THIS DRILLING PERMIT AND COMMENCES CONSTRUCTION ACKNOWLEDGES THAT HE ACCEPTS ALL RISK THAT THE WELL MAY NOT BE APPROVED FOR USE.



State of Idaho

DEPARTMENT OF WATER RESOURCES

900 N. Skyline Dr., Suite A, Idaho Falls, Idaho 83402-1718 - (208) 525-7161- Fax (208) 525-7177

EASTERN REGION

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

March 08, 2001

Legal Notice Department

Idaho Enterprise

PO Box 205

Malad City ID 83252

RE: Application for Permit No. 15-7195

Dear LEGAL NOTICE DEPARTMENT:

Enclosed you will find a legal notice which we wish to have published in your newspaper on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before April 2, 2001. Your cooperation is appreciated.

Sincerely,

Sharla Cox

Administrative Assistant

*mailed
3/8/01
SC*

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

15-7195

KIRK CORBRIDGE

2390 N. 100 W.

MALAD ID 83252

Point(s) of Diversion: NENE S9 T14S R36E ONEIDA County

Source GROUND WATER

Use: IRRIGATION 04/01 To 10/31 6.38 CFS

Use: STOCKWATER 01/01 To 12/31 0.2 CFS

Total Diversion: 6.4 CFS

Date Filed: 02/28/2001

Place Of Use: IRRIGATION

T14S R36E S16 NWNE SWNE NENW NWNW

T14S R36E S9 NENE NWNE SWNE SENE SWSW SESW

Number of Acres 339

Place Of Use: STOCKWATER

T14S R36E S16 NWNE

T14S R36E S9 NENE SESW

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec 42-203A, Idaho Code.

Any protest against the approval of this application must be filed with the Director, Dept. of Water Resource, Eastern Region, 900 N Skyline Dr Ste A, Idaho Falls ID 83402 together with a protest fee of \$25.00 for each application on or before April 2, 2001. The protestant must also send a copy of the protest to the applicant.

KARL J DREHER, Director

Published on March 15 and 22, 2001



State of Idaho

DEPARTMENT OF WATER RESOURCES

900 N. Skyline Dr., Suite A, Idaho Falls, Idaho 83402-1718 - (208) 525-7161- Fax (208) 525-7177

EASTERN REGION

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

March 08, 2001

KIRK CORBRIDGE
2390 N. 100 W.
MALAD ID 83252

RE: Application for Permit No 15-7195

Dear Applicant(s):

The Department of Water Resources acknowledges receipt of your water right application. Please refer to the above referenced number in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the Idaho Enterprise on March 15 and 22, 2001. Submittal of protests to this application will be allowed for a period ending ten days after the second publication.

If the application is protested you will be sent a copy of the protest(s). All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

Please feel free to contact this office if you have any questions.

Sincerely,

Harold W. Jones
Harold W Jones
Water Right Supervisor

HWJ:sc

March 16, 2001

Harold Jones
Eastern Region
900 N. Skyline Dr. Suite A
Idaho Falls, Id. 83402-1718

RECEIVED
MAR 19 2001
Department of Water Resources
Eastern Region

Dear Mr. Jones,

Here is the request to change the point of diversion for our application re:
15-7195 to the SE of the NE quarter. Thanks and enclosed is the \$ 50.00 for the
application amendment.

Sincerely,

Kirk Corbridge



Receipt # E026557

NOTICE OF APPLICATION
FOR AMENDMENT OF APPLICATION FOR PERMIT
15-07195

Notice is given that KIRK CORBRIDGE, 2390 N. 100 W., MALAD ID 83252, to reflect a corrected poing of diversion to read the SENE S9 T14S R36E, ONEIDA County.

The permit will be subject to all prior water rights. Any protest against approval of the proposed amendment must be filed with the Department of Water Resource, Eastern Region, 900 N Skyline Dr Ste A, Idaho Falls ID 83402 together with a protest fee of \$25.00 for each application on or before April 23, 2001. The protestant must also send a copy of the protest to the applicant.

KARL J DREHER, Director

Published on April 5 and 12, 2001



State of Idaho

DEPARTMENT OF WATER RESOURCES

900 N. Skyline Dr., Suite A, Idaho Falls, Idaho 83402-1718 - (208) 525-7161- Fax (208) 525-7177

EASTERN REGION

March 28, 2001

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

Legal Notice Department
Idaho Enterprise
PO Box 205
Malad City ID 83252

RE: Application for Permit No. 15-7195


Dear **LEGAL NOTICE DEPARTMENT**:

Enclosed you will find a legal notice which we wish to have published in your newspaper on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before April 23, 2001. Your cooperation is appreciated.

Sincerely

Sharla Cox
Administrative Assistant





State of Idaho
DEPARTMENT OF WATER RESOURCES

900 N. Skyline Dr., Suite A, Idaho Falls, Idaho 83402-1718 - (208) 525-7161- Fax (208) 525-7177

EASTERN REGION

March 20, 2001

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

Kirk Corbridge
2390 N 100 W
Malad ID 83252

RE: Applications for Amended Permit #15-07195

Dear Applicant:

This office is currently in the process of advertising the application in the Idaho Enterprise on April 5 and 12, 2001. The advertisement will be published once a week for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

Harold W. Jones
Harold W. Jones
Water Right Supervisor

HWJ::sc

2733

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) ss.
COUNTY OF ONEIDA)

Kristine D. Smith, begin duly sworn, deposes and says:
That she is the publisher of *THE IDAHO ENTERPRISE*, a weekly newspaper published at Malad, in the County of Oneida and State of Idaho; that said newspaper has been and is in general circulation in the county aforesaid, and in the vicinity of Malad; that the advertisement, a copy of which is attached hereto, was published in said newspaper once a week for 24 consecutive weeks in the regular and entire issue of said newspaper during the period of time of publication, and was published in the newspaper proper and not a supplement; that said newspaper has been established and regularly published for more than seventy-eight consecutive weeks prior to the date of first publication of said advertisement.

Such notice was published in the issue beginning with the issue of 3-15, 192001, and ending with 3-27, 192001

Kristine D. Smith

STATE OF IDAHO)
)
COUNTY OF ONEIDA)

On this 30 day of March in the year of 2001
before me, Lisa D. Lewis, a Notary Public,
personally appeared Kristine Smith, known or
identified to me to be the person whose name subscribed to the
within instrument, and being by me first duly sworn, declared that
the statements therein are true, and acknowledged to me that she
executed the same.

Lisa D. Lewis
Notary public for Idaho
Residing at Malad, ID
My commission expires: 2-05-02

NOTICE
The following application(s) have been filed to appropriate the public waters of the State of Idaho:

15-7195
KIRK CORBRIDGE
2390 N. 100 W.
MALAD ID 83252
Point(s) of Diversion: NENE S9
T14S R36E ONEIDA County
Source: GROUND WATER
Use: IRRIGATION 04/01 To 10/31
6.38 CFS
Use: STOCKWATER 01/01 To
12/31 0.2 CFS
Total Diversion: 6.4 CFS
Date Filed: 02/28/2001
Place of Use: IRRIGATION
T14S R36E S16 NWNE SWNE
NENE NWNW
T14S R36E S9 NENE NWNE
SWNE SENE SWSW SESW
Number of Acres: 339
Place Of Use: STOCKWATER
T14S R36E S16 NWNE
T14S R36E S9 NENE SESW
Permits will be subject to all prior
water rights. Protests may be sub-
mitted based on the criteria of Sec
42-203A, Idaho Code.
Any protest against the approval of
this application must be filed with
the Director, Dept. of Water Re-
source, Eastern Region, 900 N
Skylone Dr Ste A, Idaho Falls ID
83402 together with a protest fee
of \$25.00 for each application on
or before April 2, 2001. The pro-
testant must also send a copy of the
protest to the applicant.
KARL J DREHER, Director
Published on March 15 and 22,
2001
L: #2733 3/15/01, 3/22/01

RECEIVED

APR 06 2001

Department of Water Resources
Eastern Region

FROM: Kirk Corbridge

FAX NO. : 766 4922
IDWR EASTERN

Jun. 16 2001 09:16AM P1
PAGE 01

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION
IDAHO FALLS, ID
ph. (208) 525-7161

FAX NO. (208) 525-7177

TRANSMITTAL COVER SHEET

OMNIFAX

TO: Kirk Corbridge FROM: H.W. Jones

DOCUMENT DESCRIPTION: Please answer the 2 questions stated
& complete map to the best of your knowledge. You can then
Send or Fax back to me. Thanks

TOTAL NUMBER OF PAGES (Including this page): 3

* BILLING ADDRESS: _____ *
* _____ *
* _____ *
* NO. OF PAGES _____ COST/PAGE _____ TOTAL CHARGE _____ *

FROM: Kirk Corbridge
05/15/2001 08:38

2080 177

FAX NO. : 766 4922
IDWR EASTERN

Jun. 16 2001 09:16AM P2
PAGE 03

Jones, Harold (Skip)

RECEIVED

From: Curtis, Sharla
Sent: Thursday, June 14, 2001 2:00 PM
To: Jones, Harold (Skip)
Subject: Large Diversion Info

JUN 20 2001

Department of Water Resources

Ok Skip, here's the quick list for items needed for large diversion apps. Hope this helps

Large Diversion Info in compliance with Water Appropriation Rule 40.05.c

- for groundwater, a plat showing proposed well in relation to all existing wells & springs within 1/2 mile
- design, construction, or operating techniques to reduce impact on other rights
- for surface water with 5 or fewer existing users, the name/address of each user and location of their p/d and nature of use

*
*

WELL #1 - our site for irrigation well
#2 - House well - shallow well - 70'-80' -
#3 - House well - our Home - 170' deep.

#1 well is going to be deep - (325+) feet deep
so shouldn't impact #2 or 3 at all

Applic. #15-7195

FROM : Kirk Corbridge
06/15/2001 08:38


2005 177

FAX NO. : 766 4922

IDWP EASTERN

Jun. 16 2001 09:16AM P3

PAGE 02



Form 238-7
9-82

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE TYPEWRITER OR
BALLPOINT PEN

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Corbridge Bros.</u> Address <u>200 W. 700 N. Malad, Id. 83252</u> Owner's Permit No. _____		7. WATER LEVEL Static water level <u>145</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature <u>51</u> °F. Quality <u>Good</u> Describe pulsation or temperature zones below.																																														
2. NATURE OF WORK <u>Drill Permit #15-90-E021</u> ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (inscribe abandonment procedures such as materials, plug depths, etc. in lithologic log)		8. WELL TEST DATA ☐ Pump ☐ Bailor ☒ Air ☐ Other _____ <table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr></thead><tbody><tr><td><u>1.2</u></td><td><u>17.0</u></td><td><u>3</u></td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr></tbody></table>		Discharge G.P.M.	Pumping Level	Hours Pumped	<u>1.2</u>	<u>17.0</u>	<u>3</u>																																							
Discharge G.P.M.	Pumping Level	Hours Pumped																																														
<u>1.2</u>	<u>17.0</u>	<u>3</u>																																														
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)		9. LITHOLOGIC LOG <table border="1"><thead><tr><th>Bore Diam.</th><th>Depth From</th><th>To</th><th>Material</th><th>Water Yes No</th></tr></thead><tbody><tr><td><u>9 3/4"</u></td><td><u>0</u></td><td><u>2.0</u></td><td><u>Gravel</u></td><td><u>X</u></td></tr><tr><td><u>6"</u></td><td><u>2.0</u></td><td><u>6.0</u></td><td><u>"</u></td><td><u> </u></td></tr><tr><td><u>6.0</u></td><td><u>9.8</u></td><td><u>9.8</u></td><td><u>Blue Clay</u></td><td><u> </u></td></tr><tr><td><u>9.8</u></td><td><u>13.7</u></td><td><u>13.7</u></td><td><u>Sand</u></td><td><u> </u></td></tr><tr><td><u>13.7</u></td><td><u>14.0</u></td><td><u>14.0</u></td><td><u>Blue Clay</u></td><td><u> </u></td></tr><tr><td><u>14.0</u></td><td><u>17.0</u></td><td><u>17.0</u></td><td><u>Gravel</u></td><td><u>X</u></td></tr><tr><td><u>17.0</u></td><td><u>18.0</u></td><td><u>18.0</u></td><td><u>Sand & gravel</u></td><td><u>X</u></td></tr><tr><td><u>18.0</u></td><td><u>2.00</u></td><td><u>2.00</u></td><td><u>Hard Cemented gravel</u></td><td><u>X</u></td></tr></tbody></table>		Bore Diam.	Depth From	To	Material	Water Yes No	<u>9 3/4"</u>	<u>0</u>	<u>2.0</u>	<u>Gravel</u>	<u>X</u>	<u>6"</u>	<u>2.0</u>	<u>6.0</u>	<u>"</u>	<u> </u>	<u>6.0</u>	<u>9.8</u>	<u>9.8</u>	<u>Blue Clay</u>	<u> </u>	<u>9.8</u>	<u>13.7</u>	<u>13.7</u>	<u>Sand</u>	<u> </u>	<u>13.7</u>	<u>14.0</u>	<u>14.0</u>	<u>Blue Clay</u>	<u> </u>	<u>14.0</u>	<u>17.0</u>	<u>17.0</u>	<u>Gravel</u>	<u>X</u>	<u>17.0</u>	<u>18.0</u>	<u>18.0</u>	<u>Sand & gravel</u>	<u>X</u>	<u>18.0</u>	<u>2.00</u>	<u>2.00</u>	<u>Hard Cemented gravel</u>	<u>X</u>
Bore Diam.	Depth From	To	Material	Water Yes No																																												
<u>9 3/4"</u>	<u>0</u>	<u>2.0</u>	<u>Gravel</u>	<u>X</u>																																												
<u>6"</u>	<u>2.0</u>	<u>6.0</u>	<u>"</u>	<u> </u>																																												
<u>6.0</u>	<u>9.8</u>	<u>9.8</u>	<u>Blue Clay</u>	<u> </u>																																												
<u>9.8</u>	<u>13.7</u>	<u>13.7</u>	<u>Sand</u>	<u> </u>																																												
<u>13.7</u>	<u>14.0</u>	<u>14.0</u>	<u>Blue Clay</u>	<u> </u>																																												
<u>14.0</u>	<u>17.0</u>	<u>17.0</u>	<u>Gravel</u>	<u>X</u>																																												
<u>17.0</u>	<u>18.0</u>	<u>18.0</u>	<u>Sand & gravel</u>	<u>X</u>																																												
<u>18.0</u>	<u>2.00</u>	<u>2.00</u>	<u>Hard Cemented gravel</u>	<u>X</u>																																												
4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____		10. DEPARTMENT OF WATER RESOURCES <u>JAN 03 1991</u> <u>Eastern District Office</u>																																														
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr></thead><tbody><tr><td><u>2.50</u> inches</td><td><u>12.0</u> inches</td><td><u>1</u> feet</td><td><u>18.0</u> feet</td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr></tbody></table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☒ Yes ☐ No How perforated? ☐ Factory ☐ Knife ☒ Torch Size of perforation <u>3/16</u> inches by <u>12</u> inches <table border="1"><thead><tr><th>Number</th><th>From</th><th>To</th></tr></thead><tbody><tr><td><u>30</u> perforations</td><td><u>14.0</u> feet</td><td><u>18.0</u> feet</td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr></tbody></table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>2.0</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Pudding clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld _____ ☐ Cemented between strata Describe access port <u>PLUG-IN CAP</u>		Thickness	Diameter	From	To	<u>2.50</u> inches	<u>12.0</u> inches	<u>1</u> feet	<u>18.0</u> feet													Number	From	To	<u>30</u> perforations	<u>14.0</u> feet	<u>18.0</u> feet							11. DRILLERS CERTIFICATION <u>DL</u> I/We certify that all minimum well construction standards were compiled with at the time the rig was removed. Firm Name <u>Nelson</u> Firm No. <u>215</u> Address <u>Soda Springs, Id</u> Date <u>12-14-90</u> Signed by (Firm Official) <u>Ray Nelson</u> and (Operator) <u>W. J. B.</u>														
Thickness	Diameter	From	To																																													
<u>2.50</u> inches	<u>12.0</u> inches	<u>1</u> feet	<u>18.0</u> feet																																													
Number	From	To																																														
<u>30</u> perforations	<u>14.0</u> feet	<u>18.0</u> feet																																														
6. LOCATION OF WELL Sketch map location must agree with written location. <table border="1"><tr><td>N</td><td></td><td></td><td></td></tr><tr><td>W</td><td></td><td>X</td><td>E</td></tr><tr><td></td><td></td><td></td><td></td></tr></table> County <u>Shoshone</u> <u>S.E. 1/4 NE 1/4 Sec. 9, T. 14, S. R. 36, E. 12</u>		N				W		X	E					12. USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT																																		
N																																																
W		X	E																																													

MEMORANDUM

To: File 15-07195

From: Sharla Curtis

Date: June 27, 2001

Re: Rule 40.05.c Information

In response to Skip's request for information under Rule 40.05.c (large diversions), Mr. Corbridge faxed a plat map identifying the location of other wells in the surrounding area. The map shows a total of two other wells within 1/2 mile to the applicant's proposed well. Well log data confirms the domestic well at a depth of 200 feet and a well in the SENW, Section 10 at 152 feet.

As to part iii of the above referenced rule which requires information concerning design, construction, or operation techniques to eliminate or reduce impact on other rights, Mr. Corbridge has stated that the irrigation well will be 325 feet deep and at that depth it should not impact the wells noted above.

Based on the above, I recommend that the information provided by the applicant be considered acceptable and that the permit be issued.

EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

July 2, 2001

KIRK CORBRIDGE
2390 N 100 W
MALAD ID 83252

RE: Permit No. 15-7195

Permit Approval Notice

Dear Permit Holder:

The Department of Water Resources has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a PRELIMINARY ORDER issued by the Department pursuant to Section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.


The Department will send you a 'Proof Due Notice' approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.

The right to drill a well is not a part of this permit to appropriate water. Beginning in July of 1987, a statute was enacted which requires a drilling permit for new well construction and deepening of existing wells. If the well(s) proposed for use under this water right permit were drilled or deepened after July 1, 1987, a separate drilling permit must be obtained from this Department. Please contact the Ground Water Protection Section located here at this office or our regional office nearest you.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,



Shelley W. Keen
Water Rights Supervisor

SWK:klt


Enclosure(s)

CERTIFICATE OF MAILING

I hereby certify that on July 2, 2001 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved Permit) to the person(s) listed below:

RE: WATER RIGHT NO. 15-7195

**KIRK CORBRIDGE
2390 N 100 W
MALAD ID 83252**



**Kari Lynn Townsend
Secretary**

509

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT
WATER RIGHT NO. 15-7195

RECEIVED
DEC 04 2003
Department of Water Resources
Eastern Region

Date of Priority: February 28, 2001

Maximum Diversion Rate: 6.40 CFS
Maximum Diversion Volume:

Name: KIRK CORBRIDGE
2390 N 100 W
MALAD CITY ID 83252

RECEIVED
JAN 13 2004
Department of Water Resources

Source GROUND WATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	6.38 CFS	
STOCKWATER	01/01 to 12/31	0.20 CFS	

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER	SE1/4NE1/4	Sec. 9, Twp 14S, Rge 36E, B.M. ✓
ONEIDA County		
GROUND WATER	NE1/4NE1/4	Sec. 9, Twp 14S, Rge 36E, B.M.
ONEIDA County		
GROUND WATER	SE1/4SW1/4	Sec. 9, Twp 14S, Rge 36E, B.M.
ONEIDA County		

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
14S 36E 9	40.0	40.0	40.0	25.0							40.0	40.0					225.0
14S 36E 16		40.0	14.0		30.0	30.0											114.0

Total Acres: 339

PLACE OF USE: STOCKWATER

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
14S 36E 9	X											X					
14S 36E 16		X															

Signed at Malad, Id. this 30 day of November
Kirk Corbridge
(Signature)

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT
WATER RIGHT NO. 15-7195


I hereby request approval of this change subject to the fact that no one will be injured by the change, and that the change will be made at my own risk.

Receipt

Date: ~~Nov 30/03~~ 12/5/03 ED29402

Received by: [Signature] JB

Advertized on Dec 18 & 25, 2003
In the Idaho Enterprise.



State of Idaho
Department of Water Resources
Amendment of Permit

NO. 15-07195

Priority: February 28, 2001

Maximum Diversion Rate: 6.40 CFS

This is to certify, that KIRK CORBRIDGE
2390 N 100 W
MALAD CITY ID 83252

has applied for an amendment of a permit and the amendment is APPROVED for development of water as follows:

Source: GROUND WATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 10/31	6.38 CFS
STOCKWATER	01/01 to 12/31	0.20 CFS

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER	SE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 9, Twp 14S, Rge 36E, B.M.	ONEIDA County
GROUND WATER	NE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 9, Twp 14S, Rge 36E, B.M.	ONEIDA County
GROUND WATER	SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 9, Twp 14S, Rge 36E, B.M.	ONEIDA County

PLACE OF USE: IRRIGATION

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE					
14S	36E	9	40.0	40.0	40.0	25.0						40.0	40.0				225.0		
14S	36E	16		40.0	14.0		30.0	30.0									114.0		

Total Acres: 339

PLACE OF USE: STOCKWATER

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE					
14S	36E	9	X											X					
14S	36E	16		X															

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before July 1, 2006.
2. Subject to all prior water rights.
3. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.

State of Idaho
Department of Water Resources
Amendment of Permit
NO. 15-07195

CONDITIONS OF APPROVAL CONTINUED

4. Project construction shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
5. The right holder shall make full beneficial use of all surface water rights available to the right holder for irrigation of the lands authorized to be irrigated under this right. The right holder shall limit the diversion of ground water under this right to those times when the surface water supply is not available or the surface water supply is not reasonably sufficient to irrigate the place of use authorized under this right.
6. If the surface water right(s) appurtenant to the place of use is sold, transferred, leased or used on any other place of use, this right to divert groundwater shall not be used for irrigation purposes without an approved transfer pursuant to Section 42-222, Idaho Code, or approval of the Department if a transfer is not required.
7. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor exceed a combined annual maximum diversion volume of 1187 af at the field headgate for the lands above.
8. This right when combined with all other rights shall provide no more than 3.5 afa per acre at the field headgate for irrigation of the lands above.
9. After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to determine the amount of water diverted from power records and shall annually report the information to the Department.
10. Stockwater use is for 900 cows and calves.

This amendment of permit is issued pursuant to the provisions of Section 42-211, Idaho Code. Witness the signature of the Director, affixed at Boise, this 15th day of January, 2004.


Acting for KARL J DREHER, Director

The following application has been filed to amend Permit to Appropriate Water

15-7195

KIRK CORBRIDGE
2390 N 100 W
MALAD CITY ID 83252

Point(s) of Diversion: SENE S9 T14S R36E, NENE S9 T14S R36E, SESW S9 T14S R36E, ONEIDA County

Source GROUND WATER

Use: IRRIGATION 04/01 To 10/31 6.38 CFS

Use: STOCKWATER 01/01 To 12/31 0.2 CFS

Total Diversion: 6.4 CFS

Date Filed: 11/05/2003

Place Of Use: IRRIGATION

T14S R36E S16 NWNE SWNE NENW NWNW

T14S R36E S9 NENE NWNE SWNE SENE SWSW SESW

Number of Acres 339

Place Of Use: STOCKWATER

T14S R36E S16 NWNE

T14S R36E S9 NENE SESW

15-7255

GEORGE COUCH
DEBRA COUCH
690 NORTH 300 EAST
MALAD ID 83252

Point(s) of Diversion: SENWNW S22 T14S R36E, ONEIDA County

Source GROUND WATER

Use: IRRIGATION 04/01 To 10/31 0.42 CFS

Total Diversion: 0.42 CFS

Date Filed: 12/04/2003

Place Of Use: IRRIGATION

T14S R36E S22 NENW NWNW SENW

Number of Acres 20.7

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec 42-211, Idaho Code.

Any protest against the approval of this application must be filed with the Director, Dept. of Water Resource, Eastern Region, 900 N Skyline Dr Ste A, Idaho Falls ID 83402 together with a protest fee of \$25.00 for each application on or before January 5, 2004. The protestant must also send a copy of the protest to the applicant.

KARL J DREHER, Director

Published on December 18 and 25, 2003



State of Idaho

DEPARTMENT OF WATER RESOURCES

900 N. Skyline Dr., Suite A, Idaho Falls, ID 83402-1718 • Phone: (208) 525-7161 FAX: (208) 525-7177

EASTERN REGION

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

December 10, 2003

Legal Notice Department
IDAHO ENTERPRISE
PO BOX 205
MALAD CITY ID 83252

RE: Application to Amend Permit No. 15-7195 and 15-7255

Dear LEGAL NOTICE DEPARTMENT:

Enclosed you will find a legal notice which we wish to have published in your newspaper on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before January 5, 2004. Your cooperation is appreciated.

Sincerely

Sharla Cox
Administrative Assistant

Mailed
12/10/03
SC



State of Idaho

DEPARTMENT OF WATER RESOURCES

900 N. Skyline Dr., Suite A, Idaho Falls, ID 83402-1718 • Phone: (208) 525-7161 FAX: (208) 525-7177

EASTERN REGION

December 10, 2003

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

Kirk Corbridge
2390 N 100 W
Malad ID 83252

RE: Application to Amend Permit No 15-7195

Dear Applicant(s):

The Department of Water Resources acknowledges receipt of your application to amend the permit number referenced above. Please refer to the above referenced number in all future correspondence regarding this application.


A legal notice of the application has been prepared and is scheduled for publication in the Idaho Enterprise on December 18 and 25, 2003. Submittal of protests to this application will be allowed for a period ending ten days after the second publication.

If the application is protested you will be sent a copy of the protest(s). All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in Boise for final processing. The State Office will notify you of any action taken on the application and will send you a copy of the permit if approved.

Please feel free to contact this office if you have any questions.

Sincerely,


W Roger Warner
Water Rights Supervisor

WRW:sc

3087
AFFIDAVIT OF PUBLICATION **RECEIVED**

STATE OF IDAHO)
) ss
COUNTY OF ONEIDA)

JAN 13 2004

Department of Water Resources

Kristine D. Smith, being duly sworn, deposes and says: that she is the publisher of *The Idaho Enterprise*, a weekly newspaper published at Malad City, in the county of Oneida and State of Idaho; that said newspaper has been and is in general circulation in the county aforesaid, and in the vicinity of Malad City, that the advertisement, a copy of which is attached hereto, was published in said newspaper once a week for 21 consecutive weeks in the regular and entire issue of said newspaper during the period of time of publication, and was published in the newspaper proper and not a supplement; that said newspaper has been established and regularly published for more than seventy-eight consecutive weeks prior to the date of first publication of said advertisement.

Such notice was published in the issue beginning with 12-18, 2003, and ending with the issue of 12-25, 2003.

Kristine D. Smith
STATE OF IDAHO)
)

COUNTY OF ONEIDA)

On this 29th day of December in the year of 2003 before me, Luzene P. Hill, a Notary Public, personally appeared Kristine D. Smith, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.

Luzene P. Hill
Notary public of Idaho
Residing at 204 N. Main St. Malad ID 83252
My commission expires: 5-13-2004

NOTICE

The following application has been filed to amend Permit to Appropriate Water

15-7195

KIRK CORBRIDGE
2390 N 100 W
MALAD CITY ID 83252
Point(s) of Diversion: SENE S9
T14S R36E, NENE S9 T14S
R36E, SESW S9 T14S R36E,
ONEIDA County
Source GROUND WATER
Use: IRRIGATION 04/01 To 10/
31 6.38 CFS
Use: STOCKWATER 01/01 To
12/31 0.2 CFS

Total Diversion: 6.4 CFS

Date Filed: 11/05/2003

Place of Use: IRRIGATION

T14S R36E S16 NWNE SWNE

NENW NWNW

T14S R36E S9 NENE NWNE

SWNE SENE SWSW SESW

Number of Acres 339

Place of Use: STOCKWATER

T14S R36E S16 NWNE

T14S R36E S9 NENE SESW

15-7255

GEORGE COUCH

DEBRA COUCH

690 NORTH 300 EAST

MALAD ID 83252

Point(s) of Diversion: SENWNW

S22 T14S R36E, ONEIDA

County

Source GROUND WATER

Use: IRRIGATION 04/01 to 10/
31 0.42 CFS

Total Diversion: 0.42 CFS

Date Filed: 12/04/2003

Place of Use: IRRIGATION

T14S R36E S22 NENW NWNW

SENV

Number of Acres 20.7

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec 42-211, Idaho Code.

Any protest against the approval of this application must be filed with the Director, Dept. of Water Resource, Eastern Region, 900 N Skyline Dr Ste A,





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

January 16, 2004

KIRK CORBRIDGE
2390 N 100 W
MALAD CITY ID 83252

RE: Permit No. 15-7195

Amendment of Permit Approval Notice

Dear Permit Holder:

The Department of Water Resources has issued the enclosed amendment of permit approving your application to amend the permit referenced above. Please be sure to thoroughly review every element including the conditions of approval listed on your permit.

The amendment of permit is a PRELIMINARY ORDER issued by the Department pursuant to Section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SWK:klt


Enclosure(s)

CERTIFICATE OF SERVICE

I hereby certify that on January 16, 2004 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved Amendment of Permit) to the person(s) listed below:

RE: WATER RIGHT PERMIT NO. 15-7195

**KIRK CORBRIDGE
2390 N 100 W
MALAD CITY ID 83252**


**Kari Lynn Townsend
Secretary**

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.