

Identification No. 17-7002

Application No. 42302

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho

1. Name of applicant ROLLIN SHOWELL
post office address Stone, Oneida, Idaho 83280
2. Source of water supply Subterranean which is a tributary of _____
3. a. Location of point of diversion is SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 24 Township 16 S.
Range 32 E. B.M. Oneida County; additional points of diversion if any: _____

- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M.
4. Quantity to be appropriated:
a. 3.2 cubic feet per second and/or 160 miner's inches
b. _____ acre feet per annum will be stored.
5. Water will be used for the following purposes:
Irrigation purpose from April 1 to Nov. 15 (both dates inclusive)
_____ purpose from _____ to _____ (both dates inclusive)
_____ purpose from _____ to _____ (both dates inclusive)
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Deep Well, Cased
With Pump

- b. Height of storage dam _____ feet; active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet; materials used in storage dam: _____

- c. Proposed well diameter is 18" inches; proposed depth of well is 300 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 8,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

17-7002

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated 160

c. Describe any other water rights used for the same purposes _____


9. a. Who owns the property at the point of diversion Rollin Showell

b. Who owns the land to be irrigated or place of use Rollin Showell

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Rollie Howell
(Applicant)

17-7002

Received by ef Date 2-15-68 Time 7:00 am
Preliminary check by Dell Fee \$ 35.00 2-15-68
Receipted by ef Date 2-15-68
Publication prepared by DL Date 2-21-68
Published in Idaho Enterprise
Publication dates 2-29-68 & 3-7-68
Publication approved DL Date 2-26-68
Priority reduced to _____ Reason _____

Protests filed by: None

APPROVED

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DL

ACTION OF STATE RECLAMATION ENGINEER

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 17-7002, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 19 73.
- c. Other: The applicant shall permanently install a measuring device of a type approved by the department as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 5 day of April, 19 68.

R. Keith Higgins
State Reclamation Engineer

Affadavit of Publication

State of Idaho

County of Oneida, ss.

May Bell Wharton being first duly sworn on her oath, states: That she is *a clerk*

of the Idaho Enterprise, a newspaper of general circulation in Oneida County, Idaho published weekly at Malad, in said county, that said newspaper has been published in said county uninterruptedly and continuously for over seventy-eight consecutive weeks, prior to the first publication of the annexed notice or advertisement:

That said Idaho Enterprise was at all of the times of publication of said notice a newspaper of general circulation made up of at least four pages of at least five columns each, printed from type matter or stereotyped forms of at least seventeen and three fourths inches depth, and said newspaper during all of the times of publication aforesaid had more than 200 bonafide subscribers thereto living within the county of Oneida in which said newspaper was published at regular intervals not less frequently than once a week.

That the annexed notice was published per clipping attached in the regular and entire edition of said newspaper and not in any supplement thereof for *2* successive weekly issues thereof the date of the first publication being the *29* day of *February* 19*68* the date of the last publication being the *7* day of *March* 19*68*.

May Bell Wharton

Subscribed and sworn to before me this *22* day of

March

19*68*

E. Heath

Notary Public, residing at Malad, Idaho

My Commission expires the *19* day of *May*, 19*71*.

Costs: *26* lines at 13c per line first insertion \$ *3.38*

..... lines tabulated at 20c per line \$

10c per line each subsequent insertion \$ *2.60*

TOTAL \$ *5.98*

(Rates for legal notices are fixed by Idaho law)

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that *Rollin Showell, Stone, Idaho 83280* has on February *15*, 1968 applied for permit to divert *3.2* cubic feet per second of water from a subterranean source under application No. 17-7002. Water will be diverted by a well and pump within the SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 24, T. 26 S. R. 32 E. B.M. Oneida County and is to be used from April 1 to November 15 for irrigation in *SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 24, T. 26 S. R. 32 E. B.M.*

Any protest against this application must be filed with the Department of Reclamation within ten days from the last publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer
Published in the Idaho Enterprise, Malad City, Idaho, on February 28 and March 7.

RECEIVED

MAR 25 1968

Department of Reclamation

17-7002

STATEMENT

The Idaho Enterprise

— Excellent Advertising Medium

— High Quality Printing

Malad City, Idaho ... March 21, 1968 ..

State of Idaho
Department of Reclamation
107 State House
Boise, Idaho 83701

Advertiser

Feb. 29

Notice of Application For Water
17-7002 Rollin Showell

5.98

I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of same has been paid.

M. R. Hanson
M. R. Hanson
Publisher

17-7002

STATEMENT

The Idaho Enterprise

— Excellent Advertising Medium

— High Quality Printing

Malad City, Idaho ... March 21, 1968 ..

State of Idaho
Department of Reclamation
107 State House
Boise, Idaho 83701


Advertiser

Feb. 29

Notice of Application For Water
17-7002 Rollin Sho ell

5-98

I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allow all just credits, and that no part of same has been paid.


M. R. Hanson
Publisher

17-7002

April 8, 1968

Re: Permit 17-7002

Rollin Showell
Stone,
Idaho 83280

Dear Mr. Showell:

We enclose a copy of your approved application for permit 17-7002 in which we direct your attention to the limitations and conditions as given on the fourth page under approval of the State Reclamation Engineer.

Very truly yours,

C. Stephen Allred, Assistant
State Reclamation Engineer

CSA:kd

Enclosure: Copy of application
Receipt No. 517 for \$35.00

17-7002

Form 4

March 21, 1968

Re: Application for Water No. 17-7002

Idaho Enterprise
P. O. Box 205
Malad City, Idaho

Gentlemen:

Please be advised that as of this date the department has not received a bill or an affidavit of publication for the above referenced application.

We are enclosing a copy of our transmittal letter to clarify our previous instructions. Your prompt attention is appreciated.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:ks

Enclosure: Instruction sheet

17-7002

February 21, 1968

Re: Application No. 17-7002
Rollin Showell

Idaho Enterprise
P. O. Box 205
Malad City, Idaho 83252

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you can not publish the notice on the proposed dates please contact us immediately.

An affidavit of publication must be submitted to the Department of Reclamation, along with the publication bill. In order to receive payment, the following certification must appear on the bill:

I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of same has been paid.

(Do not sign letter)

Signature of claimant

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:ks

Enclosure: legal notice

**NOTICE OF
APPLICATION FOR WATER**

Notice is hereby given that Rollin Showell, Stone, Idaho 83280 has on February 16, 1968 applied for permit to divert 22 cubic feet per second of water from a subterranean source under application No. 17-7002. Water will be diverted by a well and pump within the SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 24, T. 16 S., R. 32 E., B.M., Oneida County and is to be used from April 1 to November 15 for irrigation in E $\frac{1}{2}$ NE $\frac{1}{4}$, sec. 23; W $\frac{1}{2}$ NW $\frac{1}{4}$, sec. 24, T. 16 S., R. 32 E., B.M.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer
Published in the Idaho Enterprise, Malad City, Idaho, on February 29 and March 7. 2/26

17-7002

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that Rollin Showell, Stone, Idaho 83280
_____ has on February 15, 1968
applied for permit to divert ~~store~~ 3.2 cubic feet per second ~~acre/feet~~
of water from a subterranean source
under application No. 17-7002. Water will be diverted by a well and
pump within the SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 24, T. 16 S, R. 32
E, B.M., Oneida County
and is to be used from April 1 to November 15 for irrigation
in E $\frac{1}{4}$ NE $\frac{1}{4}$, sec. 23; W $\frac{1}{4}$ NW $\frac{1}{4}$, sec. 24, T. 16 S, R. 32 E, B.M.

Any protest against this application must be filed with the Department of Re-
clamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer

Published in the Idaho Enterprise, Malad City, Idaho,
on February 29 and March 7.

17-7002

February 21, 1968

Rollin Showell
Stone,
Idaho 83280

Dear Mr. Showell:

Enclosed, please find your tax receipts. We appreciate your help in clarifying our questions concerning your application. We have varified the information by your tax receipts and are no longer in need of them.

Very truly yours,

Donald W. McElowney
Appropriation Examiner

DWM:ks

Enclosure:

17-7002

Feb. 1968
Stone, Idaho

Dear Sirs:

Inclosed is a check for \$35.00 for the well permit and I am also sending the tax notices. As far as I can tell the map ~~the~~ you drew up is correct however the well will be in the South East corner of the E $\frac{1}{2}$ NE 80 acres.

Thank you.

Rollin Shumell
Stone, Idaho

RECEIVED
FEB 15 1968
Department of Reclamation

17-7002

DON SAMUELSON
GOVERNOR



R. KEITH HIGGINSON
State Reclamation Engineer

STATE OF IDAHO

DEPARTMENT OF RECLAMATION
107 STATE HOUSE
BOISE, IDAHO 83701

January 24, 1968

Rollin Showell
Stone,
Idaho 83280

Dear Mr. Showell:

We are returning your personal check in the amount of \$10.00 and your application for permit. Before we can accept your application we must have an additional filing fee. The filing fee for 3.2 cubic feet per second or 160 miners inches would be \$35.00. We would also like to request some additional information.

Please complete Item 6 c of the application. We are unable at this time to correspond the land list under Item 8 b of the application and the point of diversion with the map which you have submitted. We have noted in red below the map the information from Item 8 b and Item 3 a of the application. If the information is correct please fill it out in ink and return it to this department. If not, please correct either the map or the application.

Please contact us if we may be of further assistance.

Very truly yours,

A handwritten signature in cursive script, reading "Donald W. McElldowney".

Donald W. McElldowney
Water Rights Clerk

DWM:ks

Enclosure: Original application
Check for \$10.00

January 24, 1968

Rollin Showell
Stone,
Idaho 83280

Dear Mr. Showell:

We are returning your personal check in the amount of \$10.00 and your application for permit. Before we can accept your application we must have an additional filing fee. The filing fee for 3.2 cubic feet per second or 160 miners inches would be \$35.00. We would also like to request some additional information.

Please complete Item 6 c of the application. We are unable at this time to correspond the land list under Item 8 b of the application and the point of diversion with the map which you have submitted. We have noted in red below the map the information from Item 8 b and Item 3 a of the application. If the information is correct please fill it in in ink and return it to this department. If not, please correct either the map or the application.

Please contact us if we may be of further assistance.


Very truly yours,

Donald W. McEldowney
Water Rights Clerk

DWM:ks

Enclosure: Original application
Check for \$10.00

17-7008



January 31, 1973

CERTIFIED MAIL

#24256

Re: Permit No. 17-7002

Rollin Showell
Stone,
Idaho 83280

Dear Mr. Showell:

One of the conditions of approval of your water Permit No. 17-7002 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before April 1, 1973. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

Enc: Proof affidavit

17 7002

SENDER: Be sure to follow instructions on other side

PLEASE FURNISH SERVICE(S) INDICATED BY CHECKED BLOCK(S)
(Additional charges required for these services)

☐ Show to whom, date and address where delivered

☐ Deliver ONLY to addressee

RECEIPT
Received the numbered article described below

REGISTERED NO. _____

CERTIFIED NO. 27256

INSURED NO. _____


DATE DELIVERED 2/3/73

SIGNATURE OR NAME OF ADDRESSEE (Must always be filled in)
Robert D. Lane

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY _____

SHOW WHERE DELIVERED (Only if requested, and include ZIP Code)
17 7002

U.S. POSTAL SERVICE
OFFICIAL BUSINESS



PENALTY FOR PRIVATE USE TO AVOID
PAYMENT OF POSTAGE, \$300

Postmark of Delivering Office

SENDER INSTRUCTIONS

- Print in the space below your name, address, including ZIP Code.
- If special services are desired, check block(s) on other side.
 - Moisten gummed ends and attach to back of article.

**RETURN
TO**

DEPARTMENT OF WATER ADMINISTRATION
STATEHOUSE - ANNEX #2
BOISE, IDAHO 83707

17 7002

PS Form 3811 Nov. 1970 55-16-81277-1

RECEIVED

MAR 30 1973

Department of Water Administration

Malad City, Idaho

March 29, 1973

State of Idaho
Department of Water Administration
Statehouse - Annex 2
Boise, Idaho 83707

Re: Permit No. 17-7002
Rollin Showell


Gentlemen:

Considerable work and money have been expended under the above identified Permit to locate a sufficient water source to appropriate without success. It is necessary that the Permittee obtain an Extension of Time within which to complete development and make application of the water to beneficial use.

Please consider this an Application For Extension of Time to complete works and apply water for beneficial use. An additional period of five years for this purpose is hereby requested.

Thanking you, I am,

Very truly,



Rollin Showell
Stone, Idaho 83280

17 7002

March 30, 1973

C
Re: Permit No. 17-7002

Rollin Showell
Stone, Idaho 83280

P
We have received your letter of March 29, 1973. However, before we can determine whether diligence has been shown toward the completion of your project, we need additional information. Therefore, we are enclosing an application for extension of time, which must be completed and returned on or before April 20, 1973.

If you have any questions, please contact us.

Sincerely,

Y
Bobby D. Fleenor
Assistant Director

kss

Enclosure

17 7002

April 24, 1973

Re: Permit No. 17-7002

Mr. Rollin Showell
Stone, Idaho 83280

Dear Mr. Showell

Enclosed is a copy of the approved application for extension of time in connection with the above referenced permit.

The time within which to submit proof of veneficial use of water has been extended to April 1, 1978.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

DDR: jc
Enclosure

17 7002

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

APPLICATION FOR EXTENSION OF TIME

RECEIVED

Department of Water Administration

State of Idaho)
County of ONEIDA)

Permit No. 17-7002

ROLLIN SHOWELL of STONE IDAHO 83280
(name) (address)

State of IDAHO, being first duly sworn, upon his oath deposes and says:

That he is the holder, or the duly authorized agent of the holder *, of Permit to Appropriate the Public Waters of the State of Idaho No. 17-7002.

That under the terms and conditions of said permit, work thereunder was required to be completed on or before APRIL 1, 19 73.

That he has heretofore performed the following work described under said permit:

WELL HOLE HAS BEEN DRILLED AT A COST OF
\$3700⁰⁰; DURING DRILLING METAL OBJECT WAS DROPPED
IN HOLE PREVENTING FURTHER DRILLING. NECESSARY NOW
TO DRILL AT A NEW LOCATION Costing \$ 3700⁰⁰

That he is unable to complete the remainder of the work within the required time for the following reasons, to-wit:

ADDITIONAL FINANCING HAS BECOME NECESSARY

Wherefore, he asks that the Department of Water Administration extend the time for the completion of obligations under said permit to APRIL 1, 19 78.

Rollin Showell
(signature) *

Subscribed and sworn before me this 11th day of April, 19 73.

seal

E. J. Fox
(notary public)

My commission expires 5/19/75

ACTION OF THE DEPARTMENT OF WATER ADMINISTRATION


I, R. KEITH HIGGINSON, Director of the Idaho Department of Water Administration, State of Idaho, hereby approve the above application for extension of time for Permit No. 17-7002 to April 1, 1978.

Witness my hand this 24 day of April, 19 73.

R. Keith Higgins
Director

* IF OTHER THAN HOLDER, Power of Attorney must be supplied. Forms are available through the Department of Water Administration, Statehouse - Annex 2, Boise, Idaho, 83707.

17 7002



State of Idaho
Department of Water Resources

ASSIGNMENT OF PERMIT

RECEIVED
OCT 22 1975

Department of Water Resources
Eastern District Office

I, ROLLIN SHOWELL & SONS, hereby assign to SHOWELL BROTHERS, STEVEN
of Stone, Oneida County, Idaho
Address SHOWELL and SIDNEY SHOWELL,

CHECK ONE



All my right, title, and interest in and to Permit No. 17-7002
to appropriate the public waters of the State of Idaho.



The following described portion of my right, title, and interest in and to Permit
No. _____ to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

Made this 20th day of October, 19 75.

Rollin Showell and Sons
Permit Holder

Spouse of Permit Holder

State of Idaho)
County of Oneida) ss.

On this 20th day of October, 19 75, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that he (she) (they) executed the same.

seal

D. Michael Broadhead

Notary Public residing at

Malad, Idaho

My commission expires:

5-15-76

October 31, 1975

Re: Permit No. 17-7002

C
Showell Brothers
Steven Showell & Sidney Showell
Stone Idaho 83280

O
Gentlemen:

We acknowledge receipt of the assignment conveying the above referenced permit to you.

P
The assignment has been recorded and the Department's records have been changed.

Sincerely,

Y
D. DARLENE REICH
Water Rights Supervisor

DDR:JFR

Receipt # 15436

RECEIVED
OCT 22 1975

Department of Water Resources
Eastern District Office

Permit No. 17-7002

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 17-7002, and requests that the permit and permit map be changed as follows:

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)
c. f. s.

3. Place of use or land to be irrigated:

[illegible]

Total number of acres to be irrigated	160
---------------------------------------	-----

Complete the following map by showing land and point of diversion as proposed by this amendment. Show 40-acre subdivisions, townships, ranges and ditches.

Scale: 2 inches equal 1 mile

That no one will be injured by such change, and that such change will be made at permit holders own risk.

Signed at Malad City, Idaho, this 20th day of October, 19 75.

SHOWELL BROTHERS

BY: [Signature]
(signature)

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Administrator, Operations Division

I, A. KENNETH DUNN, ~~Director~~ of the Department of Water Resources

hereby approve the above application for amendment on Permit No. 17-7002.

Witness my hand this 25 day of November, 19 75

[Signature]
A. KENNETH DUNN, Administrator
Operations Division

October 23, 1975

RE: Application for Amendment No. 17-7002

Mr. Sidney Showell
Stone
Idaho 83280

Dear Mr. Showell:

Attached herewith is Departmental receipt No. 15456 in the amount of \$10.00 for the above referenced application.

Very truly yours,

RONALD D. CARLSON
District Engineer

RDC:ME

Attachment

NOTICE OF PROPOSED AMENDING OF WATER PERMIT

Notice is hereby given that Permit No. 17-7002 in the name of Showell Brothers was issued for the diversion of 2.20 C.F.S. of water from a ground-water source with the point of diversion within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 24, T. 16S, R. 32E, B.M., Oneida County; to be used for the irrigation of 160 acres from Apr. 1 to Nov. 15 within the E $\frac{1}{2}$ NE $\frac{1}{4}$, Sec. 23, W $\frac{1}{2}$ NW $\frac{1}{4}$, Sec. 24, T. 16S, R. 32E, B.M.

The permit holder now proposes to amend Permit No. 17-7002, changing the point of diversion to the SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 23, T. 16S, R. 32E, B.M., Oneida County, and the place of use to the S $\frac{1}{2}$ SW $\frac{1}{4}$, Sec. 23, N $\frac{1}{2}$ NW $\frac{1}{4}$, Sec. 26, T. 16S, R. 32E, B.M.

Any protest to the proposed amending of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401, on or before November 17, 1973.

R. KEITH HIGGINSON

Director

Published in the Idaho Enterprise, Malad City, Idaho, on October 30 and November 6, 1975.

AWH
me-H
AWH

**NOTICE OF PROPOSED
AMENDING OF
WATER PERMIT**

Notice is hereby given that Permit No. 17-7002 in the name of Showell Brothers was issued for the diversion of .20 C.F.S. of water from a ground-water source with the point of diversion within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 24, T. 16S, R. 32E, B.M., Oneida County; to be used for the irrigation of 160 acres from Apr. 1 to Nov. 15 within the E $\frac{1}{2}$ NE $\frac{1}{4}$, Sec. 23, W $\frac{1}{2}$ NW $\frac{1}{4}$, Sec. 24, T. 16S, R. 32E, B.M.

The permit holder now proposes to amend Permit No. 17-7002, changing the point of diversion to the SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 23, T. 16S, R. 32E, B.M., Oneida County, and the place of use to the S $\frac{1}{2}$ SW $\frac{1}{4}$, Sec. 23, N $\frac{1}{2}$ NW $\frac{1}{4}$, Sec. 26, T. 16S, R. 32E, B.M.

Any protest to the proposed amending of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401, on or before November 17, 1973.

R. KEITH HIGGINSON
Director

Published in the Idaho Enterprise, Malad City, Idaho, on October 30 and November 6, 1975.

October 24, 1975

RE: Application for Amendment No. 17-7002

The Idaho Enterprise
P.O. Box 205
Malad City, Idaho 83252

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

RONALD D. CARLSON
District Engineer

Bill submitted 11-07-75 by CW

RDC:ME

Legal Notice (1)

Copy
out
10-24-75

RECEIVED

NOV 7 1975

Department of Water Resources
Eastern District Office

**NOTICE OF PROPOSED
AMENDING OF
WATER PERMIT**

Notice is hereby given that Permit No. 17-7002 in the name of Showell Brothers was issued for the diversion of 20 C.F.S. of water from a ground-water source with the point of diversion within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 24, T. 16S, R. 32E, B.M., Oneida County; to be used for the irrigation of 160 acres from Apr. 1 to Nov. 15 within the E $\frac{1}{2}$ NE $\frac{1}{4}$, Sec. 23, W $\frac{1}{2}$ NW $\frac{1}{4}$, Sec. 24, T. 16S, R. 32E, B.M.

The permit holder now proposes to amend Permit No. 17-7002, changing the point of diversion to the SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 23, T. 16S, R. 32E, B.M., Oneida County, and the place of use to the S $\frac{1}{2}$ SW $\frac{1}{4}$, Sec. 23, N $\frac{1}{2}$ NW $\frac{1}{4}$, Sec. 26, T. 16S, R. 32E, B.M.

Any protest to the proposed amending of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401, on or before November 17, 1973.

R. KEITH HIGGINSON
Director

Published in the Idaho Enterprise, Malad City, Idaho, on October 30 and November 6, 1975.

AFFIDAVIT OF PUBLICATION

State of Idaho
County of Oneida, ss.

Paula Heindel being first duly sworn on her oath, states: That she is clerk of the Idaho Enterprise, a newspaper of general circulation in Oneida County, Idaho published weekly at Malad, in said county, that said newspaper has been published in said county uninterruptedly and continuously for over seventy-eight consecutive weeks, prior to the first publication of the annexed notice or advertisement:

That said Idaho Enterprise was at all of the times of publication of said notice a newspaper of general circulation made up of at least four pages of at least five columns each, printed from type matter or stereotyped forms of at least seventeen and three fourths inches depth, and said newspaper during all of the times of publication aforesaid had more than 200 bonafide subscribers thereto living within the county of Oneida in which said newspaper was published at regular intervals not less frequently than once a week.

That the annexed notice was published per clipping attached in the regular and entire edition of said newspaper and not in any supplement thereof for 2 successive weekly issues thereof the date of the first publication being the 30 day of October, 1975 the date of the last publication being the 6 day of November, 1975.

Paula Heindel
Subscribed and sworn to before me this 6 day of Nov., 1975

H. D. Wraylor
Notary Public, residing at Malad, Idaho

My Commission expires the 10 day of Oct, 1977.

Costs:

35 lines at 23c per line first insertion \$ 8.05

..... lines tabulated at 34 $\frac{1}{2}$ c per line \$

15c per line each subsequent insertion \$ 4.25

TOTAL \$ 12.30

(Rates for legal notices are fixed by Idaho law)

November 26, 1975

Re: Permit No. 17-7002

Showell Brothers
Stone,
Idaho 83280

Gentlemen:

Enclosed is a copy of your approved Application for Amendment.
If this office can be of further assistance, please contact us.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF;rb

Enc.

C
O
P
Y

USE TYPEWRITER OR
BALL POINT PEN


State of Idaho
Department of Water Resources

WELL DRILLING REPORT

FEB 11 1977

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

Department of Water Resources
Eastern District Office

1. WELL OWNER Name: <u>Steve & Sid Showell</u> Address: <u>Stone Idaho</u> Owner's Permit No. <u>17002-172002</u>		2. WATER LEVEL Static water level: <u>2.2</u> feet below land surface Flowing? ☐ Yes ☒ No G.P.M. flow _____ Temperature _____ Quality _____ Artesian closed-in pressure _____ p.s.i. Controlled by ☐ Valve ☐ Cap ☐ Plug																																																																																																																																																																			
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____		3. WELL TEST DATA ☒ Pump ☐ Bailor ☐ Other Discharge G.P.M. _____ Draw Down _____ Hours Pumped _____																																																																																																																																																																			
3. PROPOSED USE ☐ Domestic ☒ Irrigation ☐ Test ☐ Other (specify type) _____ ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection		2. LITHOLOGIC LOG																																																																																																																																																																			
4. METHOD DRILLED ☒ Cable ☐ Rotary ☐ Dug ☐ Other _____		<table border="1"><thead><tr><th rowspan="2">Hole Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th rowspan="2">Water Yes/No</th></tr><tr><th>From</th><th>To</th></tr></thead><tbody><tr><td>16</td><td>0</td><td>5</td><td>top soil</td><td>X</td></tr><tr><td></td><td>5</td><td>22</td><td>clay</td><td>X</td></tr><tr><td></td><td>22</td><td>30</td><td>sand</td><td>X</td></tr><tr><td></td><td>30</td><td>50</td><td>clay</td><td>X</td></tr><tr><td></td><td>50</td><td>52</td><td>clay</td><td>X</td></tr><tr><td></td><td>52</td><td>70</td><td>sandy clay</td><td>X</td></tr><tr><td></td><td>70</td><td>75</td><td>fine-grained sand</td><td>X</td></tr><tr><td></td><td>75</td><td>100</td><td>clay</td><td>X</td></tr><tr><td></td><td>100</td><td>105</td><td>some gravel</td><td>X</td></tr><tr><td></td><td>105</td><td>120</td><td>clay</td><td>X</td></tr><tr><td></td><td>120</td><td>125</td><td>gravel</td><td>X</td></tr><tr><td></td><td>125</td><td>130</td><td>clay</td><td>X</td></tr><tr><td></td><td>130</td><td>142</td><td>sandy</td><td>X</td></tr><tr><td></td><td>142</td><td>150</td><td>clay & some sand</td><td>X</td></tr><tr><td></td><td>150</td><td>156</td><td>sand & gravel</td><td>X</td></tr><tr><td></td><td>156</td><td>170</td><td>clay</td><td>X</td></tr><tr><td></td><td>170</td><td>180</td><td>some gravel</td><td>X</td></tr><tr><td></td><td>180</td><td>200</td><td>clay</td><td>X</td></tr><tr><td></td><td>200</td><td>205</td><td>gravel</td><td>X</td></tr><tr><td></td><td>205</td><td>215</td><td>clay</td><td>X</td></tr><tr><td></td><td>215</td><td>225</td><td>gravel</td><td>X</td></tr><tr><td></td><td>225</td><td>235</td><td>sand & stone</td><td>X</td></tr><tr><td></td><td>235</td><td>240</td><td>clay</td><td>X</td></tr><tr><td></td><td>240</td><td>250</td><td>gravel & clay</td><td>X</td></tr><tr><td></td><td>250</td><td>255</td><td>hard clay</td><td>X</td></tr><tr><td></td><td>255</td><td>260</td><td>sandy</td><td>X</td></tr><tr><td></td><td>260</td><td>280</td><td>clay & some gravel</td><td>X</td></tr><tr><td></td><td>280</td><td>290</td><td>clay</td><td>X</td></tr><tr><td></td><td>290</td><td>300</td><td>blue sand & clay</td><td>X</td></tr><tr><td></td><td>300</td><td>320</td><td>clay</td><td>X</td></tr><tr><td></td><td>320</td><td>330</td><td>some gravel</td><td>X</td></tr></tbody></table>		Hole Diam.	Depth		Material	Water Yes/No	From	To	16	0	5	top soil	X		5	22	clay	X		22	30	sand	X		30	50	clay	X		50	52	clay	X		52	70	sandy clay	X		70	75	fine-grained sand	X		75	100	clay	X		100	105	some gravel	X		105	120	clay	X		120	125	gravel	X		125	130	clay	X		130	142	sandy	X		142	150	clay & some sand	X		150	156	sand & gravel	X		156	170	clay	X		170	180	some gravel	X		180	200	clay	X		200	205	gravel	X		205	215	clay	X		215	225	gravel	X		225	235	sand & stone	X		235	240	clay	X		240	250	gravel & clay	X		250	255	hard clay	X		255	260	sandy	X		260	280	clay & some gravel	X		280	290	clay	X		290	300	blue sand & clay	X		300	320	clay	X		320	330	some gravel	X
Hole Diam.	Depth		Material		Water Yes/No																																																																																																																																																																
	From	To																																																																																																																																																																			
16	0	5	top soil	X																																																																																																																																																																	
	5	22	clay	X																																																																																																																																																																	
	22	30	sand	X																																																																																																																																																																	
	30	50	clay	X																																																																																																																																																																	
	50	52	clay	X																																																																																																																																																																	
	52	70	sandy clay	X																																																																																																																																																																	
	70	75	fine-grained sand	X																																																																																																																																																																	
	75	100	clay	X																																																																																																																																																																	
	100	105	some gravel	X																																																																																																																																																																	
	105	120	clay	X																																																																																																																																																																	
	120	125	gravel	X																																																																																																																																																																	
	125	130	clay	X																																																																																																																																																																	
	130	142	sandy	X																																																																																																																																																																	
	142	150	clay & some sand	X																																																																																																																																																																	
	150	156	sand & gravel	X																																																																																																																																																																	
	156	170	clay	X																																																																																																																																																																	
	170	180	some gravel	X																																																																																																																																																																	
	180	200	clay	X																																																																																																																																																																	
	200	205	gravel	X																																																																																																																																																																	
	205	215	clay	X																																																																																																																																																																	
	215	225	gravel	X																																																																																																																																																																	
	225	235	sand & stone	X																																																																																																																																																																	
	235	240	clay	X																																																																																																																																																																	
	240	250	gravel & clay	X																																																																																																																																																																	
	250	255	hard clay	X																																																																																																																																																																	
	255	260	sandy	X																																																																																																																																																																	
	260	280	clay & some gravel	X																																																																																																																																																																	
	280	290	clay	X																																																																																																																																																																	
	290	300	blue sand & clay	X																																																																																																																																																																	
	300	320	clay	X																																																																																																																																																																	
	320	330	some gravel	X																																																																																																																																																																	
5. WELL CONSTRUCTION Diameter of hole <u>16</u> inches Total depth <u>330</u> feet Casing schedule: ☒ Steel ☐ Concrete Thickness <u>1/4"</u> inches Diameter <u>16</u> inches From <u>1.0</u> feet To <u>330</u> feet Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☒ Yes ☐ No Perforated? ☒ Yes ☐ No How perforated? ☐ Factory ☐ Knife ☒ Torch Size of perforation <u>3/8</u> inches by <u>6</u> inches Number <u>1600</u> perforations From <u>30</u> feet To <u>330</u> feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☒ Yes ☐ No Size of gravel <u>1/4" to 1/2"</u> Placed from _____ feet to <u>93</u> feet Sealing procedure used ☒ Puddling clay ☐ Wall cuttings ☐ Slurry pit ☐ Temporary surface casing ☐ Overbore to seal depth																																																																																																																																																																					
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ Local Address _____ SW 1/4 Sec. 23 T. 16 N. S. R. 21 E. 1/4		10. Work started <u>Sept 1975</u> finished <u>Oct 23 1975</u>																																																																																																																																																																			
		11. DRILLER'S CERTIFICATION Firm Name <u>Yarbrough Drilling</u> Firm No. <u>96</u> Address <u>Stone Idaho</u> Date <u>2/5/75</u> Signed by (Firm Official) _____ and _____ (Operator) _____																																																																																																																																																																			

USE ADDITIONAL SHEETS IF NECESSARY

FORWARD THE WHITE COPY TO THE DEPARTMENT

January 31, 1978

CERTIFIED MAIL

138362

Re: Permit No. 17-7002


Showell Brothers
Stone,
Idaho 83280

Gentlemen:

One of the conditions of approval of your water Permit No. 17-7002 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before April 1, 1978. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



C. STEPHEN ALLRED
Director

CSA:jfr

Enc: Proof affidavit



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse
Boise, Idaho 83720
(208) 384-2215

April 10, 1978

Showell Brothers
c/o Sidney Showell
Stone, Idaho 83280

Dear Mr. Showell:

You are hereby notified that under the provisions of Section 42-218a of the Idaho Code, Permit No. 17-7002 has lapsed since you have not notified us that you have completed the project by the date required on your permit. You were provided forms for that purpose in our notice to you dated January 31, 1978.

Your permit cannot be reinstated unless you submit the proof of beneficial use affidavit, enclosed, or show other reasonable cause why the permit should be reinstated within 60 days from the date of this lapse notice.

A handwritten signature in cursive script, reading "C. Stephen Allred", is written over a horizontal line.

C. STEPHEN ALLRED
Director

CSA:jfr

Encl.

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

... 9.29
21 2.12
335 51
323

INTER-DEPARTMENT MEMO — 1

FROM Dave T

DATE 8/17/82

TO Phil Rosier

SUBJECT Attached Petition

I'm afraid there is nothing we can do for these people.
The permits in question were all properly ~~issued~~ lapsed
(see microfilm copies, attached.).

Do you see any other possibilities for the Showells?
It is conceivable that they could lose their ~~to~~ ranch over this.

Dave SIGNATURE



INTER-DEPARTMENT MEMO — 1

DATE 2/11/83

FROM Norm

TO Glen Saxton

SUBJECT Showell petition

The Showell's claim that the original of the attached petition was signed & mailed to IOWR last summer. Tuthill remembers it, but no response appears to have been made & apparently the original is lost. Please draft a response for KEN's signature after you research.

SIGNATURE

March 22, 1983

Steve Showell
Stone, Idaho
83280

Dear Mr. Showell:

As a follow up to your visit to this office and our discussion on March 15, 1983, I am forwarding some information as I indicated I would.

Enclosed is an abstract showing outstanding ground water permits in Basin 17. Some of the permits may have had proof of beneficial use submitted but a license has not yet been issued by this office.

Also enclosed is a draft of legislation which if passed, would allow the director to consider certain late proof submittals. The House Resources Committee gave this bill a "do pass" recommendation yesterday for consideration by the full House later in the week. It will be a very tight schedule to get this bill considered by the Senate this session.

If this office can be of further assistance, please feel free to contact us.

Sincerely,

NORMAN C. YOUNG
Administrator
Resources Administration Division

NCY:alw
Encls.
cc: Eastern Region

IN THE MATTER OF)
PERMITS 17-7002,)
17-7024 & 17-7025)
STEVEN E. SHOWELL)
& SHOWELL BROTHERS)
PARTNERSHIP)

PETITION FOR REINSTATEMENT
OF PERMITS

RECEIVED

AUG 5 1982

Department of Water Resources
Eastern District Office

Steven E. Showell and Jean Showell are the owners of 400 acres of land located within Sec. 13, 23 & 26 of Twp. 16S, R. 32E, B.M. and Sec. 18, Twp. 16S, R. 33E, B.M. Oneida County.

Permits 17-7002, 17-7024 & 17-7025 were originally owned by Showell Brothers, a partnership consisting of Rollin, Sidney and Steven Showell, ETUX. Showell Brothers had Waymon Yarbrough drill a 16" well in Sept. 1975. The well was drilled to a depth of 333ft. and completely cased.

The partnership was dissolved in 1977 and it was agreed that Steven Showell would receive the well and the three permits. In January of 1977, Steve Showell was assigned permit 17-7024 and made application with the Idaho Dept. of Water Resources to amend the Point of Diversion and Place of use.

Later that year a 75hp pump was installed along with four wheel-lines to irrigate 148 acres. In 1978, an additional 160 acre tract was purchased from the Hurd estate and 80 additional acres were rented from Gilbert Robins. (This 80 acre tract was later purchased also.) A 200hp pump was installed and four additional handlines, four wheellines and a small water cannon were purchased. This system has been used each year since 1978.

In 1978, Proof-due notices were sent by the Dept. of Water Resources. The Petitioners do not recall receiving these notices. They speculate that correspondence related to permits 17-7002, 17-7024 and 17-7025 was received by Rollin Showell (who is now 86 years old) or Sid Showell, neither of whom have any remaining interest in these permits. Steve and Jean Showell were unaware that proof was due or that these permits had lapsed. Permit 17-7022, which is now going to license for the irrigation of 160 acres of lands was filed in the name of Steven Showell.

All correspondence from the Dept. has been received and appropriate action taken. The Petitioners realize that the Director normally does not even consider reinstating permits that have lapsed. However, in most cases the permit holder has an opportunity to re-file. Because the Showell property is located in the Curley critical groundwater area, they have no opportunity to obtain another permit. It seems unduly harsh to force the Showells to lose their investment in their irrigation system and decrease the value of their farm because they can no longer irrigate.

The Petitioners therefore pray the Director of the Dept. of Water Resources will reinstate permits 17-7002, 17-7024 and 17-7025 and allow them to keep the equity they have in their farm and the investment they have in their irrigation system.

Signed at Malad this 29 day of July, 1982.

PETITIONERS

Steven E. Showell
STEVEN E. SHOWELL

Jean Showell
JEAN SHOWELL

Sworn to before me this 29th day of July, 1982.


Cindy Williams
Notary Public
Residing at Malad, Idaho

My commission expires Life



Malad, Idaho
83252
J. J. Howell

State of Idaho
Department of Lands
District Office
Boise, Idaho
83725



ATTOR OF
 17-7002,
 17-7024 & 17-7025
 STEVEN E. SHOWELL
 & SHOWELL BROTHERS
 PARTNERSHIP

RECEIVED

FEB 16 1983

Department of Water Resources

Steven E. Showell and Jean Showell are the owners of 400 acres of land located within Sec. 13, 23 & 26 of Twp. 16S, R. 32E, B.M. and Sec. 18, Twp. 16S, R. 33E, B.M. Oneida County.

Permits 17-7002, 17-7024 & 17-7025 were originally owned by Showell Brothers, a partnership consisting of Rollin, Sidney and Steven Showell, ETUX. Showell Brothers had Waymon Yarbrough drill a 16" well in Sept. 1975. The well was drilled to a depth of 333ft. and completely cased.

The partnership was dissolved in 1977 and it was agreed that Steven Showell would receive the well and the three permits. In January of 1977, ^{there} Steve Showell was assigned permit 17-7024 and made ^{there} application with the Idaho Dept. of Water Resources to amend the Point of Diversion and Place of use.

Later that year a 75hp pump was installed along with four wheel-
lines to irrigate 148 acres. In 1973, an additional 160 acre tract was
purchased from the Hurd estate and 80 additional acres were rented from
Gilbert Robins. (This 80 acre tract was later purchased also.) A 200hp
pump was installed and four additional handlines, four wheellines and
a small water cannon were purchased. This system has been used each
year since 1978.

In 1978, Proof-due notices were sent by the Dept. of Water Resources. The Petitioners do not recall receiving these notices. They speculate that correspondence related to permits 17-7002, 17-7024 and 17-7025 was received by Rollin Showell (who is now 86 years old) or Sid Showell, neither of whom have any remaining interest in these permits. Steve and Jean Showell were unaware that proof was due or that these permits had lapsed. Permit 17-7022, which is now going to license for the irrigation of 160 acres of lands was filed in the name of Steven Showell.

All correspondence from the Dept. has been received and appropriate action taken. The Petitioners realize that the Director normally does not even consider reinstating permits that have lapsed. However, in most cases the permit holder has an opportunity to re-file. Because the Showell property is located in the Curlew critical groundwater area, they have no opportunity to obtain another permit. It seems unduly harsh to force the Showells to lose their investment in their irrigation system and decrease the value of their farm because they can no longer irrigate.

The Petitioners therefore pray the Director of the Dept. of Water Resources will reinstate permits 17-7002, 17-7024 and 17-7025 and allow them to keep the equity they have in their farm and the investment they have in their irrigation system.

Signed at _____ this ____ day of _____, 1982.

PETITIONERS

STEVEN E. SHOWELL

JEAN SHOWELL

Sworn to before me this _____ day of _____, 19____.

Notary Public
Residing at _____

My commission expires _____



START OF

RETAKE

The images appearing between this point and the "End of Retake" are true copies of records, microphotographs of which are missing, or proved unsatisfactory on inspection of the original reel.

To preserve the integrity of the files, the above mentioned records were rephotographed.



refilm this ~~page~~ memo

INTER-DEPARTMENT MEMO — 1

DATE 3/15/83

FROM NCT

TO Files 17-7002, 17-7024, 17-7025

SUBJECT Steve Showell visited this office on this date to determine if Director would reinstate these lapsed permits. I told him we were without authority to do so but had drafted a bill to change the statute. Told him that bill would not necessarily solve all of his problem because of priority advancement. We discussed how unlikely passage of bill would be this late in session.

SIGNATURE

Told him I would update an abstract
showing outstanding permits in basin 17.
+ mail to him as well as provide a copy
of any bill if introduced.

RECEIVED
JUN 10 1964

**END
OF RETAKE**

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 17-7002)
THE NAME OF SHOWELL BROTHERS,)
STEVEN SHOWELL AND SIDNEY SHOWELL)

ORDER OF REINSTATEMENT

WHEREAS, on April 5, 1968, the Director of the Department of Water Resources issued Permit No. 17-7002 with a condition of approval that proof of construction of works and application of water to beneficial use be submitted on or before April 1, 1978 and,

WHEREAS, on January 31, 1978, the Department sent a proof due notice to the permit holder; and,

WHEREAS, on April 10, 1978, the Department sent a lapse notice to the permit holder since neither proof of beneficial use nor a request for extension of time had been received from the permit holder; and,


WHEREAS, on May 17, 1983, proof of beneficial use was submitted by the permit holder; and,

WHEREAS, amendments to Section 42-218A Idaho Code effective April 8, 1983, provide that the Director may reinstate a permit upon which proof has been submitted subsequent to the sixty day period after the notice of lapsing; and,

WHEREAS, permit holder has shown adequate cause that the permit can be reinstated;

IT IS, THEREFORE, HEREBY ORDERED that permit No. 17-7002 be reinstated; and It Is Further ordered that the priority be advanced to May 17, 1983.

Dated this 6th day of October, 1983.


L. GLEN SAXTON, Chief Operations Bureau

State of Idaho
Department of Water Resources

RECEIVED
JUN 18 1985

ASSIGNMENT OF PERMIT

I, Steven & Sidney Showell, Department of Water Resources
Showell Brothers, hereby assign to Steven Showell
of Malad, Idaho
Address _____

CHECK ONE



All my right, title, and interest in and to Permit No. 17-7002
to appropriate the public waters of the State of Idaho.



The following described portion of my right, title, and interest in and to Permit
No. _____ to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

Made this 8th day of June, 19 85.

Sid Showell
Permit Holder

Steven K Showell
Spouse of Permit Holder

State of Idaho)
County of Boise) ss.

On this 8th day of June, 19 85, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that he (she) (they) executed the same.

seal

Ruby C. Miller
Notary Public residing at
Grace, Idaho

My commission expires:
Sept. 15, 1985

OK KW
6/13/85

STATE OF IDAHO

Licensing

RECEIVED
MAY 13 1985

APPLICATION FOR AMENDMENT OF A PERMIT

Department of Water Resources

To change the point of diversion and/or the place of use.

APPROVED

Comes now Showell Brothers, Steven & Sidney Showell Phone _____
of (address) 243 N. 200 W. Malad, ID 83252, and represents to the
Director of the Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho
No. 17-7002, and requests that the permit and permit map be changed as follows:

1. Point of diversion: SW ¼ SW ¼, Section 23, Township 16S, Range 32E, B.M.,
County of Oneida. Other points of diversion: _____

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)

No change

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

3. Place of use or land to be irrigated:


No change

TWP	RGE	SEC	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres to be irrigated = _____

4. a. Who owns the property at the point of diversion? the above
b. Who owns the land to be irrigated or the place of use? the above
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

Complete the following map by showing land and point of diversion as proposed by this amendment.
Show 40-acre subdivisions, townships, ranges and ditches. *Not Necessary*



Scale: 2 inches equal 1 mile.

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at Malad, Id., this 9 day of May, 19 85.

[Signature]
(Signature)

FOR DEPARTMENT USE ONLY

Preliminary check by kw Fee = \$20.00 ✓

Received by ag Date 5-13-85 # 36469

Publication prepared by N/A Date _____

Published in _____

Publication dates _____

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, A. KENNETH DUNN, of the Department of Water Resources hereby
Approve the above referenced Application for Amendment for Permit No. 17-7002.

Witness my hand this 21st day of June, 19 85.

Acting for the Director

[Signature]

Det ✓

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
(Late Proof)

License of Water Right No. 17-7002 Priority May 17, 1983 Amount 1.84 cfs

THIS IS TO CERTIFY, that Steven Showell
of Malad, Idaho, has complied with the terms and conditions of Permit
No. 17-7002 issued pursuant to Application for Permit dated February 15, 1968,
and has submitted proof to the Department of Water Resources on May 17, 1983,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 4.72 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from <u>April 1</u> to <u>November 1</u>	at <u>1.84</u> cfs and	<u>535.5</u> acre feet
	from _____ to _____	at _____ cfs and	
	from _____ to _____	at _____ cfs and	

(both dates inclusive)

Subject, however, to the condition that no more than 1.84 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
535.5 acre feet per year, said waters to be diverted within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Section 23,
Twp 16S, Rge 32E in the County of Oneida

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
16S	32E	23										34	40						74
		26					40	39											79

Total number of acres irrigated 153

CONDITIONS OF APPROVAL

- a. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.
- b. The right to the use of the water hereby confirmed is restricted and appurtenant to lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.
- c. Any water right confirmed in this license for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this license and shall not give rise to any right or claim against any future rights to the use of water other than hydropower, within the State of Idaho initiated later in time than the priority of this license.

This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.5 afa per acre for the lands above.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 21st day of JUNE, 19 85.

Acting for the Director

Norman C. Young

DET

Utah
power
& LIGHT COMPANY

P.O. BOX 30898
SALT LAKE CITY, UTAH 84140

RECEIVED

MAY 17 1983

CURRENT BILL
PAST DUE
AFTER
11-15-82

AMOUNT
NOW DUE
2684.08

0146770 9 017700650.000 4000710
STEVEN E SHOWELL PB-D46
200 HP PUMP

STONE ID 83280

0177006500000002684081

\$
AMOUNT ENCLOSED

RETURN THIS PORTION WITH YOUR PAYMENT

STEVEN E. SHOWELL
RANCH ACCOUNT
PHONE 698-2542
STONE, IDAHO 83280

May 17 1978 92-86/1241

Pay to the order of *Utah Power and Light Co.* \$ *940.63* Dollars

Three hundred forty and no/100

FIRST BANK AND TRUST
OF IDAHO
MALAD CITY, IDAHO 83252

1 2 3 4 5 6 7 8 9 10 11 12

For *Steven E. Showell*

STEVEN E. SHOWELL
RANCH ACCOUNT
PHONE 698-3575
STONE, IDAHO 83280

Dec 18 1977 92-86/1241

Pay to the order of *Utah Power and Light Co.* \$ *1415.68* Dollars

Fourteen hundred and one hundred fifty and no/100

FIRST BANK AND TRUST
OF IDAHO
MALAD CITY, IDAHO 83252

1 2 3 4 5 6 7 8 9 10 11 12

For *Steven E. Showell*

DEC 20 1978

Rocky Mountain Bank Note B 0177-3000.0 0177-650.0

STEVEN E. SHOWELL
RANCH ACCOUNT
PHONE 698-3575
STONE, IDAHO 83280

Aug 17 1977 92-86/1241

Pay to the order of *William D. Dugan* \$ *266.55* Dollars

Two hundred sixty six and no/100

FIRST BANK AND TRUST
OF IDAHO
MALAD CITY, IDAHO 83252

1 2 3 4 5 6 7 8 9 10 11 12

For *William D. Dugan*

AUG 28 1979

Rocky Mountain Bank Note B 0177-3000.0 0177-650.0

STEVEN SHOWELL
RANCH ACCOUNT
243 NORTH 200 WEST
MALAD, IDAHO 83252

Aug 17 1977 92-86/1241

Pay to the order of **UTAH POWER & LIGHT CO.** \$ *2845.63* Dollars

Two thousand eight hundred forty five and no/100

FIRST BANK AND TRUST
OF IDAHO
MALAD CITY, IDAHO 83252

1 2 3 4 5 6 7 8 9 10 11 12

For *Steven E. Showell*

AUG 28 1979

Rocky Mountain Bank Note B 0177-3000.0 0177-650.0

939

STEVEN E. SHOWELL

RANCH ACCOUNT

PHONE 698-3575

STONE, IDAHO 83280

Pay to the
order of

Utah Power and Light Co.

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

Eight hundred and no/100

RECEIVED

UTAH STATE UNIVERSITY · LOGAN, UTAH 84322

UTAH WATER RESEARCH LABORATORY
UMC 82

COLLEGE OF ENGINEERING

February 11, 1977

Showell Bros.
Stone, Idaho

Dear Sirs:

Listed below are the results of the analysis performed on the
water samples for irrigation quality testing:

Parameter	Units	Steve Showell #1	STEVE Robbins #2	SID Crosby's #3
Conductivity	µmhos/cm	2037	1566	1235
Total Hardness (Ca ⁺⁺ + Mg ⁺⁺)	meq/l	12.3	5.95	5.88
Sodium (Na ⁺)	meq/l	8.07	8.91	6.63
S.A.R. (Sodium Adsorption Ratio)		3.25	5.17	3.87
Agricultural Classification (Agriculture Handbook, 60. USDA)		C3-S1	C3-S2	C3-S1

The following enclosure from the Agriculture Handbook, 60, USDA
will explain the above classifications.

Sincerely,

Leslie A. Gardner

Leslie A. Gardner
Laboratory Technician

LAG:bjh

Enclosure

Del-Vee

Sale & Service

Phone: (801) 854-3695

RECEIVED

MAY 17 1983

Tremonton, Utah 84337

DATE	FILE NO.	SOLD BY	INVOICE NO.
2/11/77			Nº 63

SOLD TO Steve Showell Project # 2 Stone, Idaho	CASH	101		
	EXEMPT	404		

CREDIT MEMO	ON ACCT.	CHARGE	DOWN PYMNT.	CASH SALE	TOTAL
1	2	3	4	5	

ITEM	SHIPPED	ORDERED	PART NO.	DESCRIPTION	PRICE	AMOUNT
①	1320'			8" PVC 100# Pipe	\$134 40	\$1774 08
②	2500'			10" PVC 100# Pipe	210 00	5250 00
③	820'			10" PVC 100# Pipe	210 00	1722 00
④	380'			10" PVC 100# Pipe	210 00	798 00
⑤	1			10" 90° Ell	42 00	42 00
⑥	54			3/4" Valve Stubs	10 58	571 32
⑦	27			4 X 3" PVC Bushings	2 05	55 35
⑧	22			10 X 10 X 4" Spl. X O-Ring	22 05	485 10
⑨	15			8 X 8 X 3 O-Ring X O-Ring	16 69	250 35
⑩	7			8 X 8 X 3 Spicket X O-Ring	22 05	154 35
⑪	5			10 X 10 X 4" Spicket X O-Ring	22 05	110 25
⑫	1			10" 20° El	36 18	36 18
⑬	1			10" X 8" Reducer	12 87	12 87
⑭	1			3" Surge Valve	49 00	49 00
⑮	1			2" Male Adapter	2 05	2 05
⑯	1			2" Air Vent	14 95	14 95
⑰	1 1			8" X 8 " X 3" Tee	16 95	16 95
⑱				Continued on #64		

Without grace for value received, I promise to pay to the order of Seller the above mentioned amounts, payable as hereinabove set forth. I agree that title to the merchandise hereinabove set forth shall at all times remain in the Seller's name, until this note is fully paid, and if the same be placed with an attorney for collection or suit, I agree to pay a reasonable attorney's fee. A FINANCE CHARGE OF 1 1/2% per month (18% ANNUAL PERCENTAGE RATE) will be charged to past due accounts. Upon failure on the part of the purchaser to make payments, as herein specified, the Seller may repossess said property wherever found. Property shall not be moved from premises without consent of seller. Unless otherwise stated prices will be price in effect at time of shipment. It is also agreed that Seller will not be responsible for any damage to crops due to late delivery of materials. Terms & conditions of the sales order shall also apply hereto.

X	Rec'd.
Buyer	By
	ACCOUNTING

Del-Vee

Sale & Service

Phone: (801) 854-3695

Tremonton, Utah 84337

MAY 17 1983

DATE	FILE NO.	SOLD BY	INVOICE NO.
2/11/77			Nº 64

SOLD TO
Steve Showell
Project # 2
Stone, Idaho

CASH	101			-
EXEMPT	404			

CREDIT MEMO	ON ACCT.	CHARGE	DOWN PYMNT.	CASH SALE	TOTAL
1	2	3	4	5	

ITEM	SHIPPED	ORDERED	PART NO.	DESCRIPTION	PRICE	AMOUNT
①	1			3 X 2 Tee	\$8 16	\$8 16
②	1			2" E1	3 02	3 02
③	160			3" Class 160# Pipe	44	70 40
④						\$11,426 38
⑤				Plus 10%		1,142 64
⑥						\$12,569 02
⑦				Sales Tax		377 07
⑧				Paid on Acct. (July)		\$ 7,500 00
⑨				Balance		\$ 5,446 09
⑩				Interest		\$ 1,348 59
⑪				Total Due		\$ 6,794 68
⑫						
⑬						
⑭						
⑮						
⑯						
⑰						
⑱						

Without grace for value received, I promise to pay to the order of Seller the above mentioned amounts, payable as hereinabove set forth. I agree that title to the merchandise hereinabove set forth shall at all times remain in the Seller's name, until this note is fully paid, and if the same be placed with an attorney for collection or suit, I agree to pay a reasonable attorney's fee. A FINANCE CHARGE OF 1 1/2% per month (18% ANNUAL PERCENTAGE RATE) will be charged to past due accounts. Upon failure on the part of the purchaser to make payments, as herein specified, the Seller may repossess said property wherever found. Property shall not be moved from premises without consent of seller. Unless otherwise stated prices will be price in effect at time of shipment. It is also agreed that Seller will not be responsible for any damage to crops due to late delivery of materials. Terms & conditions of the sales order shall also apply hereto.

X
Buyer _____ Rec'd. By _____
ACCOUNTING

RECEIVED

Del-Vee

Sale & Service

Phone: (801) 854-3695

Tremonton, Utah 84337

DATE		FILE NO.	SOLD BY	INVOICE NO.		
2/11/77				Nº 61		
SOLD TO			CASH 101			
Steve Showell			EXEMPT 404			
Project # 3						
Stone, Idaho						
CREDIT MEMO	ON ACCT.	CHARGE	DOWN PYMNT.	CASH SALE	TOTAL	
1	2	3	4	5		
ITEM	SHIPPED	ORDERED	PART NO.	DESCRIPTION	PRICE	AMOUNT
①	2			Wheel Lines 1280' Long	\$3855 00	\$7710 00
②	1			Wheel Line 1080' Long	3442 00	3442 00
③	121			Automatic Levelers (Jensen)	5 21	630 41
④	121			6" X 3/4" Nipples	1 11	134 31
⑤	121			3/4 El	33	39 93
⑥	25			Rain Birds	4 69	117 15
⑦	4			Hand Lines	1250 00	5000 00
⑧	1			Hydraulic Hose		4 86
⑨	1			26" Male Riser X 1"		2 64
⑩						\$17,081 30
⑪				Sales Tax 3%		512 44
⑫				Total Invoice		\$17,593 74
⑬						
⑭						
⑮						
⑯						
⑰						
⑱						

Without grace for value received, I promise to pay to the order of Seller the above mentioned amounts, payable as hereinabove set forth. I agree that title to the merchandise hereinabove set forth shall at all times remain in the Seller's name, until this note is fully paid, and if the same be placed with an attorney for collection or suit, I agree to pay a reasonable attorney's fee. A FINANCE CHARGE OF 1 1/2% per month (18% ANNUAL PERCENTAGE RATE) will be charged to past due accounts. Upon failure on the part of the purchaser to make payments, as herein specified, the Seller may repossess said property wherever found. Property shall not be moved from premises without consent of seller. Unless otherwise stated prices will be price in effect at time of shipment. It is also agreed that Seller will not be responsible for any damage to crops due to late delivery of materials. Terms & conditions of the sales order shall also apply hereto.

Rec'd.
By

ACCOUNTING

Del-Vee

Sale & Service

Phone: (801) 854-3695

MAY 17 1983

Tremonton, Utah 84337

DATE	FILE NO.	SOLD BY	INVOICE NO.
2/11/77			Nº 62


SOLD TO	Steve Showell Project # 1 Stone, Idaho	CASH 101			-
		EXEMPT 404			

CREDIT MEMO	ON ACCT.	CHARGE	DOWN PYMNT.	CASH SALE	TOTAL
1	2	3	4	5	

ITEM	SHIPPED	ORDERED	PART NO.	DESCRIPTION	PRICE	AMOUNT
①	2			Wheel Lines 1280' Long	\$3855 00	\$7710 00
②	1			Wheel Line 1080' Long	3442 00	3442 00
③	121			Automatic Levelers (Jensen)	5 21	630 41
④	121			6" X 3/4" Nipples	1 11	134 31
⑤	121			3/4 EL	33	39 93
⑥	25			Rain Birds	4 69	117 15
⑦	4			Hand Lines	1250 00	5000 00
⑧	1			Hydraulic Hose		4 86
⑨	1			26" Male Riser X 1"		2 64
⑩	2			Wheel Lines 1280' Long	4000 00	8000 00
⑪						\$25,081 30
⑫				Sales Tax 3%		752 43
⑬				Total Invoice		\$25,833 73
⑭						
⑮						
⑯						
⑰						
⑱						

Without grace for value received, I promise to pay to the order of Seller the above mentioned amounts, payable as hereinabove set forth. I agree that title to the merchandise hereinabove set forth shall at all times remain in the Seller's name, until this note is fully paid, and if the same be placed with an attorney for collection or suit, I agree to pay a reasonable attorney's fee. A FINANCE CHARGE OF 1 1/4% per month (18% ANNUAL PERCENTAGE RATE) will be charged to past due accounts. Upon failure on the part of the purchaser to make payments, as herein specified, the Seller may repossess said property wherever found. Property shall not be moved from premises without consent of seller. Unless otherwise stated prices will be price in effect at time of shipment. It is also agreed that Seller will not be responsible for any damage to crops due to late delivery of materials. Terms & conditions of the sales order shall also apply hereto.

X _____ Rec'd. By _____
Buyer ACCOUNTING



RECEIVED
ARROW INDUSTRIES, INC.

MAY 17 1983

ARROW
INDUSTRIES

P. O. BOX 217 - 44 EAST 8th AVE. Phone (801) 255-7153
MIDVALE, UTAH 84047

No.

SOLD
TO

Blue Skoville
Blue Skoville

SHIP
TO

Date 1/7/78

CUSTOMER ORDER NO.	ACCT. NO.	SALESMAN	TERMS	SHIPPED VIA	SHIP CHARGES	ORDER DATE	SCH. SHIPPING	DATE SHIPPED	PAGE
					PPD. CHG. COLL. PPD. N/C				
QUANTITY			DESCRIPTION	UNIT PRICE	DISC. %	NET AMOUNT			
ORDERED	BACK ORDERED	SHIPPED							
			Job # 1 plaster			2157.67			
			Job # 2 plaster			14500.99			
3			Job # 3 wheel line etc			13070.50			
4			Hand line			5000.00			
						34497.20			
			Credit Aug 1/78			7500.00			
						26997.20			
			near estimate without 15% added to vs estimate added 1/7/78						
			Robert E. Skoville						

POOR QUALITY ORIGINAL

TERMS AND CONDITIONS ON REVERSE SIDE

RECEIVED

BY

X

MATERIALS LISTED ABOVE RECEIVED IN GOOD CONDITION

INVOICE

SALES TAX

FREIGHT

TOTAL INVOICE

FORM A-11


PLEASE PAY
THIS AMOUNT

RECEIVED

MAY 17 1983

Unrecorded in Field Notebook

H.B. Reams Estate
Sec 23, 16S, 32E



15 16 17 18 19

FEB 17 1977

USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Resources


RECEIVED

WELL DRILLER'S REPORT

FEB 11 1977

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

Department of Water Resources
Eastern District Office

1. WELL OWNER Name <u>Steve & Sid Shaw</u> Address <u>Stone Idaho</u> Owner's Permit No. <u>17002</u>		7. WATER LEVEL Static water level <u>22</u> feet below land surface Flowing? ☐ Yes ☒ No G.P.M. flow _____ Temperature _____ F. Quality _____ Artesian closed-in pressure _____ p.s.i. Controlled by ☐ Valve ☐ Cap ☐ Plug																																																																																																																																																																			
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____		8. WELL TEST DATA ☒ Pump ☐ Bailer ☐ Other _____ <table border="1"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Draw Down</th> <th>Hours Pumped</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>		Discharge G.P.M.	Draw Down	Hours Pumped																																																																																																																																																															
Discharge G.P.M.	Draw Down	Hours Pumped																																																																																																																																																																			
3. PROPOSED USE ☐ Domestic ☒ Irrigation ☐ Test ☐ Other (specify type) _____ ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection		9. LITHOLOGIC LOG <table border="1"> <thead> <tr> <th rowspan="2">Hole Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th rowspan="2">Water Yes/No</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr><td>16</td><td>0</td><td>5</td><td>top soil</td><td>X</td></tr> <tr><td> </td><td>5</td><td>12</td><td>clay</td><td>X</td></tr> <tr><td> </td><td>22</td><td>30</td><td>wood</td><td>X</td></tr> <tr><td> </td><td>30</td><td>50</td><td>clay</td><td>X</td></tr> <tr><td> </td><td>50</td><td>52</td><td>sandstone</td><td>X</td></tr> <tr><td> </td><td>52</td><td>70</td><td>sandy clay</td><td>X</td></tr> <tr><td> </td><td>70</td><td>75</td><td>per. gravel</td><td>X</td></tr> <tr><td> </td><td>75</td><td>100</td><td>clay</td><td>X</td></tr> <tr><td> </td><td>100</td><td>105</td><td>sandy gravel</td><td>X</td></tr> <tr><td> </td><td>105</td><td>120</td><td>clay</td><td>X</td></tr> <tr><td> </td><td>120</td><td>125</td><td>gravel</td><td>X</td></tr> <tr><td> </td><td>125</td><td>130</td><td>clay</td><td>X</td></tr> <tr><td> </td><td>130</td><td>142</td><td>sandy</td><td>X</td></tr> <tr><td> </td><td>142</td><td>150</td><td>clay & drift</td><td>X</td></tr> <tr><td> </td><td>150</td><td>156</td><td>sand & gravel</td><td>X</td></tr> <tr><td> </td><td>156</td><td>170</td><td>clay</td><td>X</td></tr> <tr><td> </td><td>170</td><td>180</td><td>sandy gravel</td><td>X</td></tr> <tr><td> </td><td>180</td><td>200</td><td>clay</td><td>X</td></tr> <tr><td> </td><td>200</td><td>205</td><td>gravel</td><td>X</td></tr> <tr><td> </td><td>205</td><td>215</td><td>clay</td><td>X</td></tr> <tr><td> </td><td>215</td><td>225</td><td>gravel</td><td>X</td></tr> <tr><td> </td><td>225</td><td>235</td><td>sandstone</td><td>X</td></tr> <tr><td> </td><td>235</td><td>240</td><td>clay</td><td>X</td></tr> <tr><td> </td><td>240</td><td>250</td><td>gravel & clay</td><td>X</td></tr> <tr><td> </td><td>250</td><td>255</td><td>hard clay</td><td>X</td></tr> <tr><td> </td><td>255</td><td>260</td><td>sandy</td><td>X</td></tr> <tr><td> </td><td>260</td><td>280</td><td>clay & gravel</td><td>X</td></tr> <tr><td> </td><td>280</td><td>290</td><td>clay</td><td>X</td></tr> <tr><td> </td><td>290</td><td>300</td><td>fine sandy clay</td><td>X</td></tr> <tr><td> </td><td>300</td><td>320</td><td>clay</td><td>X</td></tr> <tr><td> </td><td>320</td><td>330</td><td>sandy gravel</td><td>X</td></tr> </tbody> </table>		Hole Diam.	Depth		Material	Water Yes/No	From	To	16	0	5	top soil	X		5	12	clay	X		22	30	wood	X		30	50	clay	X		50	52	sandstone	X		52	70	sandy clay	X		70	75	per. gravel	X		75	100	clay	X		100	105	sandy gravel	X		105	120	clay	X		120	125	gravel	X		125	130	clay	X		130	142	sandy	X		142	150	clay & drift	X		150	156	sand & gravel	X		156	170	clay	X		170	180	sandy gravel	X		180	200	clay	X		200	205	gravel	X		205	215	clay	X		215	225	gravel	X		225	235	sandstone	X		235	240	clay	X		240	250	gravel & clay	X		250	255	hard clay	X		255	260	sandy	X		260	280	clay & gravel	X		280	290	clay	X		290	300	fine sandy clay	X		300	320	clay	X		320	330	sandy gravel	X
Hole Diam.	Depth		Material		Water Yes/No																																																																																																																																																																
	From	To																																																																																																																																																																			
16	0	5	top soil	X																																																																																																																																																																	
	5	12	clay	X																																																																																																																																																																	
	22	30	wood	X																																																																																																																																																																	
	30	50	clay	X																																																																																																																																																																	
	50	52	sandstone	X																																																																																																																																																																	
	52	70	sandy clay	X																																																																																																																																																																	
	70	75	per. gravel	X																																																																																																																																																																	
	75	100	clay	X																																																																																																																																																																	
	100	105	sandy gravel	X																																																																																																																																																																	
	105	120	clay	X																																																																																																																																																																	
	120	125	gravel	X																																																																																																																																																																	
	125	130	clay	X																																																																																																																																																																	
	130	142	sandy	X																																																																																																																																																																	
	142	150	clay & drift	X																																																																																																																																																																	
	150	156	sand & gravel	X																																																																																																																																																																	
	156	170	clay	X																																																																																																																																																																	
	170	180	sandy gravel	X																																																																																																																																																																	
	180	200	clay	X																																																																																																																																																																	
	200	205	gravel	X																																																																																																																																																																	
	205	215	clay	X																																																																																																																																																																	
	215	225	gravel	X																																																																																																																																																																	
	225	235	sandstone	X																																																																																																																																																																	
	235	240	clay	X																																																																																																																																																																	
	240	250	gravel & clay	X																																																																																																																																																																	
	250	255	hard clay	X																																																																																																																																																																	
	255	260	sandy	X																																																																																																																																																																	
	260	280	clay & gravel	X																																																																																																																																																																	
	280	290	clay	X																																																																																																																																																																	
	290	300	fine sandy clay	X																																																																																																																																																																	
	300	320	clay	X																																																																																																																																																																	
	320	330	sandy gravel	X																																																																																																																																																																	
4. METHOD DRILLED ☒ Cable ☐ Rotary ☐ Dug ☐ Other _____		10. Work started <u>Sept 1975</u> finished <u>Oct 23 1975</u>																																																																																																																																																																			
5. WELL CONSTRUCTION Diameter of hole <u>16</u> inches Total depth <u>330</u> feet Casing schedule: ☒ Steel ☐ Concrete Thickness <u>1/4"</u> inches Diameter <u>16</u> inches From <u>0</u> feet To <u>330</u> feet Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☒ Yes ☐ No Perforated? ☒ Yes ☐ No How perforated? ☐ Factory ☐ Knife ☒ Torch Size of perforation <u>3/8</u> inches by <u>6</u> inches Number <u>1000</u> per foot From <u>30</u> feet To <u>330</u> feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☒ Yes ☐ No Size of gravel <u>1/4" to 1/2"</u> Placed from <u>0</u> feet to <u>83</u> feet Surface seal depth <u>20'</u> Material used in seal ☐ Cement grout ☒ Pudding clay ☐ Wall cuttings Sealing procedure used ☐ Slurry pit ☐ Temporary surface casing ☐ Overbore to seal depth		11. DRILLER'S CERTIFICATION Firm Name <u>Yacoubough Drilling</u> Firm No. <u>916</u> Address <u>Stone Idaho</u> Date <u>2/5/78</u> Signed by (Firm Official) <u>Waymon Yacoubough</u> and Operator <u>Way Yacoubough</u>																																																																																																																																																																			
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ Township _____ Range _____ Section _____		USE ADDITIONAL SHEETS IF NECESSARY FORWARD THE WHITE COPY TO THE DEPARTMENT																																																																																																																																																																			

THIS IS THE LAST PAGE OF THIS MESSAGE

BILL HISTORY		ORDERS		EMP# 02370 SEC-CD 850		20000000	
				0146770 017700650			
				00000		STON	
BILL TO	BILL	DAYS	TYPE	CUS	REV	RATE	AMOUNT
02MAY83	02MY	00	RDM	000	04	039	.00
01MAY83	02MY	00	RIN	000	02	071	26.92
01MAY83	01MY	00	RAB	000	04	014	.00
01MAY83	01MY	00	RED	000	04	014	.00
01APR83	01AP	00	RAB	000	04	014	.00
01APR83	01AP	00	RED	000	04	014	.00
01APR83	01AP	00	RIN	000	02	071	27.65
01APR83	01AP	00	RDM	000	04	039	.00
03MAR83	03MR	00	RDM	000	04	039	.00
01MAR83	03MR	00	RIN	000	02	071	27.38
01MAR83	01MR	00	RAB	000	04	014	.00
01MAR83	01MR	00	RED	000	04	014	.00
01FEB83	01FE	00	RAB	000	04	014	.00
01FEB83	01FE	00	RED	000	04	014	.00
01FEB83	01FE	00	RIN	000	02	071	27.11
01FEB83	01FE	00	RDM	000	04	039	.00
04JAN83	04JA	00	RDM	000	04	039	.00

0851

BILL HISTORY		ORDERS		EMP# 02370 SEC-CD 850		20000000	
				0146770 017700650			
				00000		STON	
BILL TO	BILL	DAYS	TYPE	CUS	REV	RATE	AMOUNT
02JAN83	04JA	00	RIN	000	02	071	26.84
02JAN83	02JA	00	RAB	000	04	014	.00
02JAN83	02JA	00	RED	000	04	014	.00
01DEC82	01DE	00	RAB	000	04	014	.00
01DEC82	01DE	00	RED	000	04	014	.00
01DEC82	01DE	00	RIN	000	02	071	26.63
01DEC82	01DE	00	RDM	000	04	039	.00
01NOV82	01NO	00	RAB	000	04	014	.00
01NOV82	01NO	00	RED	000	04	014	.00
01NOV82	29OC	00	RIN	000	02	071	20.90
29OCT82	29OC	00	RDM	000	04	039	.00
20OCT82	21OC	27	DKM	000	04	039	162.04
01OCT82	01OC	00	RAB	000	04	014	.00
01OCT82	01OC	00	RED	000	04	014	.00
01OCT82	30SE	00	RIN	000	02	071	9.53
23SEP82	30SE	31	RNW	000	04	102	39.28
23SEP82	30SE	31	RDM	000	04	039	440.79

0851

BILL HISTORY		ORDERS		EMP# 02370 SEC-CD 850		20000000	
				0146770 017700650			
				00000		STON	
BILL TO	BILL	DAYS	TYPE	CUS	REV	RATE	AMOUNT
23AUG82	08SE	28	ANW	C13	000	04 102	1561.39
23AUG82	08SE	28	ADM	C13	000	04 039	2698.90
01SEP82	01SE	00	RAB	000	04	014	.00
01SEP82	01SE	00	RED	000	04	014	.00
23AUG82	31AU	28	RDM	000	04	039	.00
26JUL82	24AU	32	ANW	C13	000	04 102	723.00
26JUL82	24AU	32	ADM	C13	000	04 039	1675.59
26JUL82	02AU	31	RDM	000	04	039	.00
01AUG82	01AU	00	RAB	000	04	014	.00
01AUG82	01AU	00	RED	000	04	014	.00
01JUL82	01JL	00	RAB	000	04	014	.00
01JUL82	01JL	00	RED	000	04	014	.00
30JUN82	30JN	00	RDM	000	04	039	.00
01JUN82	01JN	00	RAB	000	04	014	538.61
01JUN82	01JN	00	RED	000	04	014	.00
01JUN82	01JN	00	RIN	000	02	071	22.62
01JUN82	01JN	00	RDM	000	04	039	.00

0851

BILL HISTORY		ORDERS		EMP# 02370 SEC-CD 850		20000000	
				0146770 017700650			
				00000		STON	
BILL TO	BILL	DAYS	TYPE	CUS	REV	RATE	AMOUNT
01MAY82	01MY	00	RAB	000	04	014	.00

DATE	TIME	DAY	TYPE	CUS	REV	RATE	KWH	KW	S-TAX	F-TAX	STON
01MAY82	01MY	00	RED	000	04	014	.00	.00	.00	.00	.00
01MAY82	30AP	00	RIN	000	000	02 071	.00	.00	.00	22.71	.00
30APR82	30AP	00	RDM	000	04	039	.00	.00	.00	.00	.00
01APR82	01AP	00	RAB	000	04	014	.00	.00	.00	.00	.00
01APR82	01AP	00	RED	000	04	014	.00	.00	.00	.00	.00
01APR82	01AP	00	RIN	000	000	02 071	.00	.00	.00	22.49	.00
01APR82	01AP	00	RDM	000	04	039	.00	.00	.00	.00	.00
03MAR82	03MR	00	RDM	000	04	039	.00	.00	.00	.00	.00
01MAR82	03MR	00	RIN	000	000	02 071	.00	.00	.00	22.27	.00
01MAR82	01MR	00	RAB	000	04	014	.00	.00	.00	.00	.00
01MAR82	01MR	00	RED	000	04	014	.00	.00	.00	.00	.00
01FEB82	01FE	00	RAB	000	04	014	.00	.00	.00	.00	.00
01FEB82	01FE	00	RED	000	04	014	.00	.00	.00	.00	.00
01FEB82	01FE	00	RIN	000	000	02 071	.00	.00	.00	22.07	.00
01FEB82	01FE	00	RDM	000	04	039	.00	.00	.00	.00	.00
01JAN82	01JA	00	RAB	000	04	014	.00	.00	.00	.00	.00

0851

BILL HISTORY

ORDERS

EMP# 02370 SEC-CD 850

20000000

0146770 017700650

00000

STON

BILL TO	BILL	DAYS	TYPE	CUS	REV	RATE	KWH	KW	S-TAX	F-TAX	STON
01JAN82	01JA	00	RED	000	04	014	.00	.00	.00	.00	.00
01JAN82	31DE	00	RIN	000	000	02 071	.00	.00	.00	20.44	.00
31DEC81	31DE	00	RDM	000	04	039	.00	.00	.00	.00	.00
20NOV81	18DE	01	DDM	B22	000	04 039	.00	.00	.00	.00	.00
20NOV81	18DE	01	DDM	B22	000	04 039	.00	.00	.00	.00	.00
20NOV81	18DE	01	DDM	B22	000	04 039	.00	.00	.00	.00	.00
01DEC81	01DE	00	RAB	000	04	014	.00	.00	.00	.00	.00
01DEC81	01DE	00	RED	000	04	014	.00	.00	.00	.00	.00
01DEC81	01DE	00	RIN	000	000	02 071	.00	.00	.00	18.82	.00
20NOV81	01DE	29	RDM	000	04	039	.00	.00	.00	143.94	.00
01NOV81	01NO	00	RAB	000	04	014	.00	.00	.00	.00	.00
01NOV81	01NO	00	RED	000	04	014	.00	.00	.00	.00	.00
01NOV81	29OC	00	RIN	000	000	02 071	.00	.00	.00	18.35	.00
22OCT81	29OC	30	RDM	000	04	039	.00	.00	.00	143.81	.00
01OCT81	01OC	00	RAB	000	04	014	.00	.00	.00	.00	.00
01OCT81	01OC	00	RED	000	04	014	.00	.00	.00	.00	.00
22SEP81	30SE	32	RDM	000	04	039	.00	.00	.00	46.93	.00

0851

BILL HISTORY

ORDERS

EMP# 02370 SEC-CD 850

20000000

0146770 017700650

00000

STON

BILL TO	BILL	DAYS	TYPE	CUS	REV	RATE	KWH	KW	S-TAX	F-TAX	STON
01SEP81	01SE	00	RAB	000	04	014	.00	.00	.00	.00	.00
01SEP81	01SE	00	RED	000	04	014	.00	.00	.00	.00	.00
21AUG81	31AU	30	RDM	000	04	039	44080	171	.00	.00	1834.70
01AUG81	01AU	00	RAB	000	04	014	.00	.00	.00	.00	.00
01AUG81	01AU	00	RED	000	04	014	.00	.00	.00	.00	.00
31JUL81	31JL	00	RDM	000	04	038	.00	.00	.00	.00	.00
01JUL81	01JL	00	RAB	000	04	014	.00	.00	.00	.00	.00
01JUL81	01JL	00	RED	000	04	014	.00	.00	.00	.00	.00
30JUN81	30JN	00	RDM	000	04	038	.00	.00	.00	.00	.00
02JUN81	02JN	00	RAB	000	04	014	.00	.00	.00	.00	.00
02JUN81	02JN	00	RED	000	04	014	.00	.00	.00	.00	.00
02JUN81	02JN	00	RDM	000	04	010	.00	.00	.00	.00	.00
01MAY81	01MY	00	RAB	000	04	014	.00	.00	.00	.00	.00
01MAY81	01MY	00	RED	000	04	014	.00	.00	.00	.00	.00
30APR81	30AP	00	RDM	000	04	010	.00	.00	.00	.00	.00

0851

BILL HISTORY

ORDERS

EMP# 02370 SEC-CD 850

20000000

0146770 017700650

00000

STON

BILL TO	BILL	DAYS	TYPE	CUS	REV	RATE	KWH	KW	S-TAX	F-TAX	STON
02MAY83	02MY	00	RDM	000	04	039	.00	.00	.00	.00	.00
01MAY83	02MY	00	RIN	000	000	02 071	.00	.00	.00	26.92	.00
01MAY83	01MY	00	RAB	000	04	014	.00	.00	.00	.00	.00
01MAY83	01MY	00	RED	000	04	014	.00	.00	.00	.00	.00
01APR83	01AP	00	RAB	000	04	014	.00	.00	.00	.00	.00
01APR83	01AP	00	RED	000	04	014	.00	.00	.00	.00	.00
01APR83	01AP	00	RIN	000	000	02 071	.00	.00	.00	27.65	.00
01APR83	01AP	00	RDM	000	04	039	.00	.00	.00	.00	.00
03MAR83	03MR	00	RDM	000	04	039	.00	.00	.00	.00	.00
01MAR83	03MR	00	RIN	000	000	02 071	.00	.00	.00	27.38	.00
01MAR83	01MR	00	RAB	000	04	014	.00	.00	.00	.00	.00
01MAR83	01MR	00	RED	000	04	014	.00	.00	.00	.00	.00
01FEB83	01FE	00	RAB	000	04	014	.00	.00	.00	.00	.00
01FEB83	01FE	00	RED	000	04	014	.00	.00	.00	.00	.00
01FEB83	01FE	00	RIN	000	000	02 071	.00	.00	.00	27.11	.00
01FEB83	01FE	00	RDM	000	04	039	.00	.00	.00	.00	.00
04JAN83	04JA	00	RDM	000	04	039	.00	.00	.00	.00	.00

0851

FIRST BANK AND TRUST OF IDAHO

Malad, Preston, Soda Springs, Grace, Bancroft

RECEIVED

MAY 17 1983

DEPT. OF WATER RESOURCES

May 16, 1983

Mr. Norman C. Young
Dept. of Water Resources
Statehouse
Boise, Idaho 83720

Dear Mr. Young:

I finance Steven E. Showell on his operation in Stone, Idaho. Mr. Showell has used well #2 on the H. B. Robbins estate property for a period of five years.

Mr. Showell explained the oversight on the legal description and your help in correcting this matter would be greatly appreciated.

Very truly yours,

D. Michael Broadhead

D. Michael Broadhead
Executive Vice President

DMB/cw

PLACE
3 CENT
STAMP
HERE

RECEIVED

MAY 17 1983



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card a statement that the permit holder(s) has completed development to the extent shown below of permit No. 17-7007.

Name(s) of Permit Holder: Steven E. Showell

Post Office Address: 243 No. 2 West

Malad, Id. 83252 Tel. No. 766-4635

Source of Water: well

Extent of Use: ☐ Domestic (number of households)
☐ Stockwater (number and type of stock)
☒ Irrigation (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☒ No Installed? ☒ Yes ☐ No
Access Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

5/9/83
Date

Steven E. Showell
Signature of Permit Holder



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

May 25, 1983

Steven E. Showell
243 N. 2 W.
Malad, ID 83252

Dear Mr. Showell:

Re: Lapsed Permit Nos. 17-7002, 17-7024 and 17-7025

This office has received copies of several documents submitted on your behalf by D. Michael Broadhead of the First Bank and Trust of Idaho. The documents were submitted pursuant to your discussions with this Department and the recent changes to Section 42-218a, Idaho Code.

This proof card which you submitted for 17-7022 will be discarded since a license has been issued for that permit.

A review of the microfilm for each of the lapsed permits shows the following:

Permit No. 17-7002

- Permit in the name of Showell Brothers, Steven Showell and Sidney Showell
- Proposed well location in the SW1/4SE1/4, Sec. 23, T16S, R32E.
- Land to be irrigated: S1/2SW1/4, Sec. 23; N1/2NW1/4, Sec. 26, T16S, R32E.
- Authorized permit development period: April 5, 1968 thru April 1, 1978

Permit No. 17-7024

- Permit in the name of Steven E. Showell

- Proposed well location in the SW1/4SW1/4, Sec. 23, T16S, R32E.
- Land to be irrigated NE1/4, S1/2NW1/4, Sec. 26, T16S, R32E.
- Authorized permit development period: October 15, 1973 to October 1, 1978

Permit No. 17-7025

- Permit in the name of Rollin Showell and Sons, a partnership
- Proposed well location in the NE1/4NE1/4, Sec. 9 T16S, R32E
- Land to be irrigated - 100 acres in E1/2NE1/4, Sec. 9; NW1/4NW1/4 Sec. 10, T16S, R32E
- Authorized permit development period: October 15 1973 to October 1, 1978

The Department records include a well log showing that Yarbrough Drilling drilled a 330-foot well in Sec. 23, T16S, R32E. The 40-acre tract in which the well is located, however, is not clear on the log. The log shows that the well was started in September 1975 and finished October 23, 1975. The log appears to be clearly related to lapsed Permit No. 17-7002. I cannot locate well logs in connection with Permit Nos. 17-7024 and 17-7025.

Several items of information are needed before the documentation submitted can be considered sufficient to reinstate the permits. The items include:

- a) Potential assignments depending on which of the three lapsed permits were developed in the authorized periods.
- b) Legal description documentation of land irrigated and evidence of date when water was first applied to a beneficial use, i.e. aerial photos adequately identifying irrigated land may show that the land was irrigated in the authorized period.
- c) Additional information differentiating project #1 from project #2 or #3 as shown on the Del-Vee Sales and Service statements which were submitted as proof of development.

Since the authorized period of development for Permit No. 74-7002 ended April 1, 1978 and on October 1, 1978 for Permit No. 17-7024, it is extremely important to clearly demonstrate that the water was applied to a beneficial use prior to those dates.

Your supplemental submittal of information to address questions raised in this letter should also describe reasonable cause why proof was not originally timely filed.

Please respond to this letter within 60 days in order that the Department can further consider reinstatement of the permits. If you have questions, please feel free to contact me at phone 334-4410.

Sincerely,

L. Glen Saxton

L. GLEN SAXTON
Chief, Operations Bureau

LGS:rf

cc: C. Michael Broadhead, First Bank and Trust of Idaho

ASCS-156-3
(9-14-78)

FARM RECORD CARD

USDA - ASCS

124 STEVE SHOWELL 80 76
A
OP STONE ID 83280 118
523 54 9410 9

124 CLBERT ROBBINS
A 23 1ST STREET
W RIFERT LLAHO 83350
360 A 80 76 F-18

COMMODITY		1979					1980					1981					1982					1983				
ITEM		1979					1980					1981					1982					1983				
1 Preliminary																										
2 Factored																										
3 Adjusted																										
4 Effective																										
5 Yield Per Acre																										
6 Planted																										
7 Considered																										
8 P&CP																										
9 ACTUAL YIELD																										
COMMODITY																										
1 Preliminary																										
2 Factored																										
3 Adjusted																										
4 Effective																										
5 Yield Per Acre																										
6 Planted																										
7 Considered																										
8 P&CP																										
9 ACTUAL YIELD																										
COMMODITY																										
1 Preliminary																										
2 Factored																										
3 Adjusted																										
4 Effective																										
5 Yield Per Acre																										
6 Planted																										
7 Considered																										
8 P&CP																										
9 ACTUAL YIELD																										
COMMODITY																										

CAP	WBP
-----	-----

No crops reported in alfalfa

CCP			
REAP	76	80	51
RCP			
GPCP	7	84	84

12 GILBERT ROBBINS
A 523 1ST STREET
NW RUPERT IDAHO 83350

360A 80 76 I-18

Recon. Ref.

		1974	1975	1976	1977	1978
C O N B A S E	1 Preliminary					
	2 Adjustment					
	3 Adjustment					<i>Adjusted</i>
	4 Effective					<i>820</i>
W H E A T	1 Preliminary					
	2 Factored					
	3 Adjustment					
	4 Effective					
ROTATION FACTOR	Y					
	N					
ODD	5 Preliminary					

		1974	1975	1976	1977	1978
C O R N	1 Preliminary					
	2 Factored					
	3 Adjustment					
	4 Effective					
	5 Preliminary					
	6 Final					
Planted	7					
S O Y B E A N S	1 Preliminary					
	2 Factored					
	3 Adjustment					
	4 Effective					
	5 Preliminary					
	6 Final					
Planted	7					
B A R L E Y	1 Preliminary					
	2 Factored					
	3 Adjustment					
	4 Effective					
	5 Preliminary					
	6 Final					
Planted	7					
R O T A T I O N F A C T O R	1 Preliminary					
	2 Factored					
	3 Adjustment					
	4 Effective					
	5 Preliminary					
	6 Final					
Planted	7					
TOTAL	1 Soybeans					
	2 Base					
P & CP	3					
'72	4					
'73	5					
C R O P	Irrigated					
	Dryland					

1978 Flight 70

A124

A125

361A

362A

360A

77.0

66.3

75.5

85.5

31.2

35.8A

JUN 29 1983

RECEIVED

JUN 68 1983


[Faint, illegible handwritten text]

1978 flight

RECEIVED

JUN 29 1983

REPORT OF THE DIRECTOR



RECEIVED

JUN 29 1983

IN THE MATTER OF)
PERMITS 17-7002,)
17-7024 & 17-7025)
STEVEN E. SHOWELL)
& SHOWELL BROTHERS)
PARTNERSHIP)

PETITION FOR REINSTATEMENT
OF PERMITS

Steven E. Showell and Jean Showell are the owners of 400 acres of land located within Sec. 13, 23 & 26 of Twp. 16S, R. 32E, B.M. and Sec. 18, Twp. 16S, R. 33E, B.M. Oneida County.

Permits 17-7002, 17-7024 & 17-7025 were originally owned by Showell Brothers, a partnership consisting of Rollin, Sidney and Steven Showell, ETUX. Showell Brothers had Waymon Yarbrough drill a 16" well in Sept. 1975. The well was drilled to a depth of 333ft. and completely cased.

The partnership was dissolved in 1977 and it was agreed that Steven Showell would receive the well and the three permits. In January of 1977, Steve Showell was assigned permit 17-7024 and made application with the Idaho Dept. of Water Resources to amend the Point of Diversion and Place of use.

Later that year a 75hp pump was installed along with four wheel-lines to irrigate 148 acres. In 1978, an additional 160 acre tract was purchased from the Hurd estate and 80 additional acres were rented from Gilbert Robins. (This 80 acre tract was later purchased also.) A 200hp pump was installed and four additional handlines, four wheellines and a small water cannon were purchased. This system has been used each year since 1978.

In 1978, Proof-due notices were sent by the Dept. of Water Resources. The Petitioners do not recall receiving these notices. They speculate that correspondence related to permits 17-7002, 17-7024 and 17-7025 was received by Rollin Showell (who is now 86 years old) or Sid Showell, neither of whom have any remaining interest in these permits. Steve and Jean Showell were unaware that proof was due or that these permits had lapsed. Permit 17-7022, which is now going to license for the irrigation of 160 acres of lands was filed in the name of Steven Showell.


All correspondence from the Dept. has been received and appropriate action taken. The Petitioners realize that the Director normally does not even consider reinstating permits that have lapsed. However, in most cases the permit holder has an opportunity to re-file. Because the Showell property is located in the Curlew critical groundwater area, they have no opportunity to obtain another permit. It seems unduly harsh to force the Showells to lose their investment in their irrigation system and decrease the value of their farm because they can no longer irrigate.

The Petitioners therefore pray the Director of the Dept. of Water Resources will reinstate permits 17-7002, 17-7024 and 17-7025 and allow them to keep the equity they have in their farm and the investment they have in their irrigation system.


Signed at Malad this 29 day of July, 1982.

PETITIONERS


STEVEN E. SHOWELL


JEAN SHOWELL

Sworn to before me this 29th day of July, 1982.


Notary Public
Residing at Malad, Idaho

My commission expires Life

243 No. 2W.
Malad, Idaho
June 23, 1983
RECEIVED

JUN 23 1983

Department of Water Resources

Department of Water Resources
State Office 450 W. State Street,
Boise, Idaho 83720
Att: Mr. L. Glen Sexton

Dear Mr. Sexton:

In regards to lapsed permits no.
17-7002, 17-7024 and 17-7025,
and in answer to your letter of May 25, 1983,
I have hoped sufficient proof was
supplied.

You should have in your file
a petition submitted by us on July 29,
1982, which explains the circumstances
surrounding these permits. I have enclosed
a copy. Steve and Michael Broadhead
made a trip to Boise on March 15, 1983,
and spent two days with Norman Young
explaining this situation. Please compare
your information with him.

The A.S.L. office has supplied me with
copies of aerial photos taken in 1970 and 1978.
The fall, 1978 photo shows grain stubble,
which you know, could not have been grown
without irrigation.

2/ The well log, of which you have a copy, is dated Nov 1, 1975. The well and main line were completed in June, 1976, but too late to get a very good crop that year. In 1977 an excellent crop of Barley was grown. I have enclosed a family picture showing myself, Steve, a daughter and son, taken in August 1977. The daughter was married in Nov. 1977, and left. The boy was born in 1974, and you can see, is 3 years old. We are standing in the middle of the barley field on the H.M. Rabbins place. Note the height of the barley. This could not have been grown without irrigation.

In regards to projects #1, 2 & 3, we accumulated this place in three different purchases, the H.M. Rabbins place, the Joseph Hurd place, & the Arthur Rabbins place, which we leased before purchase. The numbers refer to developments added in each place as it was needed.

I understand from Steve that permits #7024 and 7025 were both diverted into the hole specified in the

3/ location of 7002. This is why no development records are included on these.

The reason I included a ^(proof?) permit card for 17-7022 is that both wells were supposed to be in the process of being ~~approved~~ ^{approved} together. We checked repeatedly and thought work had been done as needed in clearing both of them. In 1977 measuring devices were required on both wells, which we had installed, and both were examined, then we were told they were not needed. At this time the well was engaged in beneficial use and seen by your men.

We are ~~very~~ anxious to have this lapsed permit reinstated, because as you know, we are in the Curlew critical ground water area, and if we do not have irrigation water, we will have nothing, and our farm will be lost. I sincerely hope I have included sufficient proof for your needs. Steve has given me this responsibility and I have done my best.

If you have further questions, please call my office at 208-766-2243.

Sincerely,

Jean A. Shawell



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

October 7, 1983

Steven E. Showell
243 N. 2nd W.
Malad, ID 83252

Dear Mr. Showell:

Re: Lapsed Permit Nos. 17-7002, 17-7024 and 17-7025

Enclosed are reinstatement orders relative to permits 17-7002 and 17-7024.

Reinstatement of these permits provides for a maximum of 7.20 cfs (360 miner's inches) for the irrigation of a maximum of 400 acres in the N $\frac{1}{2}$ of Sec. 26 and the S $\frac{1}{2}$ SW $\frac{1}{2}$ of Sec. 23, Twp. 16S, Rge. 32E. Our regional office in Idaho Falls will be advised that a field examination needs to be made.

The evidence submitted relative to 17-7025 does not appear to justify reinstatement of the permit since no development in E $\frac{1}{2}$ NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 9 and NW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 10, Twp. 16S, Rge. 32E (the authorized place of use under the permit) appears to have been made under this permit.

If you have questions, please feel free to contact me.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

LGS:rf

Enclosures

cc: Eastern Region



H.J. CAMPBELL
AGENCY
RUBY CAMPBELL MILES
G.R.I., BROKER

AGRICULTURAL FINANCIAL MANAGEMENT AND REAL ESTATE CONSULTATION

March 13, 1985

RECEIVED
MAR 15 1985

Mr. Jim Johnson
Department of Water Resources
Statehouse
Boise, Idaho 83720

Department of Water Resources

Re: Permit No. 17-7002
Permit No. 17-7024
Steve Showell License

Dear Mr. Johnson:

The above referenced permits have been submitted to your office for final licensing. It is imperative at this time that a license be issued on these permits. The property named in the permits is currently on the market for sale, but a sale cannot be consummated until we have the license. We were unable to ratify a sale on the property a few months ago due to the fact that there was no license on the well.

Mr. Showell's bank is putting a lot of pressure on me and Mr. Showell to get this property sold. Any assistance you could give at this time to get this matter cleared up would be appreciated.

Thank you.

Very truly yours,

Ruby C. Miles

Ruby C. Miles, G.R.I.
Broker

P.O. BOX 333, LOGAN, UTAH 84321 • (801) 753-7807

Overlap Review for Permits 17-7002 & 17-7024

per terminal 4/11/85:

pd/tr point of diversion: (same for both)
17-7024 shows up (only)

pu/tr place of use:

17-7002 - SWSW - 23 - none

SESW - - 17-2023

NENW - 26 - 17-2023

NWNW - - none

17-7024 - NENE - 26 - none

NWNE - - none

SWNE - - none

SENE - - none

SWNW - - none

SENW - - none

17-2023 - only overlapping right
on these lands - Lic. from
unnamed stream, 0.8 cfs

p/d - SWSE, S23, T16S, R32E - different
source - no overlap, see copy
attached - Recommend R30 ¹⁷⁻⁷⁰⁰² as
condition to limit all rights
to 0.02 cfs/acre. kw

State of Idaho
License and Certificate of Water Right

Water License No. 21439

Amount 0.8 second foot

Water District No.

Priority February 28, 1960

THIS IS TO CERTIFY that H. B. ROBBINS
of Stone, Idaho , made application for a permit to appropriate the

public waters of the State of Idaho, dated February 28 , 19 50 ; that Permit No. 21439
was issued under said application; that Certificate of Completion of works, with a carrying capacity of

One second foot, was issued thereunder on August 5 , 19 52 , showing that said works
were completed on the 8th day of October , 19 51 ; and that on the 20th
day of October , 19 52 ,

H. B. ROBBINS

of Stone , State of Idaho , made proof to the satisfaction of the

State Reclamation Engineer of Idaho, of the right to use the waters of an un-named
stream , a tributary of - - , for the purpose of irrigation and domestic

use , under Use Permit No. 21439 of the Department of Reclamation
and that said right to the use of said waters has been perfected in accordance with the laws of Idaho,
and is hereby confirmed by the State Reclamation Engineer of Idaho and entered of record in Volume
8 of Licenses at page 5153 , on the 6th day of October , 19 53 ;

The right hereby confirmed dates from February 28, , 19 50 ;

The Point of Diversion is located

in the NW 1/4 SE 1/4, Sec. 23 , Tp. 16 S R. 32 E. , B. M. County Oneida

That the amount of water to which such right is entitled and hereby confirmed, for the purposes
aforesaid, is limited to an amount actually needed and beneficially used for said purposes, and shall
not exceed 0.8 cubic feet per second.

In the NW 1/4 SE 1/4, Sec. 23, Tp. 16 S. R. 32 E., B. M. County Oneida

That the amount of water to which such right is entitled and hereby confirmed, for the purposes aforesaid, is limited to an amount actually needed and beneficially used for said purposes, and shall not exceed 0.8 cubic feet per second.

Description and location of use:

Twp.	Range	Sec.	Forty-acre Tract	No. Acres Described in Permit	No. Acres Actually Irrigated
16 S.	32 E.	23	SE 1/4 SW 1/4 NE 1/4 NW 1/4	25	15
		26			25
			Number of Acres Actually Irrigated	-	40

Note:
 The P.D. for this license is in error. The legal description should read the SW 1/4 SE 1/4 of Section 23, T16S, R32E.

Dick Link
 7-19-77

confirmed is restricted to the lands or place
 nation Engineer, affixed at Boise, Idaho, this

MARK R. KULP
 State Reclamation Engineer.

17 2083

Permit No. 17-7024

Phone No. 766-4635

EXAM. DATE: 7-19-84

Relationship to Permit Holder: _____

3. Source: Groundwater tributary to _____

*Code with points of diversion, system diagram & photos on reverse side. Disregard if only one.

5. **System Description** (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

well/pump to 12 sprinkler (m²s)

7. Measurements By Meter 2200 gpm (4.9cf) ☐ Additional data/computation sheets attached
 .0065 af / min (4.7cf)

8. Point(s) of Diversion: Indicate Method of Determination *ASCS Map*


9.	Irrigation - give acres served by system at time of exam.																			
Place(s) of Use:			Indicate Method of Determination																	
Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals	
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4		
24	16S	32E	26	40	40	40	40				39	40								239
002			23													34	40			74
-7		26	35					40	39											79
COM																				
185																				
Total Acres _____																				

7-7024

#17-7002

per
telecom
1/11/85
LCO

10. Other water rights on these lands _____
11. Other water right diverted from same p.d. 17-7002 & 17-7024
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☐ Photo of Diversion & System Attached

☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks PD on amendment for 17-7002 appears to be typo error.
Map on back shows SWSW of Sect. 23. PD for both permits
in SWSW Sect. 23

15. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

16. Examiner's/Consultant's Signature J. L. Jones Date 7-19-84

Consultant's License Number _____

IDWR Director's Authorization to Conduct

Beneficial Use Examination _____

Date

CONSULTANT SEAL

17-7024 & 17-7002

E-16
L-L
1

R32E



IOANO 2625
UTAH

NOT TO SCALE



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN

Director
April 16, 1985

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

RE: Permit No. 17-7002

Showell Brothers,
Steven Showell &
Sidney Showell
243 N. 200 W.
Malad, ID 83252

Dear Permit Holders:

A representative of this Department made an examination of the works covered by your Permit No. 17-7002 and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 1.84 cfs Source: groundwater

The maximum quantity diverted shall not exceed 535.5 acre feet
per year.

Point(s) of diversion: SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 23, Twp 16S, Rge 32E

Beneficial Use: Irrigation of 74 acres within S $\frac{1}{2}$ SW $\frac{1}{4}$, Sec. 23, & 79 acres
within N $\frac{1}{2}$ NW $\frac{1}{4}$, Sec. 26, Twp 16S, Rge 32E

Priority date established: May 17, 1983 (Late Proof)

Conditions (if any): This right when combined with all other rights shall
provide no more than .02 cfs per acre nor more than 3.5 afa per acre for the
lands above.

In order for the Department to issue the above license, it will be necessary for
you to amend the permit to correspond with the findings of the field examiner. We
are enclosing a partially completed amendment form for your use in this matter.

Please sign the amendment application and return it to this office along with a
\$20.00 filing fee within 30 days in order that we might issue your license as set
forth above. If you do not concur with these findings or have any questions,
please contact us within the 30-day period.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc
Enclosure

CONVERSATION MEMORANDUM

DATE 5-9-85

FILE 17-7002

NAME OF PARTY Steven Showell 766-4635

EMPLOYEE Jim Johnson

RE: Mr. Showell requested that his brother's (SIDNEY)
NAME be REMOVED FROM THE RIGHT BEFORE IT
IS LICENSED. AN ASSIGNMENT FORM IS BEING
SENT. ^{V606/9}

The license should not be issued
until the assignment is received. Mr.
Showell is returning the ^{assignment} ~~amendment~~ right
away



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director
April 16, 1985

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

RE: Permit No. 17-7024

Steven E. Showell
243 N. 200 W.
Malad, ID 83252

RECEIVED
MAY 13 1985

Dear Mr. Showell:

Department of Water Resources

A representative of this Department has made an examination of the works covered by your Permit No. 17-7024, and has found the following:

Amount of water that can be recognized as beneficially used under Idaho law: 2.88 cfs Source: groundwater

The maximum quantity diverted shall not exceed 836.5 acre feet per year.

Point(s) of diversion: SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 23, Twp 16S, Rge 32E

Beneficial Use: Irrigation of 239 acres within NE $\frac{1}{4}$, S $\frac{1}{2}$ NW, Sec. 26, Twp 16S, Rge 32E

Priority date established: May 17, 1983 (Late Proof)

Conditions (if any):

If you do not concur with these findings, please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

Jim Johnson
JIM JOHNSON
Water Distribution Supervisor

JJ:sc

*Just to remind you of our
telephone conversation of 5/9/85.
The name of Sidney Showell
should be removed.*

CONVERSATION MEMORANDUM

DATE 6-4-85FILE 17-7024

NAME OF PARTY

Steven Showell

EMPLOYEE

K. Walker

RE:

Assignment form requested-

I called Mr. Showell to find out if he still wanted to have his brother's name taken off of right, prior to licensing, due to Jim's memo of 5-9-85.

He stated the assignment form had been signed and should be in the mail — hold for at least 30 days before taking further action or until assignment form is submitted.



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

RECEIVED
JUN 13 1985

May 9, 1985

Department of Water Resources

Steven Showell
243 N. 200 W.
Malad, ID 83252

Dear Mr. Showell:

Enclosed per your request is a partially completed assignment form to be used to assign Permit No. 17-7002 to you.

If we can be of further assistance to you, please feel free to contact our office.

Sincerely,

Sharla Curtis

SHARLA CURTIS
Water Rights Processing Clerk

SC:s

Enclosure

RECEIVED
SEP 13 1984STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT17-7002
Permit No.

Department of Water Resources

1. Measurement Calculations

- a) Field Measurement Calculations (Include theoretical capacities and system capacity)

$$\text{By meter } - 2200 \text{ gpm} = 4.9 \text{ cfs} \checkmark$$
$$0.0065 \text{ af} / 60 \text{ secs} = 4.72 \text{ cfs capacity} \checkmark$$

392 acres irrigated under two permits of which 153 acres are under [#]17-7002

$$\frac{4.72 \text{ cfs}}{392 \text{ acres}} = 0.012 \text{ cfs/acre} \checkmark$$

$$0.012 \text{ cfs/acre} \times 153 \text{ acres} = 1.84 \text{ cfs} \checkmark \text{ dw. rate}$$

$$153 \text{ ac.} \times 0.02 \text{ cfs} = 3.06 \text{ cfs needed}$$

- b) Volume Calculations for Irrigation:
- 3.5 AF/ACRE REQ'D per w.u. handbook

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{153 \text{ acres} \times 3.5 \text{ af/acre}}{214 \text{ irrig. season}} = 535.5 \text{ af} \checkmark$$
$$V_{D.R.} = [\text{Diversión Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \frac{1.84 \text{ cfs} \times 214 \text{ days} \times 1.9835}{535.5 \text{ af}} = 781 \text{ af} \checkmark$$
$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 535.5 \text{ af} \checkmark$$

- c) Volume Calculations for Other Uses:

2. Overlap Review

- a) Other water rights with same place of use:
- None 17-2023

- b) Other water rights with same point of diversion:
- [#]
- 17-7024

- c) Analysis:
- see overlap review attached

RECOMMENDED AMOUNTS

30 day

3.	Permit No. ✓	Priority	Amount ✓	App. Date	Date Proof Submitted ✓	System Capacity
	17-7002	5-17-1983	1.84 cfs	2-15-1968	5-17-1983	4.72 cfs ✓

4. Permit Holder: ~~Steven Showell Showell Brothers, & Sidney Showell~~ ^(late proof) Steven Showell
 Address: ~~243 N. 200 West~~ 243 N. 200 West Malad, ID. 83252 ✓

5. Source: Groundwater ✓ tributary to —

6. Beneficial Use Period of Use Rate of Diversion Annual Volume
 From To Q (cfs) V (afa)
Irrigation ✓ 4-1 ✓ 11-1 ✓ 1.84 cfs ✓ 535.5
214 days 535.5

Allowable Maximums:

1.84 cfs 535.5 AF

7. Point(s) of Diversion: ~~See Skip's note below = no change.~~ since pld was advertised as

No.	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County
			SW	SW	23	16S	32E	Oneida
								SWSE we must request amendment

8. Place(s) of Use no change

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
16S	32E	23												34	40				74
		20					40	39											79
Total Acres 153																			

Total Acres 153

9. Recommended Conditions/Remarks: P.D. on front page of amendment for 17-7002
appears to be a typo error. The map on the back shows SWSW of Sect. 23. yes!
PD for this permit and # 17-7024 is SWSW Sect. 23 T16S R32E.

condition
 → R30

10. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

11. Examiner's Signature H.W. Jones

Date 8-06-84

Checked in Regional Office by Keith C. Wilson

Date 7 Sept 1984

Approved in State Office by K. Walker

Date 4-11-85



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

July 10, 1985

RE: Permit Nos. 17-7002 & 17-7024

Steven E. Showell
243 N. 200 W.
Malad, ID 83252

Dear Mr. Showell:

We acknowledge receipt of the Assignment of Permit No. 17-7002 to you.

Enclosed is a copy of the Water Right License issued for Permit No. 17-7024 and a copy of the License and the approved Application for Amendment of Permit No. 17-7002. Also enclosed is Departmental Receipt No. 36469 in the amount of \$20.00 for the Application for Amendment.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc

Enclosures