

RECEIVED
Page 1

JAN 03 2024

Department of Water Resources
Eastern Region

State of Idaho
Department of Water Resources
Application for Amendment
(For Licensing Purposes)
Water Right No. 11-8740

Priority: March 19, 2019

Maximum Diversion Rate: 0.01 CFS

Maximum Diversion Volume: 0.3 AF

The owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 11-8740

P & M JOHNSON FARM LLC
PO BOX 302
MONTPELIER ID 83254-0302

requests the permit be changed as follows:

Source : SPRINGS

Tributary: SINKS

Beneficial Use

STOCKWATER

Period of Use

01/01 to 12/31

Rate of Diversion

0.01 CFS

Annual Volume

0.3 AF

Location of Point(s) of Diversion

SPRINGS SW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 11, Twp 13S, Rge 43E, B.M. BEAR LAKE County

Place of Use: STOCKWATER

Twp	Rng	Sec	NE				NW				SW				SE			
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE
13S	43E	11									X			X				

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed this 5th day of December, 20 22

(Signature)

State of Idaho
Department of Water Resources
Application for Amendment
(For Licensing Purposes)
Water Right No. 11-8740

FOR DEPARTMENT USE ONLY

Preliminary check by _____ Fee = \$100 Receipted by JB # E049707 Date 1/3/2024
Receipt E049707 total \$200.- / \$100.- for this app.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources hereby approves the above Application for Amendment for Permit No. 11-8740 with the following:

Conditions of Approval

1. Stockwater use is for 70 beef cattle.
2. This right authorizes diversion to stock troughs and the watering of livestock directly from the stream without a diversion.
3. The quantity of water under this right shall not exceed 13,000 gallons per day.
4. This right does not grant any right-of-way or easement across the land of another.

This amendment is issued pursuant to the provisions of Idaho Code § 42-211.

Signed this 9th day of February, 2024.



JAMES CEFALO
Eastern Regional Manager

Amendment of Permit 11-8740



2021 Aerial Imagery

- Water Right POD
- ▨ Water Right POU
- ▭ Township/Range
- ▭ Sections
- ▭ QQ

0 125 250 500 Feet





IDAHO DEPARTMENT OF
WATER RESOURCES

Eastern Region • 900 N Skyline Drive, Suite A • Idaho Falls, ID 83402-1718

Phone: 208-525-7161 • Fax: 208-525-7177 • Email: easterninfo@idwr.idaho.gov • Web: idwr.idaho.gov

Governor Brad Little

Director Mathew Weaver

September 28, 2023

P & M Johnson Farm LLC
PO Box 302
Montpelier, ID 83254

RE: Amendment of Permit 11-8740 (previously 11-7851) for Licensing Purposes

Dear Water User:

I recently completed a field exam for Permit 11-7851, which was issued by the Idaho Department of Water Resources in December 2020. The original permit described two springs and stockwater use for 70 cattle. After visiting the property this fall and speaking to Paul on the phone, I determined that the two springs described in the permit were developed but represent two separate stockwater systems. In other words, the pipelines from the springs are not interconnected. There should be a separate water right for each system. Therefore, I split Permit 11-7851 into two separate water rights: 11-7851 and 11-8740.

I just signed a license for water right 11-7851, which covers the excavated spring. A copy of the license is included with this letter. The other water right, assigned number 11-8740, covers the spring captured with a buried perforated pipe. Permit 11-8740 must be amended before a license can be issued. Paul mentioned that water from this spring is used for stockwater at two troughs near the road and at the barns near the house. These areas are in the SESW of Section 11, T13S, R43E. This quarter-quarter, however, was not listed on the original permit and must be added to the permit, through an permit amendment, before a final license can be issued.

Enclosed in an Application for Amendment, which will be used to update the place of use for water right 11-8740 to include the SESW of Section 11 in the authorized place of use for the right. Please review the application for amendment and the associated documents. If the application is correct, please sign Page 1 and return the signed Page 1 to me. The filing fee to amend the application is \$100. Feel free to call me if you have any questions.

Sincerely,

James Cefalo

Enclosure: Application for Amendment, Map, Field Exam

Cefalo, James

From: Cefalo, James
Sent: Monday, December 4, 2023 12:13 PM
To: '2dpjohnson@gmail.com'
Cc: 'hivemom@aol.com'
Subject: Revised Map for 11-8740, Application for Permit for Domestic Use
Attachments: Amended Permit 11-8740 Map.pdf; P & M Johnson Farm LLC - App for Permit.pdf; P & M Johnson Farm LLC - App for Permit Map.pdf

Dylan,

Thanks for visiting with me this morning and helping me better understand the water systems on the property. Attached is a revised map for water right 11-8740. The place of use still includes the NESW and SESW of Section 11 but is limited to the spring and the troughs near the road. If the map is correct, we can move forward with the permit amendment. Please sign the amendment and send it to our Idaho Falls office (address below).

Also attached is a draft application for permit for the domestic use from the upper spring. I included the elements you described on the phone. Please review the application and make any changes that are needed. Once the application is correct, please sign the application and send it to our Idaho Falls office.

The filing fee for the permit amendment is \$100. The filing fee for the new application for permit is \$100. Both fees can be paid in a single check to the Idaho Department of Water Resources. Feel free to call if you have any questions or notice any errors.

James

 IDAHO DEPARTMENT OF
WATER RESOURCES
James Cefalo | Regional Manager
900 N Skyline Drive, Idaho Falls, ID 83402
(208) 525-7161 | www.idwr.idaho.gov