

State of Idaho
Department of Water Resources
Application for Amendment
(For Licensing Purposes)
Water Right No. 13-8112

RECEIVED

APR 18 2024

DEPT. OF WATER RESOURCES
EASTERN REGION

Priority: July 29, 2021

Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume: 0.6 AF

The owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 13-8112

TESSA BIGLER 3652 W 800 S WESTON ID 83286-5026
MARC BIGLER 3652 W 800 S WESTON ID 83286-5026

requests the permit be changed as follows:

Source : SPRING

Tributary: UNAMED STREAM

Beneficial Use

DOMESTIC

Period of Use

01/01 to 12/31

Rate of Diversion

0.04 CFS

Annual Volume

0.6 AF

Location of Point(s) of Diversion

SPRING NW¼ NW¼ SW¼, Sec. 25, Twp 15S, Rge 38E, B.M. FRANKLIN County

Place of Use: DOMESTIC

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
15S	38E	25												X					

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed this 16 day of April, 2024.

Tessa Bigler / Marc Bigler
(Signature)

State of Idaho
Department of Water Resources
Application for Amendment
(For Licensing Purposes)
Water Right No. 13-8112

FOR DEPARTMENT USE ONLY

Preliminary check by _____ Fee = \$100 Received by CH # E049976 Date 4/18/24

ACTION OF THE DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources hereby approves the above Application for Amendment for Permit No. 13-8112 with the following:

Conditions of Approval

1. Rights 13-8038, 13-8075 and 13-8112 when combined shall not exceed a total diversion rate of 0.04 cfs and a daily diversion volume of 2,500 gallons per day.
2. Domestic use is for 1 home and does not include lawn, garden, landscape, or other types of irrigation.
3. Upon specific notification by the Department, the right holder shall install a lockable device of a type acceptable to the Department in a manner that will provide the watermaster suitable control of the diversion.

This amendment is issued pursuant to the provisions of Idaho Code § 42-211.

Signed this 16th day of May, 2024.



JAMES CEFALO
Eastern Regional Manager



IDAHO DEPARTMENT OF
WATER RESOURCES

Eastern Region • 900 N Skyline Drive, Suite A • Idaho Falls, ID 83402-1718

Phone: 208-525-7161 • Fax: 208-525-7177 • Email: easterninfo@idwr.idaho.gov • Web: idwr.idaho.gov

Governor Brad Little

Director Mathew Weaver

April 10, 2024

TESSA BIGLER
3652 W 800 S
WESTON ID 83286-5026

MARC BIGLER
3652 W 800 S
WESTON ID 83286-5026

RE: Water Right Permit No. 13-8112

Dear Permit Holder(s):

The Department of Water Resources is reviewing the permit(s) referenced above prior to issuing water right license(s). By issuing a license, the Department confirms the extent of development that has been established in compliance with the terms of the permit.

The examiner who verified your water use reported that certain elements of the permit(s) have been developed differently than described on your permit(s). Changes that do not increase the authorized use of water under the permit(s) can be requested and approved in accordance with Idaho Code § 42-211. Before license(s) can be issued, your permit(s) must be amended to depict your water use as it was actually developed.

Based on the examiner's report, the following elements were developed differently than described on your permit(s):

☒ Point(s) of Diversion

☐ Place(s) of Use

☐ Other

The enclosed Application for Amendment form(s) depicts the elements of the water right(s) as they will appear on the license(s) when issued. Please review the amendment form(s) carefully. If you agree with the information presented, please sign and return the form(s) with the filing fee of \$100.00 within fourteen (14) days.

If you have any questions, please call me at (208) 497-3777.

Sincerely,



Blake Jordan

Enclosure(s): Application for Amendment

cc: