

State of Idaho
Department of Water Resources
Water Right License
Water Right No. 13-8047

Priority: February 13, 2020

Maximum Diversion Rate: 0.04 CFS

Maximum Diversion Volume: 0.6 AF

It is hereby certified that:

MARK WILLIAMS AND
CHRISTINE WILLIAMS
2195 E GLENDALE RD
PRESTON ID 83263-5311

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 13, 2020, and has submitted Proof of Beneficial Use on August 10, 2023. An examination confirms water is diverted from:

Source : SPRING

Tributary: SINKS

Beneficial Use

DOMESTIC

Period of Use

01/01 to 12/31

Rate of Diversion

0.04 CFS

Annual Volume

0.6 AF

Location of Point(s) of Diversion

SPRING NW¼ NW¼ NE¼, Sec. 18, Twp 15S, Rge 40E, B.M. FRANKLIN County

Place of Use: DOMESTIC

Twp	Rng	Sec	NE				NW				SW				SE			
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE
15S	40E	18		X														

Conditions of Approval

1. Point of diversion and place of use is located within Lot 4 of the Scott Griffeth Minor Partition.
2. The quantity of water under this right shall not exceed 13,000 gallons per day.
3. Domestic use is for 1 home and a shop and does not include lawn, garden, landscape, or other types of irrigation.

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 18th day of August, 2023.



JAMES CEFALO
Eastern Regional Manager

SCANNED
AUG 18 2023

State of Idaho
Department of Water Resources

Water Right

13-8047

40E

7

15S

NWNE

18

The USDA-FSA Aerial Photography Field office asks to be credited in derived products.

0 0.035 0.07 0.14 Miles

-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters
-  Point of Diversion

SCANNED
AUG 18 2023



RECEIVED

AUG 10 2023

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCESDepartment of Water Resources
Eastern RegionSTATEMENT OF COMPLETION
FOR SUBMITTING PROOF OF BENEFICIAL USE

FOR OFFICE USE ONLY

Amt. of Fee \$ 50.00Receipt No. E049413Received By C+HDate Received 8/10/23

The Idaho Department of Water Resources (Department) considers this form a statement that the permit holder(s) applied water to beneficial use and completed development of a water right to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner (CWRE).** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, complete a Notice of Change in Water Right Ownership form. If you wish to relinquish your permit because you have not established the authorized water use and are not applying for an extension, please notify the Department in writing.

1. Permit No. 13-8047 Name of Permit Holder(s) Mark Williams and Christine Williams
Telephone No. 208-220-5405 Email markbwill@yahoo.com
Mailing Address 2195 Glendale Rd. City Preston State ID Zip 83263

2. Source of Water Spring If Ground Water (well), Date Drilled mo. ____ / yr. ____
Drilling Permit/Tag No. ____ Drilling Company's Name ____

3. Extent of use(s) completed as authorized by the water right permit:

Domestic (No. households) 1 Irrigation (No. acres) ____ Stockwater (No. and stock type) ____
Other 1 shop.

4. Total diversion rate or volume (storage only) for which proof is submitted 0.04 cfs OR ____ af
If the total developed water use is 5 acres of irrigation or less, is stockwater storage of 14.6 acre-feet or less, or has a diversion rate of less than 0.24 cfs, attach a map of the place of use and point of diversion and photographs showing beneficial use.

5. Describe the diversion and delivery system from the water source to the use (pump, lift, irrigation method, etc.)

Spring with a tank 3/4 hp pump to house & shop

6. Permit condition compliance. Refer to the permit approval conditions and check all the items required, then check "Yes" or "No" to indicate whether the required items were established, submitted, and/or installed:

Required? Yes No (If "Yes", attach required data, evidence of compliance, or evidence of installation)

- | | | |
|--------------------------|-------------------------------------|---|
| ☐ | ☒ | Ground water level data, pumping information, or other diversion data |
| ☐ | ☒ | Mitigation plan |
| ☐ | ☒ | Lockable controlling works |
| ☐ | ☒ | Measuring device |
| ☐ | ☒ | Fish screen |
| ☐ | ☒ | Other requirements of the water right permit |

☐ Reasonably Anticipated Future Needs ("RAFN") Municipal use

If RAFN Municipal use, additional increment of beneficial use developed? ☐ Yes (attach CWRE report) ☐ No

7. Fee Enclosed \$ 50.00 or ☐ CWRE field report attached or ☐ No fee required
See fee schedule on page 3 of the instructions. Proof statements filed without an appropriate fee are incomplete.

8. Person to contact to accompany a Department representative during the field examination of the water system:

Name: Mark Williams Telephone No. 208-220-5405 Email markbwill@yahoo.com
Mailing Address 2195 Glendale Rd City Preston State ID Zip 83263

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

[Signature]
SIGNATURE OF PERMIT HOLDER*

Mark Williams
PRINTED NAME AND TITLE

8/10/2023
DATE

*Attach power of attorney if completing on behalf of permit holder.

SCANNED
AUG 18 2023



IDAHO DEPARTMENT OF
WATER RESOURCES

Eastern Region • 900 N Skyline Drive, Suite A • Idaho Falls, ID 83402-1718

Phone: 208-525-7161 • Fax: 208-525-7177 • Email: easterninfo@idwr.idaho.gov • Web: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

August 18, 2023

MARK WILLIAMS
CHRISTINE WILLIAMS
2195 E GLENDALE RD
PRESTON ID 83263-5311

RE: License No. 13-8047

ISSUANCE OF LICENSE

Dear Water Right Holder:

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov

If you have any questions concerning the enclosed information, please contact me at (208) 497-3784.

Sincerely,

James Cefalo
Eastern Regional Manager

Enclosure(s)

SCANNED

AUG 18 2023

CERTIFICATE OF SERVICE

I hereby certify that on August 18, 2023, I served a true and correct copy of Water Right License No. 13-8047 by U.S. Mail, postage prepaid, to the following:

MARK WILLIAMS
CHRISTINE WILLIAMS
2195 E GLENDALE RD
PRESTON ID 83263-5311

WATER DISTRICT #13A
KIRK IVERSON
2724 S 1400 WEST
PRESTON ID 83263



Christina Henman
Administrative Asst. I

EXPLANATORY INFORMATION TO ACCOMPANY A PRELIMINARY ORDER

(To be used in connection with actions when a hearing was **not** held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:**

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. **Note: the petition must be received by the department within this fourteen (14) day period.** The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after: (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its service date if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) The petition for reconsideration is disposed of; or
- (b) The petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No: 13-8047
Exam Date: 08/10/2023

1. Current Owner:
MARK WILLIAMS 2195 E GLENDALE RD PRESTON ID 83263-5311 AND
CHRISTINE WILLIAMS 2195 E GLENDALE RD PRESTON ID 83263-5311
2. Accompanied by: Mark Williams
Phone No: 208-220-5405
Address: 2195 Glendale Rd. Preston, ID 83263
Relationship to permit Holder: Owner

3. **SOURCE:**
SPRING

Tributary
SINKS

B. OVERLAP REVIEW

1. Other water rights with the same place of use: No Overlap.
2. Other water rights with the same point-of-diversion: No Overlap

C. DIVERSION AND DELIVERY SYSTEM1. **LOCATION OF POINT(S) OF DIVERSION:**

SPRING NW¼ NW¼ NE¼, Sec. 18, Twp 15S, Rge 40E, B.M. FRANKLIN County

Method of Determination: Aerial photography, GPS, site visit.

PLACE OF USE: DOMESTIC

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
15S	40E	18		X															

Method of Determination: Aerial photography, site visit.

3.
 - Delivery System Diagram Attached (required). Indicate all major components and distances between components.
_____ Indicate weir size/pipe as applicable.
 - Map Attached Showing Location(s) of point(s) of diversion and place(s) of use (required). Scale must be
☒ 1:24,000 or greater.
 - ☒ Aerial Photo Attached (required for irrigation of 10+ acres).
 - ☒ Photo of Diversion and System Attached

4.

SCANNED
AUG 18 2023

Well or Diversion ID No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		3/4			

D. FLOW MEASUREMENTS

2. Measurements: No measurement required. See rule 35. r. (IDAPA 37.03.02)

E. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Measured Method: N/A

F. VOLUME CALCULATIONS

2. Volume Calculations for Other Uses:

Domestic in-house use only: 0.6 af

G. NARRATIVE/REMARKS/COMMENTS

System consists of a buried 6" diameter perforated spring box surrounded by 1" gravels. A 6" pvc pipe extend down to the spring box and houses a 3/4 hp pump. Spring is piped to 1 home and 1 shop. When this permit was issued the point of diversion was described to a 40-acre tract (NWNE). Department standards for spring sources is to identify the point of diversion to a 10-acre tract. The point of diversion legal description for this license will be described to a 10-acre tract (NWNWNE). No amendment will be required.

Have conditions of permit approval been met? ☒ Yes ☐ No

H. RECOMMENDATIONS**1. Recommended Amounts**

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
DOMESTIC	01/01 to 12/31	0.04 CFS	0.6 AF

Totals: 0.04 CFS 0.6 AF

2. Recommended Amendments

_____ Change P.D. as reflected above _____ Add P.D. as reflected above ☒ None

_____ Change P.U. as reflected above _____ Add P.U. as reflected above ☒ None

I. AUTHENTICATION Blake Jordan -


Field Examiner's Name Blake Jordan Date August 10, 2023

Reviewer _____ Date _____

SCANNED
AUG 18 2023



0 97 194 388 Feet
1 inch = 194 feet




SCANNED

AUG 18 2023



☉ 261°W (T) ☉ 42°7'24.88"N, 111°49'37.06"W ±16ft ▲ 4850ft



☉ 136°SE (T) ☉ 42°7'24.92"N, 111°49'37.20"W ±16ft ▲ 4848ft




10 Aug 2023, 12:21:04 PM

SCANNED
AUG 18 2023



☉ 59°NE (T) ☉ 42°7'22.10"N, 111°49'34.66"W ±16ft ▲ 4850ft



SCANNED
AUG 18 2023