

State of Idaho  
Department of Water Resources  
**Water Right License**  
Water Right No. 47-17665

Priority: August 24, 2017

Maximum Diversion Rate: 0.04 CFS

It is hereby certified that:

MILLENKAMP PROPERTIES II LLC 471 N 300 W JEROME ID 83338-5078

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 07, 2017, and has submitted Proof of Beneficial Use on November 18, 2022. An examination confirms water is diverted from:

Source: SPRINGS

Tributary: SNAKE RIVER

Beneficial Use  
DOMESTIC

Period of Use  
01/01 to 12/31

Rate of Diversion  
0.04 CFS

**Location of Point(s) of Diversion**

SPRINGS L9 (SW¼ NW¼ NW¼), Sec. 9, Twp 09S, Rge 15E, B.M. TWIN FALLS County

**Place of Use:** DOMESTIC

| Twp | Rng | Sec | NE |    |    |    | NW |         |    |    | SW |    |    |    | SE |    |    |    | Totals |
|-----|-----|-----|----|----|----|----|----|---------|----|----|----|----|----|----|----|----|----|----|--------|
|     |     |     | NE | NW | SW | SE | NE | NW      | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE |        |
| 09S | 15E | 9   |    |    |    |    |    | X<br>L9 |    |    |    |    |    |    |    |    |    |    |        |

**Conditions of Approval**

1. The quantity of water under this right shall not exceed 13,000 gallons per day.
2. This right when combined with other existing or future domestic rights from wells or other sources shall not exceed 13,000 gallons per day and 1/2 acre of irrigation.
3. The irrigation occurring under this domestic use shall not exceed 1/2 acre.
4. Domestic use is for 1 home.
5. This right does not grant any right-of-way or easement across the land of another.
6. This right is for the use of trust water, and it is subject to review 5 years after its initial approval (date of permit approval) to re-evaluate the availability of trust water for the authorized use and to re-evaluate the public interest criteria for reallocating trust water.

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 9<sup>th</sup> day of February, 2023.

  
\_\_\_\_\_  
PHILL HUMMER  
Water Rights Supervisor

SCANNED  
FEB 10 2023

State of Idaho  
Department of Water Resources  
**Attachment to Water Right**  
47-17665

This map depicts the DOMESTIC place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



0 0.035 0.07 0.14 Miles

-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters
-  Point of Diversion

SCANNED  
FEB 10 2023



**BEFORE THE DEPARTMENT OF WATER RESOURCES  
OF THE STATE OF IDAHO**

|                                      |   |                             |
|--------------------------------------|---|-----------------------------|
| IN THE MATTER OF PERMIT NO. 47-17665 | ) | <b>PRELIMINARY ORDER</b>    |
| IN THE NAME OF                       | ) | <b>REINSTATING A PERMIT</b> |
| MILLENKAMP PROPERTIES II LLC         | ) |                             |
| _____                                | ) |                             |

This matter having come before the Idaho Department of Water Resources (“Department”), the Department finds, concludes and orders as follows:

**FINDINGS OF FACT**

1. On November 14, 2017, the Department issued Permit No. 47-17665 (“Permit”) in the name of Dean N. Beaudet and Julie Anne Beaudet (“Original Owners”) authorizing the diversion of 0.04 cubic feet per second of surface water for domestic use in the Government Lot 9 (NW¼NW¼) of Section 9 of Township 09 South, Range 15 East, B.M., Twin Falls County. A condition of permit approval required the Original Owners to submit proof of beneficial use of water to the Department on or before November 1, 2022.
2. On October 16, 2018, the Department received an *Assignment of Permit to Change Ownership of a Permit* assigning the Permit from Dean N. Beaudet and Julie Anne Beaudet to Millenkamp Properties II LLC (“Permit Holder”).
3. On August 31, 2022, the Department notified the Permit Holder by certified mail that proof of beneficial use was due and instructed the Original Owner of the steps to be taken to submit a *Statement of Completion for Submitting Proof of Beneficial Use* (“Proof”), or a *Request for Extension of Time* (“Extension Request”).
4. On October 28, 2022, the Permit Holder filed a Proof that was unacceptable because it did not include the required license examination fee.
5. On November 1, 2022, the Permit lapsed because the Department had not received an acceptable Proof or Extension Request.
6. On November 18, 2022, the Permit Holder filed an acceptable Proof.

SCANNED  
DEC 02 2022

## CONCLUSIONS OF LAW

Idaho Code § 42-218a(1) states, in pertinent part:

A permit upon which the proof of beneficial use..., has not been submitted, or a request for extension of time has not been received on or before the date set for such proof or incremental statement, shall lapse and be of no further force nor effect... . Notice of said lapsing shall be sent by the department to the permit holder at the address of record by regular mail.

Idaho Code § 42-218a(2) states, in pertinent part:

Within sixty (60) days after such notice of lapsing the department may, upon a showing of reasonable cause, reinstate the permit with the priority date advanced a time equal to the number of days that said showing is subsequent to the date set for proof.

By submitting an acceptable Proof, the Permit Holder has shown reasonable cause why this Permit should be reinstated. The Permit should be reinstated based upon the November 18, 2022 filing date.

## ORDER

IT IS HEREBY ORDERED that Permit No. 47-17665 is **REINSTATED** and the Permit's priority date is advanced to August 24, 2017.

DATED this 25<sup>th</sup> day of November, 2022.



Shelley W. Keen, Chief  
Water Allocation Bureau

RECEIVED  
OCT 28 2022  
DEPT OF WATER RESOURCES  
SOUTHERN REGION

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
**STATEMENT OF COMPLETION**  
FOR SUBMITTING PROOF OF BENEFICIAL USE

RECEIVED  
NOV 03 2022  
DEPARTMENT OF  
WATER RESOURCES

FOR OFFICE USE ONLY  
Amt. of Fee \$ 50-  
Receipt No. 5039521  
Received By SG  
Date Received 11/18/22

The Idaho Department of Water Resources (Department) considers this form a statement that the permit holder(s) applied water to beneficial use and completed development of a water right to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner (CWRE).** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, complete a Notice of Change in Water Right Ownership form. If you wish to relinquish your permit because you have not established the authorized water use and are not applying for an extension, please notify the Department in writing.

1. Permit No. 47-17665 Name of Permit Holder(s) MILLENKAMP PROPERTIES II LLC

Telephone No. 2083242350 Email \_\_\_\_\_

Mailing Address 471 N 300 W City Jerome State Id Zip 83338

2. Source of Water Springs If Ground Water (well), Date Drilled mo. \_\_\_\_\_ / yr. \_\_\_\_\_

Drilling Permit/Tag No. \_\_\_\_\_ Drilling Company's Name \_\_\_\_\_

3. Extent of use(s) completed as authorized by the water right permit:

Domestic (No. households) 1 Irrigation (No. acres) 0.5 Stockwater (No. and stock type) \_\_\_\_\_

Other \_\_\_\_\_

4. Total diversion rate or volume (storage only) for which proof is submitted 0.04 cfs OR \_\_\_\_\_ af  
If the total developed water use is 5 acres of irrigation or less, is stockwater storage of 14.6 acre-feet or less, or has a diversion rate of less than 0.24 cfs, attach a map of the place of use and point of diversion and photographs showing beneficial use.

5. Describe the diversion and delivery system from the water source to the use (pump, lift, irrigation method, etc.)

Collection pipe from the spring to a trailer house.

6. Permit condition compliance. Refer to the permit approval conditions and check all the items required, then check "Yes" or "No" to indicate whether the required items were established, submitted, and/or installed:

Required? Yes No (If "Yes", attach required data, evidence of compliance, or evidence of installation)

☐ ☐ ☒ Ground water level data, pumping information, or other diversion data

☐ ☐ ☒ Mitigation plan

☐ ☐ ☐ Lockable controlling works

☐ ☐ ☐ Measuring device

☐ ☐ ☒ Fish screen

☐ ☐ ☒ Other requirements of the water right permit \_\_\_\_\_

☐ ☒ Reasonably Anticipated Future Needs ("RAFN") Municipal use

If RAFN Municipal use, additional increment of beneficial use developed? ☐ Yes (attach CWRE report) ☐ No

7. Fee Enclosed \$ 50.00 or ☐ CWRE field report attached or ☐ No fee required

See fee schedule on page 3 of the instructions. Proof statements filed without an appropriate fee are incomplete.

8. Person to contact to accompany a Department representative during the field examination of the water system:

Name: Dave Heida Telephone No. 208-320-2569 Email david@millenkamp.com

Mailing Address 471 N 300 W City Jerome State ID Zip 83338

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

[Signature]  
SIGNATURE OF PERMIT HOLDER

Bill Millenkamp / President  
PRINTED NAME AND TITLE

10/27/2022  
DATE

\*Attach power of attorney if completing on behalf of permit holder.

SCANNED  
DEC 11 2 2022



322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098  
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little  
February 10, 2023

Director Gary Spackman

MILLENKAMP PROPERTIES II LLC  
471 N 300 W  
JEROME ID 83338-5078

RE: License No. 47-17665

### ISSUANCE OF LICENSE

Dear Water Right Holder:

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at [idwr.idaho.gov](http://idwr.idaho.gov)

If you have any questions concerning the enclosed information, please contact me at (208) 287-4925.

Sincerely,

  
for Phill Hummer

Water Rights Supervisor

Enclosures


SCANNED  
FEB 10 2023

## CERTIFICATE OF SERVICE

I hereby certify that on February 10, 2023, I served a true and correct copy of Water Right License No. 47-17665 by U.S. Mail, postage prepaid, to the following:

MILLENKAMP PROPERTIES II LLC (Current Owner)  
471 N 300 W  
JEROME ID 83338-5078

METROPOLITAN LIFE INSURANCE COMPANY (Security Interest)  
AGRICULTURAL INVESTMENTS  
10801 MASTIN ST STE 930  
OVERLAND PARK KS 66210-1677



---

Debbi Judd  
Technical Records Specialist

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
IN-OFFICE REVIEW/BENEFICIAL USE FIELD REPORT

**A. GENERAL INFORMATION**Permit No: 47-17665Exam Date: 2/07/2023

1. Does this qualify for an in-office field exam (IDAPA 035.02.r)? X Y    N
- Irrigation of 5 acres or less
  - Storage of up to 14.6 AF for stockwater purposes only
  - Any use other than irrigation or storage, if the combined diversion rate is 0.24 cfs or less
  - Other < >

2. Current Owner: Name: Millenkamp Properties II LLC
- Owner of Record Correct? X Y    N
- Address of Record Correct? X Y    N
- If No: Address

According to GIS and Tax Parcel Data the property is owned by Millenkamp Properties II LLC.

3. Beneficial Use Fees have been paid: X Y    N Receipt No: S036277 5039521

4. SOURCE TRIBUTARY
- Spring Snake River

Method of Determination: GIS and Tax Parcel Data

Change in Source:    Y X N

**B. OVERLAP REVIEW**

1. Other water rights with the same place of use: No Overlap

| Water Right No. | Source         | Purpose of Use | Basis   |
|-----------------|----------------|----------------|---------|
| 47-2068         | Unnamed Stream | Irrigation     | License |
|                 |                |                |         |

Comments: Water right 47-2068's shapefile overlaps this permit place of use. However, it is for a different beneficial use source. In the water right backfile an Engineers Report explains initial surveys were incorrect and listed correct lots within 47-2068's place of use. They did not include this permit place of use. Therefore, there is no overlap.

2. Other water rights with the same point of diversion: Yes Overlap

| Water Right No. | Source | Purpose of Use | Basis         |
|-----------------|--------|----------------|---------------|
| 47-17666        | Spring | Domestic       | Active Permit |
|                 |        |                |               |

Comments: An active permit, 47-17666, shares the same spring location as this permit. It is owned by Millenkamp Properties LLC as 47-17665. Because the delivery system is gravity fed it is unlikely a combined limitation will be necessary.

**C. DIVERSION AND DELIVERY SYSTEM****1. LOCATION OF POINT(S) OF DIVERSION:**

| Source | Govt. Lot | ¼  | ¼  | ¼  | Sec | Twp. | Rge. |      | County     |
|--------|-----------|----|----|----|-----|------|------|------|------------|
| Spring | 9         | SW | NW | NW | 9   | 09S  | 15E  | B.M. | Twin Falls |
|        |           |    |    |    |     |      |      | B.M. |            |
|        |           |    |    |    |     |      |      | B.M. |            |

Method of Determination: GIS and Tax Parcel Data. The location of the spring was not obvious while observing GIS and Google Earth Imagery. However, after a phone conversation with the applicant on February 7<sup>th</sup>, 2023, it was confirmed the spring location was the same as the shapefile assigned to the permit.

SCANNED  
FEB 10 2023

Change in POD? \_\_\_\_Y\_\_X\_\_N Amendment Required? \_\_\_\_Y\_\_X\_\_N

2. **PLACE OF USE:** Use: Domestic

| TWP | RGE | Sec   | NE |    |    |    | NW |    |    |    | SW |    |    |    | SE |    |               |     | Totals |
|-----|-----|-------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|---------------|-----|--------|
|     |     |       | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW            | SE  |        |
| 09S | 15E | 9     |    |    |    |    |    | D  |    |    |    |    |    |    |    |    |               | N/A |        |
|     |     | Lot # |    |    |    |    |    | 9  |    |    |    |    |    |    |    |    |               | N/A |        |
|     |     |       |    |    |    |    |    |    |    |    |    |    |    |    |    |    | Total Acres = | N/A |        |

Method of Determination: GIS and Tax Parcel Data

Change in POU? \_\_\_\_Y\_\_X\_\_N Amendment Required? \_\_\_\_Y\_\_X\_\_N

\_\_\_ Delivery System Diagram Attached (required). Indicate all major components and distances between components.

Indicate weir size/pipe as applicable.

\_\_\_ Aerial Photo Attached (required for irrigation of 10+ acres).

\_\_\_ Photo of Diversion and System Attached

| 4. Well or Diversion Identification No.* | Motor Make | Hp | Motor Serial No. | Pump Make | Pump Serial No. or Discharge Size |
|------------------------------------------|------------|----|------------------|-----------|-----------------------------------|
| N/A                                      |            |    |                  |           |                                   |

\*Code to correspond with No. on map and aerial photo

**D. FLOW MEASUREMENTS**

| 1. Measurement Equipment | Type | Make | Model No. | Serial No. | Size | Calib. Date |
|--------------------------|------|------|-----------|------------|------|-------------|
| N/A                      |      |      |           |            |      |             |
|                          |      |      |           |            |      |             |

2. Measurements: Since the permit holder did not provide pump horsepower a diversion rate calculation was not possible.**E. FLOW CALCULATIONS**

\_\_\_ Additional Computation Sheets Attached

Measured Method: **According to Administrative Processing Memo #22 the standard diversion rate for a single home is 0.04 cfs. The permit authorizes 0.04 cfs. I am recommending a 0.04 cfs diversion rate.****F. VOLUME CALCULATIONS**2. Volume Calculations for Other Uses: **This permit has a condition that limits domestic use to 13,000 gallons per day per home. According to the IDAPA Beneficial Use Examination Rules 37.03.02. 01j.ii a diversion volume is not required for domestic uses as defined in Idaho Code § 42-111.**SCANNED  
FEB 10 2023

**G. PURPOSE OF USE**Irrigation ☒ Y ☐ N # Stock N/A Domestic # of Homes 1

Other: &lt; &gt;

Change in Purpose of Use? ☐ Y ☐ NMethod of Determination: Tax Parcel Data and Google Earth Imagery.

If Yes: From Use \_\_\_\_\_ To Use \_\_\_\_\_ Amount \_\_\_\_\_ CFS \_\_\_\_\_ AFA \_\_\_\_\_

**H. NARRATIVE/REMARKS/COMMENTS**

This permit qualifies for an in-house examination. The permit authorizes domestic use for 1 home and up to ½ acres of irrigation. The exact location of the spring source was not obvious while observing GIS and Google Earth Imagery. However, after phone correspondence with the applicant on February 7<sup>th</sup>, 2023, the location was confirmed to be in the same as the shapefile assigned to the permit. The permit holder did not provide pump horsepower because the system is gravity fed. Therefore, a diversion rate calculation was not possible. The recommended diversion rate was determined from the standards set in Administrative Processing Memo #22. The permit was limited to 13,000 gallons per day per home and within the definition of domestic use under Idaho Code § 42-111. Therefore, a volume is not required under IDAPA Beneficial Use Examination Rules 37.03.02.01j, ii. All of the conditions have been met and it is reasonable to believe the permit holder is using water for the beneficial use authorized in the permit. Therefore, I am recommending a diversion rate of 0.04 cfs.

Condition 004, X01, 933 and condition No. 8 on the permit should remain on the license. Condition 071 should be changed to N12 because only one home was developed. Condition 070 should be changed to 187 because only one home was developed so only ½ acres of irrigation would be permitted. All other conditions should be removed as standard with licensing.

Have conditions of permit approval been met? ☒ Yes ☐ No**I. RECOMMENDATIONS****1. Recommended Amounts**

| <u>BENEFICIAL USE</u> | <u>PERIOD OF USE</u> | <u>DIVERSION RATE</u> |
|-----------------------|----------------------|-----------------------|
| Domestic              | 1/1 to 12/31         | 0.04 CFS              |
| <u>Totals:</u>        |                      | 0.04 CFS              |

**2. Recommended Amendments**☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☒ None

Other: &lt; &gt;

**J. AUTHENTICATION Skyler Cheever, Water Resource Agent**Field Examiner's Name  Date 2/7/2023Reviewer  Date 2/9/23

SCANNED  
FEB 10 2023

Field Exam Map:

The orange border shows the place of use, and the yellow point shows the point of diversion.



SCANNED  
FEB 10 2023



Governor Brad Little  
December 2, 2022

Director Gary Spackman

MILLENKAMP PROPERTIES II LLC  
471 N 300 W  
JEROME ID 83338-5078

**PROOF ACKNOWLEDGEMENT LETTER**

**RE: Permit No. 47-17665**

Dear Permit Holder:

The Department acknowledges receipt of the Proof of Beneficial Use form ("proof") and license examination fee for the above-referenced water right permit. Enclosed is an order that reinstates this permit since proof and the license examination fee were submitted after the proof deadline. Please note that the priority date for this permit has been advanced to **August 24, 2017**, pursuant to Idaho Code § 42-218a(2).

The next step in the process of developing a water right is for the Department to conduct a field examination to determine and confirm the use being made of the water according to the conditions of the permit.

**Please be advised that Idaho Code § 42-248, requires you or the owner of this water right to maintain current ownership and address records on file with the Department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any Department office or at the Department's website at [www.idwr.idaho.gov](http://www.idwr.idaho.gov).**

If you have any questions concerning this permit, please contact the State Office of the Department located in Boise at (208) 287-4800.

Sincerely,

Debbi Judd  
Technical Records Specialist

Enclosures

c: METROPOLITAN LIFE INSURANCE COMPANY

SCANNED  
DEC 12 2022


## **CERTIFICATE OF SERVICE**

I hereby certify that on **December 2, 2022** I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (**PRELIMINARY ORDER REINSTATING A PERMIT**) to the persons listed below:

RE: Preliminary Order in the Matter of Permit No. **47-17665**

**MILLENKAMP PROPERTIES II LLC  
471 N 300 W  
JEROME ID 83338-5078**

**METROPOLITAN LIFE INSURANCE COMPANY  
AGRICULTURAL INVESTMENTS  
10801 MASTIN ST STE 930  
OVERLAND PARK KS 66210-1677**



---

**Debbi Judd**  
**Technical Records Specialist**

SCANNED  
DEC 02 2022

# Beneficial Use Proof Evaluation

---

Permit Number: 47-17665   Reviewer: djudd   Review Date: 11/23/2022

## Acceptability

- 1) Is the contact on the request the current permit holder? Yes
- 2) Does the address of record need to be updated? No
- 3) Proof Submitted Date: 11/18/2022
- 4) Proof Due Date: 11/1/2022
- 5) Days added for weekend due date? 0
- 6) Days added for holiday due date? 0
- 7) Number of days late: 17
- 8) Proof received timely? No

## Analysis

- 1) Are the water uses correct? Yes
- 2) Are one of the following items required?
  - a. Measuring Device -- No
  - b. Lockable Device --No
  - c. Fish Screen -- No
- 3) Are the required items installed?
  - a. Measuring Device --
  - b. Lockable Device --
  - c. Fish Screen --
- 4) Is there a request to waive the required items?
- 5) Drilling Permit Number:
- 6) Is a drilling permit upgrade needed?
- 7) Was a well drillers report filed?
- 8) Is proof accepted? Yes

## Fees

- 1) Is a licensing exam fee required? Yes
- 2) Was proof submitted with an exam report from a CWE? No
- 3) Filing fee due: \$50.00
- 4) Filing fee submitted: \$50.00
- 5) Remaining fee or (refund): \$0.00

## Receipt IDs

S036277

## Comments

Proof received 17 days late. Reinstate permit and advance priority date to August 24, 2017.

## Reinstate Evaluation

---

Permit Number: 47-17665   Reviewer: djudd   Review Date: 11/23/2022

### Analysis

- 1) Proof/extension request received date: 11/18/2022
- 2) Number of days proof/extension request received late: 17
- 3) Was a lapsed notice sent? No
- 4) Date lapsed notice sent:
- 5) Number of days between proof/extension request received date and date lapsed notice was sent: 0
- 6) Was the proof or extension request received more than 60 days after the lapsed notice was sent? No
- 7) Priority date: 8/7/2017
- 8) New priority date: 8/24/2017
- 9) New status: Active

### Comments

Proof received 17 days late. Reinstate permit and advance priority date to August 24, 2017.



IDAHO DEPARTMENT OF  
**WATER RESOURCES**

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098  
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: [idwrinfo@idwr.idaho.gov](mailto:idwrinfo@idwr.idaho.gov) • Website: [idwr.idaho.gov](http://idwr.idaho.gov)

Governor Brad Little

Director Gary Spackman

November 14, 2022

MILLENKAMP PROPERTIES II LLC  
471 N 300 W  
JEROME ID 83338-5078

**PROOF DEFICIENCY LETTER**

**RE: Permit No. 47-17665**

Dear Permit Holder:

The Department received the proof of beneficial use (proof) form submitted for the above referenced permit. The proof is not acceptable without the correct fee. A copy of the form is enclosed for your reference.

This permit authorizes a diversion rate of 0.04 cfs (cubic feet per second) of surface water requiring a license examination fee of \$50.00.

Please submit the required fees as soon as possible as this permit has lapsed. If you have any questions concerning this matter, please contact me at (208) 287-4920 or [debby.judd@idwr.idaho.gov](mailto:debby.judd@idwr.idaho.gov).

Sincerely,

Debby Judd

Technical Records Specialist

SCANNED  
NOV 15 2022