State of Idaho
Department of Water Resources

Water Right License

Water Right No. 63-33715

Priority: October 29, 2012

Maximum Diversion Rate: 0.18 CFS
Maximum Diversion Volume: 8.6 AF

It is hereby certified that:

JRS PROPERTIES III LP PO BOX 27 BOISE ID 83707-0027

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated October 29, 2012, and has submitted Proof of Beneficial Use on March 20, 2023. An examination confirms water is diverted from:

Source : GROUND WATER

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
IRRIGATION	03/01 to 11/15	0.18 CFS	8.6 AF

Location of Point(s) of Diversion
GROUND WATER L5(NE¼ NW¼), Sec. 10, Twp 03N, Rge 02E, B.M. ADA County

Place of Use: IRRIGATION

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
03N	02E	10							0.5 L6	1.4 L5									1.9

Total Acres: 1.9

Conditions of Approval

1. The diversion rate for this right shall not exceed 0.18 cfs. Provided, further, this right when combined with all other rights shall provide no more than 0.02 cfs per acre when averaged over a twenty-four hour period based upon the amount of water applied over such twenty-four hour period. However, should the lands authorized to be irrigated under this right ever cease to be a school, park, cemetery or golf course recognized by the Department as allowing more than one inch per acre, then this right when combined with all other rights shall provide no more than 0.02 cfs per acre at the field headgate for irrigation of the place of use.
2. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 4.5 afa per acre at the field headgate for irrigation of the place of use.
3. The right holder shall maintain a measuring device and lockable controlling works of a type approved by the Department in a manner that will provide the watermaster suitable control of the diversion.

SCANNED
SEP 0 8 2023

State of Idaho
Department of Water Resources

Water Right License

Water Right No. 63-33715

4. To mitigate for the depletion of water resulting from the use of water under this right and to prevent injury to senior water right holders, the right holder shall cease diverting and using water as authorized by the following water rights for the purposes and amounts specified below. Moreover, the official record for the following water right will be changed to show that diversion and use of water is not authorized because the rights, or portion thereof, are being dedicated to mitigation purposes.

Right No.	to Mitigation	Rate (cfs)	Volume (AF)	Acres
63-20041	Irrigation	0.18	8.6	9.0

The land that will no longer be irrigated under this right is located within the authorized boundary of the Boise City Canal Co.

If the specified mitigation right, or portion thereof, is sold, transferred, leased, used on any place of use, or is not deliverable due to a shortage of water or a priority call, then the amount of water authorized for diversion under this right approval shall be reduced by the same proportion as the reduction to the mitigation rights.

5. Water bearing zone to be appropriated is 16 to 25 feet.
6. This right does not grant any right-of-way or easement across the land of another.

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 7th day of September, 2023.

PHILL HUMMER
Water Rights Supervisor

SCANNED
SEP 08 2023

State of Idaho
Department of Water Resources

Attachment to Water Right

63-33715

This map depicts the IRRIGATION place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



0 0.035 0.07 0.14 Miles

Place Of Use Boundary
Townships
PLS Sections
Quarter Quarters
Point of Diversion

N

SCANNED
SEP 0 8 2023

RECEIVED
AUG 22 2023
DEPARTMENT OF
WATER RESOURCES

State of Idaho
Department of Water Resources

Application for Amendment

(For Licensing Purposes)
Water Right No. 63-33715

Priority: October 29, 2012

Maximum Diversion Rate: 0.18 CFS
Maximum Diversion Volume: 8.6 AF

The owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 63-33715

JRS PROPERTIES III LP PO BOX 27 BOISE ID 83707-0027

requests the permit be changed as follows:

Source : GROUND WATER

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
IRRIGATION	03/01 to 11/15	0.18 CFS	8.6 AF

Location of Point(s) of Diversion
GROUND WATER L5 (NE¼ NW¼), Sec. 10, Twp 03N, Rge 02E, B.M. ADA County

Place of Use: IRRIGATION

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
03N	02E	10							0.5 L6	1.4 L5									1.9

Total Acres: 1.9

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed this 15th day of August, 2023.

JRS Properties III LLLP
By: JRS Management LLC

(Signature)
Scott R. Simplot, Manager

SCANNED
SEP 08 2023

State of Idaho
Department of Water Resources

Application for Amendment

(For Licensing Purposes)
Water Right No. 63-33715

FOR DEPARTMENT USE ONLY

Preliminary check by ____ Fee = $100 Receipted by KM # C116931 Date 8-22-23

ACTION OF THE DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources hereby approves the above Application for Amendment for Permit No. 63-33715 with the following:

Conditions of Approval

1. The diversion rate for this right shall not exceed 0.18 cfs. Provided, further, this right when combined with all other rights shall provide no more than 0.02 cfs per acre when averaged over a twenty-four hour period based upon the amount of water applied over such twenty-four hour period. However, should the lands authorized to be irrigated under this right ever cease to be a school, park, cemetery or golf course recognized by the Department as allowing more than one inch per acre, then this right when combined with all other rights shall provide no more than 0.02 cfs per acre at the field headgate for irrigation of the place of use.
2. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 4.5 afa per acre at the field headgate for irrigation of the place of use.
3. The right holder shall maintain a measuring device and lockable controlling works of a type approved by the Department in a manner that will provide the watermaster suitable control of the diversion.
4. To mitigate for the depletion of water resulting from the use of water under this right and to prevent injury to senior water right holders, the right holder shall cease diverting and using water as authorized by the following water rights for the purposes and amounts specified below. Moreover, the official record for the following water right will be changed to show that diversion and use of water is not authorized because the rights, or portion thereof, are being dedicated to mitigation purposes.

Right No.	to Mitigation	Rate (cfs)	Volume (AF)	Acres
63-20041	Irrigation	0.18	8.6	9.0

   The land that will no longer be irrigated under this right is located within the authorized boundary of the Boise City Canal Co.

   If the specified mitigation right, or portion thereof, is sold, transferred, leased, used on any place of use, or is not deliverable due to a shortage of water or a priority call, then the amount of water authorized for diversion under this right approval shall be reduced by the same proportion as the reduction to the mitigation rights.
5. Water bearing zone to be appropriated is 16 to 25 feet.
6. This right does not grant any right-of-way or easement across the land of another.

SCANNED
SEP 08 2023

State of Idaho
Department of Water Resources

Application for Amendment

(For Licensing Purposes)
Water Right No. 63-33715

This amendment is issued pursuant to the provisions of Idaho Code § 42-211.

Signed this 7th day of September, 2023.

PHILL HUMMER
Water Rights Supervisor

SCANNED
SEP 08 2023

Form 42-217 Rev. 6/22

RECEIVED
MAR 20 2023
DEPARTMENT OF WATER RESOURCES

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEMENT OF COMPLETION

FOR SUBMITTING PROOF OF BENEFICIAL USE

FOR OFFICE USE ONLY	
Amt. of Fee $	50 -
Receipt No.	C115630
Receipted By	KM
Date Receipted	3.20.23

The Idaho Department of Water Resources (Department) considers this form a statement that the permit holder(s) applied water to beneficial use and completed development of a water right to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner (CWRE).** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, complete a Notice of Change in Water Right Ownership form. If you wish to relinquish your permit because you have not established the authorized water use and are not applying for an extension, please notify the Department in writing.

1. Permit No. 63-33715 Name of Permit Holder(s) JRS Properties III LLLP by JRS Management LLC

Telephone No. 208-336-2110 Email vic.conrad@simplot.com

Mailing Address P. O. Box 27 City Boise State ID Zip 83707

2. Source of Water GROUNDWATER If Ground Water (well), Date Drilled mo. _____ / yr. _____

Drilling Permit/Tag No. _____ Drilling Company's Name _____

3. Extent of use(s) completed **as authorized by the water right permit**:

Domestic (No. households) _____ Irrigation (No. acres) 3.5 Stockwater (No. and stock type) _____

Other _____

4. Total diversion rate or volume (storage only) for which proof is submitted 0.2 cfs OR _____ af

If the total developed water use is 5 acres of irrigation or less, is stockwater storage of 14.6 acre-feet or less, or has a diversion rate of less than 0.24 cfs, attach a map of the place of use and point of diversion and photographs showing beneficial use.

5. Describe the diversion and delivery system from the water source to the use (pump, lift, irrigation method, etc.)

Water diverted using a 10 horsepower Grundfos submersible pump and lifted approximately 30 Feet to pressurized sprinkler systems. Water is used to irrigate lawn and ornamental landscaping.

6. Permit condition compliance. Refer to the permit approval conditions and check all the items required, then check "Yes" or "No" to indicate whether the required items were established, submitted, and/or installed:

Required?	Yes	No	(If "Yes", attach required data, evidence of compliance, or evidence of installation)
☐	☐	☑	Ground water level data, pumping information, or other diversion data
☐	☑	☐	Mitigation plan
☐	☑	☐	Lockable controlling works
☐	☐	☑	Measuring device
☐	☐	☑	Fish screen
☐	☐	☑	Other requirements of the water right permit _____
	☐	☑	Reasonably Anticipated Future Needs ("RAFN") Municipal use

If RAFN Municipal use, additional increment of beneficial use developed? ☐ Yes (attach CWRE report) ☐ No

7. Fee Enclosed $50.00 or ☐ CWRE field report attached or ☐ No fee required

See fee schedule on page 3 of the instructions. Proof statements filed without an appropriate fee are incomplete.

8. Person to contact to accompany a Department representative during the field examination of the water system:

Name: Vic Conrad Telephone No. 208-780-7359 Email vic.conrad@simplot.com

Mailing Address P. O. Box 27 City Boise State ID Zip 83707

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

SIGNATURE OF PERMIT HOLDER*	PRINTED NAME AND TITLE	DATE
	Scott R. Simplot, Manager	3/14/2023

*Attach power of attorney if completing on behalf of permit holder.

SCANNED
MAY 26 2023

IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Mathew Weaver

September 08, 2023

JRS PROPERTIES III LP
PO BOX 27
BOISE ID 83707-0027

RE: License No. 63-33715

ISSUANCE OF LICENSE

Dear Water Right Holder(s):

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov

If you have any questions concerning the enclosed information, please contact me at (208) 287-4925.

Sincerely,

Jean Hersley

For
Phill Hummer
Water Rights Supervisor

Enclosure(s)

SCANNED
SEP 08 2023

CERTIFICATE OF SERVICE

I hereby certify that on September 08, 2023, I served a true and correct copy of Water Right License No. 63-33715 by U.S. Mail, postage prepaid, to the following:

JRS PROPERTIES III LP (Current Owner)
PO BOX 27
BOISE ID 83707-0027

Jean Hersley
Technical Records Specialist 2

SCANNED
SEP 08 2023

EXPLANATORY INFORMATION TO ACCOMPANY A PRELIMINARY ORDER

(To be used in connection with actions when a hearing was **not** held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:**

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. **Note: the petition must be received by the department within this fourteen (14) day period.** The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after: (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

SCANNED
SEP 08 2023

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

> Unless a different date is stated in a final order, the order is effective fourteen (14) days after its service date if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:
>
> (a) The petition for reconsideration is disposed of; or
> (b) The petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

i. A hearing was held,
ii. The final agency action was taken,
iii. The party seeking review of the order resides, or
iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

J.R. Simplot Company
P.O. Box 27, Boise, Idaho
83707 0027

1099 West Front Street
Boise, Idaho 83702

Vic.conrad@simplot.com
208 780 7359 Business
208 780 7333 Fax

August 17, 2023

RECEIVED
AUG 22 2023
DEPARTMENT OF
WATER RESOURCES

Justin Shearer
Water Resource Agent, Principal
State of Idaho
Department of Water Resources
322 E. Front Street
P. O. Box 83720
Boise, Idaho 83720-0098

Re: IDWR Permit No. 63-33715.

Dear Justin:

Enclosed is a partially executed application to amend the above referenced permit for licensing purposes. Please accept the application for filing and apply the enclosed $100.00 check toward covering your filing fee.

After IDWR signs the application, please return a fully executed copy to me.

Sincerely,

Vic Conrad
Land, Water & Asset Recovery

Enclosure

SCANNED
SEP 08 2023

Permit No: 63-33715___

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
IN-OFFICE REVIEW/BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Exam Date: 6/16/2023

1. Does this qualify for an in-office field exam (IDAPA 37.03.02.035.01.r)? ____Y ____N
   a. _X__ Irrigation of 5 acres or less
   b. ____ Storage of up to 14.6 AF for stockwater purposes only
   c. ____ Any use other than irrigation or storage, if the combined diversion rate is 0.24 cfs or less
   d. ____ Other < >

2. Current Owner:
   Owner of Record Correct? _X___ Y _____N
   Address of Record Correct? _X___ Y _____N
   If No Explain:

3. Beneficial Use Fees have been paid: _X__Y ____N Receipt No: C115630

4. Source: Groundwater Tributary: Boise River

Method of Determination: GIS ArcMap Tools, Aerial Imagery, Taxlot Data, and documentation provided by owner.
Change in Source: ____Y _X___N

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _X__ No Overlap

Water Right No.	Source	Purpose of Use	Basis

Comments: None

2. Other water rights with the same point of diversion: _X___ No Overlap

Water Right No.	Source	Purpose of Use	Basis

Comments: None

C. DIVERSION AND DELIVERY SYSTEM

1. Location of Point(s) of Diversion:

Source	Govt. Lot	¼	¼	¼	Sec.	Twp.	Rge.		County
Groundwater	5		NE	NW	10	03N	02E	B.M.	Ada

Method of Determination: GIS ArcMap Tools, Taxlot Data, and documentation provided by owner.

Change in POD? X__Y ____N Amendment Required? _X__Y ____N

SCANNED
SEP 08 2023

2. Place of Use:

TWP	RGE	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
03N	02E	10							0.5	1.4									1.9
		Lot #							6	5									
																Total Acres =			1.9

Method of Determination: GIS ArcMap Tools, and Taxlot data.

Change in POU? ____Y _X__N Amendment Required? ____Y _X__N

3. Diversion System Information:

Description:

___ Delivery System Diagram Attached. (mark all major components and distances between components)

_X_ Aerial Photo Attached (required)

_X_ Photo of Diversion and System Attached

3. Diversion Id No.*	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
n/a	Grundfos	10	12B63607	Grundfos	3"

**Code to correspond with No. on map and aerial photo*

D. FLOW MEASUREMENTS

1. Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
None						

2. Measurement Comments: No measurement is required for an in-house examination.

E. FLOW CALCULATIONS ___Additional Computation Sheets Attached

Measurement = 0.06
Permit allowed = 0.20 cfs
B.U. Limit = 0.20 cfs
Recommendation = 0.18 cfs

Comments: Measured rate is based on acreage developed during the beneficial use period times the standard rate allowed. However, the system developed was based upon how the permit was originally applied for to allow for a higher diversion rate within a smaller time frame. Information about the diversion system provided by the applicant indicates that the system has a max diversion rate of 0.18 cfs. Because the permit was developed as applied for, the department can approve a higher rate as per Application Processing Memo 60, so my recommendation of 0.18 cfs relies on this guidance.

F. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.}$ = (Acres Irrigated) x (Irrigation Requirement) =(1.9 ac) x (4.5 afa) = 8.6 af

$V_{D.R.}$ = [Diversion Rate (cfs)] x (Days in Irrigation season) x 1.9835 = [0.06 (cfs)] x (260 days) x 1.9835 = 25.8 af

V = Smaller of $V_{I.R.}$ and $V_{D.R.}$ = 8.6 af

2. Volume Calculations for Other Uses: none

SCANNED
SEP 08 2023

G. PURPOSE OF USE

Irrigation _X__Y ____N # Stock_____ Domestic # of Homes _____

Other: < >

Change in Purpose of Use? ____Y _X__N

Method of Determination:

If Yes: From Use _____To Use _____Amount _____CFS _____AFA_____

H. NARRATIVE/REMARKS/COMMENTS

This permit qualifies as for an in-house exam because it is for Irrigation of less than 5 acres. The exam was conducted on June 16, 2023 by Justin Shearer. Ownership of the permit is in the name of JRS Properties III LP. Current Ada County Taxlot data represents the permit holder owns the land appurtenant to the place of use (POU) and point of diversion (POD). Proof of Beneficial Use was submitted on March 20, 2023. No ownership change is required.

Statement of Completion for Submitting Proof of Beneficial Use indicated that 3.5 acres were being irrigated using a 10 hp pump, lockable controlling works were installed, and a mitigation plan was in place. In contacting the representative for the permit holder (Vic Conrad) to determine the location of the POD, Mr. Conrad provided a map detailing the location of the POD, details about the system, pump specs, photos, and evidence of a measuring device having been installed. In doing so, Mr. Conrad described the POD as being not a well, but rather a shallow enclosed pit with a submersible pump diverting water from 16 to 25 ft below the existing land surface. Pump specs provided show that a diversion rate of 0.18 cfs is possible with a 10 hp pump. Information and map provided by permit holder indicate that the POD was developed in a different legal QQ than permitted; POD confirmed to be located within Gov't Lot 5 (NE ¼ NW ¼) Section 10, TWP 3N, Rge. 2E, B.M Ada County, ID versus the permitted location of Gov't Lot 6 (SW ¼ NE ¼) Section 10, TWP 3N, Rge. 2E. Thus, I am recommending an amendment for licensing purposes to correct the legal description of the POD. Aerial imagery available to the Department indicates that a total of 1.9 acres of irrigation has been developed (Please see attached BU Report Map). The license will reflect this number of irrigated acres versus the permitted amount of 7 acres. Because the application was permitted to allow for a higher diversion rate within a smaller time frame and information about the diversion system provided by the applicant indicates that the system has a max diversion rate of 0.18 cfs, I am recommending the higher rate as per Application Processing Memo 60 and placing the "higher rate per acre" condition on the permit to ensure that no more than an inch to the acre over a 24-hour period is applied. A total annual volume of 8.6 af based upon the 1.9 acres developed for irrigation times the headgate requirement of 4.5 af.

All conditions of the permit approval have been met. Conditions 26A and 046 will be dropped as per department standard. Condition 01J is being updated to R43 as per department standard. The "higher rate per acre" condition is being added to account for the higher-than-normal diversion ensure that no more than an inch to the acre over a 24-hour period is applied to the 1.9 acres. Condition X27 was removed since the POU is now clear and apparent post development. Condition 170 detailing the mitigation plan will be updated to reflect the amount of acreage developed. Condition 943 was updated to reflect the actual water bearing zone developed. The mitigating right (63-20041) should also be updated following the issuance of this water right.

Have conditions of permit approval been met? _X__Yes ____No

I. RECOMMENDATIONS

1. Recommended Amounts:

BENEFICIAL USE	PERIOD OF USE		DIVERSION RATE	ANNUAL VOLUME
IRRIGATION	03/01-11/15		0.18 CFS	8.6 AF
		Totals:	0.18 CFS	8.6 AF

2. Recommended Amendments:

_X__Change P.D. as reflected above ___Add P.D. as reflected above ___None

___Change P.U. as reflected above ___Add P.U. as reflected above _X_None

Other: < >

SCANNED
SEP 08 2023

J. AUTHENTICATION

Field Examiner's _____ Date 9/8/23

Reviewer _____ Date _____

SCANNED

SEP 08 2023

State of Idaho
Department of Water Resources

Attachment to In Office Review/Beneficial Use Report

Water Right: 63-33715

This map depicts the IRRIGATION place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.




- 63-33715 POD
- 63-33715 POU
- Township/Range
- Sections
- QQ

0 0.0275 0.055 0.11 Miles

N

SCANNED
SEP 08 2023

Point of Diversion; IDWR Permit No. 63-33715 Located within Gov't Lot 5 (NE¼NW¼) Section 10 T. 3N R.2E, B.M. Ada County, Idaho.



SCANNED
SEP 0 8 2023

GRUNDFOS

Company name:
Created by:
Phone:

Date: 13/06/2023

Qty.	Description
1	**85S100-7**



Note! Product picture may differ from actual product

Product No.: 12B63607

Multi-stage submersible pump for raw water supply, groundwater lowering and pressure boosting. The pump is suitable for pumping clean, thin, non-agressive liquids without solid particles or fibres.

The motor is a 3-phase motor with sand shield, liquid-lubricated bearings and pressure equalizing diaphragm.

Liquid:

Pumped liquid:	Water
Maximum liquid temperature:	104 °F
Max liquid t at 0.15 m/sec:	104 °F
Selected liquid temperature:	68 °F
Density:	62.29 lb/ft³

Technical:

Pump speed on which pump data are based:	3450 rpm
Rated flow:	88.1 US GPM
Rated head:	265.8 ft
Actual impeller diameter:	3.49 in
Shaft seal for motor:	SIC/SICNBR
Curve tolerance:	ISO9906:2012 3B
Motor version:	T40

Materials:

Pump:	Stainless steel EN 1.4301 AISI 304
Impeller:	Stainless steel EN 1.4301 AISI 304
Motor:	Stainless steel DIN W.-Nr. 1.4301 AISI 304

Installation:

Maximum ambient pressure:	870.23 psi
Pump outlet:	3"NPT
Motor diameter:	6 inch

Electrical data:

Motor type:	MS6000
Rated power - P2:	10 HP
Mains frequency:	60 Hz
Rated voltage:	3 x 440-460-480 V
Service factor:	1.15
Rated current:	17.4-16.8-16.6 A
Starting current:	410-440-470 % 78 A
Cos phi - power factor:	0.84-0.83-0.80
Rated speed:	3450-3470-3480 rpm
Motor efficiency at full load:	82.0 %
Start. method:	direct-on-line
Enclosure class (IEC 34-5):	IP68
Insulation class (IEC 85):	F

SCANNED
SEP 0 8 2023

GRUNDFOS

Company name: [redacted]
Created by:
Phone:


Date: 13/06/2023

Qty.	Description	
1	Built-in temp. transmitter:	yes
	Motor No:	96166162
	Windings:	Enamelled
	Others:	
	DOE Pump Energy Index CL:	0.85
	ErP status:	EuP Standalone/Prod.
	Net weight:	121 lb
	Gross weight:	175 lb
	Shipping volume:	6.32 ft³
	Country of origin:	US
	Custom tariff no.:	8413.70.2004

SCANNED
SEP 0 8 2023


Photos taken June 13, 2023:

Pump in the bottom of the pit in horizontal position (silver metallic underwater).



SCANNED
SEP 0 8 2023

Sand Filters and Pressure Tank for Irrigation Line.



SCANNED
SEP 0 8 2023

Flow Meter (GF Signet Flow Transmitter). This photo taken approximately 12:45 pm. Irrigation generally occurs at night to avoid daytime and evening events in courtyard.



SCANNED
SEP 0 8 2023

Shearer, Justin

From: Conrad, Vic <Vic.Conrad@simplot.com>
Sent: Wednesday, July 12, 2023 11:09 AM
To: Shearer, Justin
Subject: RE: [EXTERNAL] RE: IDWR Permit 63-33715.

CAUTION: This email originated outside the State of Idaho network. Verify links and attachments BEFORE you click or open, even if you recognize and/or trust the sender. Contact your agency service desk with any concerns.

Justin:
The "Water Bearing Zone" is approximately 16 ft. to 25 ft. below the existing land surface.

From: Shearer, Justin <Justin.Shearer@idwr.idaho.gov>
Sent: Wednesday, June 14, 2023 8:43 AM
To: Conrad, Vic <Vic.Conrad@simplot.com>
Subject: [EXTERNAL] RE: IDWR Permit 63-33715.

[Warning: External Email]
Vic,

Thank you for all of this information. I will include it with the file and pair with my in-house licensing recommendation.

Cheers,

IDAHO DEPARTMENT OF
WATER RESOURCES
Justin Shearer | Water Resource Agent, Principal
322 E Front St, PO Box 83720, Boise, ID 83720
(208) 287-4856 | www.idwr.idaho.gov

From: Conrad, Vic <Vic.Conrad@simplot.com>
Sent: Wednesday, June 14, 2023 8:41 AM
To: Shearer, Justin <Justin.Shearer@idwr.idaho.gov>
Subject: FW: IDWR Permit 63-33715.

CAUTION: This email originated outside the State of Idaho network. Verify links and attachments BEFORE you click or open, even if you recognize and/or trust the sender. Contact your agency service desk with any concerns.

Justin,
This is the location of the point of diversion. Will you please confirm you received these attachments okay?

SCANNED
SEP 08 2023

From: Conrad, Vic
Sent: Tuesday, June 13, 2023 2:34 PM
To: justin.shearer@idwr.idaho.gov
Subject: IDWR Permit 63-33715.

Justin,
Attached are photos taken today of the submerged pump, sand filters, pressure tank and flow meter. I am also attaching copies of cut sheets with specifications for the pump and flow meter.

The flow rate is variable and influenced by events in the courtyard. Irrigation occurs at night and flow depends on what type of temporary structures were erected for the event and the duration they remain in place before they are removed. Depending on how many irrigation stations are operating simultaneously, the flow rate will vary from approximately 32 gpm up to approximately 93 gpm. The motor operating the pump is controlled with a variable speed drive.

Please let me know if there is anything more I can round up for you.

Vic
208-780-7359

SCANNED
SEP 08 2023

Simplot

RECEIVED
MAR 20 2023
DEPARTMENT OF
WATER RESOURCES

J.R. Simplot Company
P.O. Box 27, Boise, Idaho
83707 0027

1099 West Front Street
Boise, Idaho 83702

Vic.conrad@simplot.com
208 780 7359 Business
208 780 7333 Fax

March 17, 2023

Debbi Judd
State of Idaho
Department of Water Resources
P. O. Box 83720
Boise, ID 83720-0098

Re: IDWR Permit No. 63-33715; Statement of Completion.

Dear Debbi:

Enclosed for filing is the Statement of Completion for development under the above referenced Permit. Also enclosed is a check in the amount $50.00 to cover your fee for filing the enclose Statement.

Sincerely,

Vic Conrad
Land, Water & Asset Recovery

Enclosure

SCANNED
MAY 26 2023

Beneficial Use Proof Evaluation

Permit Number: 63-33715 Reviewer: djudd Review Date: 3/20/2023

Acceptability

1) Is the contact on the request the current permit holder? Yes
2) Does the address of record need to be updated? No
3) Proof Submitted Date: 3/20/2023
4) Proof Due Date: 5/1/2023
5) Days added for weekend due date? 0
6) Days added for holiday due date? 0
7) Number of days late: -42
8) Proof received timely? Yes

Analysis

1) Are the water uses correct? Yes
2) Are one of the following items required?
    a. Measuring Device -- No
    b. Lockable Device --No
    c. Fish Screen -- No
3) Are the required items installed?
    a. Measuring Device --
    b. Lockable Device --
    c. Fish Screen --
4) Is there a request to waive the required items?
5) Drilling Permit Number: NA
6) Is a drilling permit upgrade needed?
7) Was a well drillers report filed?
8) Is proof accepted? Yes

Fees

1) Is a licensing exam fee required? Yes
2) Was proof submitted with an exam report from a CWE? No
3) Filing fee due: $50.00
4) Filing fee submitted: $50.00
5) Remaining fee or (refund): $0.00

Receipt IDs

W040682

Comments

Proof deemed acceptable. Gave file to water right agent for in-house license review. Water right agent will enter the proof made date in AdHoc at the time of licensing.

IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little **Director Gary Spackman**

February 28, 2023

JRS PROPERTIES III LP
PO BOX 27
BOISE ID 83707-0027

NOTICE: STATEMENT OF COMPLETION DUE

RE: Permit No. 63-33715

IMPORTANT: A response from you is required to maintain the active status of the referenced water right permit. If no response is received from you, the permit will lapse and your authorization to develop and/or use this water right will be cancelled.

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before **May 01, 2023**. Please complete and return the enclosed Statement of Completion for Submitting Proof of Beneficial Use (proof) if you have completed the water project authorized by your permit. The proof statement must be accompanied by either the appropriate license examination fee or a field examination report prepared by a certified water right examiner.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Idaho Code § 42-204. If you have been delayed by a government agency or by litigation that brings title to the water in question, an extension of time may be granted if appropriate documentation is provided at the time of filing. An extension request must be accompanied by a $50.00 filing fee and signed by the appropriate authorized permit holder(s) or authorized representative with a power of attorney.

Either an acceptable proof or an acceptable extension request must be received by this Department on or before the above proof due date. If neither is received, the Department will send you a lapse notice and the permit will no longer be of any force or effect.

Sincerely,

Debbi Judd

Debbi Judd
Technical Records Specialist

Enclosures

CERTIFIED MAIL
7016 1370 0000 2018 4363
NO.

SCANNED
MAR 0 1 2023