State of Idaho
Department of Water Resources

Water Right License

Water Right No. 63-33807

Priority: July 02, 2013

Maximum Diversion Rate: 0.16 CFS
Maximum Diversion Volume: 18.6 AF

It is hereby certified that:

DAVID C SHAFER 452 W HEIKES LN EAGLE ID 83616-2513 AND
LINDA M PERRY-SHAFER 452 W HEIKES LN EAGLE ID 83616-2513

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated July 02, 2013, and has submitted Proof of Beneficial Use on October 13, 2021. An examination confirms water is diverted from:

Source : GROUND WATER

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
IRRIGATION	03/01 to 11/15	0.16 CFS	18.0 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	0.6 AF

Location of Point(s) of Diversion
GROUND WATER NW¼ NE¼, Sec. 32, Twp 05N, Rge 01E, B.M. ADA County

Place of Use: IRRIGATION

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
05N	01E	32	0.5	3.5															4.0

Total Acres: 4.0

Place of Use: DOMESTIC

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
05N	01E	32		X															

Conditions of Approval

1. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 4.5 afa per acre at the field headgate for irrigation of the place of use.
2. Diversion and use of water with a temperature greater than 85 degrees Fahrenheit is not authorized under this right.
3. After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to use power records to determine the amount of water diverted and shall annually report the information to the Department.
4. To prevent injury to prior water rights appropriating water from the Boise River and/or the underlying shallow aquifer tributary to the Boise River, the new well used as a point of diversion for this water right located within the NENE & NWNE, Section 32, Township 05N, Range 01E shall be constructed and maintained with unperforated casing and sealed into the first significant confining layer located 200 feet or more below ground surface.
5. Water bearing zone to be appropriated is 200 to 600 feet.

SCANNED
JUN 0 2 2023

State of Idaho
Department of Water Resources

Water Right License

Water Right No. 63-33807

6. Domestic use is for 1 homes. Irrigation of lawn, garden and landscaping associated with the home is authorized under the irrigation component of this right.
7. When ordered by the Director, the right holder shall provide mitigation acceptable to the Director to offset depletion of lower Snake River flows needed for migrating anadromous fish. The amount of water required for mitigation, which is to be released into the Snake River or a tributary for this purpose, will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this right. Any order of the Director issued in accordance with this paragraph shall be in conformance with applicable rules allowing the right holder due process as the need for mitigation and the amount of mitigation are determined.

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 30th day of May, 2023.

SCOTT STORMS
Water Rights Supervisor

SCANNED
JUN 02 2023

State of Idaho
Department of Water Resources

Attachment to Water Right

63-33807

This map depicts the IRRIGATION place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



0 0.035 0.07 0.14 Miles

Place Of Use Boundary
Townships
PLS Sections
Quarter Quarters
Point of Diversion

N

SCANNED
JUN 02 2023

State of Idaho
Department of Water Resources

Attachment to Water Right

63-33807

This map depicts the DOMESTIC place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



0 0.035 0.07 0.14 Miles

Place Of Use Boundary
Townships
PLS Sections
Quarter Quarters
Point of Diversion

N

SCANNED
JUN 0 2 2023

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No: 63-33807
Exam Date: 6/13/2022

1. Current Owner:
   DAVID C SHAFER 452 W HEIKES LN EAGLE ID 83616-2513 AND
   LINDA M PERRY-SHAFER 452 W HEIKES LN EAGLE ID 83616-2513

2. Accompanied by: David Shafer and Linda Perry-Shafer
   Phone No: (208) 939 6044
   Address:452 W Heikes Lane
   Relationship to Permit Holder: Same

3. **SOURCE:**
GROUND WATER

Method of Determination: Site visit, aerial imagery, and ArcMap tools

B. OVERLAP REVIEW

1. Other water rights with the same place of use: None
2. Other water rights with the same point-of-diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. **LOCATION OF POINT(S) OF DIVERSION:**
GROUND WATER NW¼ NE¼, Sec. 32, Twp 05N, Rge 01E, B.M. ADA County

Method of Determination: Site visit, well log, aerial imagery, ArcMap tools

PLACE OF USE: IRRIGATION

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
05N	01E	32	0.5	3.5															4.0

Total Acres: 4.0

PLACE OF USE: DOMESTIC

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
05N	01E	32		X															

Method of Determination: Site visit, aerial imagery, ArcMap tools

3.

X Delivery System Diagram Attached (required). Indicate all major components and distances between components. Indicate weir size/pipe as applicable.

X Map Attached Showing Location(s) of point(s) of diversion and place(s) of use (required). Scale must be 1:24,000 or greater.

N/A Aerial Photo Attached (required for irrigation of 10+ acres).

X Photo of Diversion and System Attached

SCANNED
JUN 0 2 2023

4.

Well or Diversion ID No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
D0089149	Berkely	5	E2520Z310150	Berkely L30P4JMGS-04	4"

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
N/A	N/A	N/A	N/A	N/A	N/A	N/A

2. Measurements: Buried pump and conveyance system did not provide suitable circumstances to directly measure diversion rate.

E. FLOW CALCULATIONS

N/A Additional Computation Sheets Attached

Measured Method: Per IDAPA Beneficial Use Exam Rule 35.01.r no direct measurement was required.

Standard Irrigation Rate for Small Acreages $\leq$ 5 Acres = 0.03 cfs/ac x 4 ac = 0.12 cfs

Standard Single-Home Domestic use = 0.04 cfs

Permitted Total Rate = 0.20 cfs
License Recommendation = 0.16 cfs

F. VOLUME CALCULATIONS

1. Volume Calculations for irrigation:

$V_{I.R.}$ = (Acres Irrigated) x (Irrigation Requirement) = 4 acres x 4.5 AFA = 18 AF
$V_{D.R.}$ = [Diversion Rate (cfs)] x (Days in Irrigation season) x 1.9835 = 0.07 cfs x 259 days x 1.9835 = 36 AF
V = Smaller of $V_{I.R.}$ and $V_{D.R.}$ = 18 AF

2. Volume Calculations for Domestic:

Quantity is 0.6 AFA per household when irrigation is separated per Application Processing Memo 22.

SCANNED
JUN 0 2 2023

G. NARRATIVE/REMARKS/COMMENTS

David Shafer and Linda Perry-Shafer are the current owners of permit 63-33807 for irrigation, stock water, and domestic use in Ada County. The permit was approved 10/30/2013 with a proof due date of 11/01/2018. An assignment of permit was submitted on 11/16/2016 by the original applicants CGI Construction Inc, changing the ownership of the permit to David and Linda. A request for extension of time was approved 2/13/2018 extending the due date to 5/01/2023. The proof of beneficial use was submitted 10/13/2021 with an examination fee of $50. A field exam was conducted on 6/13/2022, by Water Resource Agents Aaron Olson and Justin Shearer who were accompanied by David and Linda.

The source of water for the permit is ground water from a 6-inch well with tag number D0089149, located in NWNE Section 32, T05N, R01E, just north of the home in the backyard. Two points of diversion were originally permitted to allow for flexibility in deciding a location to drill a well because the property sits in both the NWNE and NENE QQ. The well uses an underground 5 hp Pentair Berkeley motor and submersible model L30P4JMGS-04 pump set at 252 feet below land surface(bls). The steel casing of the well is 310 feet and screened from 310 to 330 feet. The well is sealed with a 10-inch bentonite/cement seal to a depth of 275 feet. At the time the well was drilled a static water level of 172 feet bls was observed, during a 240-minute test of the well a drawdown level of 130 feet was observed giving a total lift of 302 feet.

A well with tag number D0067552 was drilled in 2015 under a domestic permit and is located just east of D0089149. This well was not sealed to 200 feet bls as outlined in the conditions of the permit. This well is not currently connected to the home or irrigation system but has a hand pump attached to it.

From the well, a 2" polyethylene pipe is used as a mainline around the property that connects to drip lines, bubblers, Hunter sprinklers, and Rainbird sprinklers that make up the irrigation system for the different zones around the property. The zones irrigated by the system consist of lawns, an orchard, a garden with several beds, fescues, and planters along the home and driveway.

The permit authorizes 0.14 cfs for irrigation, 0.04 cfs for domestic use, and 0.02 cfs for stockwater within NENE and NWNE Section 32, T05N, R01E. ArcMap tools and aerial imagery, supported by a visit to the property for the field exam, were used to verify the POU for irrigation and domestic use. At the time of the visit no stock animals were present, and it was confirmed that no water had been put to use for that purpose since the permit had been issued. Evidence of irrigation was found to be 4 acres within the 4.5-acre place of use.

Conditions 26A, 046, X02, were removed as per department licensing standards. Condition 121 was updated to 103 as per department licensing standards. Condition 004 was removed since access across lands of another is not a concern.

SCANNED

JUN 0 2 2023

Have conditions of permit approval been met? X Yes ____ No

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
IRRIGATION	03/01 to 11/15	0.12 CFS	18 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	0.6 AF
	Totals:	0.16 CFS	18.6 AF

2. Recommended Amendments

X Change P.D. as reflected above ____ Add P.D. as reflected above ____ None

X Change P.U. as reflected above ____ Add P.U. as reflected above ____ None

I. AUTHENTICATION

Aaron Olson -

Field Examiner's Name _____ Date 5/30/2023


Reviewer _____ Date 5/30/2023

SCANNED

JUN 02 2023

DELIVERY SYSTEM DIAGRAM

Water Right No. 63-33807



Form 238-7
6/07

63

IDAHO DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

1. WELL TAG NO. D 0089149

Drilling Permit No. 900148

Water right or injection well # 63-33807

2. OWNER:

Name David and Linda Shafer

Address 452 Heikes Ln.

City Eagle State ID Zip 83616

3.WELL LOCATION:

Twp. 5 North ☒ or South ☐ Rge. 1 East ☒ or West ☐

Sec. 32 ___ 10 acres 1/4 NW 40 acres 1/4 NE 160 acres 1/4

Gov't Lot ___ County Ada

Lat. 43 ° 44.099 (Deg. and Decimal minutes)

Long. -116 ° 21.593 (Deg. and Decimal minutes)

Address of Well Site 452 Heikes Ln.

(Give at least name of road + Distance to Road or Landmark) City Eagle

Lot. 2 Blk. 1 Sub. Name Willowcreek

4. USE:

☐ Domestic ☐ Municipal ☐ Monitor ☒ Irrigation ☐ Thermal ☐ Injection ☐ Other ___

5. TYPE OF WORK:

☒ New well ☐ Replacement well ☐ Modify existing well ☐ Abandonment ☐ Other ___

6. DRILL METHOD:

☐ Air Rotary ☒ Mud Rotary ☐ Cable ☐ Other ___

7. SEALING PROCEDURES:

Seal material	From (ft)	To (ft)	Quantity (lbs or ft³)	Placement method/procedure
3/4bentonite	0	5	150lbs	dry pour
ben/cem	5	275	76.8cu/ft	tremie

8. CASING/LINER:

Diameter (nominal)	From (ft)	To (ft)	Gauge/ Schedule	Material	Casing	Liner	Threaded	Welded
6"	+2	310	.250	steel	☒	☐	☐	☒
					☐	☐	☐	☐
					☐	☐	☐	☐
					☐	☐	☐	☐

Was drive shoe used? ☐ Y ☒ N Shoe Depth(s) ___

9. PERFORATIONS/SCREENS:

Perforations ☐ Y ☒ N Method ___

Manufactured screen ☒ Y ☐ N Type alloy machine works

Method of installation placed

From (ft)	To (ft)	Slot size	Number/ft	Diameter (nominal)	Material	Gauge or Schedule
310	330	.020	---	6"	stainless	

Length of Headpipe ___ Length of Tailpipe ___

Packer ☐ Y ☒ N Type ___

10.FILTER PACK:

Filter Material	From (ft)	To (ft)	Quantity (lbs or ft³)	Placement method
8-12 silica	275	310	1850lbs	tremie

11. FLOWING ARTESIAN:

Flowing Artesian? ☐ Y ☒ N Artesian Pressure (PSIG) ___

Describe control device ___

12. STATIC WATER LEVEL and WELL TESTS:

Depth first water encountered (ft) 172 Static water level (ft) 172

Water temp. (°F) 56degF Bottom hole temp. (°F) ___

Describe access port well cap

Well test: Test method:

Drawdown (feet)	Discharge or yield (gpm)	Test duration (minutes)	Pump	Bailer	Air	Flowing artesian
---	100+	240	☐	☐	☒	☐
			☐	☐	☐	☐

Water quality test or comments: ___

13. LITHOLOGIC LOG and/or repairs or abandonment:

Bore Dia. (in)	From (ft)	To (ft)	Remarks, lithology or description of repairs or abandonment, water temp.	Water Y	Water N
10"	0	1	top soil		X
"	1	6	hard brown clay		X
"	6	12	coarse brown sand		X
"	12	31	tan clay		X
"	31	34	coarse tan sand		X
"	34	37	tan clay		X
"	37	46	coarse tan sand		X
"	46	57	tan clay		X
"	57	61	coarse tan sand		X
"	61	108	tan clay with tan sand strips		X
"	108	136	coarse tan sand		X
"	136	145	tan clay		X
"	145	190	coarse tan sand	X	
"	190	195	tan sandy clay		X
"	195	198	coarse tan sand	X	
"	198	206	tan clay		X
"	206	236	coarse tan sand	X	
"	236	239	tan sandy clay		X
"	239	268	coarse tan sand	X	
"	268	274	tan clay		X
"	274	282	med fine tan sand	X	
"	282	290	tan clay		X
"	290	294	gray sand	X	
"	294	297	blue clay		X
"	297	308	tan clay		X
"	308	332	coarse tan sand	X	
"	332	335	tan clay		X
"	335	340	coarse tan sand	X	
			backfilled to 330 with pee gravel		

Completed Depth (Measurable): 330

Date Started: Jun 7, 2021 Date Completed: Jun 11, 2021

14. DRILLER'S CERTIFICATION:

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Company Name Coonse Well Drilling Co. No. 409

*Principal Driller Larry E. Coonse Date Jun 14, 2021

*Driller ___ Date Jun 14, 2021

*Operator II ___ Date ___

Operator I ___ Date ___

* Signature of Principal Driller and rig operator are required.

RECEIVED
JUN 21 2021
WATER RESOURCES
WESTERN REGION

SCANNED
JUN 02 2023

BERKELEY

4" submersible pumps – 10, 15, 20, 30, and 50 gpm

PUMP PERFORMANCE *(Capacity in Gallons Per Minute)*

30 GALLONS PER MINUTE

HP	PSI	Pumping Depth in Feet																		Shutoff Head	
		20	40	60	80	100	125	150	175	200	250	300	350	400	450	500	550	600	650	700	Feet	PSI
1	0	44.0	42.5	40.9	39.1	36.8	32.5	26.0	8.0												175	76
	20	40.4	38.8	36.0	32.4	27.7	13.3															
	30	38.0	35.3	31.7	26.3	14.3																
	40	35.0	31.4	25.9	12.1																	
	50	30.2	24.0	3.0																		
	60	21.9																				
1-1/2	0	44.2	43.1	41.9	39.9	37.5	34.1	30.9	26.9	17.0											210	91
	20	41.2	39.1	36.5	34.0	31.5	27.8	21.5														
	30	38.9	36.1	33.8	31.0	27.9	21.8															
	40	36.0	33.5	30.8	27.7	20.2																
	50	32.9	30.1	26.8	21.5																	
	60	29.5	25.9	18.1																		
2	0	44.9	43.9	43.0	41.8	40.5	38.8	36.8	34.7	31.6	23.7										280	121
	20	42.7	41.3	40.1	38.7	37.1	34.9	32.1	29.0	24.8												
	30	41.2	40.0	38.5	37.0	35.0	32.2	29.1	24.9	15.2												
	40	39.9	38.3	36.6	34.8	32.7	29.8	25.1	16.1													
	50	38.0	36.3	34.5	32.1	30.0	25.3	17.5														
	60	36.0	34.0	31.9	29.1	26.0	18.0															
3	0	45.0	44.5	44.0	43.2	42.7	41.6	40.1	39.6	38.2	35.5	32.0	27.3								420	182
	20	43.8	43.0	42.4	41.5	41.0	39.8	38.5	37.1	35.7	32.1	28.0	18.5									
	30	42.9	42.2	41.3	40.6	39.9	38.7	37.2	35.8	34.2	30.3	24.9	6.0									
	40	42.1	41.2	40.4	39.7	38.8	37.3	35.9	34.5	32.6	28.3	19.9										
	50	41.1	40.3	39.5	38.5	37.4	36.0	34.6	32.7	31.0	25.2	9.5										
	60	40.2	39.3	38.3	37.2	36.1	34.7	32.8	31.0	28.5	20.5											
5	0	—	—	—	44.3	44.0	43.5	43.0	42.6	42.0	40.7	39.2	38.0	36.0	34.2	31.9	29.2	26.0	20.0		705	305
	20	—	44.1	44.0	43.4	43.1	42.7	42.0	41.3	40.8	39.3	38.2	36.2	34.4	32.4	30.0	26.1	21.5				
	30	44.1	43.9	43.4	43.0	42.8	42.1	41.4	40.8	40.1	38.7	37.0	35.1	33.1	31.1	26.0	24.1	16.0				
	40	43.8	43.4	43.0	42.7	42.1	41.5	40.9	40.2	39.3	37.9	36.1	34.3	32.0	29.4	26.2	20.4					
	50	43.3	43.0	42.6	42.0	41.5	41.2	40.2	39.5	38.8	37.1	35.4	33.2	31.2	28.8	24.5	16.0					
	60	42.9	42.5	42.0	41.4	41.1	40.3	39.8	38.9	38.1	36.2	34.2	32.1	30.0	26.7	22.0						

HP	PSI	Pumping Depth in Feet													Shutoff Head	
		200	300	400	500	600	700	800	900	1000	1100	1200	1300	1400	Feet	PSI
7-1/2	0	—	43.2	40.4	37.6	34.8	32.0	28.1	20.0						975	422
	20	44.6	42.0	39.3	36.5	33.8	30.5	25.5	13.8							
	30	44.2	41.3	38.6	35.8	33.1	29.8	23.3	6.5							
	40	43.6	40.7	38.1	35.6	32.6	29.3	21.7								
	50	42.7	40.1	37.3	34.6	31.7	27.4	19.3								
	60	42.0	39.4	36.5	33.7	30.7	25.1	13.9								
10	0	—	44.7	43.1	41.3	39.5	37.3	35.1	33.1	30.4	27.1	22.5	11.9		1345	582
	20	—	44.2	42.3	40.5	38.6	36.4	34.5	31.8	29.2	25.3	18.7				
	30	—	43.7	42.0	40.1	43.0	35.7	33.7	31.3	28.4	24.2	16.3				
	40	44.9	43.3	41.6	39.7	37.7	35.5	33.5	30.9	27.7	23.4	14.4				
	50	44.6	42.7	41.0	39.3	37.1	34.9	32.8	30.2	26.7	21.7	7.7				
	60	44.3	42.3	40.6	38.7	36.5	34.5	32.3	29.5	25.7	20.1	5.0				


CAUTION: DO NOT use pump at flow rates indicated by the symbol '—'. To do so can cause premature failure of unit. Pump warranty void when failure occurs under these conditions. Tested and rated in accordance with Water Systems Council Standards.

NOTE: Pumps installed with a PRO-Source™ tank require a 100 PSI relief valve. Pumps installed with a conventional tank require a 75 PSI relief valve. Relief valve must be capable of relieving entire flow of pump at relief pressure.


SCANNED
JUN 02 2023

4" submersible pumps – 10, 15, 20, 30, and 50 gpm


PUMP PERFORMANCE – 20 GPM



PUMP PERFORMANCE – 30 GPM



PUMP PERFORMANCE – 50 GPM



SCANNED
JUN 0 2 2023



Fig. 1 – Picture of the two well heads and left side of back yard taken from back patio.



Fig. 2 – Well head for well no. D0089149. GPS point at:

43°44.099

-116°21.593

SCANNED

JUN 0 2 2023



Fig. 3 – Well tag for well no. D0089149.



Fig. 4 – Right side of back yard taken from back patio

SCANNED
JUN 0 2 2023



Fig. 5 – Garden and planters facing NW corner of property.



Fig. 6 – Lawn and N end of orchard S of garage.

SCANNED
JUN 0 2 2023



Fig. 7 – Orchard facing road S of property.



Fig. 8 – Orchard facing SW corner of Property.

SCANNED
JUN 0 2 2023



Fig. 9 – Front of home facing E side of property.




Fig. 10 – Driveway in front of home facing SE corner of property

SCANNED
JUN 0 2 2023



Fig. 11 –Diagram of irrigation system mainline.



P O Box 366
Middleton, ID 83644
Phone # (208) 454-0190

Sent by April Wisberg 10/27/21 by email

PAID
09/25/2021

DAVE & LINDA SHAFER
452 W HEIKES LN
EAGLE, ID 83616

INVOICE

6/17/2021 209032

452 W HEIKES LN

Due on receipt 6/17/2021

330	10-IN MUD DRILLING	65.00	21,450.00
310	6-IN STEEL CASING	35.00	10,850.00
2	6-IN X 10-FT STAINLESS SCREEN INSTALLATION	2,500.00	5,000.00
35	SANDPAK	45.00	1,575.00
1	DRILLING FLUID MATERIALS	2,500.00	2,500.00
270	FULL LENGTH 10-IN SEAL	20.00	5,400.00
1	6-IN BII WATERTIGHT WELL CAP	75.00	75.00
1	IRRIGATION DRILLING PERMIT	200.00	200.00
1	5 HP 30 GPM PENTAIR BERKELEY INTELLIKIT, PUMP-L30P4JMGS-04 CODE 001A21P, 5HP MOTOR -S/N E2520Z310150 & PID50 CONTROLLER, 5 YR MANUFACTURER WARRANTY ON PUMP & MOTOR, 3 YR MANUFACTURER WARRANTY ON CONTROLLER	8,460.00	8,460.00
252	1 1/2-IN GALV DROP PIPE 252-256' Pump as per Andy Clerk/ April Wisberg	4.85	1,222.20
260	#8/3 W/GROUND SUB PUMP CABLE	2.75	715.00
30	1 1/4" POLY PIPE 200 PSI	1.45	43.50
35	#12 THHN WIRE	0.40	14.00
105	#10 THHN WIRE	0.50	52.50
30	1" PVC CONDUIT SCH40	2.75	82.50
5	1" PVC CONDUIT -SCH 80	3.20	16.00
1	1 1/2 BII PITLESS ADAPTER SS	260.00	260.00
2	1 1/2 FLOMATIC CHECK VALVE 100EVFD	87.50	175.00
1	BACKHOE	650.00	650.00
1	SPLICE KIT #8	10.50	10.50
1	MISC ELECTRICAL	125.00	125.00
1	MISC PLUMBING	200.00	200.00
1	LABOR- INSTALL PUMP/WATER SYSTEM	1,500.00	1,500.00

Total $60,576.20

Payments Applied -$60,576.20

THANK YOU FOR YOUR BUSINESS!
PLEASE PAY BY THIS INVOICE.

Coonse Well Drilling & Pump Co., Inc.
...e subject to service charge of 1 1/2% per month or
...PROCESSING FEE ON CREDIT CARD PAYMENTS.

E-mail
office@coonsedrillingpump.com

Fig. 12 – Invoice from Coonse Well Drilling with pump info.

SCANNED
JUN 0 2 2023

IDAHO DEPARTMENT OF
WATER RESOURCES

Western Region • 2735 W Airport Way • Boise, ID 83705-5082
Phone: 208-334-2190 • Fax: 208-334-2348 • Email: westerninfo@idwr.idaho.gov • Web: idwr.idaho.gov

Governor Brad Little **Director Gary Spackman**

May 31, 2023

DAVID C SHAFER
LINDA M PERRY-SHAFER
452 W HEIKES LN
EAGLE ID 83616-2513

RE: License No. 63-33807

ISSUANCE OF LICENSE

Dear Water Right Holder(s):

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov

If you have any questions concerning the enclosed information, please contact me at (208) 605-4624.

Sincerely,

Lynne Evans

for Scott Storms
Water Rights Supervisor

Enclosure(s)

SCANNED
JUN 02 2023

CERTIFICATE OF SERVICE

I hereby certify that on May 31, 2023, I served a true and correct copy of Water Right License No. 63-33807 by U.S. Mail, postage prepaid, to the following:

LINDA M PERRY-SHAFER (Current Owner)
452 W HEIKES LN
EAGLE ID 83616-2513

DAVID C SHAFER (Current Owner)
452 W HEIKES LN
EAGLE ID 83616-2513

Lynne Evans
Administrative Assistant I

SCANNED
JUN 02 2023

EXPLANATORY INFORMATION TO ACCOMPANY A PRELIMINARY ORDER

(To be used in connection with actions when a hearing was **not** held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:**

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. **Note: the petition must be received by the department within this fourteen (14) day period.** The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after: (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

SCANNED
JUN 02 2023

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

> Unless a different date is stated in a final order, the order is effective fourteen (14) days after its service date if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:
>
> (a) The petition for reconsideration is disposed of; or
> (b) The petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

i. A hearing was held,
ii. The final agency action was taken,
iii. The party seeking review of the order resides, or
iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

SCANNED
JUN 0 2 2023