

State of Idaho  
Department of Water Resources  
**Water Right License**  
Water Right No. 63-34473

Priority: November 21, 2017

Maximum Diversion Rate: 0.05 CFS

Maximum Diversion Volume: 8.1 AF

It is hereby certified that:

CORP OF THE PRESIDING BISHOP OF THE CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
50 E NORTH TEMPLE ST 12TH FLOOR SALT LAKE CITY UT 84150-0012

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 09, 2017, and has submitted Proof of Beneficial Use on December 22, 2022. An examination confirms water is diverted from:

Source : GROUND WATER

Beneficial Use  
IRRIGATION

Period of Use  
03/01 to 11/15

Rate of Diversion  
0.05 CFS

Annual Volume  
8.1 AF

**Location of Point(s) of Diversion**

GROUND WATER NE¼ NW¼, Sec. 8, Twp 04N, Rge 02W, B.M. CANYON County

**Place of Use: IRRIGATION**

| Twp | Rng | Sec | NE |    |    |    | NW  |    |    |    | SW |    |    |    | SE |    |    |    | Totals |
|-----|-----|-----|----|----|----|----|-----|----|----|----|----|----|----|----|----|----|----|----|--------|
|     |     |     | NE | NW | SW | SE | NE  | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE |        |
| 04N | 02W | 8   |    |    |    |    | 1.8 |    |    |    |    |    |    |    |    |    |    |    | 1.8    |

Total Acres: 1.8

**Conditions of Approval**

1. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 4.5 afa per acre at the field headgate for irrigation of the place of use.
2. When ordered by the Director, the right holder shall provide mitigation acceptable to the Director to offset depletion of lower Snake River flows needed for migrating anadromous fish. The amount of water required for mitigation, which is to be released into the Snake River or a tributary for this purpose, will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this right. Any order of the Director issued in accordance with this paragraph shall be in conformance with applicable rules allowing the right holder due process as the need for mitigation and the amount of mitigation are determined.

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 4<sup>th</sup> day of January, 2023.



PHILL HUMMER  
Water Rights Supervisor

**SCANNED**

JAN 06 2023


State of Idaho  
Department of Water Resources

# Attachment to Water Right License

63-34473

This map depicts the IRRIGATION place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.

02W



-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters
-  Point of Diversion

0 0.035 0.07 0.14 Miles



SCANNED

JAN 06 2023



RECEIVED

DEC 22 2022

DEPARTMENT OF  
WATER RESOURCESSTATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
**STATEMENT OF COMPLETION**  
FOR SUBMITTING PROOF OF BENEFICIAL USE

## FOR OFFICE USE ONLY

Amt. of Fee \$ 50.00  
Receipt No. 2114937  
Received By KM  
Date Received 12.22.22

The Idaho Department of Water Resources (Department) considers this form a statement that the permit holder(s) applied water to beneficial use and completed development of a water right to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner (CWRE).** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, complete a Notice of Change in Water Right Ownership form. If you wish to relinquish your permit because you have not established the authorized water use and are not applying for an extension, please notify the Department in writing.

- Permit No. 63-34473 Name of Permit Holder(s) The Church of Jesus Christ of Latter-day Saints, a Utah corporation sole  
Telephone No. (208) 580-3184 Email david.bowen@churchofjesuschrist.org (David Bowen Local Rep.)  
Mailing Address 50 E North Temple St. 12th Floor City Salt Lake City State UT Zip 84150-0012
- Source of Water Ground Water If Ground Water (well), Date Drilled mo. July / yr. 2018  
Drilling Permit/Tag No. ~~WEB1807-61259~~ Drilling Company's Name Coonse Well Drilling & Pump Company Inc.  
D0077467
- Extent of use(s) completed **as authorized by the water right permit:**  
Domestic (No. households) \_\_\_\_\_ Irrigation (No. acres) 1.8 Stockwater (No. and stock type) \_\_\_\_\_  
Other \_\_\_\_\_
- Total diversion rate or volume (storage only) for which proof is submitted 0.05 cfs OR \_\_\_\_\_ af  
*If the total developed water use is 5 acres of irrigation or less, is stockwater storage of 14.6 acre-feet or less, or has a diversion rate of less than 0.24 cfs, attach a map of the place of use and point of diversion and photographs showing beneficial use.*
- Describe the diversion and delivery system from the water source to the use (pump, lift, irrigation method, etc.)  
5 HP Submersible Pump & necessary mechanical to operate pump.  
Owner is installing the well and a water system to irrigate the property
- Permit condition compliance. Refer to the permit approval conditions and check all the items required, then check "Yes" or "No" to indicate whether the required items were established, submitted, and/or installed:  
Required? Yes No (If "Yes", attach required data, evidence of compliance, or evidence of installation)  

|                          |                          |                          |                                                                       |
|--------------------------|--------------------------|--------------------------|-----------------------------------------------------------------------|
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Ground water level data, pumping information, or other diversion data |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Mitigation plan                                                       |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Lockable controlling works                                            |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Measuring device                                                      |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Fish screen                                                           |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Other requirements of the water right permit _____                    |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Reasonably Anticipated Future Needs ("RAFN") Municipal use            |

If RAFN Municipal use, additional increment of beneficial use developed? ☐ Yes (attach CWRE report) ☐ No
- Fee Enclosed \$ 50.00 or ☐ CWRE field report attached or ☐ No fee required  
*See fee schedule on page 3 of the instructions. Proof statements filed without an appropriate fee are incomplete.*

- Person to contact to accompany a Department representative during the field examination of the water system:  
Name: David R. Bowen Telephone No. (208) 580-3184 Email david.bowen@churchofjesuschrist.org  
Mailing Address 2710 Saint Andrews Loop City Pasco State WA Zip 99301

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

Logan C. King Logan C. King Project Manager 14 December 2022  
SIGNATURE OF PERMIT HOLDER\* PRINTED NAME AND TITLE DATE

\*Attach power of attorney if completing on behalf of permit holder.

SCANNED

JAN 06 2023



322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098  
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: [idwrinfo@idwr.idaho.gov](mailto:idwrinfo@idwr.idaho.gov) • Website: [idwr.idaho.gov](http://idwr.idaho.gov)

Governor Brad Little

Director Gary Spackman

January 06, 2023

CORP OF THE PRESIDING BISHOP OF THE CHURCH OF JESUS CHRIST OF LATTER  
DAY SAINTS  
50 E NORTH TEMPLE ST 12TH FLOOR  
SALT LAKE CITY UT 84150-0012

RE: License No. 63-34473

### ISSUANCE OF LICENSE

Dear Water Right Holder(s):

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at [idwr.idaho.gov](http://idwr.idaho.gov)

If you have any questions concerning the enclosed information, please contact me at (208) 287-4925.

Sincerely,

Jan Hummer  
Water Rights Supervisor

Enclosure(s)

SCANNED

JAN 06 2023


## CERTIFICATE OF SERVICE

I hereby certify that on January 09, 2023, I served a true and correct copy of Water Right License No. 63-34473 by U.S. Mail, postage prepaid, to the following:

CORP OF THE PRESIDING BISHOP OF THE CHURCH OF JESUS CHRIST OF LATTER  
DAY SAINTS (Current Owner)  
50 E NORTH TEMPLE ST 12TH FLOOR  
SALT LAKE CITY UT 84150-0012

JEFF WHEELER (Representative)  
2808 S MONTANA AVE  
CALDWELL ID 83605

GENE C ULMER (Representative)  
1506 S SECRETARIAT WAY  
NAMPA ID 83686



Jean Hersley  
Technical Records Specialist 2

SCANNED

JAN 06 2023

## **EXPLANATORY INFORMATION TO ACCOMPANY A PRELIMINARY ORDER**

(To be used in connection with actions when a hearing was **not** held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:**

### **PETITION FOR RECONSIDERATION**

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. **Note: the petition must be received by the department within this fourteen (14) day period.** The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

### **EXCEPTIONS AND BRIEFS**

Within fourteen (14) days after: (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

### **REQUEST FOR HEARING**

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

### **ORAL ARGUMENT**

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

### **CERTIFICATE OF SERVICE**

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

### **FINAL ORDER**

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its service date if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) The petition for reconsideration is disposed of; or
- (b) The petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

### **APPEAL OF FINAL ORDER TO DISTRICT COURT**

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
IN-OFFICE REVIEW/BENEFICIAL USE FIELD REPORT

**A. GENERAL INFORMATION**Permit No: 63-34473

Exam Date: 12/23/2022

1. Does this qualify for an in-office field exam (IDAPA 035.02.r)? X Y    N
- Irrigation of 5 acres or less
  - Storage of up to 14.6 AF for stockwater purposes only
  - Any use other than irrigation or storage, if the combined diversion rate is 0.24 cfs or less
  - Other <    >

2. Current Owner: Name: The Church of Jesus Christ of Latter-day saints  
Owner of Record Correct? X Y    N  
Address of Record Correct?    Y    N  
If No: Address

3. Beneficial Use Fees have been paid: X Y    N Receipt No: C114937

4. SOURCE TRIBUTARY  
Groundwater N/A

Method of Determination: GIS and Tax lot DataChange in Source:    Y X N**B. OVERLAP REVIEW**

1. Other water rights with the same place of use: YES Overlap

| Water Right No.                                   | Source      | Purpose of Use/ affiliation     | Basis           |
|---------------------------------------------------|-------------|---------------------------------|-----------------|
| 63-4426                                           | Groundwater | Domestic                        | Statutory Claim |
| 63-124N, 126E, 161X, 168D, 173, 125G, 370, et. al | Boise River | Middleton Mill Ditch-Irrigation | License Decreed |
| 63-254                                            | Boise River | Irrigation                      | License Decreed |
| 63-255                                            | Boise River | Irrigation                      | License Decreed |
| 63-8310, 3398, 8704, 9128, 22363, 32182, et. al.  | Groundwater | City of Middleton-Municipal     | License Decreed |
| 63-32480,                                         | Boise River | Irrigation                      | License Decreed |
| 63-32519, 32518, 32520, 32522, 168B, 254, et. al. | Boise River | Middleton Irrigation Assoc.     | License Decreed |
| 63-32524, 63-32523, 163, 179B, & 21761            | Boise River | Canyon Cnty Water Co- Irr.      | License Decreed |

Comments:

There are several water rights with overlapping place of use shapes (POU) in ArcGIS. The City of Middleton water rights are for municipal use. Water right 63-4426 is for domestic use of groundwater. Based on the record for the right it is unlikely to be for the church property. There are no other overlap concerns.

2. Other water rights with the same point of diversion: NO Overlap

| Water Right No. | Source | Purpose of Use | Basis |
|-----------------|--------|----------------|-------|
| NONE            |        |                |       |

Comments: There are no overlaps for the point of diversion.**C. DIVERSION AND DELIVERY SYSTEM**

1. LOCATION OF POINT(S) OF DIVERSION:

| Source    | Govt. Lot | ¼ | ¼  | ¼  | Sec. | Twp. | Rge. |      | County |
|-----------|-----------|---|----|----|------|------|------|------|--------|
| Pump/well |           |   | NE | NW | 8    | 04N  | 02W  | B.M. | Canyon |

SCANNED

JAN 06 2023

Method of Determination: GIS and Tax lot data.Change in POD?   X   N Amendment Required?   X   N2. **PLACE OF USE:** Use: Irrigation

| TWP           | RGE | Sec | NE |    |    |    | NW  |    |    |    | SW |    |    |    | SE |    |    |    | Totals |
|---------------|-----|-----|----|----|----|----|-----|----|----|----|----|----|----|----|----|----|----|----|--------|
|               |     |     | NE | NW | SW | SE | NE  | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE |        |
| 04N           | 02W | 8   |    |    |    |    | 1.8 |    |    |    |    |    |    |    |    |    |    |    | 1.8    |
|               |     | Lot |    |    |    |    |     |    |    |    |    |    |    |    |    |    |    |    |        |
| Total Acres = |     |     |    |    |    |    |     |    |    |    |    |    |    |    |    |    |    |    | 1.8    |

Method of Determination: GISChange in POU?   X   N Amendment Required?   X   N   Delivery System Diagram Attached (required). Indicate all major components and distances between components.

Indicate weir size/pipe as applicable.

  X   Aerial Photo Attached (required for irrigation of 10+ acres).   Photo of Diversion and System Attached

| 4. Well or Diversion Identification No.* | Motor Make | Hp | Motor Serial No. | Pump Make | Pump Serial No. or Discharge Size |
|------------------------------------------|------------|----|------------------|-----------|-----------------------------------|
| PUMP                                     | UNKNWOWN   | 5  | UNKNOWN          | UNKNOWN   | UNKNOWN                           |

**D. FLOW MEASUREMENTS**

| 1.Measurement Equipment | Type | Make | Model No. | Serial No. | Size | Calib. Date |
|-------------------------|------|------|-----------|------------|------|-------------|
| NONE                    |      |      |           |            |      |             |
|                         |      |      |           |            |      |             |

2. Measurements: No measurement is required for an in-house exam, but ADAPA memo #17 was used to support that the rate requested is acceptable.**E. FLOW CALCULATIONS**   Additional Computation Sheets Attached

The only details for the pump installed that were provided in the proof of beneficial use were that it is a 5hp submersible pump. A theoretical calculation shows that a diversion rate of 0.39cfs is possible with a 5 Hp pump, which meets and exceeds the permitted flow rate for the system. I am recommending a diversion rate of 0.05 cfs, which is what was requested on their application for permit.

$$Q = (5 \text{ Hp}) (8.8) (0.70)/10 \text{ ft lift} + (30\text{psi} \times 2.31) = 0.39\text{cfs}$$

Permit allowed = 0.05cfs, Recommendation=0.05cfs

**F. VOLUME CALCULATIONS**

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1.8 \times 4.5 = 8.1\text{AF}$$

$$V = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation season}) \times 1.9835 = 0.05 \times 242 \times 1.9835 = 24 \text{ AF}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 8.1\text{AF}$$

**SCANNED**

JAN 06 2023

There were no stated condition or volume on the permit, so I have calculated a usage volume of 8.1AF. I am recommending a calculated volume of 8.1AF for the license.

**G. PURPOSE OF USE**

Irrigation ☒ Y ☐ N # Stock \_\_\_\_\_ Domestic # of Homes \_\_\_\_\_

Other: < >

Change in Purpose of Use? ☐ Y ☒ N

Method of Determination: Tax lot data and documentation from owner.

**H. NARRATIVE/REMARKS/COMMENTS**

The parameters of the permit and the documentation provided qualifies this permit for an in-house exam. Water rights with places of use overlapping the permit do not authorize the same use from the same source so combined limit conditions are not needed.

We received the drilling company's name and drilling permit number from the permit holder in the proof of beneficial use, section 2. In section 5 of the proof the permit holder stated that there was a 5Hp submersible pump installed. A theoretical calculation confirmed that the pump installed would provide the 0.05cfs the permit allows. The permit did not have a stated numerical value for the volume allowed. The volume was calculated using the headgate irrigation requirement and total acres irrigated to determine a maximum yearly volume of 8.1AF, as per condition R69 on the permit.

All the conditions have been met for providing record of the well in the proof of beneficial use, and I was able to confirm from aerial imagery that the owners are using water for this system (see figure 1.1 & 1.2). Therefore, I am recommending a diversion rate of 0.05cfs (as per administrative memo #17) and 8.1af.

The license is being issued with conditions R69, and 103. Conditions 26A and 046 were removed before licensing, as I was able to confirm with documentation in the proof report and aerial imagery that these conditions have been complied with. Condition 121 was replaced with condition 103 at licensing.

Have conditions of permit approval been met? ☒ Yes ☐ No

**I. RECOMMENDATIONS****1. Recommended Amounts**

| <u>BENEFICIAL USE</u> | <u>PERIOD OF USE</u> | <u>DIVERSION RATE</u> | <u>ANNUAL VOLUME</u> |
|-----------------------|----------------------|-----------------------|----------------------|
| Irrigation            | 04/01 to 10/31       | 0.05 CFS              | 8.1 AF               |
| <u>Totals:</u>        |                      | 0.05 CFS              | 8.1 AF               |

**2. Recommended Amendments**

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☒ None

**J. AUTHENTICATION- Water Resources Agent- Bob Howe**

Water Resources Agent's Name Bob Howe Date 01/04/2023

Reviewer HR Date 1/4/23

SCANNED  
JAN 06 2023




Figure 1.1- Google Earth aerial imagery of completed LDS church. Irrigation is evident in all landscaped beds and field on the south end of the parcel.



Figure 1.2 Close look at the landscaping and beddings surrounding the church and perimeter.

SCANNED  
JAN 06 2023




Figure 1.3- GIS Aerial imagery of the NENW quarter/quarter. The irrigated area including landscaped beds is outlined in bright blue. The point of diversion is at the center of the yellow crosshairs.




Figure 1.4- GIS DRG map of place of use (outlined in bright blue) and the irrigation slough to the north and south.

SCANNED

JAN 06 2023

# Beneficial Use Proof Evaluation

---

Permit Number: 63-34473 Reviewer: djudd Review Date: 12/22/2022

## Acceptability

- 1) Is the contact on the request the current permit holder? Yes
- 2) Does the address of record need to be updated? No
- 3) Proof Submitted Date: 12/22/2022
- 4) Proof Due Date: 2/1/2023
- 5) Days added for weekend due date? 0
- 6) Days added for holiday due date? 0
- 7) Number of days late: -41
- 8) Proof received timely? Yes

## Analysis

- 1) Are the water uses correct? Yes
- 2) Are one of the following items required?
  - a. Measuring Device -- No
  - b. Lockable Device --No
  - c. Fish Screen -- No
- 3) Are the required items installed?
  - a. Measuring Device --
  - b. Lockable Device --
  - c. Fish Screen --
- 4) Is there a request to waive the required items?
- 5) Drilling Permit Number: 885571
- 6) Is a drilling permit upgrade needed? No
- 7) Was a well drillers report filed? Yes
- 8) Is proof accepted? Yes

## Fees

- 1) Is a licensing exam fee required? Yes
- 2) Was proof submitted with an exam report from a CWE? No
- 3) Filing fee due: \$50.00
- 4) Filing fee submitted: \$50.00
- 5) Remaining fee or (refund): \$0.00

## Receipt IDs

W045773

## Comments

Proof deemed acceptable. Gave file to water right agent for in-house license review. Water right agent will enter the proof made date in AdHoc at the time of licensing.

THE CHURCH OF  
JESUS CHRIST  
OF LATTER-DAY SAINTS

RECEIVED  
DEC 22 2022  
DEPARTMENT OF  
WATER RESOURCES

**Meetinghouse Facilities Department**  
50 East North Temple Street  
Salt Lake City, Utah 84150-0304

December 15, 2022

To Whom It May Concern:

Authorized Signatories

Logan King is an authorized signatory for the Corporation of the Presiding Bishopric of the Church of Jesus Christ of Latter-day Saints, a Utah corporation sole, in matters relating to design, development, and construction of all church facilities in counties and cities of Idaho.

Regards,

*Travus Dye*

Travus Dye  
Area Project Manager

Copies:  
Logan King  
Kristi Stoddard  
David Forbush



IDAHO DEPARTMENT OF  
**WATER RESOURCES**

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098

Phone: 208-287-4800 • Fax: 208-287-6700 • Email: [idwrinfo@idwr.idaho.gov](mailto:idwrinfo@idwr.idaho.gov) • Website: [idwr.idaho.gov](http://idwr.idaho.gov)

Governor Brad Little  
November 30, 2022

Director Gary Spackman

CORP OF THE PRESIDING BISHOP OF THE  
CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
50 E NORTH TEMPLE ST 12TH FLOOR  
SALT LAKE CITY UT 84150-0012

**NOTICE: STATEMENT OF COMPLETION DUE**

RE: Permit No. 63-34473

**IMPORTANT: A response from you is required to maintain the active status of the referenced water right permit. If no response is received from you, the permit will lapse and your authorization to develop and/or use this water right will be cancelled.**

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before **February 01, 2023**. Please complete and return the enclosed Statement of Completion for Submitting Proof of Beneficial Use (proof) if you have completed the water project authorized by your permit. The proof statement must be accompanied by either the appropriate license examination fee or a field examination report prepared by a certified water right examiner.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Idaho Code § 42-204. If you have been delayed by a government agency or by litigation that brings title to the water in question, an extension of time may be granted if appropriate documentation is provided at the time of filing. An extension request must be accompanied by a \$50.00 filing fee and signed by the appropriate authorized permit holder(s) or authorized representative with a power of attorney.

Either an acceptable proof or an acceptable extension request must be received by this Department on or before the above proof due date. If neither is received, the Department will send you a lapse notice and the permit will no longer be of any force or effect.

Sincerely,

Debbi Judd  
Technical Records Specialist

Enclosures

c: JEFF WHEELER – via email , GENE C ULMER – via email



SCANNED  
NOV 30 2022