

State of Idaho
Department of Water Resources
Water Right License
Water Right No. 63-34495

Priority: March 28, 2018

Maximum Diversion Rate: 0.12 CFS

Maximum Diversion Volume: 13.2 AF

It is hereby certified that:

RICHARD G WERTZ 13455 HOCKBERGER RANCH RD CALDWELL ID 83607-5479

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 29, 2018, and has submitted Proof of Beneficial Use on May 03, 2023. An examination confirms water is diverted from:

Source : GROUND WATER

<u>Beneficial Use</u>	<u>Period of Use</u>	<u>Rate of Diversion</u>	<u>Annual Volume</u>
IRRIGATION	03/01 to 11/15	0.08 CFS	12.6 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	0.6 AF

Location of Point(s) of Diversion

GROUND WATER NE¼ SE¼, Sec. 25, Twp 03N, Rge 04W, B.M. CANYON County

Place of Use: IRRIGATION

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
03N	04W	25													2.8				2.8

Total Acres: 2.8

Place of Use: DOMESTIC

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
03N	04W	25													X				

Conditions of Approval

1. The place of use for this right has been irrigated with surface water in the past. If use of surface water for irrigation resumes at the place of use for this right, the right holder shall make full beneficial use of all surface water available and may divert ground water under this right to irrigate land with appurtenant surface water rights only when the surface water supply is not reasonably sufficient to irrigate the place of use for this water right or is not available due to drought, curtailment by priority, or seasonal startup and shutoff or maintenance schedule for canal company deliveries. If use of surface water for irrigation resumes at the place of use for this right, the right holder shall not divert ground water for irrigation purposes under this right if use of the surface water supply is intentionally reduced or discontinued once again (for example abandoned, forfeited, sold, disallowed by court decree, or leased to the Water Supply Bank) or is not deliverable due to non-payment of annual assessments, without an approved transfer pursuant to Section 42-222, Idaho Code, or other Department approval.
2. Domestic use is for 1 home and does not include lawn, garden, landscape, or other types of irrigation.

SCANNED

JUN 14 2023

State of Idaho
Department of Water Resources
Water Right License
Water Right No. 63-34495

3. When ordered by the Director, the right holder shall provide mitigation acceptable to the Director to offset depletion of lower Snake River flows needed for migrating anadromous fish. The amount of water required for mitigation, which is to be released into the Snake River or a tributary for this purpose, will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this right. Any order of the Director issued in accordance with this paragraph shall be in conformance with applicable rules allowing the right holder due process as the need for mitigation and the amount of mitigation are determined.
4. This right when combined with all other rights shall provide no more than 4.5 afa per acre at the field headgate for irrigation of the place of use.
5. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor exceed a combined annual maximum diversion volume of 13.2 af at the field headgate for the place of use.

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 13th day of June, 2023.





PHILL HUMMER
Water Rights Supervisor

SCANNED
JUN 14 2023

State of Idaho
Department of Water Resources
Attachment to Water Right
63-34495

This map depicts the IRRIGATION place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.





- Place Of Use Boundary
- Townships
- PLS Sections
- Quarter Quarters
- Point of Diversion

SCANNED
JUN 14 2023

State of Idaho
Department of Water Resources
Attachment to Water Right
63-34495

This map depicts the DOMESTIC place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters
-  Point of Diversion

SCANNED
JUN 14 2023


RECEIVED

MAY 03 2023

WATER RESOURCES
WESTERN REGION

RECEIVED

MAY 09 2023

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
STATEMENT OF COMPLETION
FOR SUBMITTING PROOF OF BENEFICIAL USE

FOR OFFICE USE ONLY

Amt. of Fee \$ 50.00Receipt No. W051212Received By DMDate Received 5-3-23

The Idaho Department of Water Resources (Department) considers this form a statement that the permit holder(s) applied water to beneficial use and completed development of a water right to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner (CWRE).** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, complete a Notice of Change in Water Right Ownership form. If you wish to relinquish your permit because you have not established the authorized water use and are not applying for an extension, please notify the Department in writing.

1. Permit No. 63-34495 Name of Permit Holder(s) Richard G. WERTZ
Telephone No. 208-965-6614 Email midlifeduo3@ATT.net
Mailing Address 13455 Hockberger Ranch Rd. City Caldwell State ID Zip 83607
2. Source of Water Ground Water Well If Ground Water (well), Date Drilled mo. 8 / yr. 2018
Drilling Permit/Tag No. D0078760 Drilling Company's Name DPWD

3. Extent of use(s) completed as authorized by the water right permit:

Domestic (No. households) 1 Irrigation (No. acres) 2.8 Stockwater (No. and stock type) 0
Other _____

4. Total diversion rate or volume (storage only) for which proof is submitted 0.15 cfs OR _____ af
If the total developed water use is 5 acres of irrigation or less, is stockwater storage of 14.6 acre-feet or less, or has a diversion rate of less than 0.24 cfs, attach a map of the place of use and point of diversion and photographs showing beneficial use.

5. Describe the diversion and delivery system from the water source to the use (pump, lift, irrigation method, etc.)

5 hp submersible pump to irrigate 3.5 Acres of land and provide domestic water for home

6. Permit condition compliance. Refer to the permit approval conditions and check all the items required, then check "Yes" or "No" to indicate whether the required items were established, submitted, and/or installed:

Required? Yes No (If "Yes", attach required data, evidence of compliance, or evidence of installation)

- | | | |
|--------------------------|-------------------------------------|---|
| ☐ | ☒ | Ground water level data, pumping information, or other diversion data |
| ☐ | ☒ | Mitigation plan |
| ☐ | ☒ | Lockable controlling works |
| ☐ | ☒ | Measuring device |
| ☐ | ☒ | Fish screen |
| ☐ | ☒ | Other requirements of the water right permit _____ |
| ☐ | ☒ | Reasonably Anticipated Future Needs ("RAFN") Municipal use |

If RAFN Municipal use, additional increment of beneficial use developed? ☐ Yes (attach CWRE report) ☐ No7. Fee Enclosed \$ 50.00 or ☐ CWRE field report attached or ☐ No fee required

See fee schedule on page 3 of the instructions. Proof statements filed without an appropriate fee are incomplete.

8. Person to contact to accompany a Department representative during the field examination of the water system:

Name: Richard WERTZ Telephone No. 208-965-6614 Email midlifeduo3@ATT.net
Mailing Address 13455 Hockberger Ranch Rd. City Caldwell State ID Zip 83607

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

Richard G. Wertz
SIGNATURE OF PERMIT HOLDER*

Richard G. WERTZ
PRINTED NAME AND TITLE

5-3-23
DATE

*Attach power of attorney if completing on behalf of permit holder.

SCANNED

JUN 14 2023



322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

June 14, 2023

RICHARD G WERTZ
13455 HOCKBERGER RANCH RD
CALDWELL ID 83607-5479

RE: License No. 63-34495

ISSUANCE OF LICENSE

Dear Water Right Holder(s):

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov

If you have any questions concerning the enclosed information, please contact me at (208) 287-4925.

Sincerely,

Jean Hershey

FOR
Phill Hummer
Water Rights Supervisor

Enclosure(s)

SCANNED

JUN 14 2023

CERTIFICATE OF SERVICE

I hereby certify that on June 14, 2023, I served a true and correct copy of Water Right License No. 63-34495 by U.S. Mail, postage prepaid, to the following:

RICHARD G WERTZ (Current Owner)
13455 HOCKBERGER RANCH RD
CALDWELL ID 83607-5479



Jean Hersley
Technical Records Specialist 2

SCANNED

JUN 14 2023

EXPLANATORY INFORMATION TO ACCOMPANY A PRELIMINARY ORDER

(To be used in connection with actions when a hearing was **not** held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:**

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. **Note: the petition must be received by the department within this fourteen (14) day period.** The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after: (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its service date if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) The petition for reconsideration is disposed of; or
- (b) The petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
IN-OFFICE REVIEW/BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATIONExam Date: 5/31/2023

1. Does this qualify for an in-office field exam (IDAPA 37.03.02.035.01.r)? X Y N
- a. Irrigation of 5 acres or less
- b. Storage of up to 14.6 AF for stockwater purposes only
- c. X Any use other than irrigation or storage, if the combined diversion rate is 0.24 cfs or less
- d. Other:
2. Current Owner:
- Owner of Record Correct? X Y N
- Address of Record Correct? Y X N
- If No Explain: The address on the permit for 63-34495 is 2303 E Elm Grove Dr., Nampa, ID 83686. The address on the Statement of Completion is 13455 Hockberger Ranch Rd., Caldwell, ID 83607.
3. Beneficial Use Fees have been paid: X Y N Receipt No: W051212
4. Source: Ground Water Tributary: N/A

Method of Determination: GIS ArcMap Tools, Well Driller's Report, Aerial Imagery

Change in Source: Y X N

B. OVERLAP REVIEW

1. Other water rights with the same place of use: No Overlap

Water Right No.	Source	Purpose of Use	Basis
63-2798	Ground Water	Irrigation	Decreed 2/6/2009

Comments: Groundwater irrigation right 63-2798, currently owned by John J Hockberger Sr, was decreed on 2/6/2009 and appears to be appurtenant to the POU acres for 63-34495. A memo completed at the time of the permit review for 63-34495 states that 63-2798 was withheld from sales of the appurtenant property and then granted in portions through Water Right Grant Deeds. At the time of this review, 63-2798 has seven child rights. This is further outlined in "Hockberger Ownership Changes Review Memo" dated 4/4/2018. The applicant stated that he did not receive a portion of this water right, and this claim is supported by documentation on file and a copy of the warranty deed for the sale of the property. It will continue to be recognized that 63-2798 is not appurtenant to the same acres as are requested under 63-34495.

The POU is also overlapped by surface water rights owned by the Boise Project Board of Control and the US Bureau of Reclamation. Condition 944 which follows the "Surface Water First" principle was applied to the permit and will also be applied to the license.

2. Other water rights with the same point of diversion: X NO Overlap

Water Right No.	Source	Purpose of Use	Basis

Comments: None.

C. DIVERSION AND DELIVERY SYSTEM

1. Location of Point(s) of Diversion:

Source	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.		County
Ground Water		NE	SE		25	03N	04W	B.M.	Canyon

Method of Determination: GIS ArcMap Tools, Taxlot data, Well Driller's Report.

Change in POD? Y X N Amendment Required? Y X N

SCANNED

JUN 14 2023

2. Place of Use: IRRIGATION

TWP	RGE	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
03N	04W	25													2.8				2.8
		Lot #																	
																		Total Acres =	2.8

Place of Use: DOMESTIC

TWP	RGE	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
03N	04W	25													D				
		Lot #																	

Method of Determination: GIS ArcMap Tools, Aerial Imagery, Taxlot Data, Google Earth Pro Imagery (6/29/2022)

Change in POU? ☒ Y ☐ N Amendment Required? ☐ Y ☒ N

3. Diversion System Information:

Description:

☐ Delivery System Diagram Attached. (mark all major components and distances between components)☒ Aerial Photo Attached (required)☐ Photo of Diversion and System Attached

3. Diversion Id No.*	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Tag ID D0078760	N/A	5.0	N/A	N/A	N/A

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1. Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
None						

2. Measurement Comments: No measurement is required as this license exam falls within the criteria for an in-house exam. Theoretical calculations were completed below to determine whether the diversion rate is reasonable.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

Measured Method:

$$Q = [(5 \text{ hp})(8.8)(0.7 \text{ assumed efficiency})]/[(107 \text{ ft}) + (2.31)(50 \text{ psi}) + 0 \text{ (assuming no friction)}] = 0.14 \text{ cfs}$$

$$Q = (\text{Hp})(8.8)(\text{efficiency})/(\text{lift in ft}) + (2.31)*(\text{pressure psi}) + (\text{friction}) = \text{cfs}$$

Measurement = 0.14 cfs

Permit allowed = 0.15 cfs

Comments: The static water level listed on the well driller's report was 112 ft. A final value for the lift in ft was determined by testing lift values at 112 ft, 107 ft, and 102 ft. All of these lift values corresponded to the same final rate when entered in the equation above (0.14 cfs).

SCANNED
JUN 14 2023

F. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (2.8 \text{ acres}) \times (4.5 \text{ afa}) = 12.6 \text{ af}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation season}) \times 1.9835 = (0.08 \text{ cfs}) \times (259 \text{ days}) \times 1.9835 = 41.1 \text{ af}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 12.6 \text{ af}$$

2. Volume Calculations for Other Uses: 0.6 af for Domestic use, not including irrigation, as described in Application Processing Memo No. 22 dated 6/4/1980.

Comments: The volume associated with the irrigation component will be additive to the volume associated with the domestic component. There will be a condition carried over from the permit limiting the right to no more than 0.03 cfs/acre and 4.5 afa for irrigation when combined with any and all other rights.

G. PURPOSE OF USEIrrigation X Y N # Stock _____ Domestic # of Homes 1

Other: N/A

Change in Purpose of Use? Y X NMethod of Determination: Aerial Imagery and Taxlot Data

If Yes: From Use _____ To Use _____ Amount _____ CFS _____ AFA _____

H. NARRATIVE/REMARKS/COMMENTS

This permit qualifies for an in-house exam because it is for domestic use and less than 5.0 acres of irrigation, with the total use being under 0.24 cfs. The exam was completed on May 31, 2023 by Mackenzie Kienholz. The permit is in the name of Richard G. Wertz. The land pertinent to the POD and the POU is owned by the Wertz Family Trust with Richard Glenn Wertz listed as trustee according to the current Canyon County taxlot data. The address for the applicant needs to be amended from 2303 E Elm Grove Dr., Nampa, ID 83686 as listed on the permit to 13455 Hockberger Ranch Rd., Caldwell, ID 83607 as listed on the Statement of Completion received by the Department on 5/9/2023. No ownership change is necessary. 63-34495 is in the Ada Canyon DEQ Nitrate Priority Area.

All of the conditions of the permit have been met. Condition R69 limiting irrigation to no more than 0.03 cfs/acre and 4.5 afa when combined with all other rights will be carried over from the permit to the license. The applicant noted on the Statement of Completion that while 3.5 acres of irrigation were authorized under the permit, only 2.8 acres were irrigated. This was confirmed by review staff using Google Earth imagery dated 6/29/2022, Sentinel and LandSat imagery from March to November in 2019-2022, aerial imagery from 2019 and 2021, and taxlot data. Google Earth imagery, aerial imagery, and taxlot data confirm the location of the home. Theoretical calculations suggest that a total diversion rate of 0.12 cfs is possible with a 5 H.P. pump. Therefore, I am recommending a diversion rate of 0.08 cfs and 2.8 acres for the irrigation component of this license, and 0.04 cfs plus 0.6 af, additive to the irrigation component, as permitted for the domestic component of this license for a total rate of 0.12 cfs and a total volume of 13.2 af.

Have conditions of permit approval been met? X Yes No**I. RECOMMENDATIONS**

1. Recommended Amounts:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	1/1 – 12/31	0.04 CFS	0.6 AF
IRRIGATION	3/1 – 11/15	0.08 CFS	12.6 AF
<u>Totals:</u>		0.12 CFS	13.2 AF

SCANNED

JUN 14 2023

2. Recommended Amendments:

 Change P.D. as reflected above Add P.D. as reflected above X None

 Change P.U. as reflected above Add P.U. as reflected above X None

Other: N/A

J. AUTHENTICATION

Field Examiner's *My Ky* Date 5/31/2023

Reviewer *Phume* Date 6/13/23


Irrigation Use

Image 1. Imagery from Google Earth dated 6/29/2022.

SCANNED
JUN 14 2023




Image 2. Sentinel Imagery dated 4/4/2019.

Domestic Use




Image 3. Imagery from Google Earth dated 6/29/2022.

SCANNED
JUN 14 2023

Well Driller's Report

Form 238-7
6/07IDAHO DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

1. WELL TAG NO. D D0078760
 Drilling Permit No. 887293
 Water right or injection well # 63-34495

2. OWNER:

Name Richard Wertz
 Address 2303 E. Elm Grove Dr.
 City Nampa State Idaho Zip 83686

3. WELL LOCATION:

Twp 3 North or South Rge 4 East or West
 Sec 25 NE SE

Gov't Lot Canyon
 Lat 43 +33.972'N (Deg. and Decimal minutes)
 Long 116 +45.222'W (Deg. and Decimal minutes)
 Address of Well Site 13455 Hockburger Ranch Rd.
 City Caldwell

Lot Blk Sub Name

4. USE:

☒ Domestic ☐ Municipal ☐ Monitor ☒ Irrigation ☐ Thermal ☐ Injection
☐ Other

5. TYPE OF WORK:

☒ New well ☐ Replacement well ☐ Modify existing well
☐ Abandonment ☐ Other

6. DRILL METHOD:

☒ Air Rotary ☐ Mud Rotary ☐ Cable ☐ Other

7. SEALING PROCEDURES:

Seal material	From (ft)	To (ft)	Quantity (lbs or ft ³)	Placement method/procedure
3/8" Bentonite	0	129	2450 lbs.	10" Overbore

8. CASING/LINER:

Diameter (nominal)	From (ft)	To (ft)	Gauge/Schedule	Material	Casing Liner Threaded Welded
6"	1.5	221	.250	Steel	☒ ☐ ☐ ☒
5"	220	225	.258	Steel	☐ ☒ ☐ ☒
5"	235	242	.258	Steel	☐ ☒ ☐ ☒

Was drive shoe used? ☒ Y ☐ N Shoe Depth(s) 221'

9. PERFORATIONS/SCREENS:

Perforations ☐ Y ☒ N Method

Manufactured screen ☒ Y ☐ N Type Johnson

Method of installation Pullback

From (ft)	To (ft)	Slot size	Number	Diameter (nominal)	Material	Gauge or Schedule
225	235	.015	10'	5"	Stainless	304

Length of Headpipe 5.4 Length of Tailpipe 7'

Packer ☒ Y ☐ N Type Rubber K-Packer

10. FILTER PACK:

Filter Material	From (ft)	To (ft)	Quantity (lbs or ft ³)	Placement method
N/A				

11. FLOWING ARTESIAN:

Flowing Artesian? ☐ Y ☒ N Artesian Pressure (PSIG)

Describe control device

12. STATIC WATER LEVEL and WELL TESTS:

Depth first water encountered (ft) Static water level (ft) 112'

Water temp. (°F) Cold Bottom hole temp. (°F)

Describe access port 6" Turtle Cap

Well test:

Drawdown (feet)	Discharge or yield (gpm)	Test duration (minutes)	Pump	Water	Air	Flowing
150'	80+ GPM	1 HR.	☐	☐	☒	☐

Water quality test or comments:

13. LITHOLOGIC LOG and/or repairs or abandonment:

Bore Dia. (in)	From (ft)	To (ft)	Remarks, lithology or description of repairs or abandonment, water temp.	Water	
				Y	N
10"	0	2	Top Soil		X
	2	13	Sandy Clay		X
	13	78	Lava Rock		X
	78	82	Tan Clay		X
	82	123	Lava Rock		X
	123	129	Tan Clay		X
6"	129	140	Gravel	X	
	140	182	Coarse Sand	X	
	182	188	Tan Clay		X
	188	194	Sand	X	
	194	198	Tan Clay		X
	198	216	Sand	X	
	216	219	Shale		X
	219	232	Sand	X	
	232	233	Tan Clay		X
	233	240	Sand	X	
	240	242	Blue Clay		X

RECEIVED

OCT 01 2018

WATER RESOURCES
WESTERN REGION

Completed Depth (Measurable) 242'

Date Started Aug 24, 2018 Date Completed Aug 28, 2018

14. DRILLER'S CERTIFICATION:

We certify that all minimum well construction standards were complied with at the time the rig was removed.

Company Name Dennis Phipps Well Drilling Inc Co. No 332

*Principal Driller Date Aug 29, 2018

*Driller Date

*Operator II Date Aug 29, 2018

Operator I Date Aug 29, 2018

*Signature of Principal Driller and rig operator are required.

SCANNED

JUN 14 2023

Beneficial Use Proof Evaluation

Permit Number: 63-34495 Reviewer: AVeibell Review Date: 5/16/2023

Acceptability

- 1) Is the contact on the request the current permit holder? Yes
- 2) Does the address of record need to be updated? Yes
- 3) Proof Submitted Date: 5/3/2023
- 4) Proof Due Date: 6/1/2023
- 5) Days added for weekend due date?
- 6) Days added for holiday due date?
- 7) Number of days late: -29
- 8) Proof received timely? Yes

Analysis

- 1) Are the water uses correct? Yes
- 2) Are one of the following items required?
 - a. Measuring Device -- No
 - b. Lockable Device --No
 - c. Fish Screen -- No
- 3) Are the required items installed? Yes
 - a. Measuring Device -- No
 - b. Lockable Device --No
 - c. Fish Screen -- No
- 4) Is there a request to waive the required items? No
- 5) Drilling Permit Number: 981236
- 6) Is a drilling permit upgrade needed? No
- 7) Was a well drillers report filed? Yes
- 8) Is proof accepted? Yes

Fees

- 1) Is a licensing exam fee required? Yes
- 2) Was proof submitted with an exam report from a CWE? No
- 3) Filing fee due: \$50.00
- 4) Filing fee submitted: \$50.00
- 5) Remaining fee or (refund): \$0.00

Receipt IDs

W046006

Comments

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
322 East Front Street, P.O. Box 83720
Boise, Idaho 83720-0098

RECEIVED

APR 11 2023

DEPARTMENT OF
WATER RESOURCES

RICHARD G WERTZ
2303 E ELM GROVE DR
NAMPA ID 83686

63-34495

CERTIFIED MAIL®



BOISE ID 837

31 MAR 2023 PM 2

7021 1970 0000 0024 4236

resent to:

13455 Hockberger Ranch Rd

Caldwell ID 83607

4/13/2023



US POSTAGE™ PITNEY BOWES



ZIP 83702 \$004.99
02 4W
0000382634 MAR 31 2023

Handwritten signature

NOTICE: STATEMENT OF

ANK

83686-988803

NIXIE 980 FE 1 0004/05/23

RETURN TO SENDER
ATTEMPTED - NOT KNOWN
UNABLE TO FORWARD

BC: 837200098 *1436-02434-31-38

SCANNED
APR 14 2023

USPS TRACKING #



First-Class Mail
Postage & Fees Paid
USPS
Permit No. G-10

9590 9402 2140 6132 2236 82

United States
Postal Service

• Sender: Please print your name, address, and ZIP+4® in this box•

RECEIVED

APR 21 2023

DEPARTMENT OF
WATER RESOURCES

DEPT OF WATER RESOURCES
WATER RIGHTS SECTION


PO BOX 83720

BOISE, ID 83720-0098

Debbi 63-34495

SCANNED

APR 21 2023



SENDER: COMPLETE THIS SECTION

- Complete Items 1, 2, and 3.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

RICHARD G WERTZ
13455 HOCKBERGER RANCH RD
CALDWELL ID 83607



9590 9402 2140 6132 2236 82

2. Article Number (Transfer from service label)

7021 1970 0000 0024 4991

COMPLETE THIS SECTION ON DELIVERY

A. Signature

X

☒ Agent☐ Addressee

B. Received by (Printed Name)

C. Date of Delivery

J Wertz

4-17-23

D. Is delivery address different from item 1? ☐ Yes
If YES, enter delivery address below: ☐ No

3. Service Type

- ☐ Adult Signature
- ☐ Adult Signature Restricted Delivery
- ☒ Certified Mail®
- ☐ Certified Mail Restricted Delivery
- ☐ Collect on Delivery
- ☐ Collect on Delivery Restricted Delivery

- ☐ Priority Mail Express®
- ☐ Registered Mail™
- ☐ Registered Mail Restricted Delivery
- ☐ Return Receipt for Merchandise
- ☐ Signature Confirmation™
- ☐ Signature Confirmation Restricted Delivery

Restricted Delivery

U.S. Postal Service™
CERTIFIED MAIL® RECEIPT
Domestic Mail Only

For delivery information, visit our website at www.usps.com®.

OFFICIAL USE

Certified Mail Fee

\$

Extra Services & Fees (check box, add fee as appropriate)

- ☐ Return Receipt (hardcopy) \$ _____
- ☐ Return Receipt (electronic) \$ _____
- ☐ Certified Mail Restricted Delivery \$ _____
- ☐ Adult Signature Required \$ _____
- ☐ Adult Signature Restricted Delivery \$ _____

SCANNED
Postmark
APR 14 2023
Here

Postage

\$

Total P.

RICHARD G WERTZ

\$

Sent To

13455 HOCKBERGER RANCH RD
CALDWELL ID 83607

Street &

City, St.

63-34495

4/13/23

7021 1970 0000 0024 4991

Certified Mail service provides the following benefits:

- A receipt (this portion of the Certified Mail label).
- A unique identifier for your mailpiece.
- Electronic notification of delivery or attempted delivery.
- A record of delivery (including the recipient's signature) that is retained by the Postal Service™ for a specified period.

Important Reminders:

- You may purchase Certified Mail service with First-Class Mail®, First-Class Package Service®, or Priority Mail® service.
- Certified Mail service is *not* available for international mail.
- Insurance coverage is *not* available for purchase with Certified Mail service. However, the purchase of Certified Mail service does not change the insurance coverage automatically included with certain Priority Mail items.
- For an additional fee, and with a proper endorsement on the mailpiece, you may request the following services:
 - Return receipt service, which provides a record of delivery (including the recipient's signature). You can request a hardcopy return receipt or an electronic version. For a hardcopy return receipt, complete PS Form 3811, *Domestic Return Receipt*; attach PS Form 3811 to your mailpiece;

for an electronic return receipt, see a retail associate for assistance. To receive a duplicate return receipt for no additional fee, present this USPS®-postmarked Certified Mail receipt to the retail associate.

- Restricted delivery service, which provides delivery to the addressee specified by name, or to the addressee's authorized agent.
- Adult signature service, which requires the signee to be at least 21 years of age (not available at retail).
- Adult signature restricted delivery service, which requires the signee to be at least 21 years of age and provides delivery to the addressee specified by name, or to the addressee's authorized agent (not available at retail).
- To ensure that your Certified Mail receipt is accepted as legal proof of mailing, it should bear a USPS postmark. If you would like a postmark on this Certified Mail receipt, please present your Certified Mail item at a Post Office™ for postmarking. If you don't need a postmark on this Certified Mail receipt, detach the barcoded portion of this label, affix it to the mailpiece, apply appropriate postage, and deposit the mailpiece.

IMPORTANT: Save this receipt for your records.



IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little
March 31, 2023

Director Gary Spackman

RICHARD G WERTZ
2303 E ELM GROVE DR
NAMPA ID 83686

NOTICE: STATEMENT OF COMPLETION DUE

RE: Permit No. 63-34495

IMPORTANT: A response from you is required to maintain the active status of the referenced water right permit. If no response is received from you, the permit will lapse and your authorization to develop and/or use this water right will be cancelled.

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before **June 01, 2023**. Please complete and return the enclosed Statement of Completion for Submitting Proof of Beneficial Use (proof) if you have completed the water project authorized by your permit. The proof statement must be accompanied by either the appropriate license examination fee or a field examination report prepared by a certified water right examiner.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Idaho Code § 42-204. If you have been delayed by a government agency or by litigation that brings title to the water in question, an extension of time may be granted if appropriate documentation is provided at the time of filing. An extension request must be accompanied by a \$50.00 filing fee and signed by the appropriate authorized permit holder(s) or authorized representative with a power of attorney.

Either an acceptable proof or an acceptable extension request must be received by this Department on or before the above proof due date. If neither is received, the Department will send you a lapse notice and the permit will no longer be of any force or effect.

Sincerely,

Debbi Judd
Technical Records Specialist

Enclosures



SCANNED
MAR 31 2023