State of Idaho
Department of Water Resources

Water Right License

Water Right No. 63-34515

Priority: May 10, 2018

Maximum Diversion Rate: 0.07 CFS
Maximum Diversion Volume: 10.8 AF

It is hereby certified that:

JAMES A EATON 2403 N STEWART RD KUNA ID 83634

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 20, 2018, and has submitted Proof of Beneficial Use on July 17, 2023. An examination confirms water is diverted from:

Source : GROUND WATER

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
IRRIGATION	03/01 to 11/15	0.07 CFS	10.8 AF

Location of Point(s) of Diversion
GROUND WATER NE¼ SW¼, Sec. 16, Twp 02N, Rge 01E, B.M. ADA County

Place of Use: IRRIGATION

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
02N	01E	16								1.2	1.2								2.4

Total Acres: 2.4

Conditions of Approval

1. This right when combined with all other rights shall provide no more than 4.5 afa per acre at the field headgate for irrigation of the place of use.
2. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor exceed a combined annual maximum diversion volume of 10.8 af at the field headgate for the place of use.
3. The right holder shall make full beneficial use of all surface water available to the right holder for irrigation of lands within the authorized place of use for this right. The right holder may divert ground water under this right to irrigate land with appurtenant surface water rights when the surface water supply is not reasonably sufficient to irrigate the place of use for this water right or is not available due to drought, curtailment by priority, or the seasonal startup and shutoff or maintenance schedule for canal company deliveries. The right holder shall not divert ground water for irrigation purposes under this right if use of the surface water supply is intentionally discontinued or reduced (for example abandoned, forfeited, sold, disallowed by court decree, or leased to the Water Supply Bank), or is not deliverable due to non-payment of annual assessments, without an approved transfer pursuant to Section 42-222, Idaho Code, or other Department approval.
4. When ordered by the Director, the right holder shall provide mitigation acceptable to the Director to offset depletion of lower Snake River flows needed for migrating anadromous fish. The amount of water required for mitigation, which is to be released into the Snake River or a tributary for this purpose, will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this right. Any order of the Director issued in accordance with this paragraph shall be in conformance with applicable rules allowing the right holder due process as the need for mitigation and the amount of mitigation are determined.

SCANNED
AUG 07 2023

State of Idaho
Department of Water Resources

Water Right License

Water Right No. 63-34515

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 4 day of AUGUST, 2023.

CODY PARKER
Water Rights Supervisor

SCANNED
AUG 07 2023

State of Idaho
Department of Water Resources

Attachment to Water Right

63-34515

This map depicts the IRRIGATION place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



0 0.035 0.07 0.14 Miles

Place Of Use Boundary
Townships
PLS Sections
Quarter Quarters
Point of Diversion

N

SCANNED
AUG 07 2023

Form 42-217 Rev. 6/22

RECEIVED
JUL 17 [redacted]23
DEPARTMENT OF WATER RESOURCES

FOR OFFICE USE ONLY	
Amt. of Fee $	50.-
Receipt No.	C116740
Receipted By	KM
Date Receipted	7.17.23

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEMENT OF COMPLETION

FOR SUBMITTING PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources (Department) considers this form a statement that the permit holder(s) applied water to beneficial use and completed development of a water right to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner (CWRE).** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, complete a Notice of Change in Water Right Ownership form. If you wish to relinquish your permit because you have not established the authorized water use and are not applying for an extension, please notify the Department in writing.

1. Permit No. 63-34515 Name of Permit Holder(s) James Eaton

Telephone No. (208) 971-6407 Email etonjames@hotmail.com

Mailing Address 2403 Stewart Rd City Kuna State ID Zip 83634

2. Source of Water well If Ground Water (well), Date Drilled mo. NOV / yr. 2017

Drilling Permit/Tag No. 0076931 Drilling Company's Name Coorse Well Drilling

3. Extent of use(s) completed **as authorized by the water right permit**:

Domestic (No. households) 1 Irrigation (No. acres) 4 Stockwater (No. and stock type) cattle (12 head)

Other pasture for grass hay & cattle / grass clippings bagged and fed

4. Total diversion rate or volume (storage only) for which proof is submitted [redacted]0.12 cfs OR _____ af

If the total developed water use is 5 acres of irrigation or less, is stockwater storage of 14.6 acre-feet or less, or has a diversion rate of less than 0.24 cfs, attach a map of the place of use and point of diversion and photographs showing beneficial use.

5. Describe the diversion and delivery system from the water source to the use (pump, lift, irrigation method, etc.)

in ground sprinklers & surface faucet where applicable

6. Permit condition compliance. Refer to the permit approval conditions and check all the items required, then check "Yes" or "No" to indicate whether the required items were established, submitted, and/or installed:

Required?	Yes	No	(If "Yes", attach required data, evidence of compliance, or evidence of installation)
☐	☐	☐	Ground water level data, pumping information, or other diversion data
☐	☐	☐	Mitigation plan
☐	☐	☐	Lockable controlling works
☐	☐	☐	Measuring device
☐	☐	☐	Fish screen
☐	☐	☐	Other requirements of the water right permit _____
	☐	☐	Reasonably Anticipated Future Needs ("RAFN") Municipal use

If RAFN Municipal use, additional increment of beneficial use developed? ☐ Yes (attach CWRE report) ☐ No

7. Fee Enclosed $ 50.00 or ☐ CWRE field report attached or ☐ No fee required

See fee schedule on page 3 of the instructions. Proof statements filed without an appropriate fee are incomplete.

8. Person to contact to accompany a Department representative during the field examination of the water system:

Name: James Eaton Telephone No. (208) 971-6407 Email etonjames@hotmail.com

Mailing Address 2403 Stewart Rd City Kuna State ID Zip 83634


The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

	James Eaton Owner	6-16-23
SIGNATURE OF PERMIT HOLDER*	PRINTED NAME AND TITLE	DATE

*Attach power of attorney if completing on behalf of permit holder.

SCANNED
AUG 07 2023

4:43
5G
AA
maps.idwr.idaho.gov




4:42

5G

AA


maps.idwr.idaho.gov





62" bagger mower used to supplement lawn clippings to livestock on pasture.

ROCKY MOUNTAIN
ENDODONTICS
ROOT CANAL SPECIALISTS



faucet for watering
ROCKY MOUNTAIN
ENDODONTICS
ROOT CANAL SPECIALISTS


STAY
CONNECTED
Upgrade to the
LNK Wifi Module
Easy Plug & Play
Automatic daily adjustments save 30% water
Access your controller from anywhere
Real-time notifications
Learn more at:
wifi-pro.rainbird.com
RAIN BIRD
Sprinkler control box
ROCKY MOUNTAIN
ENDODONTICS
ROOT CANAL SPECIALISTS



[redacted]

Cattle currently on adjacent pasture.





orchard on northside



IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

August 07, 2023

JAMES A EATON
2403 N STEWART RD
KUNA ID 83634

RE: License No. 63-34515

ISSUANCE OF LICENSE

Dear Water Right Holder(s):

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov

If you have any questions concerning the enclosed information, please contact me at (208) 287-4910.

Sincerely,

Jean Hersley

For
Cody Parker
Water Rights Supervisor

Enclosure(s)

SCANNED
AUG 07 2023

CERTIFICATE OF SERVICE

I hereby certify that on August 07, 2023, I served a true and correct copy of Water Right License No. 63-34515 by U.S. Mail, postage prepaid, to the following:

JAMES A EATON (Current Owner)
2403 N STEWART RD
KUNA ID 83634

Jean Hersley
Technical Records Specialist 2

SCANNED
AUG 07 2023

EXPLANATORY INFORMATION TO ACCOMPANY A PRELIMINARY ORDER

(To be used in connection with actions when a hearing was **not** held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:**

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. **Note: the petition must be received by the department within this fourteen (14) day period.** The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after: (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

SCANNED
AUG 07 2023

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

> Unless a different date is stated in a final order, the order is effective fourteen (14) days after its service date if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:
>
> (a) The petition for reconsideration is disposed of; or
> (b) The petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

i. A hearing was held,
ii. The final agency action was taken,
iii. The party seeking review of the order resides, or
iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
IN-OFFICE REVIEW/BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Exam Date: 7/21/2023

1. Does this qualify for an in-office field exam (IDAPA 37.03.02.035.01.r)? X Y ____N
   a. X Irrigation of 5 acres or less
   b. ____ Storage of up to 14.6 AF for stockwater purposes only
   c. ____ Any use other than irrigation or storage, if the combined diversion rate is 0.24 cfs or less
   d. ____ Other < >

2. Current Owner: James Eaton
   Owner of Record Correct? _____N
   Address of Record Correct? _____N
   If No Explain: N/A

3. Beneficial Use Fees have been paid: X Y ____N Receipt No: C116740

4. Source: Tributary:
   Groundwater N/A

   Method of Determination:
   Change in Source: ____Y X N

B. OVERLAP REVIEW

1. Other water rights with the same place of use: ____ No Overlap

Water Right No.	Source	Purpose of Use	Basis
63-161BX	Boise River (Via New York Canal)	Irrigation	Decreed
Multiple Irrigation Company Water Rights	Boise River	Irrigation	Decreed

Comments: Water right 63-161BX overlaps this permits place of use. However, this water right conditions the permit holder to make full beneficial use of available surface water and therefore groundwater use is supplemental. Since this is the case there is no reason to limit 63-161BX and this permit.

2. Other water rights with the same point of diversion: X NO Overlap

Water Right No.	Source	Purpose of Use	Basis
N/A			

Comments: N/A

C. DIVERSION AND DELIVERY SYSTEM

1. Location of Point(s) of Diversion:

Source	Govt. Lot	¼	¼	¼	Sec.	Twp.	Rge.		County
Groundwater			NE	SW	16	02N	01E	B.M.	Ada
								B.M.	
								B.M.	

Method of Determination: GIS and Tax Parcel Data.

Change in POD? ___Y X N Amendment Required? ____Y X N

SCANNED
AUG 07 2023

2. Place of Use: Irrigation

TWP	RGE	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
02N	01E	16								1.2	1.2								2.4
		Lot #																	N/A
																		Total Acres =	2.4

Method of Determination: GIS and Tax Parcel Data and 2022 Ada County Aerial Imagery and a phone conversation with the applicant on July 20th, 2023.

Change in POU? ____Y __X__N Amendment Required? ____Y __X__N

___ Delivery System Diagram Attached (required). Indicate all major components and distances between components.

Indicate weir size/pipe as applicable:

_X__ Aerial Photo Attached (required for irrigation of 10+ acres).

___ Photo of Diversion and System Attached

3. Diversion Id No.*	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
D0076931					

Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1. Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
N/A						

2. Measurement Comments: The permit holder did not provide pump horsepower. Therefore, a diversion rate calculation is not possible.

E. FLOW CALCULATIONS ___Additional Computation Sheets Attached

Measured Method: Since the permit holder did not provide a pump horsepower a diversion rate is not possible. According to Administrative Processing Memo #17 the standard diversion rate per acre for the irrigation of 5 acres or less is 0.03 cfs/acre, (2.4 acres) *(0.03 cfs/acre) = 0.072 cfs or 0.07 cfs rounded. The permit authorizes 0.12 cfs. I am recommending a 0.07 cfs diversion rate.

F. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.}$ = (Acres Irrigated) x (Irrigation Requirement) = (2.4 acres) *(4.5 af/acre) = 10.8 af

$V_{D.R.}$ = [Diversion Rate (cfs)] x (Days in Irrigation season) x 1.9835 = (0.07 cfs) *(260) *(1.9835) = 36.1 af

V = Smaller of $V_{I.R.}$ and $V_{D.R.}$ = 10.8 af

SCANNED
AUG 07 2023

G. PURPOSE OF USE

Irrigation X Y ____N # Stock N/A Domestic # of Homes N/A

Other: < >

Change in Purpose of Use? ____Y X N

Method of Determination: GIS, Tax Parcel Data, 2022 Ada County Aerial Imagery, and photographs provided by the permit holder.

If Yes: From Use _____To Use _____Amount _____CFS _____AFA_____

H. NARRATIVE/REMARKS/COMMENTS

This permit qualifies for an in-office examination. According to Tax Parcel Data the property was developed in 2017. 2022 Ada County Aerial Imagery confirms 2.4 acres of irrigation occurred within the place of use after removing buildings, roads, and other non-irrigated areas. A condition on the permit requires the permit holder to make full beneficial use of primary surface water and groundwater use is supplemental. However, the permit holder did not initially provide any documentation of primary surface water use. After a phone and email conversation on July 20th, 2023, the permit holder explained groundwater use was minimal. He also provided photographs of surface water diversion, seen below. The permit holder also confirmed acres to the west and north of the property would not be irrigated with groundwater. Therefore, the place of use observed on the permit is the extent of irrigation from groundwater, after removing buildings and roads.

Since the permit holder did not provide a pump horsepower a diversion rate calculation was not possible. The standards set in Administrative Processing Memo #17 was used to make a diversion rate recommendation. Water right 63-161BX overlaps the permits place of use. However, since a condition on the permit limits groundwater use as supplemental there is no reason to limit 63-161BX and this permit. All of the conditions have been met and it has been confirmed a beneficial use was developed within authorization on the permit. Therefore, I am recommending a 0.07 cfs diversion rate and 10.8 af diversion volume.

Conditions R61, WB7, and 943 should remain on the license. Condition 121 should be changed to 103 as standard with licensing. Condition 046 should be removed because the permit holder complied with the drilling permit requirements of the Department. Condition 26A should be removed as standard with licensing. All other conditions should be removed as standard with licensing.

Have conditions of permit approval been met? X Yes ____No

I. RECOMMENDATIONS

1. Recommended Amounts:

BENEFICIAL USE	PERIOD OF USE		DIVERSION RATE	ANNUAL VOLUME
Irrigation	03/01-11/15		0.07 CFS	10.8 AF
		Totals:	0.07 CFS	10.8 AF

2. Recommended Amendments:

___Change P.D. as reflected above ___Add P.D. as reflected above X None

___Change P.U. as reflected above ___Add P.U. as reflected above X None

Other: < >

J. AUTHENTICATION Skyler Cheever – Water Resource Agent


Field Examiner's Signature Date 7/21/2023

Reviewer Cody Date 8/4/23

SCANNED
AUG 07 2023

Field Exam Map


Map showing the authorized point of diversion (yellow point) and place of use (orange outline).



SCANNED
AUG 07

2022 Ada County Aerial Imagery

Imagery was used to determine where irrigation occurred within the place of use and was juxtaposed into a GIS POU shapefile.



SCANNED
AUG 07

Form 238-7
6/07

103

IDAHO DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

1. WELL TAG NO. D 0076931
Drilling Permit No. 884412
Water right or injection well #

2. OWNER:
Name James Eaton
Address 2403 N. Stewart Rd.
City Kuna State ID Zip 83634

3.WELL LOCATION:
Twp. 2 North ☒ or South ☐ Rge. 1 East ☒ or West ☐
Sec. 16 ____ 1/4 (10 acres) SE 1/4 (40 acres) NW 1/4 (160 acres)
Gov't Lot ____ County Ada
Lat. 43 ° 30.680 (Deg. and Decimal minutes)
Long. 116 ° 20.698 (Deg. and Decimal minutes)
Address of Well Site 2403 N Stewart Rd
(Give at least name of road + Distance to Road or Landmark) City Kuna
Lot. ____ Blk. ____ Sub. Name

4. USE:
☒ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation ☐ Thermal ☐ Injection
☐ Other

5. TYPE OF WORK:
☒ New well ☐ Replacement well ☐ Modify existing well
☐ Abandonment ☐ Other

6. DRILL METHOD:
☒ Air Rotary ☒ Mud Rotary ☐ Cable ☐ Other

7. SEALING PROCEDURES:

Seal material	From (ft)	To (ft)	Quantity (lbs or ft³)	Placement method/procedure
3/4bentonite	0	78	2150lbs	dry pour
ben/cem	3	280	100.8cu/ft	tremie

8. CASING/LINER:

Diameter (nominal)	From (ft)	To (ft)	Gauge/ Schedule	Material	Casing	Liner	Threaded	Welded
10"	0	108	.250	steel	☒	☐	☐	☒
6"	+2	290	.250	steel	☒	☐	☐	☒
6"	300	301	.250	steel	☒	☐	☐	☒
					☐	☐	☐	☐

Was drive shoe used? ☒ Y ☐ N Shoe Depth(s) 108

9. PERFORATIONS/SCREENS:
Perforations ☐ Y ☒ N Method
Manufactured screen ☒ Y ☐ N Type johnson
Method of installation placed

From (ft)	To (ft)	Slot size	Number/ft	Diameter (nominal)	Material	Gauge or Schedule
290	301	.025	--	6"	stainless	

Length of Headpipe ____ Length of Tailpipe 1ft
Packer ☐ Y ☒ N Type

10.FILTER PACK:

Filter Material	From (ft)	To (ft)	Quantity (lbs or ft³)	Placement method
8/12silica	280	301	1350lbs	dry pour

11. FLOWING ARTESIAN:
Flowing Artesian? ☐ Y ☐ N Artesian Pressure (PSIG)
Describe control device

12. STATIC WATER LEVEL and WELL TESTS:
Depth first water encountered (ft) 120 Static water level (ft) 120
Water temp. (°F) 60degF Bottom hole temp. (°F)
Describe access port well cap

Well test: **Test method:**

Drawdown (feet)	Discharge or yield (gpm)	Test duration (minutes)	Pump	Bailer	Air	Flowing artesian
---	100	120	☐	☐	☒	☐
			☐	☐	☐	☐

Water quality test or comments:

13. LITHOLOGIC LOG and/or repairs or abandonment:

Bore Dia. (in)	From (ft)	To (ft)	Remarks, lithology or description of repairs or abandonment, water temp.	Water Y	Water N
14"	0	2	top soil		X
"	2	8	hard brown clay		X
"	8	10	broken basalt		X
"	10	73	basalt		X
"	73	80	red cinders		X
10"	80	103	gravel and sand		X
"	103	118	tan clay		X
"	118	129	coarse tan sand	X	
"	129	165	coarse tan sand and gravel	X	
"	165	172	tan sandy clay		X
"	172	192	coarse tan sand	X	
"	192	203	tan clay		X
"	203	248	coarse tan sand and gravel	X	
"	248	262	tan clay		X
"	262	301	coarse tan sand and gravel	X	

RECEIVED
NOV 20 2017
WATER RESOURCES
WESTERN REGION

Completed Depth (Measurable): 301
Date Started: Nov 3, 2017 Date Completed: Nov 12,2017

14. DRILLER'S CERTIFICATION:
I/We certify that all minimum well construction standards were complied with at the time the rig was removed.


Company Name Coonse Well Drilling Co. No. 409
*Principal Driller George Coonse Date Nov 13, 2017
*Driller Date Nov 13, 2017
*Operator II Date
Operator I Date Nov 13, 2017

* Signature of Principal Driller and rig operator are required.

SCANNED
AUG 07 2023

Pictures Sent by Applicant

The applicant sent in pictures of primary surface water diversion. He also explained in an email before the pictures were sent that surface water has been mostly used this year and groundwater was minimally used.





SCANNED
AUG 0 7 2023

Cheever, Skyler

From: James Eaton <etonjames@hotmail.com>
Sent: Thursday, July 20, 2023 1:00 PM
To: Cheever, Skyler
Subject: Re: Review of Water Permit 63-34515 for Licensing

CAUTION: This email originated outside the State of Idaho network. Verify links and attachments BEFORE you click or open, even if you recognize and/or trust the sender. Contact your agency service desk with any concerns.

Got it Skyler! We do have our irrigation pipe in place where it needs to be! I will send you some pictures. I'm actually using very minimal ground water. But if I get too creative, the flood yes my house! Thank you. I will send you some pictures in just a few.

James

Sent from my iPhone

On Jul 20, 2023, at 12:30 PM, Cheever, Skyler <Skyler.Cheever@idwr.idaho.gov> wrote:

Hello Mr. Eaton,

I am currently reviewing your permit, 63-34515 for licensing. However, there is some information I need before I can proceed. A condition on your permit requires you to use surface water first and groundwater use be at least supplemental. In your application for permit you mention you have flood rights for the acreage, but it was difficult to irrigate 4 acers because of the land contours. I would need some sort of documentation, in writing or photographs for example that surface water is being used or at least groundwater was developed to be used supplementally . If you have any questions, please let me know.

Best,

Skyler

Skyler Cheever
Water Resource Agent, State Office
Email: skyler.cheever@idwr.idaho.gov
Phone: 208-287-4913

SCANNED
AUG 07 2023

Beneficial Use Proof Evaluation

Permit Number: 63-34515 Reviewer: AVeibell Review Date: 7/18/2023

Acceptability

1) Is the contact on the request the current permit holder? Yes
2) Does the address of record need to be updated? No
3) Proof Submitted Date: 7/17/2023
4) Proof Due Date: 8/1/2023
5) Days added for weekend due date?
6) Days added for holiday due date?
7) Number of days late: -15
8) Proof received timely? Yes

Analysis

1) Are the water uses correct? Yes
2) Are one of the following items required?
    a. Measuring Device -- No
    b. Lockable Device --No
    c. Fish Screen -- No
3) Are the required items installed? Yes
    a. Measuring Device -- No
    b. Lockable Device --No
    c. Fish Screen -- No
4) Is there a request to waive the required items?
5) Drilling Permit Number: 884412
6) Is a drilling permit upgrade needed? No
7) Was a well drillers report filed? Yes
8) Is proof accepted? Yes

Fees

1) Is a licensing exam fee required? Yes
2) Was proof submitted with an exam report from a CWE? No
3) Filing fee due: $50.00
4) Filing fee submitted: $50.00
5) Remaining fee or (refund): $0.00

Receipt IDs

W045922, W045922

Comments

Proof deemed acceptable. Gave file to water right agent for in-house license review. Water right agent will enter the proof made date in AdHoc at the time of licensing.

IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

May 31, 2023

JAMES A EATON
2403 N STEWART RD
KUNA ID 83634

NOTICE: STATEMENT OF COMPLETION DUE

RE: Permit No. 63-34515

IMPORTANT: A response from you is required to maintain the active status of the referenced water right permit. If no response is received from you, the permit will lapse and your authorization to develop and/or use this water right will be cancelled.

Dear Permit Holder(s):

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before **August 01, 2023**. Please complete and return the enclosed Statement of Completion for Submitting Proof of Beneficial Use (proof) if you have completed the water project authorized by your permit. The proof statement must be accompanied by either the appropriate license examination fee or a field examination report prepared by a certified water right examiner.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been delayed by a government agency or by litigation that brings title to the water in question, an extension of time may be granted if appropriate documentation is provided at the time of filing. An extension request must be accompanied by a $50.00 filing fee and signed by the appropriate authorized permit holder(s) or authorized representative with a power of attorney.

Either an acceptable proof or an acceptable extension request must be received by this department on or before the above proof due date. If neither is received, the department will send you a lapse notice and the permit will no longer be of any force or effect.

Sincerely,

Water Rights Section

Enclosure(s)

CERTIFIED MAIL
7020 2450 0000 1566 5445
NO

SCANNED
JUN 05 2023